

Contents

1 - Tokenized bond — issue (T0)	2
2 - Tokenized bond — free transfer (T1)	3
3 - Tokenized bond — deadline graduation (T2)	4

1 - Tokenized bond — issue (T0)

The minimal P2 (time constraint) + P3 instantiation (the use case at hand): the issuer mints CIP-113 tokens for a beneficiary. Before the deadline the owner transfers them freely (P1); after it, the tokens convert 1:1 into a plain native asset with the owner's consent (P3). One asset name, no per-holder state: the single event — the deadline — lives in the validity range of the graduating transaction.




Figure 1: Issue CIP tokens to the beneficiary

2 - Tokenized bond — free transfer (T1)

*Before the deadline the owner transfers freely (P1) — the generic permissive transfer path applies verbatim.
Conversion is never a freeze: past the deadline an unconverted token keeps moving the same way.*





Figure 2: Free transfer before (or after) the deadline

3 - Tokenized bond — deadline graduation (T2)

After the deadline the issuer (as the assembling keeper) may convert the CIP tokens into the corresponding native asset — third-party path, owner-signed. The deadline rule approves the event condition; the issuance Burn mode enforces the owner's consent; the native policy mints 1:1 against the burn.



Notes:

- Deadline gate (Q-RULE-1): the rule withdraw-0 (Graduate) approves iff the validity range reaches the deadline ($\text{now} \geq \text{deadline}$) — time-driven, no oracle; the event condition is the tx's own validity range.
- Owner consent is structural (Q-GRAD-2): every burned token's inline stake credential must sign (or run its withdraw-0). The issuer assembles and submits, but nothing burns without the owner's signature — “the issuer may convert, with the owner's consent”, on-chain.
- No burn CIP, no mint: the native policy approves the mint only because it is backed by the governed burn of the same name and quantity; the issuance Burn mode mirrors it (graduated_conservation) — every burned CIP gets its native token, and only that one (Q-GRAD-1, per-holder migration).
- Third-party path mechanics: the PLB spend's paired continuation must preserve address, datum and reference script byte-for-byte — the **ghost** output (same stake credential, no CIP tokens; its datum is a byte-identical copy of the input's, empty here). Extraction is the only real effect. The holder-signed variant (SpendViaTransfer + the same Burn mode) skips the third-party dispatch and is the cheaper shape; the third-party form is chosen here to match the stated authority.
- Base-layer guarantee: a transaction that spends a registry node can never mint or burn that node's own token — graduation is pure issuance, never mixed with a registry reconfiguration.
- Asset identity (Q-GRAD-1): the native asset is a new policy — DEX pools / price history continuity across the flip remains an open global question.

Figure 3: Deadline graduation (keeper-assembled, owner-signed)