

Bytemap: Visual Memory and Disk Inspector Screenshots Documentation

Group Members

241815- Muhammad Usaidullah Rehan

241887- Insha Khan


241866- Aniq Irshad




ByteMap

Screenshot Documentation


Bytemap folder:



Commands to run



SS-01) RAM Mode: Startup View (Boot Sector at 0x7C00)



Cursor moved one cell right using arrow key. Addr: 0x7C01, Val: 0x01, Dec: 001, Chr: 1.

SS-03) RAM Mode: Cursor Navigation (0x7C02)




Cursor moved to address 0x7C02. Byte value 0x02 highlighted in yellow.

SS-04) RAM Mode: Edit Mode Activated (Enter Pressed)



Enter key pressed on byte at 0x7C02. Edit mode active and cursor turns white. Status: "EDIT: Type high nibble (0-9 / A-F)".

SS-05) RAM Mode: High Nibble Entered



First hex digit typed. Status updates to: "EDIT: Type low nibble (0-9 / A-F)".

SS-06) RAM Mode: Edit Applied Successfully



```
QEMU (ByteMap v1.0-0)
ByteMap v1.0 Uisual Memory&Disk Insp
[2]Disk [I+/-]Sec [W]Wrt [ESC]Q
RAM SEG:0000 OFF:7C00
ADDR 00 01 02 03 04 05 06 07 ASCII
7C00 FA 31 45 8E D8 8E C0 8E .1E
7C08 D0 BC 00 7C FB 88 16 49 .i.
7C10 7C 31 C0 8A 16 49 7C CD .i.
7C18 13 B4 02 B0 14 B5 00 B1 .i.
7C20 02 B6 00 8A 16 49 7C BB .i.
7C28 00 7E CD 13 73 12 BE 4A .s.
7C30 7C AC 08 C0 74 08 B4 0E .t.
7C38 30 FF CD 10 EB F3 FA F4 .
7C40 8A 16 49 7C EA 00 7E 00 .i.
7C48 00 00 42 79 74 65 4D 61 .ByteMa
7C50 70 3A 20 6C 6F 61 64 20 p: load
7C58 65 72 72 6F 72 2E 20 52 error. R
7C60 65 73 65 74 2E 0D 0A 00 eset.
7C68 00 00 00 00 00 00 00 00 .
7C70 00 00 00 00 00 00 00 00 .
7C78 00 00 00 00 00 00 00 00 .
Addr:7C02 Val:0x02 Dec:002 Chr:2
[Arrows]Move [PgU/D]Scroll [Enter]Edit
Edit applied.
```

Second hex digit entered. Byte value changed to 0x45. Status: "Edit applied." Cursor returns to yellow.

SS-07) RAM Mode: ESC Pressed Once (Quit Prompt)



```
QEMU (ByteMap v1.0-0)
ByteMap v1.0 Uisual Memory&Disk Insp
[2]Disk [I+/-]Sec [W]Wrt [ESC]Q
RAM SEG:0000 OFF:7C00
ADDR 00 01 02 03 04 05 06 07 ASCII
7C00 FA 31 45 8E D8 8E C0 8E .1E
7C08 D0 BC 00 7C FB 88 16 49 .i.
7C10 7C 31 C0 8A 16 49 7C CD .i.
7C18 13 B4 02 B0 14 B5 00 B1 .i.
7C20 02 B6 00 8A 16 49 7C BB .i.
7C28 00 7E CD 13 73 12 BE 4A .s.
7C30 7C AC 08 C0 74 08 B4 0E .t.
7C38 30 FF CD 10 EB F3 FA F4 .
7C40 8A 16 49 7C EA 00 7E 00 .i.
7C48 00 00 42 79 74 65 4D 61 .ByteMa
7C50 70 3A 20 6C 6F 61 64 20 p: load
7C58 65 72 72 6F 72 2E 20 52 error. R
7C60 65 73 65 74 2E 0D 0A 00 eset.
7C68 00 00 00 00 00 00 00 00 .
7C70 00 00 00 00 00 00 00 00 .
7C78 00 00 00 00 00 00 00 00 .
Addr:7C03 Val:0x03 Dec:003 Chr:3
[Arrows]Move [PgU/D]Scroll [Enter]Edit
Press ESC again to quit, other key = stay
```

ESC pressed once. Status: "Press ESC again to quit, other key = stay". Program waits for confirmation.

SS-08) RAM Mode: Cursor Navigated to 0x7C2A



```
QEMU (ByteMap v1.0-0)
ByteMap v1.0 Uisual Memory&Disk Insp
[2]Disk [I+/-]Sec [W]Wrt [ESC]Q
RAM SEG:0000 OFF:7C00
ADDR 00 01 02 03 04 05 06 07 ASCII
7C00 FD 31 45 8E D8 8E C0 8E .1E
7C08 D0 BC 00 7C FB 88 16 49 .i.
7C10 7C 31 C0 8A 16 49 7C CD .i.
7C18 13 B4 02 B0 14 B5 00 B1 .i.
7C20 02 B6 00 8A 16 49 7C BB .i.
7C28 00 7E CD 13 73 12 BE 4A .s.
7C30 7C AC 08 C0 74 08 B4 0E .t.
7C38 30 FF CD 10 EB F3 FA F4 .
7C40 8A 16 49 7C EA 00 7E 00 .i.
7C48 00 00 42 79 74 65 4D 61 .ByteMa
7C50 70 3A 20 6C 6F 61 64 20 p: load
7C58 65 72 72 6F 72 2E 20 52 error. R
7C60 65 73 65 74 2E 0D 0A 00 eset.
7C68 00 00 00 00 00 00 00 00 .
7C70 00 00 00 00 00 00 00 00 .
7C78 00 00 00 00 00 00 00 00 .
Addr:7C2A Val:0x2A Dec:042 Chr:2
[Arrows]Move [PgU/D]Scroll [Enter]Edit
Edit applied.
```


Cursor navigated further down to address 0x7C2A using arrow keys. Edit applied to a byte there.

SS-09) RAM Mode: Cursor at 0x7C64, Byte Edited

```
QEMU (ByteMap v1.0-0)
ByteMap v1.0 Visual Memory&Disk Insp
[RAM] [2]DISK [+/-]Sec [W]Wrt [ESC]Q
RAM SEG:0000 OFF:7C00
ADDR 00 01 02 03 04 05 06 07 ASCII
7C00 FD 31 45 8E D8 8E C0 8E .1E...i
7C08 D0 BC 00 7C FB 88 16 49 .i...i..
7C10 7C 31 C0 8A 16 49 7C CD .i...i..
7C18 13 B4 02 B0 14 B5 00 B1 .~...s..J
7C20 02 B6 00 8A 16 49 7C BB .~...t...
7C28 00 7E CD 13 73 12 BE 4A .~...s..J
7C30 7C AC 08 C0 74 08 B4 0E .~...t...
7C38 30 FF CD 10 EB F3 FA F4 0 .~...t...
7C40 8A 16 49 7C EA 00 7E 00 .~...t...
7C48 00 00 42 79 74 65 4D 61 .~...t...
7C50 70 3A 20 6C 6F 61 64 20 p: load
7C58 65 72 72 6F 72 2E 20 52 error. R
7C60 65 73 65 74 20 0D 0A 00 eset.
7C68 00 00 00 00 00 00 00 00 .~...t...
7C70 00 00 00 00 00 00 00 00 .~...t...
7C78 00 00 00 00 00 00 00 00 .~...t...

Addr:7C64 Val:0x64 Dec:100 Chr:0
[Arrows]Move [PgU/D]Scroll [Enter]Edit
Edit applied.
```

Cursor at 0x7C64 (Dec: 100). Byte edited successfully. Status: "Edit applied."

SS-10) RAM Mode: Page Down / Scroll Forward (0x7C80 Range)

```
QEMU (ByteMap v1.0-0)
ByteMap v1.0 Visual Memory&Disk Insp
[RAM] [2]DISK [+/-]Sec [W]Wrt [ESC]Q
RAM SEG:0000 OFF:7C80
ADDR 00 01 02 03 04 05 06 07 ASCII
7C80 00 00 00 00 00 00 00 00 .~...t...
7C88 00 00 00 00 00 00 00 00 .~...t...
7C90 00 00 00 00 00 00 00 00 .~...t...
7C98 00 00 00 00 00 00 00 00 .~...t...
7CA0 00 00 00 00 00 00 00 00 .~...t...
7CA8 00 00 00 00 00 00 00 00 .~...t...
7CB0 00 00 00 00 00 00 00 00 .~...t...
7CB8 00 00 00 00 00 00 00 00 .~...t...
7CC0 00 00 00 00 00 00 00 00 .~...t...
7CC8 00 00 00 00 00 00 00 00 .~...t...
7CD0 00 00 00 00 00 00 00 00 .~...t...
7CD8 00 00 00 00 00 00 00 00 .~...t...
7CE0 00 00 00 00 00 00 00 00 .~...t...
7CE8 00 00 00 00 00 00 00 00 .~...t...
7CF0 00 00 00 00 00 00 00 00 .~...t...
7CF8 00 00 00 00 00 00 00 00 .~...t...

Addr:7C83 Val:0x83 Dec:131 Chr:1
[Arrows]Move [PgU/D]Scroll [Enter]Edit
Edit applied.
```

Page Down (key O or PgDn) pressed. View scrolls forward 128 bytes to 0x7C80 range. Mostly null (dark grey) bytes visible because it's uninitialized RAM area.

SS-11) RAM Mode: Page Up / Scroll Back

```

QEMU (ByteMap v1.0-0)
ByteMap v1.0 Visual Memory&Disk Insp
[RAM] [2] [DISK] [1+/-] [Sec] [W] [Wrt] [ESC] [Q]
RAM SEG:0000 OFF:7C00
ADDR 00 01 02 03 04 05 06 07 ASCII
7C00 FA 31 45 8E D8 8E C0 8E .1E . . . i
7C08 D0 BC 00 7C FB 88 16 49 .i . . . i
7C10 7C 31 C0 8A 16 49 7C CD .i . . . i
7C18 13 B4 02 B0 14 B5 00 B1 . . . i
7C20 02 B6 00 8A 16 49 7C BB . . . i
7C28 00 7E CD 13 73 12 BE 4A .~ . . . J
7C30 7C AC 08 C0 74 08 B4 0E . . . t
7C38 30 FF CD 10 EB F3 FA F4 0 . . . ~
7C40 8A 16 49 7C EA 00 7E 00 . . . i
7C48 00 00 42 79 74 65 4D 61 . . . ByteMa
7C50 70 3A 20 6C 6F 61 64 20 p: . . . load
7C58 65 72 72 6F 72 2E 20 52 error. R
7C60 65 73 65 74 2E 0D 0A 00 eset. . .
7C68 00 00 00 00 00 00 00 00 . . .
7C70 00 00 00 00 00 00 00 00 . . .
7C78 00 00 00 00 00 00 00 00 . . .

Addr:7C71 Val:0x71 Dec:113 Chr:3
[Arrows]Move [PgUp/D]IScroll [Enter]Edit
Edit applied.

```

SS-12) RAM Mode: ESC to Cancel Edit

```

QEMU (ByteMap v1.0-0) - Press Ctrl-Alt-G to exit grab
ByteMap v1.0 Visual Memory&Disk Insp
[RAM] [2] [DISK] [1+/-] [Sec] [W] [Wrt] [ESC] [Q]
RAM SEG:0000 OFF:7C00
ADDR 00 01 02 03 04 05 06 07 ASCII
7C00 FA 31 45 8E D8 8E C0 8E .1E . . . i
7C08 D0 BC 00 7C FB 88 16 49 .i . . . i
7C10 7C 31 C0 8A 16 49 7C CD .i . . . i
7C18 13 B4 02 B0 14 B5 00 B1 . . . i
7C20 02 B6 00 8A 16 49 7C BB . . . i
7C28 00 7E CD 13 73 12 BE 4A .~ . . . J
7C30 7C AC 08 C0 74 08 B4 0E . . . t
7C38 30 FF CD 10 EB F3 FA F4 0 . . . ~
7C40 8A 16 49 7C EA 00 7E 00 . . . i
7C48 00 00 42 79 74 65 4D 61 . . . ByteMa
7C50 70 3A 20 6C 6F 61 64 20 p: . . . load
7C58 65 72 72 6F 72 2E 20 52 error. R
7C60 65 73 65 74 2E 0D 0A 00 eset. . .
7C68 00 00 00 00 00 00 00 00 . . .
7C70 00 00 00 00 00 00 00 00 . . .
7C78 00 00 00 00 00 00 00 00 . . .

Addr:7C52 Val:0x52 Dec:082 Chr:2
[Arrows]Move [PgUp/D]IScroll [Enter]Edit
Edit cancelled.

```

Section 2: Colour Coding Reference

SS-13) Colour Coding: All Four Byte Types


```

GEMU (ByteMap v1.0-0)
ByteMap v1.0 Visual Memory&Disk Insp
[2]Disk [1+/-]Sec [W]Wrt [ESC]Q
RAM SEG:0000 OFF:7C00
ADDR 00 01 02 03 04 05 06 07 ASCII
7C00 00 31 C0 8E D8 8E C0 8E 11 . . . . .
7C08 D0 BC 00 7C FB 88 16 49 . . . . .
7C10 7C 31 C0 8A 16 49 7C CD 11 . . . . .
7C18 13 B4 02 B0 14 B5 00 B1 . . . . .
7C20 02 B6 00 8A 16 49 7C BB . . . . .
7C28 00 7E CD 13 73 12 BE 4A . . . . .
7C30 7C AC 08 C0 74 08 B4 0E . . . . .
7C38 30 FF CD 10 EB F3 FA F4 0 . . . . .
7C40 8A 16 49 7C EA 00 7E 00 . . . . .
7C48 00 00 42 79 74 65 4D 61 . . . . .
7C50 70 3A 20 6C 6F 61 64 20 . . . . .
7C58 65 72 72 6F 72 2E 20 52 . . . . .
7C60 65 73 65 74 2E 0D 0A 00 . . . . .
7C68 00 00 00 00 00 00 00 00 . . . . .
7C70 00 00 00 00 00 00 00 00 . . . . .
7C78 00 00 00 00 00 00 00 00 . . . . .

Addr:7C00 Val:0x00 Dec:000 Chr:0
[Arrows]Move [PgDn/D]Scroll [Enter]Edit
ByteMap ready. [Enter]=Edit [ESC]=Quit

```

Colour legend visible at startup. Dark grey = null (0x00). Bright green = printable ASCII (0x20–0x7E). Bright red = likely machine code opcodes. Bright cyan = raw data. Yellow = cursor position.

Section 3: Disk Mode (F2 / Key 2)

SS-14) Disk Mode: Sector 1 Loaded (CLEAN)

```

GEMU (ByteMap v1.0-0)
ByteMap v1.0 Visual Memory&Disk Insp
[1]RAM [2]Disk [1+/-]Sec [W]Wrt [ESC]Q
DISK DRV:00 CYL:00 HD:00 SEC:01 [CLEAN]
ADDR 00 01 02 03 04 05 06 07 ASCII
0000 00 31 C0 8E D8 8E C0 8E 11 . . . . .
0008 D0 BC 00 7C FB 88 16 49 . . . . .
0010 7C 31 C0 8A 16 49 7C CD 11 . . . . .
0018 13 B4 02 B0 14 B5 00 B1 . . . . .
0020 02 B6 00 8A 16 49 7C BB . . . . .
0028 00 7E CD 13 73 12 BE 4A . . . . .
0030 7C AC 08 C0 74 08 B4 0E . . . . .
0038 30 FF CD 10 EB F3 FA F4 0 . . . . .
0040 8A 16 49 7C EA 00 7E 00 . . . . .
0048 00 00 42 79 74 65 4D 61 . . . . .
0050 70 3A 20 6C 6F 61 64 20 . . . . .
0058 65 72 72 6F 72 2E 20 52 . . . . .
0060 65 73 65 74 2E 0D 0A 00 . . . . .
0068 00 00 00 00 00 00 00 00 . . . . .
0070 00 00 00 00 00 00 00 00 . . . . .
0078 00 00 00 00 00 00 00 00 . . . . .

Addr:0000 Val:0x00 Dec:000 Chr:0
[Arrows]Move [PgDn/D]View [1+/-]Sector
Sector loaded OK.

```

Switched to Disk Mode (F2). Sector 1 loaded. Header shows DRV:00 CYL:00 HD:00 SEC:01 [CLEAN]. Status: "Sector loaded OK."

SS-15) Disk Mode: Cursor Navigation (0x0001)


```

ByteMap v1.0  Visual Memory&Disk Insp
[RAM] [DISK] [L+/-]Sec [W]Wrt [ESC]CQ
DISK DRU:00 CYL:00 HD:00 SEC:01 [CLEAN]
ADDR 00 01 02 03 04 05 06 07 ASCII
0000 FA 31 C0 8E D8 8E C0 8E .i . . . .
0008 D0 BC 00 7C FB 88 16 49 .i . . . .
0010 7C 31 C0 8A 16 49 7C CD .i . . . .
0018 13 B4 02 B0 14 B5 00 B1 .i . . . .
0020 02 B6 00 8A 16 49 7C BB .i . . . .
0028 00 7E CD 13 73 12 BE 4A .i . . . .
0030 7C AC 08 C0 74 08 B4 0E .i . . . .
0038 30 FF CD 10 EB F3 FA F4 0 .i . . . .
0040 8A 16 49 7C EA 00 7E 00 .i . . . .
0048 00 00 42 79 74 65 4D 61 .i . . . .
0050 70 3A 20 6C 6F 61 64 20 p: load
0058 65 72 72 6F 72 2E 20 52 error. R
0060 65 73 65 74 2E 0D 0A 00 eset. . .
0068 00 00 00 00 00 00 00 00 . . . .
0070 00 00 00 00 00 00 00 00 . . . .
0078 00 00 00 00 00 00 00 00 . . . .

Addr:0001 Val:0x01 Dec:001 Chr:1
[Arrows]Move [PgU/D]View [L+/-]Sector
Sector loaded OK.

```

Cursor moved to address 0x0001 using arrow key in Disk Mode.

SS-16) Disk Mode: Cursor Navigation (0x0002)

```

ByteMap v1.0  Visual Memory&Disk Insp
[RAM] [DISK] [L+/-]Sec [W]Wrt [ESC]CQ
DISK DRU:00 CYL:00 HD:00 SEC:01 [CLEAN]
ADDR 00 01 02 03 04 05 06 07 ASCII
0000 FA 31 C0 8E D8 8E C0 8E .i . . . .
0008 D0 BC 00 7C FB 88 16 49 .i . . . .
0010 7C 31 C0 8A 16 49 7C CD .i . . . .
0018 13 B4 02 B0 14 B5 00 B1 .i . . . .
0020 02 B6 00 8A 16 49 7C BB .i . . . .
0028 00 7E CD 13 73 12 BE 4A .i . . . .
0030 7C AC 08 C0 74 08 B4 0E .i . . . .
0038 30 FF CD 10 EB F3 FA F4 0 .i . . . .
0040 8A 16 49 7C EA 00 7E 00 .i . . . .
0048 00 00 42 79 74 65 4D 61 .i . . . .
0050 70 3A 20 6C 6F 61 64 20 p: load
0058 65 72 72 6F 72 2E 20 52 error. R
0060 65 73 65 74 2E 0D 0A 00 eset. . .
0068 00 00 00 00 00 00 00 00 . . . .
0070 00 00 00 00 00 00 00 00 . . . .
0078 00 00 00 00 00 00 00 00 . . . .

Addr:0002 Val:0x02 Dec:002 Chr:2
[Arrows]Move [PgU/D]View [L+/-]Sector
Sector loaded OK.

```

Cursor at address 0x0002. Navigating through the disk sector buffer.

SS-17) Disk Mode: Edit Mode Activated on Disk Byte

```

ByteMap v1.0  Visual Memory&Disk Insp
[RAM] [DISK] [L+/-]Sec [W]Wrt [ESC]CQ
DISK DRU:00 CYL:00 HD:00 SEC:01 [CLEAN]
ADDR 00 01 02 03 04 05 06 07 ASCII
0000 FA 31 C0 8E D8 8E C0 8E .i . . . .
0008 D0 BC 00 7C FB 88 16 49 .i . . . .
0010 7C 31 C0 8A 16 49 7C CD .i . . . .
0018 13 B4 02 B0 14 B5 00 B1 .i . . . .
0020 02 B6 00 8A 16 49 7C BB .i . . . .
0028 00 7E CD 13 73 12 BE 4A .i . . . .
0030 7C AC 08 C0 74 08 B4 0E .i . . . .
0038 30 FF CD 10 EB F3 FA F4 0 .i . . . .
0040 8A 16 49 7C EA 00 7E 00 .i . . . .
0048 00 00 42 79 74 65 4D 61 .i . . . .
0050 70 3A 20 6C 6F 61 64 20 p: load
0058 65 72 72 6F 72 2E 20 52 error. R
0060 65 73 65 74 2E 0D 0A 00 eset. . .
0068 00 00 00 00 00 00 00 00 . . . .
0070 00 00 00 00 00 00 00 00 . . . .
0078 00 00 00 00 00 00 00 00 . . . .

Addr:0002 Val:0x02 Dec:002 Chr:2
[Arrows]Move [PgU/D]View [L+/-]Sector
EDIT: Type high nibble (0-9 / A-F)

```

Enter pressed on disk byte at 0x0002. Status: "EDIT: Type high nibble (0-9 / A-F)". Cursor turns white.

SS-18) Disk Mode: Byte Edited (DIRTY Flag Shown)

```

ByteMap v1.0 Visual Memory & Disk Insp
[RAM] [DIRTY] [L+/-] [Sec] [W] [Wrt] [ESC] [Q]
DISK DRU:00 CYL:00 HD:00 SEC:01 [DIRTY]
ADDR 00 01 02 03 04 05 06 07 ASCII
0000 FA 31 2D 8E D8 8E C0 8E .1. . . . i
0008 D0 BC 00 7C FB 88 16 49 .i. . . . i
0010 7C 31 C0 8A 16 49 7C CD .i. . . . i
0018 13 B4 02 B0 14 B5 00 B1 . . . . . i
0020 02 B6 00 8A 16 49 7C BB . . . . . i
0028 00 7E CD 13 73 12 BE 4A . . . . . J
0030 7C AC 08 C0 74 08 B4 0E . . . . . t
0038 30 FF CD 10 EB F3 FA F4 0 . . . . .
0040 8A 16 49 7C EA 00 7E 00 . . . . .
0048 00 00 42 79 74 65 4D 61 . . . . . ByteMa
0050 70 3A 20 6C 6F 61 64 20 p: load
0058 65 72 72 6F 72 2E 20 52 error. R
0060 65 73 65 74 2E 0D 0A 00 eset.
0068 00 00 00 00 00 00 00 00 . . . . .
0070 00 00 00 00 00 00 00 00 . . . . .
0078 00 00 00 00 00 00 00 00 . . . . .

Addr:0002 Val:0x02 Dec:002 Chr:2
[Arrows]Move [PgU/D]View [L+/-]Sector
Edit applied.

```

Edit applied to disk buffer. Header now shows [DIRTY] in red, buffer differs from disk. Status: "Edit applied." Disk NOT yet written.

SS-19) Disk Mode: Sector Written to Disk (W Key)

```


ByteMap v1.0 Visual Memory & Disk Insp
[RAM] [DIRTY] [L+/-] [Sec] [W] [Wrt] [ESC] [Q]
DISK DRU:00 CYL:00 HD:00 SEC:01 [CLEAN]
ADDR 00 01 02 03 04 05 06 07 ASCII
0000 FA 31 2D 8E D8 8E C0 8E .1. . . . i
0008 D0 BC 00 7C FB 88 16 49 .i. . . . i
0010 7C 31 C0 8A 16 49 7C CD .i. . . . i
0018 13 B4 02 B0 14 B5 00 B1 . . . . . i
0020 02 B6 00 8A 16 49 7C BB . . . . . i
0028 00 7E CD 13 73 12 BE 4A . . . . . J
0030 7C AC 08 C0 74 08 B4 0E . . . . . t
0038 30 FF CD 10 EB F3 FA F4 0 . . . . .
0040 8A 16 49 7C EA 00 7E 00 . . . . .
0048 00 00 42 79 74 65 4D 61 . . . . . ByteMa
0050 70 3A 20 6C 6F 61 64 20 p: load
0058 65 72 72 6F 72 2E 20 52 error. R
0060 65 73 65 74 2E 0D 0A 00 eset.
0068 00 00 00 00 00 00 00 00 . . . . .
0070 00 00 00 00 00 00 00 00 . . . . .
0078 00 00 00 00 00 00 00 00 . . . . .

Addr:0002 Val:0x02 Dec:002 Chr:2
[Arrows]Move [PgU/D]View [L+/-]Sector
Sector written to disk successfully!

```

W key pressed. INT 13h write executed. Header returns to [CLEAN]. Status: "Sector written to disk successfully!"

SS-20) Disk Mode: Next Sector (+ Key) → Sector 2



+ key pressed. CHS incremented to SEC:02. New sector loaded from disk. Status: "Sector loaded OK."

Disk Mode: Sector 3

SS-21) Program Strings Visible in ASCII Panel



+ pressed again. Now at SEC:03. ASCII panel shows readable text. ByteMap program strings stored in floppy sectors (e.g. "ByteMap v1", "Visu", "al Memory&Disk I").

SS-22) Disk Mode: Previous Sector (– Key) → Back to Sector 2


```

QEMU (ByteMap v1.0-0)
ByteMap v1.0 Visual Memory&Disk Insp
[1]RAM [2]DISK [3]Sector [4]Wrt [5]ESC [6]Q
DISK DRU:00 CYL:00 HD:00 SEC:01 [DIRTY]
ADDR 00 01 02 03 04 05 06 07 ASCII
0000 FA 31 4D 8E D8 8E C0 8E .1M...i
0008 D0 BC 00 7C FB 88 16 49 ..i...i
0010 7C 31 C0 8A 16 49 7C CD .i...i
0018 13 B4 02 B0 14 B5 00 B1 ..s...J
0020 02 B6 00 8A 16 49 7C BB ..~...i
0028 00 7E CD 13 73 12 BE 4A ..s...J
0030 7C AC 08 C0 74 2B B4 0E .i...t
0038 30 FF CD 10 EB F3 FA F4 0..i...~
0040 8A 16 49 7C EA 00 7E 00 ..i...~
0048 00 00 42 79 74 65 4D 61 ..ByteMa
0050 70 3A 20 6C 6F 61 64 20 p:load
0058 65 72 72 6F 72 2E 20 52 error.R
0060 65 73 65 74 2E 0D 0A 00 eset...
0068 00 00 00 00 00 00 00 00 .....
0070 00 00 00 00 00 00 00 00 .....
0078 00 00 00 00 00 00 00 00 .....

Addr:0035 Val:0x35 Dec:053 Chr:3
[Arrows]Move [PgU/D]View [+/-]Sector
Edit applied.

```

Section 4: Quitting ByteMap

SS-23) Quit: ESC Pressed Twice, Program Exit

```

QEMU (ByteMap v1.0-0)
ByteMap closed. Close QEMU to exit.

```

"Press ESC twice to quit"