

BUSY Developer Requirements - Volt Rewards (working name of the app)

Purpose

Volt Rewards currently uses a mock BUSY adapter. We now need BUSY to PUSH live sale invoices, return invoices, and item master data to Volt Rewards so the mock adapter can be replaced with actual BUSY data.

This document explains what data we need from BUSY, using the exact field names visible in `SaleWithRef.txt`.

How We Need This To Work

We want the live integration to work through API calls, not manual file export/import.

Because the integration mode is PUSH only, please create the BUSY-side API/sync capability that can call Volt Rewards whenever relevant BUSY data changes.

Volt Rewards now has a test receiving API ready for connector testing. The test receiver is deployed on Railway as a public HTTPS endpoint for live connector testing. Please keep the destination API base URL and credentials configurable, not hard-coded, so the same BUSY connector can point first to the test environment and later to staging/production.

The API base URL includes the `/api` prefix. For the current test deployment, the BUSY connector should call:

```
https://volt-rewardsapi-production.up.railway.app/api/integrations/busy/v1/health
```

Environment	API base URL
Test API Deployment	https://volt-rewardsapi-production.up.railway.app/api
Deployed staging	https://<volt-staging-api-host>/api, using the same paths below unless Volt Rewards confirms a new version
Production	https://<volt-production-api-host>/api, using the same paths below unless Volt Rewards confirms a new version

Volt Rewards receiving API paths:

Purpose	Method	Path
Connectivity/authentication check	GET	/integrations/busy/v1/health
Push Sale or Return voucher create/update	POST	/integrations/busy/v1/vouchers/upsert
Push first full ItemCodes/item master list	POST	/integrations/busy/v1/item-codes/full-sync
Push later ItemCodes/item master changes	POST	/integrations/busy/v1/item-codes/upsert

Every BUSY call must include these headers:

Header	Purpose
x-volt-client-id	Identifies the BUSY connector/client environment
x-volt-api-key	Shared secret for that environment

Volt Rewards will generate the test `x-volt-client-id` and `x-volt-api-key` for connector testing and share them separately from this document. Please store these values securely and make them replaceable per environment.

The test connectivity endpoint has been verified by Volt Rewards. The BUSY developer should first call `GET /integrations/busy/v1/health` with the shared test headers before sending voucher or item master data.

We need this API/sync capability for these purposes:

1. Send sale invoice create/update data to Volt Rewards.

2. Send return invoice create/update data to Volt Rewards.
3. Send the first full item master / ItemCodes list to Volt Rewards.
4. Send later item master / ItemCodes changes to Volt Rewards.

Please make sure this capability can authenticate securely, retry safely after internet failure, avoid duplicate pushes, and provide enough success/failure status for troubleshooting.

Data BUSY Must Push

BUSY must push these event types or equivalent records:

Event / record type	When BUSY should push it	Why Volt Rewards needs it
Sale invoice create/update	When a sale invoice is created or edited	Creates/updates invoice rows and QR-printable quantities
Return of Sale voucher	When a partial or full sale return is created or edited	Reduces future printable quantity and links returns to original invoices
Item master full sync	First setup and periodic validation	Populates the Admin Web ItemCodes list
Item master change sync	When item code, item name, category/group, price, or active status changes	Keeps ItemCodes current after first setup

Sale Header Fields Needed

Volt Rewards meaning	BUSY field from SaleWithRef.txt	Required?	Notes
Unique invoice id	tmpVchCode	Yes	This is the primary identifier.
Invoice date	Date	Yes	Sample value: 07 -02 -2026.
Voucher type	VchType	Yes	Identifies whether the voucher is Sale or Return. Sample sale value: 9.
Billing Invoice Number	VchNo	Yes	Display/reference only; not unique id.
Party/customer name	BillingDetails.PartyName	Yes	Fallback can be MasterName1 if needed.
Party/customer state	BillingDetails.tmpStateName	Preferred	Useful for invoice display/reporting.
Store/retailer name	MasterName2	Preferred	Sample value: Main Store.
BUSY original identity	OriginalID	Preferred	Useful for audit/debugging.
Total quantity	tmpTotalQty	Preferred	Useful for validation/reporting.
Total amount	tmpTotalAmt or tmpSalePurcAmt	Preferred	Useful for invoice display/reporting.

Sale Line Fields Needed

For every ItemEntries.ItemDetail, BUSY should push:

Volt Rewards meaning	BUSY field from SaleWithRef.txt	Required?	Notes
Invoice id on line	tmpVchCode	Yes	Should match sale header tmpVchCode.
Line number	SrNo	Yes	Used as line reference unless BUSY has a stronger stable line id.
Product/item name	ItemName	Yes	Display and ItemCodes sync.
Item code	tmpItemCode	Yes	Used to match ItemCodes and reward rules.
Quantity sold	Qty	Yes	Determines QR unit quantity.
Unit name	UnitName or tmpMainUnitName	Yes	Display and matching support.
Unit price	Price	Yes	Used for ItemCodes price sync unless another confirmed price field is chosen.
Line amount	Amt	Preferred	Validation/reporting.
Net line amount	NettAmount	Preferred	Validation/reporting.
Item group/category	tmpGroupName	Preferred	ItemCodes category/group.
Tax category	ItemTaxCategory	Preferred	Example: GST 12%.

Volt Rewards meaning	BUSY field from SaleWithRef.txt	Required?	Notes
Store code	tmpMCCode	Optional	Useful if multiple stores/locations exist.

Confirmed Sample Mapping

From SaleWithRef.txt:

Meaning	BUSY field and value
Unique invoice id	tmpVchCode = 25
Invoice date	Date = 07-02-2026
Voucher type	VchType = 9
Billing invoice number	VchNo = 12/2025-26
Party name	BillingDetails.PartyName = Busy Infotech Pvt. Ltd.
Store name	MasterName2 = Main Store
Line number	ItemDetail.SrNo = 1
Item code	ItemDetail.tmpItemCode = 40291
Item name	ItemDetail.ItemName = TestItem
Quantity	ItemDetail.Qty = 100
Price	ItemDetail.Price = 200
Net amount	ItemDetail.NettAmount = 20000
Item group	ItemDetail.tmpGroupName = General

Return Of Sale Requirements

BUSY returns must be pushed as separate Return of Sale vouchers. The original sale invoice should not be the only signal for a return.

For a full return, the Return of Sale voucher should contain all original sale invoice line items and quantities. In that case the sale and return net to zero.

For every Return of Sale voucher, BUSY must push:

Volt Rewards meaning	BUSY field needed	Required?	Notes
Unique return voucher id	Return voucher tmpVchCode	Yes	This identifies the return voucher.
Billing return invoice voucher number	Return voucher VchNo	Yes	Display/reference.
Return date	Return voucher Date	Yes	Return date.
Return voucher type	Return voucher VchType or equivalent return flag	Yes	Must identify this as Return of Sale.
Original sale invoice id	Field that stores original sale tmpVchCode	Yes	This exact BUSY field name is needed to link the return voucher to the original sale invoice.
Party/customer name	BillingDetails.PartyName	Preferred	If available on return voucher.

For every return line, BUSY must push:

Volt Rewards meaning	BUSY field needed	Required?	Notes
Return line number	Return line SrNo	Yes	Return line reference.
Original sale line reference	Original sale SrNo or stronger original line id	Preferred	Needed when same tmpItemCode appears multiple times on one invoice.
Returned item code	Return line tmpItemCode	Yes	Must match original sale line item code.
Returned item name	Return line ItemName	Yes	Display and validation.
Returned quantity	Return line Qty	Yes	Quantity returned.

Volt Rewards meaning	BUSY field needed	Required?	Notes
Unit name	Return line UnitName	Preferred	Matching/display.
Price	Return line Price	Preferred	Validation/display.

Important: Volt Rewards needs the exact BUSY field that links a Return of Sale voucher to the original sale tmpVchCode. If that field is not yet known, please confirm it from BUSY.

Item Master / ItemCodes Requirements

Volt Rewards has an Admin Web ItemCodes tab. BUSY owns item facts. Volt Rewards owns reward rules.

BUSY must push an initial full item master list and then push item changes after that.

BUSY-owned fields needed:

Volt Rewards meaning	BUSY field	Required?	Notes
Item code	tmpItemCode	Yes	Stable item identifier.
Item name	ItemName	Yes	Display name.
Category/group	tmpGroupName or item master category/group field	Preferred	Exact item master field can be confirmed.
Price	Price or confirmed item master price field	Yes	Used for % of Price reward-rule calculation.
Active/inactive/deleted status	Exact BUSY item status field	Preferred	Needed to mark missing/deactivated items.
Last updated timestamp/cursor	BUSY updated field, if available	Preferred	Useful for reliable sync ordering.

Retry And Duplicate Prevention

BUSY pushes must be safe to retry.

Required behavior:

- Retrying the same BUSY event should not create duplicate sale invoices, item lines, item codes, QR placeholders, or return invoices/records.
- Repeated pushes for the same sale invoice must keep the same tmpVchCode.
- If the same event is retried after network failure, it should carry the same event identity or enough same-source information for Volt Rewards to detect it as a retry.