



NA




NA

NA




NA

NA




NA

NA




NA

NA




NA

NA




NA

NA




NA

NA



NA

NA



NA

	Patients(%)	TRT	CONT	Diff	Lower	Upper
Overall	268 (67.0)	0.92	0.91	0.01	-0.06	0.07
RACE						
AMERICAN INDIAN OR ALASKA NATIVE	19 (4.8)	0.91	0.88	0.03	-0.25	0.32
ASIAN	135 (33.8)	0.93	0.90	0.03	-0.07	0.12
BLACK OR AFRICAN AMERICAN	59 (14.8)	0.86	0.90	-0.05	-0.21	0.12
WHITE	53 (13.2)	0.96	0.96	-0.00	-0.10	0.10
MULTIPLE	1 (0.2)	1.00	NaN	NaN	NaN	NaN
NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	1 (0.2)	1.00	NaN	NaN	NaN	NaN
REGION1						
Africa	15 (3.8)	1.00	0.75	0.25	-0.05	0.55
Asia	185 (46.2)	0.90	0.92	-0.02	-0.10	0.06
Eurasia	13 (3.2)	0.88	1.00	-0.12	-0.35	0.10
Europe	7 (1.8)	1.00	1.00	0.00	0.00	0.00
North America	28 (7.0)	1.00	0.92	0.08	-0.07	0.22
South America	20 (5.0)	0.86	0.85	0.01	-0.31	0.34
SEX						
F	161 (40.2)	0.94	0.91	0.03	-0.05	0.11
M	107 (26.8)	0.88	0.91	-0.02	-0.14	0.09
	-0.08					
	Favor					
	Cont					
	Treatment					

NA

NA

	Patients(%)	TRT	CONT	Diff	Lower	Upper
Overall	268 (67.0)	0.92	0.91	0.01	-0.06	0.07
RACE						
AMERICAN INDIAN OR ALASKA NATIVE	19 (4.8)	0.91	0.88	0.03	-0.25	0.32
ASIAN	135 (33.8)	0.93	0.90	0.03	-0.07	0.12
BLACK OR AFRICAN AMERICAN	59 (14.8)	0.86	0.90	-0.05	-0.21	0.12
WHITE	53 (13.2)	0.96	0.96	-0.00	-0.10	0.10
MULTIPLE	1 (0.2)	1.00	NaN	NaN	NaN	NaN
NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	1 (0.2)	1.00	NaN	NaN	NaN	NaN
REGION1						
Africa	15 (3.8)	1.00	0.75	0.25	-0.05	0.55
Asia	185 (46.2)	0.90	0.92	-0.02	-0.10	0.06
Eurasia	13 (3.2)	0.88	1.00	-0.12	-0.35	0.10
Europe	7 (1.8)	1.00	1.00	0.00	0.00	0.00
North America	28 (7.0)	1.00	0.92	0.08	-0.07	0.22
South America	20 (5.0)	0.86	0.85	0.01	-0.31	0.34
SEX						
F	161 (40.2)	0.94	0.91	0.03	-0.05	0.11
M	107 (26.8)	0.88	0.91	-0.02	-0.14	0.09
	-0.08					
	Favor					
	Cont					
	Treatment					

NA

NA

	Patients(%)	TRT	CONT	Diff	Lower	Upper
Overall	268 (67.0)	0.92	0.91	0.01	-0.06	0.07
RACE						
AMERICAN INDIAN OR ALASKA NATIVE	19 (4.8)	0.91	0.88	0.03	-0.25	0.32
ASIAN	135 (33.8)	0.93	0.90	0.03	-0.07	0.12
BLACK OR AFRICAN AMERICAN	59 (14.8)	0.86	0.90	-0.05	-0.21	0.12
WHITE	53 (13.2)	0.96	0.96	-0.00	-0.10	0.10
MULTIPLE	1 (0.2)	1.00	NaN	NaN	NaN	NaN
NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	1 (0.2)	1.00	NaN	NaN	NaN	NaN
REGION1						
Africa	15 (3.8)	1.00	0.75	0.25	-0.05	0.55
Asia	185 (46.2)	0.90	0.92	-0.02	-0.10	0.06
Eurasia	13 (3.2)	0.88	1.00	-0.12	-0.35	0.10
Europe	7 (1.8)	1.00	1.00	0.00	0.00	0.00
North America	28 (7.0)	1.00	0.92	0.08	-0.07	0.22
South America	20 (5.0)	0.86	0.85	0.01	-0.31	0.34
SEX						
F	161 (40.2)	0.94	0.91	0.03	-0.05	0.11
M	107 (26.8)	0.88	0.91	-0.02	-0.14	0.09
	-0.08					
	Fav.Favor					
	Cont.Treatment					

NA

NA

	Patients(%)	TRT	CONT	Diff	Lower	Upper
Overall	268 (67.0)	0.92	0.91	0.01	-0.06	0.07
RACE						
AMERICAN INDIAN OR ALASKA NATIVE	19 (4.8)	0.91	0.88	0.03	-0.25	0.32
ASIAN	135 (33.8)	0.93	0.90	0.03	-0.07	0.12
BLACK OR AFRICAN AMERICAN	59 (14.8)	0.86	0.90	-0.05	-0.21	0.12
WHITE	53 (13.2)	0.96	0.96	-0.00	-0.10	0.10
MULTIPLE	1 (0.2)	1.00	NaN	NaN	NaN	NaN
NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	1 (0.2)	1.00	NaN	NaN	NaN	NaN
REGION1						
Africa	15 (3.8)	1.00	0.75	0.25	-0.05	0.55
Asia	185 (46.2)	0.90	0.92	-0.02	-0.10	0.06
Eurasia	13 (3.2)	0.88	1.00	-0.12	-0.35	0.10
Europe	7 (1.8)	1.00	1.00	0.00	0.00	0.00
North America	28 (7.0)	1.00	0.92	0.08	-0.07	0.22
South America	20 (5.0)	0.86	0.85	0.01	-0.31	0.34
SEX						
F	161 (40.2)	0.94	0.91	0.03	-0.05	0.11
M	107 (26.8)	0.88	0.91	-0.02	-0.14	0.09
	-0.08					
	Fav.Favor					
	Cont.Treatment					

NA

NA

	Patients(%)	TRT	CONT	Diff	Lower	Upper
Overall	268 (67.0)	0.92	0.91	0.01	-0.06	0.07
RACE						
AMERICAN INDIAN OR ALASKA NATIVE	19 (4.8)	0.91	0.88	0.03	-0.25	0.32
ASIAN	135 (33.8)	0.93	0.90	0.03	-0.07	0.12
BLACK OR AFRICAN AMERICAN	59 (14.8)	0.86	0.90	-0.05	-0.21	0.12
WHITE	53 (13.2)	0.96	0.96	-0.00	-0.10	0.10
MULTIPLE	1 (0.2)	1.00	NaN	NaN	NaN	NaN
NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	1 (0.2)	1.00	NaN	NaN	NaN	NaN
REGION1						
Africa	15 (3.8)	1.00	0.75	0.25	-0.05	0.55
Asia	185 (46.2)	0.90	0.92	-0.02	-0.10	0.06
Eurasia	13 (3.2)	0.88	1.00	-0.12	-0.35	0.10
Europe	7 (1.8)	1.00	1.00	0.00	0.00	0.00
North America	28 (7.0)	1.00	0.92	0.08	-0.07	0.22
South America	20 (5.0)	0.86	0.85	0.01	-0.31	0.34
SEX						
F	161 (40.2)	0.94	0.91	0.03	-0.05	0.11
M	107 (26.8)	0.88	0.91	-0.02	-0.14	0.09
	-0.08					
	Favor					
	Treatment					

NA

NA

	Patients(%)	TRT	CONT	Diff	Lower	Upper
Overall	268 (67.0)	0.92	0.91	0.01	-0.06	0.07
RACE						
AMERICAN INDIAN OR ALASKA NATIVE	19 (4.8)	0.91	0.88	0.03	-0.25	0.32
ASIAN	135 (33.8)	0.93	0.90	0.03	-0.07	0.12
BLACK OR AFRICAN AMERICAN	59 (14.8)	0.86	0.90	-0.05	-0.21	0.12
WHITE	53 (13.2)	0.96	0.96	-0.00	-0.10	0.10
MULTIPLE	1 (0.2)	1.00	NaN	NaN	NaN	NaN
NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	1 (0.2)	1.00	NaN	NaN	NaN	NaN
REGION1						
Africa	15 (3.8)	1.00	0.75	0.25	-0.05	0.55
Asia	185 (46.2)	0.90	0.92	-0.02	-0.10	0.06
Eurasia	13 (3.2)	0.88	1.00	-0.12	-0.35	0.10
Europe	7 (1.8)	1.00	1.00	0.00	0.00	0.00
North America	28 (7.0)	1.00	0.92	0.08	-0.07	0.22
South America	20 (5.0)	0.86	0.85	0.01	-0.31	0.34
SEX						
F	161 (40.2)	0.94	0.91	0.03	-0.05	0.11
M	107 (26.8)	0.88	0.91	-0.02	-0.14	0.09
	-0.08					
	Favor					
	Cont					
	Treatment					

NA

NA

	Patients(%)	TRT	CONT	Diff	Lower	Upper
Overall	268 (67.0)	0.92	0.91	0.01	-0.06	0.07
RACE						
AMERICAN INDIAN OR ALASKA NATIVE	19 (4.8)	0.91	0.88	0.03	-0.25	0.32
ASIAN	135 (33.8)	0.93	0.90	0.03	-0.07	0.12
BLACK OR AFRICAN AMERICAN	59 (14.8)	0.86	0.90	-0.05	-0.21	0.12
WHITE	53 (13.2)	0.96	0.96	-0.00	-0.10	0.10
MULTIPLE	1 (0.2)	1.00	NaN	NaN	NaN	NaN
NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	1 (0.2)	1.00	NaN	NaN	NaN	NaN
REGION1						
Africa	15 (3.8)	1.00	0.75	0.25	-0.05	0.55
Asia	185 (46.2)	0.90	0.92	-0.02	-0.10	0.06
Eurasia	13 (3.2)	0.88	1.00	-0.12	-0.35	0.10
Europe	7 (1.8)	1.00	1.00	0.00	0.00	0.00
North America	28 (7.0)	1.00	0.92	0.08	-0.07	0.22
South America	20 (5.0)	0.86	0.85	0.01	-0.31	0.34
SEX						
F	161 (40.2)	0.94	0.91	0.03	-0.05	0.11
M	107 (26.8)	0.88	0.91	-0.02	-0.14	0.09
	-0.08					
	Favortreatment					
	Cont					

NA

NA


	Patients(%)	TRT	CONT	Diff	Lower	Upper
Overall	268 (67.0)	0.92	0.91	0.01	-0.06	0.07
RACE						
AMERICAN INDIAN OR ALASKA NATIVE	19 (4.8)	0.91	0.88	0.03	-0.25	0.32
ASIAN	135 (33.8)	0.93	0.90	0.03	-0.07	0.12
BLACK OR AFRICAN AMERICAN	59 (14.8)	0.86	0.90	-0.05	-0.21	0.12
WHITE	53 (13.2)	0.96	0.96	-0.00	-0.10	0.10
MULTIPLE	1 (0.2)	1.00	NaN	NaN	NaN	NaN
NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	1 (0.2)	1.00	NaN	NaN	NaN	NaN
REGION1						
Africa	15 (3.8)	1.00	0.75	0.25	-0.05	0.55
Asia	185 (46.2)	0.90	0.92	-0.02	-0.10	0.06
Eurasia	13 (3.2)	0.88	1.00	-0.12	-0.35	0.10
Europe	7 (1.8)	1.00	1.00	0.00	0.00	0.00
North America	28 (7.0)	1.00	0.92	0.08	-0.07	0.22
South America	20 (5.0)	0.86	0.85	0.01	-0.31	0.34
SEX						
F	161 (40.2)	0.94	0.91	0.03	-0.05	0.11
M	107 (26.8)	0.88	0.91	-0.02	-0.14	0.09
	-0.08					
	Favor					
	Cont					
	Treatment					

NA

ASIAN

F


AEBODSYS



ASIAN

F

AEBODSYS



YEARS

YEARS


STUDYID

AB12345

n = 2038 53 221

221 53 4220 365

AETOXGR




250

0

250


of patients

NA




NA

NA




NA

NA




NA

NA




NA

NA




NA

NA




NA

NA




NA

NA




NA

NA




NA

NA




NA

NA




NA

NA



NA

NA



NA

Exposure (ADEX)

Drug A

Dose Modification

- None
- Decrease
- Increase

0

200

400

600

Study Day

Exposure (ADEX)

Drug A

Dose Modification

- None
- Decrease
- Increase


0


200

400

600

Study Day





Study Identifier

AB12345

20

40


60

80


Age




Swimlane Plot




Swimlane Plot




Swimlane Plot



Swimlane Plot



Waterfall Plot



Waterfall Plot

