


schedule-ish

Your week on a napkin. Rough out chunks of time (“a good bit of gym in the morning, a big chunk of writing after lunch”) with no clock times. It’s meant to show roughly where your focus goes, not to be a timetable.



schedule-ish

It’s entirely client-side: one HTML page and two small scripts, with no build step and no install.

Running it

Open `index.html` in a browser. That’s it.

If you’d rather serve it (some browsers are fussy about `file:///`):

```
python3 -m http.server 8000 --directory schedule-ish
```

Then go to <http://localhost:8000>.

The page loads Tailwind (jsDelivr) and the Figtree font (Google Fonts) from CDNs, so it needs a network connection on first load.

Using it

Weeks. The dropdown next to the title shows which week you’re on, e.g. *My week* ▼. Each week is its own live board, with its own blocks, zone breaks and early/evening. Whatever you change is saved into the week you’re on. The dropdown can:

- switch to another week; - start a **new blank week**, or a **new one from this week** (a full copy, notes and ticks included); - **rename** or **delete** this week (deleting asks first, and ⌘Z brings it back).

Days shown, regulars and the unplaced list are shared by all weeks.

The day has no hours. It's split into soft zones: *morning*, *midday* (tinted, for lunch) and *afternoon*. Faint lines mark the day off, and blocks snap to each line and halfway between lines, so they can be small and move smoothly. The visible zones always fill the board's full height. - **Move a break**: hover a zone name (*midday*, *afternoon*, ...) until the cursor shows ↕, then drag. That moves where the zone starts, trading steps only with the zone above it. Every zone keeps at least one step, and the day's overall length stays the same. The moving line **pushes** the blocks in the zone that shrinks, and they push the next ones. If they run out of room they **compress**, biggest first. Drag the line back (in the same drag) and they return; otherwise ⌘Z. - **Early and evening** are optional. Click + **early** or + **evening** to add one. Once it's open, **click its name** to tuck it away again (a faint – shows on hover). Evening's name can also be dragged to move its break: a click tucks it away, a drag moves it. A zone won't hide while blocks are still in it. - Opening one takes a quarter of the height (a fifth each if both are open), and the other zones shrink proportionally. Collapsing it puts everything back exactly.

Blocks - Drag down in a day to rough out a chunk, or **click** for a default one. Type a name and press Enter. Escape (or leaving it blank) throws it away. - **Drag** a block to move it, including to another day. - **Drag its top or bottom edge** to resize it. - **Double-click** to open its **notes** (the title is editable there too). Select a block and press Enter for a quick inline rename. - Hover for tools: ● change colour, ☐ duplicate, ☆ save as a regular, × delete. Delete or Backspace also removes the selected block. - **Duplicate** puts the copy straight after the original. If there's no room there, it goes to the same spot on the next day (a note says so), and failing that, the first free gap on the same day. Or ⌘-drag a block to drag a copy wherever you like. - Blocks that overlap sit side by side. Sizes read as *a smidge*, *a bit*, *a good bit* or *a big chunk* rather than durations. - Blocks with the same name get the same colour.

Notes are a short list of lines. Type, and press Enter for the next line. Backspace on an empty line removes it. Click a line's ● to turn it into a tick box ☐, then ☑, then back. A new line after a tick box is a tick box too. Escape, ⌘Enter or Done closes the dialog. A block with notes shows ... on the board; the text itself stays in the dialog. Notes travel with duplicates, copies of the week, and trips to the unplaced list. Regulars can hold **default notes**, which each copy you drop starts with.

Regulars (sidebar) are templates for things you do often: a name, a rough size, a usual zone and a colour. Dragging one onto the week drops a *copy*, and the regular stays in the list. - Drop it **inside a day** to place it where you let go. - Drop it **on a day's name** to put it in the first free gap in its usual zone. - Click a regular to edit or delete it; + **regular** makes a new one. - **Reorder** regulars by dragging one up or down within the list. A line shows where it will land. The unplaced list reorders the same way.

Unplaced (sidebar) is a list of one-off things you'd like to fit in somewhere. Type one in and press Enter. Dragging it onto the week *moves* it there. Dragging a block from the week back onto this list takes it off the week.

PDF is a shortcut for the browser's print (⌘P does the same). It opens the print dialog with the week on one landscape page. The week's name is at the top, the sidebar and buttons are hidden, and the colours are kept. If any blocks have notes, a **second page** lists them under "Day · name" headings. Choose "Save as PDF" as the destination, or print it.

Sidebar: the header button next to undo shows or hides it. Settings can put it on the left or the right.

Settings set the first day of the week, which days to show, the sidebar side, and the optional zones. You can also clear all blocks there. **Undo/redo**: ⌘Z / ↑ ⌘Z (Ctrl on other platforms), or the header buttons.

Saving

Everything (all weeks) autosaves to the browser's `localStorage`, per browser and per origin. That means opening the file directly and serving it over `localhost` give you separate plans.

Export downloads everything (all weeks, regulars, unplaced) as JSON. **Import** loads one back and replaces the current plan (undoable).

Code

File	What
<code>index.html</code>	Page shell, Tailwind, and a small <code><style></code> block for the grid, blocks and print layout
<code>model.js</code>	Pure logic: zones and steps, snapping, overlap layout, gap finding, loading/validation. No DOM.
<code>app.js</code>	Rendering, pointer-event drag/resize (blocks and zone breaks), sidebar, popovers, persistence, undo, print
<code>test/model.test.js</code>	Unit tests for <code>model.js</code>

Run the tests with Node 18 or later (no dependencies):

```
node --test schedule-ish/test/*.test.js
```

The design notes are in [docs/2026-09-24-1450_DESIGN_schedule-ish.md](#).

Not yet

- Comparing plan to reality: marking how a day actually went against how it was planned.
- Attributes on blocks beyond name, size and colour.

- Phone layout. It's built for landscape screens: desktop first, and fine on a tablet.