GREYC Ambriosa Theme for Typst

Customize Your Slide Subtitle Here

Hoang-Nhat TRAN

GREYC, Université de Caen Normandie

hoang-nhat.tran@unicaen.fr

16/03/2026

Introduction

This GREYC theme comes with different flavors, which can be set by changing the `flavor` parameter when initialized:

```
#show: greyc-theme.with(
  flavor: "legacy",  // legacy | gazer | dewdrop | cambridge | darmstadt
  ..)
```

Outline

1. Showcase I 4
2. Showcase II 10

1. Showcase I Outline

1. Showcase I 4
   - 1.1 Basics 5
     - 1.1.1 Figure 5
     - 1.1.2 Table 6
     - 1.1.3 Double-column layout 7
   - 1.2 Animations 8
     - 1.2.1 `pause` and `meanwhile` 8
     - 1.2.2 Alternatives 9
2. Showcase II 10

1.1.1 Figure

- The logo of the is shown in Figure 1. I dispise its color but I have no choice.

Figure 1: Logo of the lab, adapting to the language.

- Lab website: https://www.greyc.fr.

1.1.2 Table

Research groups and their respective sizes are listed alphabetically in Table 1.

Table 1: Number of permanent members in each research team of the lab, as of 16/03/2026.

Équipe	#members ↑
AMACC	12
CODAG	14
ÉLECTRIQUE	24
IMAGE	21
MAD	10
SAFE	13

Note

You may notice that the header of the slide consists of the last 2nd level header and the titles of all visible 3rd level headers (or the last one if none is visible).

To surpress all slide subtitles, init with `subtitle: none`.

1.1.3 Double-column layout A Cool Subtitle

1.1.3 Double-column layout

The ReLU activation computes its output as follows:

$$y = \begin{cases} x & \text{if } x > 0 \\ 0 & \text{otherwise} \end{cases}$$

Some properties:

1. Solves vanishing gradient.
2. Induces sparsity.
3. Is almost zero-cost, making it become the most widely adopted non-linearity.

An example usage of `relu` activation function in PyTorch:

```
import torch
import torch.nn.functional as F

x = torch.randn(3, 10)
y = F.relu(x)
assert y[x < 0].eq(0).all()
assert y[x >= 0].equal(x[x >= 0])
```

1.2.1 `pause` and `meanwhile`

Slide is empty.

This seems true.

1.2.1 `pause` and `meanwhile`

Slide is empty.

But this is actually not true, just something hidden.

This seems true.

1.2.2 Alternatives

`#pause` and `#meanwhile` are sometimes not enough, let's check the other options we have.

This text changes styling depending on the subslide it is in, thanks to `#alternative-cases`.

A 🎂 is served on subslide 1 and 3.

1.2.2 Alternatives

`#pause` and `#meanwhile` are sometimes not enough, let's check the other options we have.

😈

This text changes styling depending on the subslide it is in, thanks to `#alternative-cases`.

A 🧁 is served only on subslide 2.

1.2.2 Alternatives

`#pause` and `#meanwhile` are sometimes not enough, let's check the other options we have.

😈

This text changes styling depending on the subslide it is in, thanks to `#alternative-cases`.

A 🎂 is served on subslide 1 and 3.

2. Showcase II Outline

1. Showcase I 4

2. Showcase II 10

2.1 Blocks and `theorion` boxes 11

2.1.1 Block 11

2.1.2 `theorion` 12

2.2 Citation 13

Focus Here!

2.1.1 Block

2.1.1 Block

The title of a block can be either a text, a heading, or none. Usage:

```typ
#tblock(title: [=== Section Title], fill: rgb(0, 255, 0).darken(30%))[
  Section content, containing something #emph[interesting].
  - blah.
  - blah blah.
]
```

Another Simple Block

Content blocks are very practical.

- It helps organizing contents.
- It looks beautiful.

A Framed Block

Two variants are offered by the theme:

1. #tblock
2. #framed-tblock

2.1.2 theorion

For referenceable theorems, you should instead rely on the theorion library.

Definition 2.1.1 (Prime number) A whole number greater than 1 that cannot be exactly divided by any whole number other than itself and 1.

Theorem 2.1.2 (Euclid's Theorem) There are infinitely many prime numbers.

Proof. Theorem 2.1.2 is self-explainatory. □

Example. 2, 3, 5, 7, 11, 13, 17, ...

> I hope you want to use this template already. - Author

2.2 Citation

Aside from the *@citation* [1], we can use `#footcite` to show citation in the footnote.

(Einstein, 1905)[1] would love (Knuth, 1984)[2] ‘s impressive work if he was still alive.

Important

To cite, you must include somewhere in your document either a bibliography slide:

```
#bibliography-slide("refs.bib", style: "ieee")
```

or a hidden bibliography if you don’t want an extra slide:

```
#hidden-bibliography("bibliography.bib", style: "ieee")
```

[1] *[1] A. Einstein, “Zur Elektrodynamik bewegter Körper,”* Annalen der Physik, *vol. 322, no. 10, pp. 891–921, 1905.*

[2] *[2] D. E. Knuth,* The TeXbook. *Reading, Massachusetts: Addison-Wesley, 1984.*

2.2 Citation

(Einstein, 1905)[1] would not agree with the claim of (Vaswani et al., 2017)[1] , for sure.

Tip

By default, references that are already cited in previous slides will not be footnoted again.

If you want their footnotes to be shown in all slides they are mentioned, initialize the theme with `footcite-once: false`.

Caution

`#footcite` is a limited hack and sometimes link might not work as expected, *unpredictably*. Do not use it with citation styles like `chicago-notes` or the footnote will be a mess.

[1] [3] *A. Vaswani* et al., *"Attention Is All You Need,"* arXiv preprint arXiv:1706.03762, *2017, [Online]. Available: https://arxiv.org/abs/1706.03762*

Bibliography

[1] A. Einstein, "Zur Elektrodynamik bewegter Körper," *Annalen der Physik*, vol. 322, no. 10, pp. 891–921, 1905.

[2] D. E. Knuth, *The TeXbook*. Reading, Massachusetts: Addison-Wesley, 1984.

[3] A. Vaswani *et al.*, "Attention Is All You Need," *arXiv preprint arXiv:1706.03762*, 2017, [Online]. Available: https://arxiv.org/abs/1706.03762

The End

Thanks for nothing!

hoang-nhat.tran@unicaen.fr

Backup Slides

To apply the show rules for the appendix, include this line right after the final slide:

```typ
#ending-slide()[Thanks for listening!]
#show: appendix
== Appendix
...
```