Functional architecture of iEWR

7.0.8

Ten architecture sheets and two scenarios show the iEWR boundary, the connections between its seven functions, and the work within each function. One agent performs the functions within its mandate using the tools and access provided by the ADE.

Contents

	Notation and abbreviations	02
A−0	The iEWR boundary	03
A0	How iEWR functions connect	04
Scenario	How iEWR responds to user actions	05
Scenario	Reassessment after a RAF signal	06
A1	Establish grounds and contribution	07
A11	Agree the assignment and deliver the result	08
A12	Recover sufficient grounds	09
A13	Determine the contribution and criterion	10
A2	Obtain a suitable method	11
A3	Check authorization for the action	12
A4	Carry out authorized work	13
A5	Assess fitness for use	14

Notation and abbreviations

Elements and relationships

Function · block with a chevron
A function or a group of activities organized by purpose.

Process · block with an arrow
Work whose order or transition condition matters.

Event · block with a notch on the left
An event or state that matters for the next action.

Object · rectangle
Information such as an assignment, grounds or a method.

Role · Performer
The agent's role.

Service · ADE resources
Tools and access available to the agent.

Flow · dashed arrow
Transfer of information or a result. Brown marks a return for reassessment.

Triggering · solid arrow with filled head
An event or condition that leads to the next step.

Access · dotted arrow
Toward the function means read. Toward the object means write. Both directions mean read and write.

Assignment · solid arrow with a starting dot
Who performs the function.

Serving · solid arrow with open head
What provides the means to perform a function.

Functions and terms

HI · Human Interaction
Agree the assignment and decisions, then deliver a result or question.

CF · Context Formation
Recover sufficient grounds.

SF · System Formation
Determine the contribution needed and the criterion.

DMG · Dynamic Method Generation
Obtain a suitable method.

EG · Execution Governance
Check authorization for an action.

WEC · Work Execution & Continuation
Carry out authorized work and preserve the grounds for continuation.

RAF · Result Assurance & Feedback
Assess fitness for use and send back a defect or a changed premise.


ADE
The agent execution environment, including its tools, access and limits.

FPF
The general methodological foundation.

MP · MethodPack
Applied methods and adaptations.


IE-M003
The procedure for checking and connecting a MethodPack edition.

The iEWR boundary



The agent acts within its mandate, rules and ADE limits. Changes to originals require a separate instruction.
The log records actual use of FPF or MethodPack. MethodPack is updated as needed.

How iEWR functions connect




A1 · HI — Human Interaction · CF — Context Formation · SF — System Formation
A2 · DMG — Dynamic Method Generation | A3 · EG — Execution Governance
A4 · WEC — Work Execution & Continuation | A5 · RAF — Result Assurance & Feedback
J08 · CF, SF, DMG, EG, WEC and RAF pass a result, options or a specific gap to HI.
J09 · HI passes the person's decision and its conditions and limits to SF, EG and WEC. CF and WEC use preserved grounds.
The log records actual use of FPF or MethodPack and observed outcomes. MethodPack stores methods for reuse.

Jxx labels identify connections in the iEWR architecture. WEC receives the method and authorization separately. If RAF finds a defect or a changed premise, it sends the affected work back for reassessment. Through J08, the other functions send HI a result, options or a specific gap. Through J09, HI passes the person's decision, with its conditions and limits, to SF, EG and WEC. CF and WEC use preserved grounds for continuation. Any function that uses FPF or MethodPack records that use in the log.

How iEWR responds to user actions

How the agent decides what to start, revisit or continue as planned.




What to revisit	Result or criterion → SF · Method → DMG · Authorization → EG · Completed steps → WEC · Fitness for use → RAF
Related scenario	Reassessment after a RAF signal

A user action can introduce a new assignment and affect ongoing work at the same time.

→ **Triggering** · The label states the condition for the transition

Reassessment after a RAF signal

A condition for using the method has changed. Which steps can continue?




The dependent step waits if the method is inadequate or authorization is unconfirmed.
If the effect of the previous attempt is unknown, first check the state of that same attempt.

Triggering · The arrow label states when the transition occurs


DMG checks whether the method still applies and confirms, adapts or replaces it for the affected step.
EG rechecks authorization if the action, performer, subject, scope, conditions or time limit changes materially, or if the existing authorization lapses.
WEC retains usable results and can continue independent authorized steps.

Establish grounds and contribution



HI records the assignment and decisions. CF gives SF the context to determine the contribution.
SF sends the needed contribution and conditions to DMG and the fitness criterion to RAF.


HI · Human Interaction · Agree the assignment and deliver the result



Start with available independent work. Ask earlier if work can continue while waiting and this is likely to save time.
When handing off unfinished work, give a status in 3–4 words. If an answer is needed, specify the smallest contribution and what it enables.
HI records the decision with its subject, conditions and limits.

The agent starts with independent work it can already do. It asks earlier if it can keep working while waiting and the answer is likely to save time. When handing off unfinished work, it starts with a separate status line of three or four words. If it needs an answer, it states the smallest contribution required from the person and what it will enable. HI records the decision with its subject, conditions and limits. In S3, the person participates in the choice. In S4, the agent makes routine decisions within the delegated bounds.


CF · Context Formation · Recover sufficient grounds



Record source editions and the bounds of what is unknown. Check sufficiency for the next material step.


CF distinguishes facts, decisions, assumptions and unknowns, and connects the grounds to current sources and their editions. If important information is missing, CF identifies the conclusion or step that depends on it.

SF · System Formation · Determine the contribution and criterion



A choice of goal or a material tradeoff beyond the mandate goes back to the person through HI.


DMG · Dynamic Method Generation · Obtain a suitable method



A new premise from RAF prompts a review of the affected method. A21 and A24 check the decisive condition using data or an authorized trial.
If uncertainty remains, try the method on a small part of the task where possible.

The agent reuses a known method if the previously read grounds are sufficient and the conditions of use still hold. The log helps check earlier conditions, the method edition and the observed outcome. For a new material choice, DMG uses the applicable FPF contribution and consults MethodPack when applied detail or adaptation is needed. DMG builds and checks whatever is missing. A method useful for reuse can be added to MethodPack after its edition is checked under IE-M003.


EG · Execution Governance · Check authorization for the action



An action beyond the mandate waits. If a safeguard is unavailable, EG checks for an admissible substitute.


Authorization binds the performer, subject, action, scope, conditions and time limit. A material change requires a new check.

WEC · Work Execution & Continuation · Carry out authorized work



If the effect is unknown, first check the same attempt. Preserve a confirmed result and carry out any remaining action under valid authorization.
A RAF signal sends affected work back for review. Checks on effects and grounds for continuation refer to the method edition used.

RAF · Result Assurance & Feedback · Assess fitness for use



Fit · unfit · undetermined · unchecked. RAF sends back a defect or new premise and identifies the affected results.
An observation about actual method use can supplement the log entry.