GEO CRM

International English / USD

Release record and acceptance evidence

RELEASE	1.4.0-demo
LANGUAGE	International English
CURRENCY	USD / US dollars
PROFILE	Same local application / Graphite

36	19	17
tests passed	tables retained	native screens

Release at a glance

GEO CRM 1.4.0-demo is the same local Python/PostgreSQL application, now presented in international English with US dollars (USD). The Graphite theme, existing records and business workflows remain. The application is available on localhost: 8765. No website or hosted service has been changed.

The change covers navigation, forms, validation messages, tables, charts, quotation HTML/PDF, synthetic data, history and saved liquidity models. It introduces no language selector, product fork, exchange-rate feed or new business module.

Implemented	Agent verified	Human assessed
International English / USD; profile migration; bundled synthetic snapshot; current source archive; finance guides.	36 tests; restored-copy migration; live API and in-app browser; independent cash reconstruction; snapshot import; full restart.	User authorised the scope and USD, and previously selected Graphite. Final product and document acceptance is pending.

Read this as a bounded local acceptance record. Historical execution measurements and current checks are labelled separately; this report does not establish production readiness or a causal advantage over other engineering arrangements.

One project, successive assignments

Phase	Human input	Agent contribution
Initial CRM / Codex	Text assignment for surveying-equipment CRM inspired by Bitrix 24. The brief specified functions, Python/PostgreSQL, business invariants and checks.	Independent official-source/UI research, architecture and data design, application implementation and checks. No supplied UI screenshot or implementation design.
Expenses / DeepSeek Harness	Process document on expense/payment management; several scope and policy choices.	Continued in the same project folder and added expense requests, roles, approval and payment planning.
LIQ-13 / Codex	Short instruction to model 13-week liquidity and payment-delay risks; explicitly method first.	Researched the professional approach, constructed LIQ-13 in MethodPack, implemented engine/API/UI and checks.
Documentation / Codex	Short request for two finance guides.	Created guides using GOST 19.505 structure and ISO 26514/Diátaxis organisation from the working system and retained context.
English, Graphite, USD / Codex	English demo; palette selection; current international/USD instruction.	Localised the same application and synthetic data, unified the theme, then applied and verified the USD profile.

Retained historical measurements: the initial implementation turn was 36 m 11 s; the DeepSeek implementation turn was 11 m 51 s. These are phase-specific, not the duration of the whole current product. They were reconstructed from retained records, not rerun now. The exact initial Codex model/build and measured monetary cost are unavailable.

What changed in this release

The monetary profile uses ISO code USD to avoid ambiguity between different dollar currencies. A normal amount is shown as USD 2,839.00; chart units explicitly say USD thousands. Dates use an English month name, such as 6 Nov 2026, rather than an ambiguous numeric date. Equipment specifications retain metric units.

All synthetic monetary values retain their previous numeric values: GBP 1,000 becomes USD 1,000. This is a deliberate nominal re-expression of fictional demo data, not a market currency conversion. No current exchange rate is implied. The fictional UK businesses may trade internationally in USD; the release does not implement US tax law or accounting.

The director-approval boundary remains numerically 1,000. Exactly USD 1,000 does not require the extra approval; USD 1,000.01 does. Payment days and the 10: 00 local-server cut-off are unchanged. Quotation terms now identify USD and explicitly say that a tax breakdown is not modelled.

A dedicated version 5 data transaction updates textual currency references in normal rows and JSON snapshots. It temporarily suspends only the three immutable-record triggers inside the transaction, restores them before commit and verifies the complete expected text-only result. Any assertion failure rolls the transaction back. A migration marker and advisory lock make replays safe.

Startup refuses a populated GBP-profile database until the explicit migration is applied. Fresh seed marks the English and USD versions. Historical migration tools remain available for the older data path, with the required USD follow-up documented.

System and data retained

The browser uses the existing HTML/CSS/JavaScript interface. Flask serves authenticated routes and performs role checks. PostgreSQL stores business data; Decimal/NUMERIC handles money. LIQ-13 is a deterministic daily cash-flow model connected to the finance adapter. This release does not change that architecture.

Data group	Tables / semantics
Identity and CRM	users, companies, contacts, products, deals, deal_items, activities, comments. Existing identities and relationships remain.
Stock and documents	reservations, stock_movements, stock_operations, quotes, history. Quantities, idempotency keys, immutable quotation versions and event chronology remain.
Finance	expense_articles, payment_requests, liquidity_settings, liquidity_items, liquidity_runs. Approval states, source links, input dates and saved-model identity remain.
Technical marker	schema_migrations. One new version 5 row; still 19 tables.

The retained data contains 23 companies, 35 contacts, 28 products, 64 deals, 13 expense requests, 30 manual forecast rows and 2 saved forecasts. Existing quotation 61-1 totals USD 2,839.00 from one USD 2,650 receiver and one USD 189 tripod. The migration checks every row against an independently defined text transformation; all numeric and non-display operational fields are unchanged.

The transferable snapshot contains fictional data without password hashes or browser/session material. The installer generates new hashes for the documented local demo accounts. It requires an empty target, inserts in relationship order, restores sequences and commits once. A populated target is refused rather than reset.

LIQ-13: calculation and interpretation

The retained forecast covers 2 Nov 2026 through 31 Jan 2027: 91 daily closing balances grouped into 13 consecutive seven-day weeks. Opening cash is USD 15,000 and target reserve is USD 2,000. 35 unique source keys enter the default model: 30 manual planned flows plus 5 open approved/scheduled expense requests.

Receipt delay	Minimum daily cash, USD	First cash gap	Funding to zero, USD
0 days	7,950.00	None	0.00
7 days	3,750.00	None	0.00
14 days	-450.00	27 Nov 2026	450.00
30 days	-8,850.00	20 Nov 2026	8,850.00

At 30 days, USD 16,800 of receipts moves beyond the horizon. It is delayed, not treated as lost. Conditional opening funding of USD 8,850 brings the minimum to zero; USD 10,850 is needed to reach the target reserve under the same scenario.

A positive weekly close can hide a gap. In week 11,11-17 Jan 2027, the stressed daily minimum is -USD 1,650 but the week closes at +USD 550. The model checks daily balances; it does not infer safety from weekly closing totals.

The independent checker uses integer cents and Python standard-library date arithmetic. It imports no application engine. It reconstructs 182 daily rows and 26 weekly aggregates, then checks 91 daily shifts after funding. All matched. This confirms arithmetic for the included input set; it does not establish completeness or realism of future customer receipts.

Acceptance evidence

ID	Question / expected property	Observed evidence
V01	Do core workflows and access rules still work?	36 tests passed in 4.41 s on isolated HTTP 8896 and PostgreSQL 55436: customer/deal/quote/stock, concurrent/replayed operations, expense approval/calendar and liquidity.
V02	Does migration preserve meaning and state?	Restored-copy and live transactions passed; every row equals its expected text-only transformation; numeric values/IDs/dates/states retained; second run a no-op.
V03	Do stored forecasts and documents remain usable?	Both existing forecasts reproduce exactly; quotation HTML/PDF is English/USD with retained USD 2,839 total; immutable triggers enabled.
V04	Do users see a coherent current interface?	In-app browser: all 7 sections, deal/request records, quotation, baseline/stress, inputs, week 11 and saved model; 1440 x 1000 and 390 x 844; 17 native screenshots.
V05	Does independent arithmetic agree?	182 daily rows, 26 weekly aggregates and 91 funding shifts passed in cents; 35 unique source keys.
V06	Can the shipped data be installed safely?	19 restored tables checked; all business content identical; second installation refused the populated target.
V07	Does restart preserve data?	Full application+PostgreSQL restart; all 19 table content hashes identical before/after; saved forecasts still reproduce.

The suite exercises state-changing operations in a disposable database. Browser checks of the working demo used existing records and read-only simulations; an opened request form was cancelled. No new main-demo transaction was created for this release check. Console warnings/errors were empty in the captured browser session.

Using and receiving the release

On this computer the existing environment remains installed. Open http://localhost: 8765. Use the finance-director or administrator account for liquidity inputs, and the accountant role for payment recording. The main service is left running; the temporary test service/cluster is stopped after verification.

For the source package on an equipped local machine: create a virtual environment, install requirements.lock.txt, and run python run.py demo with that environment. This installs the bundled snapshot only into an empty database. Later use run.py start; run.py stop preserves data. PostgreSQL binaries must be on PATH. The archive contains source/data, not OS-specific dependencies or a virtual machine.

A plain first start without installing the snapshot creates fresh synthetic seed data dated to that day. Its calendar outputs can differ from the retained 2 Nov snapshot. The bundled snapshot is the basis of the report figures and exact reference numbers.

Package component	Purpose
application/ and source ZIP	Current launchable source, pinned dependencies, migrations, seed, synthetic snapshot and safe installer.
REPORT_RU / REPORT_EN, MD+PDF	Matching release narrative, implementation/check/acceptance separation and current figures.
manuals/, MD+PDF	International-English finance guides in GOST-style and ISO 26514/Diátaxis structures.
screenshots/	17 original JPEG frames plus captions; actual current UI, not reconstructed mock-ups.
evidence/ and SOURCE_STATE.json	Test outcomes, migration observations, arithmetic inputs/results, restart and source identity.

The complete ZIP is extracted and its member hashes checked before handover. No public website change or deployment is included.

What this release does and does not establish

Implemented: one coherent international-English/USD local demo, retained business behaviour, a reproducible synthetic snapshot, two updated finance guides and paired language reports. Agent verified: the bounded scenarios and configuration recorded here. Human assessed: task scope, USD choice and the earlier Graphite palette selection. Final visual/business/document acceptance has not been obtained.

The observed Codex -> DeepSeek Harness -> Codex continuation is a project fact. Absence of additional FPF/MethodPack reads in the retained DeepSeek trace is not itself a failure: sufficient project practice and professional competence may be reused without ritual rereading. This release adds no controlled comparison that isolates the effect of iEWR from the model, harness or task.

Existing finance findings remain outside this profile change: R 01, a linked expense reference can reveal another manager's deal title; R 02, return-comment validation/persistence is incomplete; R 03, self-approval is an unresolved policy choice. They were documented earlier; this release does not claim to repair or re-probe them. The positive suite result must not be read as proof that all permissions and edge cases are defect-free.

LIQ-13 is conditional modelling, not a probability forecast. It does not verify bank balances, execute payments, reconcile opening cash automatically, model FX, interest or intraday ordering, or guarantee that source obligations are complete. GOST/ISO-oriented manuals are documentation adaptations, not certified conformity audits.

This is a local synthetic-data release for review. Other operating systems, hostile public exposure, full accessibility, load, disaster recovery and real operational adoption were not established. Original source inputs and historical report packages remain unchanged.


Evidence and reproducibility index

File	What it supports
PLAN.md	Criteria and protected properties defined for this change.
evidence/pytest.txt; pytest.xml	Fresh 36-test suite outcome; current-tests/ observations.
evidence/migration-stage.json; migration-live.json; migration-repeat.json	Rehearsal, live migration and no-op replay.
evidence/live-validation.json; quotation-usd.pdf	Live English/USD API, existing forecast reproduction and PDF output.
evidence/scenario.json; check_arithmetic.py	Exact inputs, baseline/stress/funding outputs and independent cents checker.
evidence/daily-arithmetic.csv; weekly-arithmetic.csv; arithmetic-check.json	Daily/weekly reconstruction and source/funding checks.
evidence/snapshot-install.json; restart-check.json	Install/refusal and full restart results.
evidence/data-before.json; data-after.json	Table counts/content hashes; migration deliberately changes currency text and adds marker 5.
screenshots/CAPTIONS.json; evidence/browser-checks.json	Native capture dimensions, administrator role and observed UI conditions.
SOURCE_STATE.json; application /SOURCE_SHA256.json	Current release identity; manifest covers 33 source/data files.

To reproduce the included arithmetic without a server: run python evidence/check_arithmetic.py from the extracted bundle. To replay HTTP workflows, run pytest application/tests with GEO_TEST_DATABASE_URL ending in /geo_crm_test, GEO_TEST_URL on a free local port and GEO_TEST_EVIDENCE pointing at a separate output folder. The fixture resets only that explicitly disposable test schema.


The source revision is abcafd66156f639822855b92dd3156fb629352eb95a7cb045d2f8ae5693b95ad. Historical case records are retained in the project; current files in this package substantiate the present USD release.

Sales workspace




Open-deal kanban, administrator. USD totals and Graphite navigation.

Expense requests




Retained requests and USD 1,000 approval boundary; no workflow state changed.

A request and its history




ER-0008: scheduled USD 3,200, due date, director approval and retained history.

Cash-gap scenario




All receipts delayed 30 days; minimum -USD 8,850 and first gap 20 Nov 2026.

Daily detail, week 11



Week 11 closes at +USD 550 but daily minimum is -USD 1,650.

A saved model



Existing immutable snapshot 1 remains readable in USD and reproduces exactly.

Quotation 61-1

Print Open PDF

GEO CRM

Quotation No. 61-1

31 Oct 2026 · Saved version 1

To: **Fieldbridge Engineering Surveys and Structural Monitoring Ltd**

GNSS kit supply — Fieldbridge / demonstration workflow

Product	Qty	Price, USD	Amount, USD
GNSS receiver Terrain M4 GEO-0003	1	2,650.00	2,650.00
Heavy-duty wooden tripod GEO HD GEO-0010	1	189.00	189.00

Total: USD 2,839.00

All amounts in USD. Demo prices include applicable taxes; no tax breakdown is modelled. Quotation valid for 14 days. Delivery date subject to agreement.

Demo document. Synthetic data.

Actual printable quotation: 2 items, total USD 2,839, explicit demo tax scope.