USP Cheat-Sheet
Institut für Strukturelle Integrität – version uspcheatsheet-20-05-25-1b – (CC BY-SA 4.0)

This document remaps foundational concepts across scientific and engineering disciplines using the Unified Substrate Principle (USP):

> *"A configuration is physically real if and only if its internal phases are mutually compatible. Incompatible configurations self-erase."*

Each domain is reframed through the lens of structural coherence, supplemented with minimal formal mappings, empirical anchors, and citations to support or falsify claims.

Section 1: Thermodynamics (Phase Dispersion Logic)

Concept	Classical Interpretation	USP Reframe	Core Formula	Empirical Anchor	Citation
Entropy	Disorder or microstate count (Boltzmann)	Coherence loss across a region	$S_\phi = \log\left(\frac{\Delta\phi_{\max}}{\delta\phi_{\min}}\right)$	Interference contrast decay in Bose–Einstein condensates	USP Appendix A
Heat Flow	Thermal energy transfer	Substrate-mediated coherence dissipation	$\vec{J}_\phi = -\lambda_\phi \nabla\phi$	Thermal relaxation in ultracold atom traps	J. Schmiedmayer et al., *Nature Phys.*, 2021
Equilibrium	State with no net energy exchange	Minimum-tension stable phase configuration	$\nabla\phi = 0 \Rightarrow \vec{J}_\phi = 0$	Thermodynamic plateaus in optical lattice systems	USP Appendix A

Time Arrow	Irreversible entropy increase	Directional pruning of incoherent structures	Structural veto condition: $\phi(t+\Delta t) < \phi(t)$ (where decoherent)	Decoherence trajectory in open quantum systems	Goold et al., *J. Phys. A: Math. Theor.*, 2016

Notes:

- $\Delta\phi_{\max}$: Observed phase spread across region
- $\delta\phi_{\min}$: Coherence resolution limit imposed by substrate tension
- $\vec{J}_\phi$: Coherence current (phase-tension driven flow)
- λ_ϕ: Substrate elasticity coefficient for phase propagation

---

Section 2: Quantum Mechanics (Veto Dynamics and Interference Logic)

Concept	Classical Interpretation	USP Reframe	Core Formula / Mapping	Empirical Anchor	Citation
Superposition	System in multiple potential states	Multiple phase-branches under substrate evaluation	Substrate coherence test loop: passing branches persist	Delayed-choice quantum eraser experiments	USP Appendix E

Collapse	Wavefunction reduces on measurement	Incoherent branches structurally vetoed	$P_i = \lvert\psi_i\rvert^2 \quad \Rightarrow \text{survival rate}$	QED collapse timing in cavity QED	Bassi et al., *Rev. Mod. Phys.*, 2013
Entanglement	Instantaneous nonlocal correlation	Persistent nonlocal phase-locking	$\phi_A - \phi_B = \text{const}$	Bell inequality violations (CHSH)	Aspect et al., *Nature*, 1982
Born Rule	Postulated outcome probability rule	Statistical outcome from repeated substrate evaluations	$P_i = \lim_{N\to\infty} \frac{n_i}{N}$	Ensemble photonic interference experiments	USP Appendix E

Notes:

- ψ_i: Amplitude of quantum state i
- P_i: Observed outcome frequency — derived as survival probability
- Collapse is not observer-induced but coherence-failure enforced

---

Section 3: Spacetime and Gravity (Elastic Phase Geometry)

Concept	Classical Interpretation	USP Reframe	Core Formula / Mapping	Empirical Anchor	Citation

Gravity	Curved spacetime due to mass-energy	Elastic deformation of substrate phase coherence	$\Box\phi = \frac{\rho}{\lambda}$	Gravitational lensing, Mercury precession	USP Appendix C
Lorentz Symmetry	Invariant speed of light under transformation	Emergent from wave propagation in isotropic coherence substrate	$c = \sqrt{\frac{\lambda}{\rho}}$	Fermi/INTEGRAL photon timing constraints	Amelino-Camelia et al., *Nature*, 1998
Spacetime	Fundamental geometric background	Indexing map of long-term phase-lock structures	Emerges from global coherence alignment	GPS frame corrections, gravitational redshift	USP Appendix C
Curvature	Ricci tensor field derived from Einstein equations	Geometric record of elastic coherence under stress	$R_{\mu\nu} \propto \nabla_\mu \nabla_\nu \phi$	Frame dragging in rotating masses	Gravity Probe B results

---

Key Formula Components:

- ϕ: Substrate phase field
- $\Box$: D'Alembertian (wave operator)
- λ: Phase elasticity modulus
- ρ: Phase-mass density
- $R_{\mu\nu}$: Substrate-based curvature tensor (geometric memory of phase tension)

Section 4: Biology & Evolution (Coherence-Based Adaptation)

Concept	Classical Interpretation	USP Reframe	Core Formula / Mapping	Empirical Anchor	Citation
Life	Self-organizing system with metabolism, replication	Stable, self-replicating coherence basin	Stability condition: $\nabla \cdot \vec{J}_\phi = 0$ (closed coherence loop)	Morphogenetic field stabilization in embryogenesis	USP Appendix H
Mutation	Random genetic change	Phase perturbation of structural lock	$\delta\phi \Rightarrow \text{new compatibility or rejection}$	CRISPR-induced expression variability in cell lines	Jinek et al., Science, 2012
Natural Selection	Fitness-based survival over time	Substrate permission filter: only compatible coherence persists	$\lim_{t\to\infty} \phi(t) \in \{\text{allowed manifolds}\}$	Longitudinal bacterial evolution experiments	Lenski et al., Nature, 1991
DNA	Molecular storage of genetic information	Coherence-preserving phase-encoding substrate	Information = nested phase instructions $\phi_i(x)$	DNA topology and transcriptional phase alignment studies	Wang et al., Cell, 2008

Key Formula Components:

- $\vec{J}_\phi$: Coherence current (propagation of constructive phase)
- $\delta\phi$: Phase perturbation due to mutation
- $\phi(t)$: Phase configuration across evolutionary time
- $\phi_i(x)$: Local phase instruction at position x

Section 5: Neuroscience & Consciousness (Phase-Locked Dynamics)

Concept	Classical Interpretation	USP Reframe	Core Formula / Mapping	Empirical Anchor	Citation
Brainwaves	Oscillatory neural activity (EEG rhythms)	Local phase-locked interference patterns in coherence substrate	$\phi(t, x) \sim \sin(\omega t - kx)$	EEG coherence during focused attention	Klimesch et al., *Brain Research Reviews*, 1999

Consciousness	Awareness; subjective state	Global phase coherence across nested neural regions	$C \sim \sum_i \phi_i(t) \cdot w_i$	MEG/EEG synchrony peaks during conscious state shifts	Dehaene et al., *Neuron*, 2014
Sleep & Dreams	Restorative offline state / symbolic simulation	Low-inhibition phase exploration within permitted lock spaces	$\phi_{\text{dream}} \in$ meta-stable lock manifolds	Sleep-stage specific phase patterns (REM vs. NREM)	Tononi & Cirelli, *Nature Rev. Neurosci.*, 2014
Psychedelics	Perception-alteri ng molecules	Temporary loosening of structural coherence constraints	Reduced precision in lock conditions $\delta\phi \uparrow$	fMRI studies showing desynchronized DMN connectivity	Carhart-Harris et al., *PNAS*, 2012

Key Formula Components:

- $\phi(t, x)$: Time-dependent substrate phase at neural location xxx
- C: Consciousness intensity (coherence-weighted summation)
- w_i: Regional weighting (based on neural integration)
- $\delta\phi$: Phase variance tolerance (loosening leads to altered states)

Section 6: Psychology & Human Experience (Coherence Perception and Stability)

Concept	Classical Interpretation	USP Reframe	Core Formula / Mapping	Empirical Anchor	Citation
Intuition	Immediate understanding without reasoning	Implicit substrate-sensed phase instability	$\delta\phi_{\text{internal}} > \delta_{\text{threshold}} \Rightarrow \text{discomfort}$	Somatic markers preceding conscious conflict	Bechara et al., *Science*, 1997
Flow State	Full immersion and task alignment	Maximal dynamic internal phase lock	$\frac{d\phi}{dt} \approx 0 \quad \text{across task-relevant networks}$	EEG beta/gamma synchronization during high performance	Csikszentmihalyi, *Flow*, 1990
Trauma	Lasting emotional imprint after stress	Persistent hysteresis in phase-scars	$\phi(t) \to \phi(t+\Delta t) \neq \phi_0 \quad (\text{chronic offset})$	Amygdala-hippocampus overcoupling in PTSD	van der Kolk, *The Body Keeps the Score*, 2014
Anxiety	Anticipatory unease	Pre-conscious detection of coherence drift	$\frac{d^2\phi}{dt^2} > \text{stability limit} \Rightarrow \text{alert response}$	HRV and EEG phase instability during anticipatory stress	Thayer et al., *Biol. Psych.*, 2012

Resonance	Feeling of connection or harmony	Multi-agent phase match across perception layers	$\Delta\phi_{\text{between agents}} \to 0 \Rightarrow \text{affinity}$	Heart rate & gaze synchrony in social bonding	Feldman, *Science*, 2007

Key Formula Components:

- ϕ: Neural or experiential phase configuration
- $\delta\phi$: Localized phase deviation
- $\frac{d\phi}{dt}$: Phase stability over time (flow → minimized drift)
- ϕ_0: Reference stable state prior to traumatic perturbation
- Resonance occurs when inter-agent phase trajectories converge

---

Section 7: Engineering & Systems Design (Coherence as a System Constraint)

Concept	Classical Interpretation	USP Reframe	Core Formula / Mapping	Empirical Anchor	Citation

Feedback Loop	Output informs input to maintain stability	Continuous substrate re-evaluation for coherence permission	$e(t) = \phi_{\text{desired}} - \phi(t) \Rightarrow \Delta\phi \to 0$	Error minimization in control systems (PID, adaptive)	Åström & Murray, *Feedback Systems*, 2008
System Stability	Resistance to failure under perturbation	Persistence of coherent phase configurations under stress	$\frac{d\phi}{dt} \leq \epsilon$ for all nodes	Bifurcation thresholds in nonlinear dynamic systems	Strogatz, *Nonlinear Dynamics*, 1994
Synchronization	Timed coordination of system components	Phase-locked dynamics across distributed agents	$\phi_i(t) - \phi_j(t) \to 0$	Swarm robotics and oscillator network experiments	Strogatz & Mirollo, *Physica D*, 1991
Self-Healing	System restores function after damage	Incoherent nodes are pruned and phase-locked state self-realigns	$\phi_{\text{damaged}} \Rightarrow \text{veto} \Rightarrow \phi'_{\text{local}} = \min(\Delta\phi)$	Fault-tolerant mesh networks and redundancy logic	Leitão et al., *ACM Comp. Surveys*, 2013
Optimization	Configuration that minimizes cost / maximizes output	Coherence-maximal arrangement under constraint surface	$\min \Delta\phi \quad \text{subject to} \quad f(\phi) \leq C$	Signal timing optimization in traffic or circuit design	Boyd & Vandenberghe, *Convex Optimization*, 2004

Key Formula Components:

- $\phi(t)$: Local system phase state at time ttt
- $\Delta\phi$: Phase error or misalignment
- $\phi_i(t), \phi_j(t)$: Phase states of distributed system components
- $f(\phi)$: Cost or constraint function
- Self-healing = structural re-stabilization via real-time coherence reevaluation

---