Tables (6)

Name	Type	Schema
TB_Bereich		CREATE TABLE "TB_Bereich" ("id_Bereich" INTEGER NOT NULL UNIQUE, "Bereichsname" TEXT, "Bereichsabkuerzung" TEXT, PRIMARY KEY("id_Bereich" AUTOINCREMENT))
id_Bereich	INTEGER	"id_Bereich" INTEGER NOT NULL UNIQUE
Bereichsname	TEXT	"Bereichsname" TEXT
Bereichsabkuerzung	TEXT	"Bereichsabkuerzung" TEXT
TB_DATE		CREATE TABLE "TB_DATE" ("date_id" INTEGER, "date" DATE NOT NULL, "day_of_week" TEXT NOT NULL, PRIMARY KEY("date_id" AUTOINCREMENT))
date_id	INTEGER	"date_id" INTEGER
date	DATE	"date" DATE NOT NULL
day_of_week	TEXT	"day_of_week" TEXT NOT NULL
TB_EMPLOYEE		CREATE TABLE TB_EMPLOYEE (id_employee INT, name VARCHAR(50), group_id INT, status INT)
id_employee	INT	"id_employee" INT
name	VARCHAR(50)	"name" VARCHAR(50)
group_id	INT	"group_id" INT
status	INT	"status" INT
TB_SCHEDULE		CREATE TABLE "TB_SCHEDULE" ("id_schedule" INTEGER, "employee_id" INTEGER NOT NULL, "date_id" INTEGER NOT NULL, "session_id" INTEGER NOT NULL, FOREIGN KEY("employee_id") REFERENCES "TB_EMPLOYEE"("id_employee"), FOREIGN KEY("session_id") REFERENCES "TB_SESSION"("session_id"), PRIMARY KEY("id_schedule" AUTOINCREMENT))
id_schedule	INTEGER	"id_schedule" INTEGER
employee_id	INTEGER	"employee_id" INTEGER NOT NULL
date_id	INTEGER	"date_id" INTEGER NOT NULL
session_id	INTEGER	"session_id" INTEGER NOT NULL
TB_SESSION		CREATE TABLE TB_SESSION (session_id INTEGER PRIMARY KEY AUTOINCREMENT, name TEXT NOT NULL, start_time TIME NOT NULL, end_time TIME NOT NULL)
session_id	INTEGER	"session_id" INTEGER
name	TEXT	"name" TEXT NOT NULL
start_time	TIME	"start_time" TIME NOT NULL
end_time	TIME	"end_time" TIME NOT NULL
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"

Indices (0)

Name	Type	Schema

Views (0)

Name	Type	Schema

Triggers (0)

Name	Type	Schema