




Simulation:

http://tinyurl.com/y229mty4









Sheet: /UI_BUTTON/ File: UI_BUTTON.kicad_sch

Title:


 Size: A4
 Date:
 Rev:


 KiCad E.D.A. 8.0.8
 Id: 2/28






1000 R1001 1k C1001 1k C1005 GND R1002 1k GND IN_2D-----R1006 C1002 1k C1006 GND R1003 GND IN_4D-----+3٧3 R1007 C1003 1 k + C1007 100n 13 X0 Q2 X1 X1 X1 X2 X2 X3 X4 X4 X5 X5 X5 X6 X7 GND _D0UT R1004 GND 1k IN_6D-----R1008 C1004 U1001 74HC4051 1 k C1008 100n 11 10 9 GND ADDRESS_AD +3V3 ADDRESS_BD-VSS ADDRESS_CD-GND + C1009 GND GND Sheet: /Sheet5D7C8BFD/ File: UI_MUX.kicad_sch Title: Size: A4 Date: KiCad E.D.A. 8.0.8 ld: 5/28 1000 R1009 1k C1010 1k C1014 GND R1010 1k GND IN_2D-----C1011 1k + C1015 GND R1011 GND 1k IN_4D-----+3٧3 R1015 C1012 1 k + C1016 100n 13 14 15 12 1 5 2 4 GND X0 8 _D0UT R1012 X2 GND 1 k Х3 IN_6D-----C1013 1k X5 U1002 74HC4051 C1017 100n 11 10 9 GND ADDRESS_AD +3V3 ADDRESS_BD-VSS ADDRESS_CD-GND + C1018 GND Sheet: /sheet5D8763D6/ File: UI_MUX.kicad_sch Title: Size: A4 Date: KiCad E.D.A. 8.0.8 ld: 6/28






USB Port ESD Prot.


USB C upstream facing port configured for 5V 3A power consumption.



ESP protection for all 8 signals externally accessable via the USB C connector.




Debug-Mode Multiplexing



3V3 LD0

LDO regulator for generating the +3V3 power rail for the microcontroller and UI.




Testpoints



Sheet: /MCU/USB_POWER/ File: USB POWER.kicad sch Title: Size: A4

Date: KiCad E.D.A. 8.0.8 ld: 9/28



Board Identification

Grid firmware can identify the hardware and the board revision thorugh a 3 wire serial interface using one or more shift register as read only memory. The content of the memory is defined by pulling the inputs high or low through pcb traces or solderable configuration jumpers.

4b'Model + 4b'Revision + nb'Reserved (Multiple shift registers)

```
DO: MODEL (LSB)
D1: MODEL
D2: MODEL
D3: MODEL (MSB)
D4: REVISION (LSB)
D5: REVISION
D6: REVISION (MSB)
```

Model Codes (D3-D0):

Po16 0000 Bo16 0001 PBF4 0010 EN16 0011

Revision Codes (D7-D4):

RevA 0000 RevB 0001 RevC 0010 RevD 0011


Sheet: /HWCFG/
File: HWCFG.kicad_sch


Title:


 Size: A4
 Date:
 Rev:


 KiCad E.D.A. 8.0.8
 Id: 10/28


3























Simulation:

http://tinyurl.com/y229mty4







Sheet: /UL_BUTTON1/
File: UL_BUTTON.kicad_sch

1	Ì	t	le	:		
_					7	

 Size: A4
 Date:
 Rev:

 KiCad E.D.A. 8.0.8
 Id: 19/28

