Logical Diagram



* Descriptive only - see Data Flows for full set of services and microsegmentation architecture

VLANs
VLAN10 - Transit-DMZ
VLAN20 - Services/Core
VLAN21 - Protected Services
VLAN30 - DMZ
VLAN40 - User
VLAN50 - Storage
VLAN99 - Management

VM IDs		
Min	Max	Description
0	99	System Reserve
100	149	Linux Templates
150	199	Windows Templat
200	299	Infrastructure
20000	20999	Services VMs


s: 10
Access: 40
Access: 40
. . .
TRUNK
99
20/21
Bootstrap Node
Core
Mgmt
Identity
Identity
Packer
(only when building images)
Git
* Offers core services to stand up the remainder of the lab environment


d
es

21000	21999	Protected Services V
30000	30999	DMZ VMs
99000	99999	Management VM

<VLAN ID>000 - <VLAN ID>999

Layer3 Routing



Transit-DMZ




VMs
s
VM ID typically matches third/fourth octet, i.e. 21255 matches x.x.21.255
net
Protectli VP2420 running pfSense
DMZ
Identity Proxy
Remote Access
Web
* DMZ VMs will NOT be dual-homed - only the east/west vFW will have access to the internal subnets
Proxmox Virtual Firewall (vFW)
Protected Services
Management



* Descriptive only - see Data Flows for full set of services and microsegmentation architecture



Version/Date: v5.0 / 11 March 2026
Scope: High-level logical topology and VLAN scaffolding
Last Edited By: James Thomas
https://github.com/integrateddefense/lab_infra