

Monthly Facility Inspection Checklist

Inspection Location:	
Inspected By:	
Inspected On:	

JHSC Board/ Administrative	Yes No N/A	Notes
Is there a health and safety policy that has been posted and signed off by the employer in the last year?		
Is there a violence and harassment policy that has been posted and signed off by the employer in the last year?		
Is there a Joint Health and Safety Committee? Are the members posted with their locations?		
Is there a certified manager and worker representative? Are they easily identifiable on the JHSC board?		
Are emergency numbers listed and up to date?		
Is a list of First Aid and CPR certified team members posted with location and contact information?		
Are the SDS readily available and kept up to date?		
Do lock out tag out procedures exist?		
Fire and Emergency Management	Yes No N/A	Notes
Is there eco-absorb readily available for clean-up of spills and leaks?		
Are the fire exit signs lit up? Has emergency lighting been tested?		
Are the fire exits free from obstruction? Do they open easily?		
Are walkways clear?		
Are the fire extinguishers readily available with tags signed off monthly?		

Are flammable materials and chemicals properly labelled and stored?		
Are emergency exit alarms connected to doors?		
If there is a sprinkler system (S1/HD) are the gauges at the benchmark PSI's?		
First Aid and PPE	Yes No N/A	Notes
Are there first aid kits available for all workers? Are they easily accessible?		
Are first aid kits stocked with all the required items as per reg. 1101?		
Are there adequate eyewash stations?		
Is there PPE readily available for all employees?		
Are the employees wearing appropriate PPE required by Integrity's safety policies?		
S2/S3/HD- AED & Naloxone -Is the AED/defibrillator battery installed, in working condition, and not expired? -Are AED/defibrillator pads present inside the kit and not expired? -Is the AED/defibrillator in good working condition and able to power on successfully? -Is naloxone present inside the AED/defibrillator case and within its expiry date?		
Facilities	Yes No N/A	Notes
Are areas adequately lit?		
Are there adequate workstations and enough space to perform the task at hand?		
Is there containers for oily rags?		
Are cords secure, in good condition and not a tripping hazard?		
Is the air quality good?		

Are work stations free from clutter and tripping hazards?		
Are employee chairs providing proper support?		
Is the noise level from the equipment acceptable?		
Is all equipment in working order? If no, has a FIIX ticket been submitted?		
Are lifting devices certified and in good working condition?		
Is rigging material (eyebolts, slings, chains, magnets etc.) inspected annually?		
Are employees using proper lifting techniques?		
Are machine parts adequately guarded?		
Are machine interlocks in place and being used appropriately?		
Are LOTO procedures being followed? Are electrical boxes left open?		
Are there hand sinks available and equipped?		
Are signs posted where doors exit into high traffic areas?		
Are the parking lots safe and free from hazards?		
Are door mats causing tripping hazards?		
Are doors being propped open?		