INTELLIZ


PRODUCT BROCHURE · 2026


AI DEFECT INSPECTION SOFTWARE FOR AREA-SCAN CAMERAS

IntSight

Every part captured, measured and judged

Shot on the PLC signal · High-resolution 2D camera · OK/NG for every part
Applies inspection files (.izpkg) made in IntLearn Pro · Runs on PCs inside your plant





OK #08 | OK #09 | OK #10 | NG #11 · SCRATCH | OK #12

Coil parts passing under an area-scan camera, and IntSight's verdict on each part · below: the frames the camera took


sales@intelliz.net · +82-70-7006-8916

02 — OVERVIEW

With area-scan cameras, it inspects parts one by one

IntSight is AI defect inspection software for area-scan cameras, which take one picture of each part. It runs on PCs inside your plant (on-premises). On the PLC's signal (trigger), a high-resolution 2D camera images each part, and you see its inspection, measurement and OK/NG result together. It applies inspection packages built in IntLearn Pro (.izpkg: an AI model and its criteria in one file) and keeps their versions; inspectors' OK/NG decisions stay as training data and criteria for the next operator.

FIG. 01 DIGITAL TWIN · AREA-SCAN INSPECTION LINE



1 Washer drying tunnel

2 IntCloud Optic wide and high-magnification

3 Bottom, side and top cameras and lights

4 Two delta robots reject and outbound totes

5 Training PC and operator console

From the IntSight product page · Example view of a virtual factory (digital twin)

1	3	7	.izpkg
One frame per part	Ways parts arrive	Views judged together	Inspection package file
Whole area, on the PLC signal	Stop · index · conveyor	Example: reusable cups	Built in IntLearn Pro

Every part captured, measured and judged.


Verdicts, dimensions and inspectors' decisions stay on record for the next inspection.

03 — AREA SCAN

It takes one whole frame, and judges from that frame

An area-scan camera captures a whole area at once, like an ordinary camera. When a part comes under it, the PLC signals the shot (trigger), and IntSight inspects, measures and judges OK/NG from that one image. Parts can stand still (stop), turn past on a rotary table (index) or move on a conveyor.

FIG. 02




AREA SCAN · ONE FRAME PER PART



Stop
Placed on a fixture and imaged at rest



Index
A rotary table brings each part to the camera



Conveyor
Imaged on the move · short exposure or strobe

01 PLC trigger
The signal to shoot as the part arrives

02 Capture
One frame with a high-resolution 2D camera

03 Inspect
Finds defects in that one frame

04 Measure
Measures each part's dimensions

05 OK/NG verdict
Each part's verdict and results, together

Line scan and area scan

From our inspection guide

	LINE SCAN · INTSCAN PRO	AREA SCAN · INTSIGHT
Best suited to	Continuous paper, film, metal, textiles	Single parts, such as coils and FPCs
Imaging	One line at a time, stitched together	One whole image at once
Imaging signal	Encoder: shoots by distance moved	PLC signal when the part is in place
What sets resolution	Width, defect size to find, line speed	Field of view, defect size to find
Lighting	Long, along the imaging line	Matched to the part's shape and the defect

Even with single parts, if they are long, run on a conveyor without stopping, or have a round surface that must be turned to inspect, the better choice is not obvious. Then image samples and decide.

04 — FEATURES

High-resolution 2D cameras for coils, FPCs and other parts

Area Scan is the INTELLIZ inspection set-up built on high-resolution 2D cameras. It images single products in step with stop, index or conveyor flow and finds small defects. Lighting and lenses are chosen for each shape and material, so tiny defects show the same way every time. It suits precision parts such as automotive components, MLCCs and semiconductors, and balances cost and accuracy.

FIG. 03 INDIVIDUAL PARTS · TOP VIEW



Wound coil	FPC	Injection-molded cup	Machined metal part	Semiconductor component
Inductor, motor and speaker coils	Flexible printed circuits	Cups, containers, lids	CNC parts, brackets	IC packages, chip parts

Individual parts seen from above · the five parts in the area-scan tab of the website's Optics Lab

Key features From the product page

01	High-precision 2D area scan	Finds defects accurately with high-resolution 2D cameras
02	Products of many sizes and shapes	Applicable to products of many different forms
03	Fast inspection	Quick quality checks, even on high-volume lines
04	Industries	Electronics, semiconductors, automotive parts

Values to prepare before a consultation Area scan · from our inspection guide

01
Field of view
What one image covers

02
Smallest defect
The size you must find

03
Decision time
Time to judge one part

04
Faces
How many to inspect


Illustrative example: with a horizontal field of view of 100 mm and 5,000 horizontal pixels, one pixel is 0.02 mm. A defect that covers only one or two pixels is easy to miss. The numbers show the calculation; they are not product specifications. The actual configuration is decided after samples and site conditions are checked.

05 — SCREEN

Every camera and its verdict, on one screen

The inspection screen shows the image and verdict from each inspection zone and camera, plus the last part's verdict and dimensions. A part that must be seen from several sides, such as a round container, is judged from several views together. INTELLIZ's reusable cup inspection is set up to judge 7 views at once.

FIG. 04 INSPECTION SCREEN · INTSIGHT



1 Recipe · run
Pick a recipe, then Init → Run → Stop

2 Cameras
Camera status by zone

3 Last verdict
The last product's verdict and number

4 Verdict counts
Total · OK · NG · HOLD · SKIP

5 Dimensions
Length, width and thickness of the last product

6 Zone · camera views
Image, part outline and verdict in each cell

7 Trigger
Images taken on the hardware trigger (HW Trigger)

IntSight inspection screen · reusable-cup recipe: 3 zones, 7 views judged together · the values are examples

One part, seen from several sides.


More viewpoints mean more cameras, lights and images to judge. Start with the faces where defects really occur.

06 — RESULTS · TRY

Verdicts and dimensions, kept on record

The results screen shows counts of total, good, defective and on-hold parts, trends of the length and width measured on each product, and statistics such as mean and yield. Decisions and dimensions are checked together for each part.

FIG. 05 RESULTS · DASHBOARD



1 Decision counts
Total, good, defective, on hold

2 Dimension trends
Length and width measured on each product

3 Statistics
Mean and yield

The results screen from the IntSight manual. The numbers on the screen are not performance figures.

Try IntSight Product page

Demo · the real layout

A home screen that starts inspecting as it opens

intelliz.net/en/products/intsight

A demo with the real layout of the area-scan inspection program's home screen. It starts inspecting as soon as it opens and shows the verdict of each zone and camera. Stop it, pick another recipe, then press Init and Run to start again. Example screens for trying out, not customer data.

Verdicts per part, records in one place.


Counts, trends and statistics show how the line is running.

07 — OPTICS LAB

Before choosing a camera, check that the defect shows

In the Optics Lab on the INTELLIZ website, pick your part and the defect you worry about: it shows at once whether area-scan inspection can see it and whether a sample demo makes sense. The same defect is compared under six lights, and a suggested light, camera and lens are calculated for you.

FIG. 06 OPTICS LAB · AREA SCAN · INTELLIZ.NET




Optics Lab screen · an area-scan result
(Wound coil · Scratch · from 0.05 mm · Stopped for the shot · 60 parts/min)

A calculated estimate, not an image from real equipment. The answer is an estimate from a simple, uncalibrated model. Whether it really works is confirmed in a sample demo. The camera values are common examples, not IntSight's specification.

AREA SCAN · IntSight

Pick from five parts



Wound coil | FPC | Injection-molded cup | Machined metal part | Semiconductor component

LIGHTS · 6

The same defect under six lights

Ring	Stains, glints on curves
Dome	Stains on shiny parts
Coaxial	Scratches on smooth faces
Low-angle ring	Cracks, edges, relief
Backlight	Outlines, dimensions, burrs
Angled bar	Relief by one-sided shadow

01 PICK

Part and defect

Pick the closest of five parts, the defect you worry about, its size and how parts arrive.

02 COMPARE

Six lights

The same defect is imaged by calculation under each light and ranked by how well it shows.

03 CONFIRM

Sample demo

Send us a sample and we will image it under these conditions.

Optics Lab · area scan · intelliz.net

IntSight Optics Lab

intelliz.net/en/solutions/optics-lab?scan=area


A web tool you can use right on our website. It is a calculated estimate, so the real decision is made by imaging your samples. The camera values are common examples, not IntSight's specification.

08 — PACKAGE · VIDEO

Built in IntLearn Pro, applied as one package

The trained model, the inspection flow and the pass criteria are bundled into one file and taken to inspection on the line, in IntScan Pro (line scan) or IntSight (area scan). IntSight applies that inspection package (.izpkg) and keeps its versions. The OK/NG decisions inspectors make on the line become training data and inspection criteria again.

FIG. 07 INTLEARN PRO TO INTSIGHT



Line scan or area scan, the same package.

IntScan Pro and IntSight both take the inspection flow and pass criteria from one .izpkg file.

Product video

Point your phone camera at the QR code

YouTube · 2 min · English

Inspection that carries expertise forward | IntSight · INTELLIZ

youtu.be/akwJVxogAIE

See the part. Review the result. Keep the inspection knowledge.
This film follows IntSight on the Site B coil-part production line, connecting camera capture, measurement, inspection decisions and package application.

YouTube @intelliz

More on our YouTube channel

youtube.com/@intelliz

09 — CASES

Containers arriving one by one, judged one by one

Two use cases from the IntSight product page. Containers arriving one by one are imaged by area scan: molded ones are sorted into OK and NG, reusable ones into reuse and rewash.

CASE 01 MOLDED CONTAINERS · AREA SCAN



CASE 02 REUSABLE CONTAINERS · AREA SCAN



Box: the defect the camera found · The inspection scenes are 3D renderings, shown as examples.

CASE 01 Consumer Goods, Plastic & Containers

Defect Inspection of Injection-Molded Containers

Images molded containers and finds deformation, cracks, burrs, short shots, flash and dimensional errors automatically; OK/NG sorting and statistics by defect type reveal mold and process problems early.

Defects Deformation · Cracks · Burrs · Short shots · Flash · Dimensional errors

Method Area-scan inspection · IntSight

Process stage Processing/Molding

Defects not visible from outside, such as internal voids, are out of scope. Very tight tolerances may need other measuring.

See the use case
intelliz.net/en/solutions/usecase/consumer-plastic/injection-container-inspection

CASE 02 Consumer Goods, Plastic & Containers

Cleaning Inspection of Reusable Containers

Checks washed containers automatically for remaining contamination (foreign matter, grease, water marks) and damage, and sorts them into reusable and to be washed again.

Defects Residual contamination (foreign matter, grease, water marks) · Damage

Method Area-scan inspection · IntSight

Process stage Cleaning/Pretreatment

It does not judge bacteria, sterilization or hygiene safety. Areas the camera cannot see need their own imaging setup.

See the use case
intelliz.net/en/solutions/usecase/consumer-plastic/reusable-container-inspection

A camera sees only the outside.

Internal voids, weight and very tight tolerances need other measurement methods too.

10 — PLATFORM

Capture, train and inspect, linked in one flow

Images captured with IntCloud Optic train IntLearn Pro, and the inspection package (.izpkg) is applied to IntScan Pro or IntSight. Before installation, imaging conditions and inspection performance can be checked in an IntLearn Kinesis virtual inspection cell.

Products that work with IntSight



01

IntCloud Optic

An AI optical inspection module that captures defects so they can be seen



02

IntLearn Pro

Deep learning inspection software that finds defects like an expert, with 12 engines and modules, the most in Korea, and LLM integration



03

IntLearn Kinesis

New in 2026

Validate in a virtual factory before you install



04


IntWise

New in 2026

Operate by speaking, and the know-how becomes a company asset

The sibling inspection program

Area scan: IntSight · line scan: IntScan Pro



IntScan Pro inspection screen (Korean UI) · the values are examples

LINE SCAN · FOR CONTINUOUS MATERIALS

IntScan Pro

AI defect inspection program built for line-scan cameras. Inspects continuously moving materials in real time.

They are two products for different cameras. IntScan Pro is for line scan cameras only and inspects continuously moving materials such as paper, film, metal and textiles. IntSight is for area scan cameras and inspects and measures discrete parts such as coils and FPCs.

intelliz.net/en/products/intscan-pro

From capture to operation, in one flow.

Four products for capture, AI judgment, pre-install validation and operation work with IntSight.

11 — GETTING READY · NEXT STEPS

Start with the sample box, prepared together with us

What counts as a defect is decided by imaging defective parts side by side with good ones. Adoption runs from consultation and sample review to pre-install validation, line deployment, and review and retraining.

FIG. 08 ADOPTION · FOUR STEPS

01
Consultation and sample review
We review the inspection target, the defects to find and the line conditions with you.

02
Pre-install validation
Before installation, imaging conditions and inspection performance can be checked in an IntLearn Kinesis virtual cell.

03
Line deployment
Images captured with IntCloud Optic train IntLearn Pro, and the inspection package (.izpkg) is applied to IntScan Pro or IntSight.

04
Review and retraining
Results are monitored in IntViewer Pro, and data from the line is used to retrain and revalidate the models.

Split the sample box into three sets

Inspection guide · molded-part samples


01	Good parts	Different lots, cavities, colors · knowing their variation is what cuts false rejects
02	Defective parts	Short shots, burrs/flash, cracks, deformation, by type · each may need other lighting
03	Borderline parts	Parts your inspectors disagree on · this set decides where the pass/fail line goes

Leave the defect itself alone: put each part in its own numbered bag and keep a separate list.

Next steps

From the product page · links on intelliz.net

Optics Lab	Injection-molded cup · Burr	intelliz.net/en/solutions/optics-lab?scan=area&part=cup&defect=burr
Inspection guide	Molded Part Inspection: What Goes in the Sample Box?	intelliz.net/en/guides/injection-sample-preparation
Inspection guide	What Sets the Cost of a Compact AI Inspection Machine	intelliz.net/en/guides/small-inspection-machine-cost-factors
Getting ready	AI Inspection Adoption Checklist	intelliz.net/en/tools/inspection-checklist
FAQ	How do IntScan Pro and IntSight differ?	intelliz.net/en/company/faq#scan-vs-sight



12 — CONTACT

Considering a similar inspection?

Including the following in your inquiry helps us prepare our answer.

01	What you inspect: material, shape and size	02	The defects to find and your pass/fail criteria
03	Line speed and how products are conveyed	04	Space available for cameras and lighting
05	Where results need to go (PLC, reject unit, etc.)		

Contact and demo

Links on intelliz.net

Contact	Check if we can inspect your product	intelliz.net/en/company/contact
Solution Experience	Try IntSight's station in the virtual factory	intelliz.net/en/solutions/experience?station=rt-02

CONTACT

sales@intelliz.net

+82-70-7006-8916

Seoul R&D Center #306C, 37, Seongsui-ro 22-gil, Seongdong-gu, Seoul, Republic of Korea
Main Office #305, 63, Buldang 36-gil, Seobuk-gu, Cheonan-si, Chungcheongnam-do, Republic of Korea
Manufacturing Lab B-403, Hyundai Silicon Alley Dongtan, 150, Dongtanyeongcheon-ro, Hwaseong-si, Gyeonggi-do, Republic of Korea
Japan distributor BIT DEVICE Co., Ltd., 6-3-24-L430 Nishinakajima, Yodogawa-ku, Osaka, Japan

Product page

Try it

INTELLIZ

© INTELLIZ Co., Ltd. 2026 · Product facts as published on intelliz.net.
Cover and band: an explanatory drawing made from the Optics Lab's example coil render; the verdicts are examples.
Part and use-case scenes are 3D renderings, shown as examples.
The bird's-eye view is an example view of a virtual factory (digital twin).
IntSight screens come from its manual; the values on screen are examples, not performance figures.
Optics Lab screens are intelliz.net captures (2026-11-03); the results are calculated estimates.
The Optics Lab's camera values are common examples, not IntSight's specification.