

# MATCHMAKER’S HOUSE / STRUCTURE & DIVISION

EXISTING 25 × 12 m FOOTPRINT · FOUR FLOORS · NO ADDED STOREYS · LOW-POLY CONCEPT


## G · Tea House · +0.48 m





## L1 · Tea salon & community · +4.40 m




## L2 · Residences 201-203 · +7.90 m





## L3 · Residences 301-303 · +11.40 m





Planning zones include wall thickness. Blue = wet/lift; terracotta = stairs; cream = circulation. Geometry and dimensions: plan.json.

## G · Tea House · +0.48 m




25.00 m overall × 12.00 m overall | External walls 0.30 m | Slabs 0.18 m | Partitions 0.12 m | Metres

## L1 · Tea salon & community · +4.40 m




25.00 m overall × 12.00 m overall | External walls 0.30 m | Slabs 0.18 m | Partitions 0.12 m | Metres

## L2 · Residences 201-203 · +7.90 m





25.00 m overall × 12.00 m overall | External walls 0.30 m | Slabs 0.18 m | Partitions 0.12 m | Metres

## L3 · Residences 301-303 · +11.40 m




25.00 m overall × 12.00 m overall | External walls 0.30 m | Slabs 0.18 m | Partitions 0.12 m | Metres

## SCHEMATIC STACK / HEIGHT DATUMS




CIRCULATION & SERVICES

Two stairs, each 1.25 m clear target.
Ground rise 3.92 m: 24 risers × 163 mm.
Upper rise 3.50 m: 22 risers × 159 mm.
Going 280 mm; landing target ≥1.25 m.

Upper corridor 1.50 m.
Separate ground exit passages 1.80 m.
Both discharge to the south street.
Courtyard is not assumed to be an exit.

Lift shaft zone 2.70 × 3.20 m.
Car target 1.60 × 2.10 m; door 1.10 m.
Stops: G / L1 / L2 / L3.
Shaft head +15.20 m, below roof slope.

Stacked common toilets and service riser.
Private baths repeat on L2 and L3.
Six studio homes, approx. 32–33 m² each.

Slabs and stairs are built in the blockout.
Materials, furniture and movement come later.

Virtual-world architectural concept.
Not a certified structural or fire design.