

REQUIREMENT UNDERSTANDING DOCUMENT

User Posts & Albums Viewer

Client-side presentation-layer web application

Field	Value
Document Version	v1.2
Status	Requirements clarified; clarification incorporated
Prepared By	Atul Sharma
Technology	HTML5, CSS3, JavaScript (ES6+), jQuery 4.0.0
Data Source	JSONPlaceholder REST API

Revision Summary

Requirements clarification incorporated: Presentation-layer-only scope confirmed; Posts and Albums are separate requests and must be visible simultaneously in separate UI sections.

1. Requirements Clarification Incorporated

The latest clarification establishes that the requirements are focused on the presentation layer working against a ready-made external business/data layer. No custom backend, database, or application-owned business layer is required.

After a user is selected, Posts and Albums are retrieved through two separate API requests and both are displayed at the same time in separate UI sections/panels. Posts means the user's Posts resource, not Photos.

2. Project Overview

The application retrieves a list of users, displays the user's name as the requested first-name + last-name presentation value, allows a user to be selected, and retrieves that user's Posts and Albums from separate JSONPlaceholder endpoints. The two datasets remain visually separate but are visible simultaneously. Loading and error feedback are required.

3. Objective

- Retrieve and present users from JSONPlaceholder.

- Display each user's requested first-name + last-name value.
- Allow the user to select a specific user.
- Retrieve the selected user's Posts and Albums using separate API requests.
- Display Posts and Albums simultaneously in separate sections.
- Provide loading, empty, and error feedback.
- Update the UI without a manual full-page refresh.

4. Scope

4.1 In Scope

- User retrieval from /users.
- Display of each user's first-name + last-name presentation value.
- User click/selection interaction.
- Retrieval of selected user's Posts from /users/{userId}/posts.
- Retrieval of selected user's Albums from /users/{userId}/albums.
- Separate Posts and Albums UI sections visible at the same time.
- Loading, error, and empty states for required data.
- Dynamic client-side rendering without full-page refresh.
- Basic responsive and presentable styling.

4.2 Out of Scope

- Custom backend development.
- Application-owned business/service layer.
- Custom database or persistent storage.
- Authentication and authorization.
- User registration/login.
- CRUD operations against an application-owned store.
- Administrative features.
- Advanced UI/UX beyond a clean, functional presentation layer.

5. Technology and Architecture Understanding

The browser hosts the application presentation and client-side logic. JSONPlaceholder is the ready-made external API/data source used for user, Post, and Album records. No application-owned backend or business layer is introduced.

Layer	Responsibility
Presentation layer	HTML/CSS structure, user list, selected-user area, Posts panel, Albums panel, loading, error, and empty states
Client-side application logic	jQuery event handling, API requests, response processing, state, and DOM updates
Ready-made external API/data layer	Supplies user, Post, and Album data via REST endpoints

6. Functional Requirements

ID	Requirement	Description	Status
FR-01	Retrieve users	Retrieve users from <code>https://jsonplaceholder.typicode.com/users</code> using HTTP GET.	Confirmed
FR-02	Display users	Display each retrieved user's first-name + last-name presentation value.	Confirmed
FR-03	Select user	Allow the user to select/click a displayed user.	Confirmed
FR-04	Retrieve posts	After selection, retrieve Posts from <code>https://jsonplaceholder.typicode.com/users/{userId}/posts</code> .	Confirmed
FR-05	Retrieve albums	After selection, retrieve Albums from <code>https://jsonplaceholder.typicode.com/users/{userId}/albums</code> .	Confirmed
FR-06	Simultaneous Posts and Albums	Display Posts and Albums in separate UI sections and show both at the same time.	Confirmed
FR-07	Loading state	Show appropriate loading indication while required API data is being retrieved.	Confirmed
FR-08	Error handling	Handle API/request failures with an appropriate user-facing message.	Confirmed
FR-09	Dynamic update	Selecting another user updates the related data without a manual full-page refresh.	Confirmed

7. User Flow

1. Application starts.
2. Client requests the Users resource.
3. Users are rendered with the requested name display value.
4. User selects a user.
5. Client starts two independent requests for the selected user: Posts and Albums.
6. Responses are stored in client-side state.

7. Posts and Albums are rendered simultaneously in separate sections.
8. Selecting another user replaces the previous selected-user data and repeats the detail requests.

8. API Understanding

Resource	Method	Complete URL	Purpose
Users	GET	https://jsonplaceholder.typicode.com/users	Retrieve users
Posts	GET	https://jsonplaceholder.typicode.com/users/{userId}/posts	Retrieve selected user's Posts
Albums	GET	https://jsonplaceholder.typicode.com/users/{userId}/albums	Retrieve selected user's Albums

Clarification: Posts and Albums are separate API resources and therefore separate requests.

9. Name Display Understanding

JSONPlaceholder provides one name field rather than separate firstName and lastName fields. For these requirements, the complete name value is used for the required first-name + last-name display. Example: name: "Leanne Graham" is displayed as Leanne Graham. No server-side name transformation is required.

10. Non-Functional Requirements

ID	Requirement	Expected Outcome
NFR-01	Usability	User selection and simultaneous access to Posts and Albums are straightforward.
NFR-02	Responsiveness of feedback	The UI clearly communicates request state.
NFR-03	Error handling	Failures are surfaced with meaningful user-facing feedback.
NFR-04	Maintainability	API communication, user interaction, state, and rendering are logically separated.
NFR-05	Browser compatibility	The application works in commonly used modern browsers.

11. High-Level UI Structure

User Posts & Albums Viewer

+-----+-----+				
Users		Selected User		
-----		-----		
Leanne Graham		Leanne Graham		
Ervin Howell		+-----+-----+		
Clementine Bauch		Posts	Albums	
...		Post 1	Album 1	
		Post 2	Album 2	
		...	...	
+-----+-----+				

12. Confirmed Constraints

- Presentation-layer implementation only.
- JSONPlaceholder is the required external API/data source.
- Posts and Albums are different endpoints and different datasets.
- Both Posts and Albums must be visible at the same time after user selection.
- The application must provide loading and error handling.
- Posts means the Posts resource, not Photos.

13. Status and Next Action

Current Status: Requirements updated and confirmed based on the clarification received on 04 October 2026.

Next Action: Align the SRS, HLD, and LLD with the simultaneous Posts + Albums display and presentation-only architecture, then proceed to implementation.