

# Cucumber Report

12 May 2024, 17:04:41

**Start : May 12, 4:56:27.661 pm**

**End : May 12, 5:04:38.091 pm**

**Duration : 8 m 10.430 s**

Features







PASSED - 1  
FAILED - 5  
SKIPPED - 0

Scenarios

PASSED - 14  
FAILED - 6  
SKIPPED - 0

Steps


PASSED - 185  
FAILED - 6  
SKIPPED - 36




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Donations</u>	38.589 s	2	2	0	0	14	14	0	0
<u>As an admin user I should be able to create an event</u>	2 m 32.597 s	4	3	1	0	71	58	1	12
<u>News</u>	1 m 26.693 s	4	3	1	0	40	31	1	8
<u>NewsLetter</u>	28.261 s	2	1	1	0	11	9	1	1
<u>Regular Poojas</u>	2 m 44.418 s	7	5	2	0	74	70	2	2
<u>Payment module</u>	19.163 s	1	0	1	0	17	3	1	13

#	Feature Name	Scenario Name
1	<u>As an admin user I should be able to create an event</u>	<u>Add a new event with pictures</u>
2	<u>News</u>	<u>Editing the fields of News</u>
3	<u>NewsLetter</u>	<u>Delete NewsLetter</u>
4	<u>Regular Poojas</u>	<u>Verify creating poojas</u>
5		<u>Verify creating poojas</u>
6	<u>Payment module</u>	<u>Verify cart functionality by adding from Donations page</u>


<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@adminViewDonations		1	1	0	0	1	1	0	0
@adminEditDonations		1	1	0	0	1	1	0	0
@events-end-end		2	1	1	0	1	0	1	0
@createEvent		1	0	1	0	1	0	1	0
@viewEvent		1	1	0	0	1	0	1	0
@createPoojas		2	0	2	0	1	0	1	0
@viewPoojas		1	1	0	0	1	0	1	0
@editPoojas		3	3	0	0	1	0	1	0
@deletePooja		1	1	0	0	1	0	1	0



#	<b>Feature Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
1	<u>Donations</u>	2	2	0	0	38.589 s
2	<u>As an admin user I should be able to create an event</u>	4	3	1	0	2 m 32.597 s
3	<u>News</u>	4	3	1	0	1 m 26.693 s
4	<u>NewsLetter</u>	2	1	1	0	28.261 s
5	<u>Regular Poojas</u>	7	5	2	0	2 m 44.418 s
6	<u>Payment module</u>	1	0	1	0	19.163 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Donations</u>	<u>Verify View Donations</u>	6	6	0	0	17.825 s
2		<u>Verify Edit Donations</u>	8	8	0	0	20.569 s
3	<u>As an admin user I should be able to create an event</u>	<u>Add a new event with pictures</u>	20	7	1	12	25.319 s
4		<u>Editing the field of an event by Event Title</u>	19	19	0	0	47.648 s
5		<u>Viewing the event with Event Title</u>	17	17	0	0	46.555 s
6		<u>Deleting an event as a backend admin user</u>	15	15	0	0	32.650 s
7		<u>Add News without a picture</u>	14	14	0	0	40.505 s
8	<u>News</u>	<u>Viewing News</u>	7	7	0	0	12.247 s
9		<u>Editing the fields of News</u>	12	3	1	8	21.245 s
10		<u>Deleting News</u>	7	7	0	0	12.442 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>NewsLetter</u>	<u>Create Newsletter</u>	4	4	0	0	16.934 s
12		<u>Delete NewsLetter</u>	7	5	1	1	11.272 s
13	<u>Regular Poojas</u>	<u>Verify creating poojas</u>	15	13	1	1	43.384 s
14		<u>Verify creating poojas</u>	15	13	1	1	40.398 s
15		<u>:Verify View Poojas</u>	7	7	0	0	12.250 s
16		<u>Verify Edit Poojas</u>	10	10	0	0	17.575 s
17		<u>Verify Edit Poojas</u>	10	10	0	0	17.112 s
18		<u>Verify Edit Poojas</u>	10	10	0	0	20.661 s
19		<u>Verify Delete Poojas</u>	7	7	0	0	12.841 s
20	<u>Payment module</u>	<u>Verify cart functionality by adding from Donations page</u>	17	3	1	13	19.163 s

## Donations




## Verify View Donations



#	Step / Hook Details	Status	Duration
1	When user launches the URL as "admin"	PASSED	2.944 s
2	And signs in with admin credentials "sk_behara@hotmail.com" and "test@123"	PASSED	4.176 s
3	Then user should get in to the Administration Panel	PASSED	0.107 s
4	When user is at CMS dropdown and clicks on Donations	PASSED	1.499 s
5	When user clicks on view action button of "Annadanam"	PASSED	1.969 s
6	Then user should View Donation Details	PASSED	0.103 s
	AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)	PASSED	1.259 s
	Verify View Donations		
			

## Verify Edit Donations




#	Step / Hook Details	Status	Duration
1	When user launches the URL as "admin"	PASSED	1.363 s
2	And signs in with admin credentials "sk_behara@hotmail.com" and "test@123"	PASSED	2.469 s
3	Then user should get in to the Administration Panel	PASSED	0.099 s
4	When user is at CMS dropdown and clicks on Donations	PASSED	1.413 s
5	When user selects the Edit option for "Annadanam" and edits the "Donation Amount in £", with "15"	PASSED	7.725 s
6	And user should be on Edit Donations page	PASSED	0.132 s
7	And clicks Submit button on Edit Page	PASSED	1.111 s
8	Then user should see the message Donation details updated successfully	PASSED	0.077 s
	AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)	PASSED	1.111 s
	Verify Edit Donations		
			

### As an admin user I should be able to create an event




Add a new event with pictures




#	Step / Hook Details	Status	Duration																	
1	When user launches the URL as "admin"	PASSED	1.448 s																	
2	And signs in with admin credentials "sk_behara@hotmail.com" and "test@123"	PASSED	2.207 s																	
3	Then user should get in to the Administration Panel	PASSED	0.084 s																	
4	When user clicks on CMS drop down and then choose Events	PASSED	1.523 s																	
5	Then user should get into Events Page	PASSED	0.063 s																	
6	When user clicks on Add Event button	PASSED	6.879 s																	
7	Then user should get in to Add Events Details Page	PASSED	0.086 s																	
8	When user enters the details for all the mandatory fields	FAILED	6.343 s																	
<table border="1"> <tr> <th>EventTitle</th><th>EventType</th><th>EventStartDate</th><th>EventEndDate</th><th>EventTimeDuration</th><th>EventLocation</th><th>EventContent</th></tr> <tr> <td>Maha Shivratri</td><td>Festival</td><td>08/03/2024</td><td>08/03/2024</td><td>6-8PM</td><td>Temple</td><td>Maha Shivaratri is a Hindu festival celebrat*</td></tr> </table> <p>* The data cell text(s) have been cropped to fit in the available space.</p>							EventTitle	EventType	EventStartDate	EventEndDate	EventTimeDuration	EventLocation	EventContent	Maha Shivratri	Festival	08/03/2024	08/03/2024	6-8PM	Temple	Maha Shivaratri is a Hindu festival celebrat*
EventTitle	EventType	EventStartDate	EventEndDate	EventTimeDuration	EventLocation	EventContent														
Maha Shivratri	Festival	08/03/2024	08/03/2024	6-8PM	Temple	Maha Shivaratri is a Hindu festival celebrat*														
<pre>org.openqa.selenium.InvalidArgumentException: invalid argument: File not found : //Users//ravibabuadari//Desktop//testing//bogi Small.jpeg (Session info: MicrosoftEdge=124.0.2478.80) Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [8c5edb440da9bbb0077e111674da8c7b, sendKeysToElement {value=[Ljava.lang.CharSequence;@682618e5, id=f, 28BDE862921A6945CEF402B57F8A10E4.d.8ACD7CC96D379ACFCEA5445D1E73D9E3.e.72]} Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 124.0.2478.80, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:56919}, msedge: {msedgedriverVersion: 124.0.2478.97 (cfa68c26d43d..., userDataDir: C:\Users\Booster\AppData\Lo...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56919/devtoo..., se:cdpVersion: 124.0.2478.80, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: MicrosoftEdge on windows (8c5edb440da9bbb0077e111674da8c7b)] -&gt; xpath: //tr[9]/td[2]/input] Session ID: 8c5edb440da9bbb0077e111674da8c7b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)</pre>																				

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:110) at HHT_Pages.CreateEventsPage.createEvent(CreateEventsPage.java:53) at HHT_Steps.CRUD_EventStep.user_enters_the_details_for_all_the_mandatory_fields(CRUD_EventStep.java:74) at ?.user enters the details for all the mandatory fields(file:///D:/Training/HHT/10_05_2024/October2022Batch/src/test/java/HHT_Features/CRUD_Event.feature:14) * Not displayable characters are replaced by '?'.		
9	And clicks Submit button	SKIPPED	0.000 s
10	Then the event should be created with message "Events details Added successfully"	SKIPPED	0.001 s
11	When user launches the given url	SKIPPED	0.000 s
12	Then user should be on the Landing Page	SKIPPED	0.000 s
13	When user clicks on Events and chooses the Events option	SKIPPED	0.000 s
14	Then user should be on the Events Page	SKIPPED	0.016 s
15	When user clicks on the "Maha Shivratri" of Event page for "view"	SKIPPED	0.000 s
16	Then user should be able to see the event "Maha Shivratri" in "events"	SKIPPED	0.000 s
17	When user clicks on Events and chooses the Calendar option	SKIPPED	0.027 s
18	Then user should be on the Calendar Page	SKIPPED	0.000 s
19	When user clicks on the "Maha Shivratri" of Calendar page for "view"	SKIPPED	0.000 s
20	Then user should be able to see the event "Maha Shivratri" in "calendar"	SKIPPED	0.000 s
	AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario) Add a new event with pictures 	PASSED	2.037 s



## Editing the field of an event by Event Title



#	Step / Hook Details	Status	Duration
1	When user launches the URL as "admin"	PASSED	1.461 s
2	And signs in with admin credentials "sk_behara@hotmail.com" and "test@123"	PASSED	2.733 s
3	Then user should get in to the Administration Panel	PASSED	0.079 s
4	When user clicks on CMS drop down and then choose Events	PASSED	1.656 s
5	Then user should get into Events Page	PASSED	0.041 s
6	When user selects the Edit option for "Maha Shivratri" and edits the "Event Location" with "Temple Hall"	PASSED	7.291 s
7	And clicks Submit button on Edit Page of events	PASSED	1.285 s
8	Then user should see the message "Event details updated successfully"	PASSED	0.073 s
9	When user launches the given url	PASSED	10.068 s
10	Then user should be on the Landing Page	PASSED	0.021 s
11	When user clicks on Events and chooses the Events option	PASSED	6.845 s
12	Then the user should click on Accept button	PASSED	3.532 s
13	Then user should be on the Events Page	PASSED	0.065 s
14	When user clicks on the "Maha Shivratri" of Event page for "view"	PASSED	0.887 s
15	Then user should be able to see the event "Maha Shivratri" in "events"	PASSED	2.166 s
16	When user clicks on Events and chooses the Calendar option	PASSED	1.107 s
17	Then user should be on the Calendar Page	PASSED	0.077 s
18	When user clicks on the "Maha Shivratri" of Calendar page for "view"	PASSED	0.820 s
19	Then user should be able to see the event "Maha Shivratri" in "calendar"	PASSED	2.078 s
	AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)	PASSED	1.258 s
	Editing the field of an event by Event Title		

#	Step / Hook Details	Status	Duration
			


## Viewing the event with Event Title

PASSED	DURATION - 46.555 s  / 4:58:20.121 pm // 4:59:06.676 pm /	Steps Total - 17 Pass - 17 Fail - 0 Skip - 0	
	As an admin user I should be able to create an event  @viewEvent		

#	Step / Hook Details	Status	Duration
1	When user launches the URL as "admin"	PASSED	1.623 s
2	And signs in with admin credentials "sk_behara@hotmail.com" and "test@123"	PASSED	2.739 s
3	Then user should get in to the Administration Panel	PASSED	0.110 s
4	When user clicks on CMS drop down and then choose Events	PASSED	1.606 s
5	Then user should get into Events Page	PASSED	0.065 s
6	When user launches the given url	PASSED	23.340 s
7	Then user should be on the Landing Page	PASSED	0.032 s
8	When user clicks on Events and chooses the Events option	PASSED	2.848 s
9	Then user should be on the Events Page	PASSED	0.106 s
10	When user clicks on the "N_Navami" of Event page for "view"	PASSED	1.220 s
11	Then user should be able to see the event "N_Navami" in "events"	PASSED	2.090 s
12	When user launches the given url	PASSED	0.528 s
13	Then user should be on the Landing Page	PASSED	0.028 s
14	When user clicks on Events and chooses the Calendar option	PASSED	1.384 s
15	Then user should be on the Calendar Page	PASSED	0.086 s
16	When user clicks on the "N_Navami" of Calendar page for "view"	PASSED	0.732 s
17	Then user should be able to see the event "N_Navami" in "calendar"	PASSED	2.105 s

#	Step / Hook Details	Status	Duration
	AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)  Viewing the event with Event Title  	PASSED	1.196 s

## Deleting an event as a backend admin user




#	Step / Hook Details	Status	Duration
1	When user launches the URL as "admin"	PASSED	1.781 s
2	And signs in with admin credentials "sk_behara@hotmail.com" and "test@123"	PASSED	2.561 s
3	Then user should get in to the Administration Panel	PASSED	0.206 s
4	When user clicks on CMS drop down and then choose Events	PASSED	1.470 s
5	Then user should get into Events Page	PASSED	0.043 s
6	When user selects the Delete option for "Maha Shivratri" then it should be deleted	PASSED	2.958 s
7	Then the event should be deleted for "Maha Shivratri"	PASSED	0.070 s
8	When user launches the given url	PASSED	13.338 s
9	Then user should be on the Landing Page	PASSED	0.022 s
10	When user clicks on Events and chooses the Events option	PASSED	2.800 s
11	Then user should be on the Events Page	PASSED	0.103 s
12	When user clicks on the "Maha Shivratri" of Event page for "delete"	PASSED	0.055 s
13	When user clicks on Events and chooses the Calendar option	PASSED	1.025 s
14	Then user should be on the Calendar Page	PASSED	0.078 s
15	When user clicks on the "Maha Shivratri" of Calendar page for "delete"	PASSED	0.185 s

#	Step / Hook Details	Status	Duration
	AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)  Deleting an event as a backend admin user  	PASSED	1.017 s


## News




## Add News without a picture



#	Step / Hook Details	Status	Duration
1	When user launches the URL as "admin"	PASSED	1.571 s
2	And signs in with admin credentials "sk_behara@hotmail.com" and "test@123"	PASSED	2.963 s
3	Then user should get in to the Administration Panel	PASSED	0.181 s
4	And user clicks on CMS dropdown and selects News	PASSED	1.736 s
5	Then user should get News Details page	PASSED	0.137 s
6	When User clicks on Add News button	PASSED	6.789 s
7	Then user should get Add News Details page	PASSED	0.171 s

#	Step / Hook Details	Status	Duration
8	When user enters data in all the mandatory fields "Special News", "Special pooja on auspicious day"	PASSED	1.044 s
9	And clicks Submit button for News	PASSED	0.988 s
10	Then the News should be added successfully.	PASSED	0.094 s
11	When user launches the given url	PASSED	18.306 s
12	Then user should be on the Landing Page	PASSED	0.034 s
13	When user clicks on News	PASSED	0.695 s
14	Then user should be able to see the News "Special News"	PASSED	0.075 s
AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)		PASSED	1.063 s
Add News without a picture			
			


## Viewing News



#	Step / Hook Details	Status	Duration
1	When user launches the URL as "admin"	PASSED	0.741 s
2	And signs in with admin credentials "sk_behara@hotmail.com" and "test@123"	PASSED	2.721 s
3	Then user should get in to the Administration Panel	PASSED	0.071 s
4	And user clicks on CMS dropdown and selects News	PASSED	1.514 s
5	Then user should get News Details page	PASSED	0.161 s
6	When user clicks on View of "Ugadi News"	PASSED	1.050 s
7	Then user should get View details page	PASSED	0.105 s
AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)		PASSED	0.940 s

#	Step / Hook Details	Status	Duration
	<p>Viewing News</p> 		


## Editing the fields of News




#	Step / Hook Details	Status	Duration
1	When user launches the URL as "admin"	PASSED	1.268 s
2	And signs in with admin credentials "sk_behara@hotmail.com" and "test@123"	PASSED	2.921 s
3	Then user should get in to the Administration Panel	PASSED	0.078 s
4	<p>And user clicks on CMS dropdown and selects News</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"NEWS"} (Session info: MicrosoftEdge=124.0.2478.80) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [b0f9af60a4e93c4014899d1854383dc3, findElement {value=NEWS, using=link text}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 124.0.2478.80, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:57155}, msedge: {msedgedriverVersion: 124.0.2478.97 (cfa68c26d43d..., userDataDir: C:\Users\Booster\AppData\Lo...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57155/devtoo..., se:cdpVersion: 124.0.2478.80, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b0f9af60a4e93c4014899d1854383dc3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)</pre>	FAILED	10.338 s


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at HHT_Pages.AdministrationPanelPage.clickCMSthenNews(AdministrationPanelPage.java:40) at HHT_Steps.CRUD_News_Stepdefs.userClicksOnCMSDropdownAndSelectsNews(CRUD_News_Stepdefs.java:29) at ?.user clicks on CMS dropdown and selects News(file:///D:/Training/HHT/10_05_2024/October2022Batch/src/test/java/HHT_Features/CRUD_News.feature:7) * Not displayable characters are replaced by '?'.		
5	Then user should get News Details page	SKIPPED	0.000 s
6	When user selects the Edit option for "xcc" and edits the "News Title" with "Navami"	SKIPPED	0.000 s
7	And clicks Submit button of Edit News Page	SKIPPED	0.000 s
8	Then user should see the message "News details updated successfully"	SKIPPED	0.000 s
9	When user launches the given url	SKIPPED	0.000 s
10	Then user should be on the Landing Page	SKIPPED	0.000 s
11	When user clicks on News	SKIPPED	0.000 s
12	Then user should be able to see the News "xcc"	SKIPPED	0.000 s
	AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)  Editing the fields of News	PASSED	1.335 s
			

## Deleting News





#	Step / Hook Details	Status	Duration
1	When user launches the URL as "admin"	PASSED	1.413 s
2	And signs in with admin credentials "sk_behara@hotmail.com" and "test@123"	PASSED	2.486 s
3	Then user should get in to the Administration Panel	PASSED	0.086 s
4	And user clicks on CMS dropdown and selects News	PASSED	1.143 s
5	Then user should get News Details page	PASSED	0.162 s
6	When user clicks on Delete of "Updated News1"	PASSED	1.641 s
7	Then user should be able delete the news	PASSED	0.000 s
AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)		PASSED	0.948 s
Deleting News			
			

## NewsLetter




## Create Newsletter




#	Step / Hook Details	Status	Duration
1	Given browser is open	PASSED	10.137 s
2	When user enters email address "siva.msccs@gmail.com"	PASSED	0.570 s
3	And user clicks on sign up	PASSED	0.666 s
4	Then user navigated to the newsletter page	PASSED	0.082 s
	AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)	PASSED	0.964 s
	Create Newsletter		
			


## Delete NewsLetter




#	Step / Hook Details	Status	Duration
1	When user launches the URL as "admin"	PASSED	1.266 s
2	And signs in with admin credentials "sk_behara@hotmail.com" and "test@123"	PASSED	2.291 s
3	Then user should get in to the Administration Panel	PASSED	0.162 s

#	Step / Hook Details	Status	Duration
4	When User clicks on NewsLetter Subscribers menu	PASSED	0.978 s
5	Then user should get News Letter Subscriber Details page	PASSED	0.089 s
6	When admin user clicks on delete action button of "born.testers@gmail.com"  java.lang.IndexOutOfBoundsException: Index 14 out of bounds for length 14 at java.base/jdk.internal.util.Preconditions.outOfBounds(Preconditions.java:64) at java.base/jdk.internal.util.Preconditions.outOfBoundsCheckIndex(Preconditions.java:70) at java.base/jdk.internal.util.Preconditions.checkIndex(Preconditions.java:248) at java.base/java.util.Objects.checkIndex(Objects.java:372) at java.base/java.util.ArrayList.get(ArrayList.java:459) at HHT_Pages.NewsLetterSubscriberDetailsPage.DeleteNewsLetter(NewsLetterSubscriberDetailsPage.java:33) at HHT_Steps.CRUD_Newsletter.adminUserClicksOnDeleteActionButtonOf(CRUD_Newsletter.java:72) at ?.admin user clicks on delete action button of "born.testers@gmail.com"(file:///D:/Training/HHT/10_05_2024/October2022Batch/src/test/java/HHT_Features/CRUD_Newsletter.feature:23) * Not displayable characters are replaced by '?'.	FAILED	0.398 s
7	Then newsletter should be deleted successfully	SKIPPED	0.000 s
	AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)  Delete NewsLetter  	PASSED	1.063 s


## Regular Poojas




Verify creating poojas



#	Step / Hook Details	Status	Duration																								
1	When user launches the URL as "admin"	PASSED	0.741 s																								
2	And signs in with admin credentials "sk_behara@hotmail.com" and "test@123"	PASSED	2.798 s																								
3	Then user should get in to the Administration Panel	PASSED	0.095 s																								
4	When user is at CMS dropdown and click Poojas	PASSED	1.345 s																								
5	Then user should navigate to the Pooja Details Page	PASSED	0.200 s																								
6	And user clicks on ADD pooja button	PASSED	4.744 s																								
7	Then user should go to the ADD Pooja Details page	PASSED	0.141 s																								
8	When user enters all details for Pooja Type as "Regular Poojas" with "Sankranti"	PASSED	4.315 s																								
	<table border="1"> <thead> <tr> <th>PoojaType</th><th>PoojaStartDate</th><th>PoojaEndDate</th><th>PoojaFrequency</th><th>PoojaTimeDuration</th><th>PoojaCutOffTime</th><th>PoojaAmount</th><th>PoojaLocation</th></tr> </thead> <tbody> <tr> <td>Car Puja</td><td>2/05/2024</td><td>2/05/2024</td><td>Yearly</td><td>9am to 3pm</td><td>3pm</td><td>20</td><td>Hounslow</td></tr> <tr> <td>Pradhana Sevas</td><td>12/05/24</td><td>12/05/2024</td><td>Yearly</td><td>9am to 9pm</td><td>8pm</td><td>25</td><td>Hounslow</td></tr> </tbody> </table>	PoojaType	PoojaStartDate	PoojaEndDate	PoojaFrequency	PoojaTimeDuration	PoojaCutOffTime	PoojaAmount	PoojaLocation	Car Puja	2/05/2024	2/05/2024	Yearly	9am to 3pm	3pm	20	Hounslow	Pradhana Sevas	12/05/24	12/05/2024	Yearly	9am to 9pm	8pm	25	Hounslow		
PoojaType	PoojaStartDate	PoojaEndDate	PoojaFrequency	PoojaTimeDuration	PoojaCutOffTime	PoojaAmount	PoojaLocation																				
Car Puja	2/05/2024	2/05/2024	Yearly	9am to 3pm	3pm	20	Hounslow																				
Pradhana Sevas	12/05/24	12/05/2024	Yearly	9am to 9pm	8pm	25	Hounslow																				
9	And clicks on Submit button for Poojas	PASSED	1.139 s																								
10	When user launches the given url	PASSED	16.247 s																								
11	Then user should be on the Landing Page	PASSED	0.034 s																								
12	When user clicks on Poojas Icon	PASSED	3.667 s																								
13	Then user should navigate to the Poojas page	PASSED	0.075 s																								
14	And clicks on Pooja Type as "Regular Poojas"	FAILED	1.242 s																								
	<pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;a href="regular_poojas.php"&gt;...&lt;/a&gt; is not clickable at point (350, 426). Other element would receive the click: &lt;div id="cb-cookie-banner" class="alert alert-dark text-center mb-0" role="alert" style="display: block;"&gt;...&lt;/div&gt; (Session info: MicrosoftEdge=124.0.2478.80) Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [6051674459a95f8adec662c948dd5267, clickElement {id=f.78C5FD28019AEF31BEF4ED4188BF44F6.d. DA915FEDF0535FECD6D7597A75A11187.e.164}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 124.0.2478.80, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:57306}, msedge: {msedgedriverVersion: 124.0.2478.97 (cfa68c26d43d..., userDataDir: C:\Users\Booster\AppData\Lo...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57306/devtoo..., se:cdpVersion: 124.0.2478.80, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:</pre>																										

#	Step / Hook Details	Status	Duration
	<p>true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: MicrosoftEdge on windows (6051674459a95f8aded662c948dd5267)] -&gt; link text: Regular Poojas] Session ID: 6051674459a95f8aded662c948dd5267</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at HHT_Pages.PoojaServicesPage.clickPoojaServicesButton(PoojaServicesPage.java:24) at HHT_Steps.CRUD_Poojas_Stepdefs.clicksOnPoojaTypeAs(CRUD_Poojas_Stepdefs.java:77) at ?.clicks on Pooja Type as "Regular Poojas"(file:///D:/Training/HHT/10_05_2024/October2022Batch/src/test/java/HHT_Features/CRUD_Poojas.feature:26) * Not displayable characters are replaced by '?'. </pre>		
15	Then I should navigate to it and "Sankranti" is visible	SKIPPED	0.000 s
	<p>AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)</p> <p>Verify creating poojas</p> 	PASSED	1.174 s


## Verify creating poojas




#	Step / Hook Details	Status	Duration																								
1	When user launches the URL as "admin"	PASSED	1.620 s																								
2	And signs in with admin credentials "sk_behara@hotmail.com" and "test@123"	PASSED	2.371 s																								
3	Then user should get in to the Administration Panel	PASSED	0.139 s																								
4	When user is at CMS dropdown and click Poojas	PASSED	2.468 s																								
5	Then user should navigate to the Pooja Details Page	PASSED	0.194 s																								
6	And user clicks on ADD pooja button	PASSED	6.701 s																								
7	Then user should go to the ADD Pooja Details page	PASSED	0.125 s																								
8	When user enters all details for Pooja Type as "Special Poojas" with "Ugadi"	PASSED	4.357 s																								
	<table border="1"> <tr> <th>PoojaType</th><th>PoojaStartDate</th><th>PoojaEndDate</th><th>PoojaFrequency</th><th>PoojaTimeDuration</th><th>PoojaCutOffTime</th><th>PoojaAmount</th><th>PoojaLocation</th></tr> <tr> <td>Car Puja</td><td>2/05/2024</td><td>2/05/2024</td><td>Yearly</td><td>9am to 3pm</td><td>3pm</td><td>20</td><td>Hounslow</td></tr> <tr> <td>Pradhana Sevas</td><td>12/05/24</td><td>12/05/2024</td><td>Yearly</td><td>9am to 9pm</td><td>8pm</td><td>25</td><td>Hounslow</td></tr> </table>	PoojaType	PoojaStartDate	PoojaEndDate	PoojaFrequency	PoojaTimeDuration	PoojaCutOffTime	PoojaAmount	PoojaLocation	Car Puja	2/05/2024	2/05/2024	Yearly	9am to 3pm	3pm	20	Hounslow	Pradhana Sevas	12/05/24	12/05/2024	Yearly	9am to 9pm	8pm	25	Hounslow		
PoojaType	PoojaStartDate	PoojaEndDate	PoojaFrequency	PoojaTimeDuration	PoojaCutOffTime	PoojaAmount	PoojaLocation																				
Car Puja	2/05/2024	2/05/2024	Yearly	9am to 3pm	3pm	20	Hounslow																				
Pradhana Sevas	12/05/24	12/05/2024	Yearly	9am to 9pm	8pm	25	Hounslow																				
9	And clicks on Submit button for Poojas	PASSED	1.046 s																								
10	When user launches the given url	PASSED	8.916 s																								
11	Then user should be on the Landing Page	PASSED	0.019 s																								
12	When user clicks on Poojas Icon	PASSED	5.104 s																								
13	Then user should navigate to the Poojas page	PASSED	0.109 s																								
14	And clicks on Pooja Type as "Special Poojas"	FAILED	1.227 s																								
	<pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;a href="special_poojas.php"&gt;...&lt;/a&gt; is not clickable at point (750, 426). Other element would receive the click: &lt;div id="cb-cookie-banner" class="alert alert-dark text-center mb-0" role="alert" style="display: block;"&gt;...&lt;/div&gt; (Session info: MicrosoftEdge=124.0.2478.80) Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [e931a0d9aabb2fc500a42cc7d90bdd5, clickElement {id=f.27FC296643480B81A9CF777685307A56.d. E769B31F361F540B7D4CBC016B3AA305.e.164}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 124.0.2478.80, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:57346}, msedge: {msedgedriverVersion: 124.0.2478.97 (cfa68c26d43d..., userDataDir: C:\Users\Booster\AppData\Lo...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57346/devtoo..., se:cdpVersion: 124.0.2478.80, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:</pre>																										


#	Step / Hook Details	Status	Duration
	<p>true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: MicrosoftEdge on windows (e931a0d9aabb2fc500a42cc7d90bddd5)] -&gt; link text: Special Poojas] Session ID: e931a0d9aabb2fc500a42cc7d90bddd5</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at HHT_Pages.PoojaServicesPage.clickPoojaServicesButton(PoojaServicesPage.java:28) at HHT_Steps.CRUD_Poojas_Stepdefs.clicksOnPoojaTypeAs(CRUD_Poojas_Stepdefs.java:77) at ?.clicks on Pooja Type as "Special Poojas"(file:///D:/Training/HHT/10_05_2024/October2022Batch/src/test/java/HHT_Features/CRUD_Poojas.feature:26) * Not displayable characters are replaced by '?'.</pre>		
15	Then I should navigate to it and "Ugadi" is visible	SKIPPED	0.001 s
	<p>AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)</p> <p>Verify creating poojas</p> 	PASSED	1.156 s


:Verify View Poojas




#	Step / Hook Details	Status	Duration
1	When user launches the URL as "admin"	PASSED	1.451 s
2	And signs in with admin credentials "sk_behara@hotmail.com" and "test@123"	PASSED	2.018 s
3	Then user should get in to the Administration Panel	PASSED	0.168 s
4	When user is at CMS dropdown and click Poojas	PASSED	1.497 s
5	Then user should navigate to the Pooja Details Page	PASSED	0.073 s
6	When user clicks on View for Pooja with "Ratha Sapthami"	PASSED	2.200 s
7	Then it should navigate to the selected poojas page	PASSED	0.109 s
	AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)	PASSED	0.898 s
	:Verify View Poojas		
			

## Verify Edit Poojas




#	Step / Hook Details	Status	Duration
1	When user launches the URL as "admin"	PASSED	1.267 s
2	And signs in with admin credentials "sk_behara@hotmail.com" and "test@123"	PASSED	2.408 s
3	Then user should get in to the Administration Panel	PASSED	0.085 s
4	When user is at CMS dropdown and click Poojas	PASSED	1.204 s
5	Then user should navigate to the Pooja Details Page	PASSED	0.082 s
6	When user selects the Edit Pooja option for "Ugadi"	PASSED	4.614 s
7	Then user should be on the Edit Pooja Page	PASSED	0.118 s
8	When user edits the Pooja for "Pooja Title" with "Special Pooja"	PASSED	0.443 s
9	And clicks on Submit button on Edit Pooja page	PASSED	1.051 s
10	Then Pooja Title should be edited	PASSED	0.055 s
AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)			PASSED
Verify Edit Poojas			
			


## Verify Edit Poojas



#	Step / Hook Details	Status	Duration
1	When user launches the URL as "admin"	PASSED	1.345 s
2	And signs in with admin credentials "sk_behara@hotmail.com" and "test@123"	PASSED	2.308 s
3	Then user should get in to the Administration Panel	PASSED	0.135 s
4	When user is at CMS dropdown and click Poojas	PASSED	1.301 s
5	Then user should navigate to the Pooja Details Page	PASSED	0.078 s

#	Step / Hook Details	Status	Duration
6	When user selects the Edit Pooja option for "Sankranti"	PASSED	4.984 s
7	Then user should be on the Edit Pooja Page	PASSED	0.089 s
8	When user edits the Pooja for "Pooja Start Date" with "10/04/2024"	PASSED	0.579 s
9	And clicks on Submit button on Edit Pooja page	PASSED	1.002 s
10	Then Pooja Title should be edited	PASSED	0.060 s
	AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)	PASSED	1.055 s
	Verify Edit Poojas		
			


## Verify Edit Poojas



#	Step / Hook Details	Status	Duration
1	When user launches the URL as "admin"	PASSED	1.280 s
2	And signs in with admin credentials "sk_behara@hotmail.com" and "test@123"	PASSED	2.310 s
3	Then user should get in to the Administration Panel	PASSED	0.163 s
4	When user is at CMS dropdown and click Poojas	PASSED	2.381 s
5	Then user should navigate to the Pooja Details Page	PASSED	0.139 s
6	When user selects the Edit Pooja option for "Sankranti"	PASSED	6.225 s
7	Then user should be on the Edit Pooja Page	PASSED	0.103 s
8	When user edits the Pooja for "Pooja End Date" with "11/04/2024"	PASSED	0.588 s
9	And clicks on Submit button on Edit Pooja page	PASSED	1.270 s
10	Then Pooja Title should be edited	PASSED	0.063 s

#	Step / Hook Details	Status	Duration
	AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)  Verify Edit Poojas  	PASSED	1.005 s

## Verify Delete Poojas


PASSED	DURATION - 12.841 s		<b>Steps</b> Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 5:04:06.077 pm // 5:04:18.918 pm /				
Regular Poojas				
@deletePooja				

#	Step / Hook Details	Status	Duration
1	When user launches the URL as "admin"	PASSED	1.544 s
2	And signs in with admin credentials "sk_behara@hotmail.com" and "test@123"	PASSED	2.076 s
3	Then user should get in to the Administration Panel	PASSED	0.162 s
4	When user is at CMS dropdown and click Poojas	PASSED	1.599 s
5	Then user should navigate to the Pooja Details Page	PASSED	0.192 s
6	When user selects the Delete option for Pooja with "Sankranti"	PASSED	1.733 s
7	Then Pooja should be deleted	PASSED	0.000 s
	AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)  Verify Delete Poojas  	PASSED	1.068 s

## Payment module



## Verify cart functionality by adding from Donations page



#	Step / Hook Details	Status	Duration
1	When user launches the given url	PASSED	10.822 s
2	Given user clicks on Donations link	PASSED	0.878 s
3	Then user is on Donations page	PASSED	0.084 s
4	And clicks on donate button of "Pound a Day"  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a href="donation_details_33.html">...</a> is not clickable at point (978, 481). Other element would receive the click: <div id="cb-cookie-banner" class="alert alert-dark text-center mb-0" role="alert" style="display: block;">...</div> (Session info: MicrosoftEdge=124.0.2478.80) Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [d8285a9410d84889f24cb10233abbe02, clickElement {id=f.CA6909D89EE5A6CC34499960BDDA26FF.d.2AD369AC7F3D4DAFD1C40A62EB2B3C04.e.53}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 124.0.2478.80, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:57574}, msedge: {msedgedriverVersion: 124.0.2478.97 (cfa68c26d43d..., userDataDir: C:\Users\Booster\AppData\Lo...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57574/devtoo..., se:cdpVersion: 124.0.2478.80, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: MicrosoftEdge on windows (d8285a9410d84889f24cb10233abbe02)] -> xpath: (/tr[2]/td[3]/a)] Session ID: d8285a9410d84889f24cb10233abbe02  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)	FAILED	1.345 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at HHT_Pages.DonationsPage.clicksOnDonateForTitle(DonationsPage.java:28) at HHT_Steps.PaymentStep.clicksOnDonateButtonOf(PaymentStep.java:43) at ?.clicks on donate button of "Pound a Day"(file:///D:/Training/HHT/10_05_2024/October2022Batch/src/test/java/HHT_Features/Payment.feature:9) * Not displayable characters are replaced by '?'. </pre>		
5	Then user should get DONATION DETAILS page	SKIPPED	0.000 s
6	When user clicks on Add to cart button of Donation Details Page	SKIPPED	0.000 s
7	Then user should be on Product Details Page	SKIPPED	0.000 s
8	When user clicks on Add to cart button of Product Details Page	SKIPPED	0.000 s
9	Then item should be added to the cart successfully	SKIPPED	0.012 s
10	When user clicks on Checkout button	SKIPPED	0.000 s
11	And navigates to My Account login page	SKIPPED	0.000 s
12	And logins with valid credentials "d@gmail.com" and "012"	SKIPPED	0.004 s
13	Then user should get Payment Page	SKIPPED	0.000 s
14	When user clicks on pay with card button	SKIPPED	0.000 s
15	And enters valid card details "4242424242424242", "09/25" and "234"	SKIPPED	0.000 s
16	Then user should get successful message on ORDER CONFIRMATION page	SKIPPED	0.000 s
17	And user logouts successfully	SKIPPED	0.000 s
	AFTER - HHT_Steps.Hooks.after_each_Scenario(io.cucumber.java.Scenario)	PASSED	1.139 s
	Verify cart functionality by adding from Donations page		
			