Fundamentos Git I

1.



2.



3.

A


ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Diseno-d
23-29 Sep/TAREA 1 (master)
$ mkdir S1R1
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Diseno-d
23-29 Sep/TAREA 1 (master)
$ cd S1R1/
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Diseno-d
23-29 Sep/TAREA 1/S1R1 (master)
$ git init
Initialized empty Git repository in D:/Ricardo/DAW Practicas y Ejercicios/Di
V/S1 - 23-29 Sep/TAREA 1/S1R1/.git/

B


23-29 Sep/TAREA 1/S1R1 (master)
$ touch libros.txt
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Diseno-d
23-29 Sep/TAREA 1/S1R1 (master)
$ nano libros.txt

C


ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Diseno-d
23-29 Sep/TAREA 1/S1R1 (master)
$ git add .
warning: LF will be replaced by CRLF in libros.txt.
The file will have its original line endings in your working directory
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Diseno-d
23-29 Sep/TAREA 1/S1R1 (master)
$ git commit -am "Primer Commit de S1R1"
[master (root-commit) 907d8bd] Primer Commit de S1R1
1 file changed, 3 insertions(+)
create mode 100644 libros.txt

D

MINGW64:/d/Ricardo/DAW Practicas
ricar@DESKTOP-504FC2J MINGW64 /d
$ ls
libros.txt
ricar@DESKTOP-504FC2J MINGW64 /d
$ nano libros.txt

E


ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Diseno
$ git commit -am "añado 2 libros mas al archivo libros.txt"
warning: LF will be replaced by CRLF in libros.txt.
The file will have its original line endings in your working directory
[master 7bc988a] añado 2 libros mas al archivo libros.txt
1 file changed, 2 insertions(+)

F


MINGW64:/d/Ricardo/DAW Practicas y Ejercicios/Diseno-de-Inter...
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ touch peliculas.txt
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ nano peliculas.txt

G


ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ git status
On branch master
Untracked files:
(use "git add <file>..." to include in what will be committed)
peliculas.txt
nothing added to commit but untracked files present (use "git add" to tr
ack)

H


ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ touch comidas.txt
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ nano comidas.txt

I

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ git add .
warning: LF will be replaced by CRLF in comidas.txt.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in peliculas.txt.
The file will have its original line endings in your working directory

ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ git commit -am "Crear Dos archivos Peliculas.txt y Comidas.txt y escri
bir en ellos"
[master dbd0658] Crear Dos archivos Peliculas.txt y Comidas.txt y escrib
ir en ellos
 2 files changed, 6 insertions(+)
 create mode 100644 comidas.txt
 create mode 100644 peliculas.txt
```

J




```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ ls
comidas.txt  libros.txt  peliculas.txt
```

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ rm -i comidas.txt
rm: remove regular file 'comidas.txt'? Y

ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ ls
libros.txt  peliculas.txt
```

K

```
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ nano peliculas.txt
```

L

```
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ git diff
warning: LF will be replaced by CRLF in peliculas.txt.
The file will have its original line endings in your working directory
diff --git a/comidas.txt b/comidas.txt
deleted file mode 100644
index 35edc94..0000000
--- a/comidas.txt
+++ /dev/null
@@ -1,3 +0,0 @@
-Pollo con patas y verduras al horno
-Arepa de chocolo con queso gouda y huevos revueltos encima
-Arroz con pollo
diff --git a/peliculas.txt b/peliculas.txt
index b13ab6c..a82734e 100644
--- a/peliculas.txt
+++ b/peliculas.txt
@@ -1,3 +1,5 @@
 en busca de la felicidad
 El lobo de Wall Street
 La vida es bella
+Mas allá de la vida
+Matrix
```

M

```
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git checkout -- <file>..." to discard changes in working directo
ry)

        deleted:    comidas.txt
        modified:   peliculas.txt

no changes added to commit (use "git add" and/or "git commit -a")

ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ git add .
warning: LF will be replaced by CRLF in peliculas.txt.
The file will have its original line endings in your working directory
```

N

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ git status
On branch master
Changes to be committed:
  (use "git reset HEAD <file>..." to unstage)

        deleted:    comidas.txt
        modified:   peliculas.txt
```

Ñ

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ git commit -am "Eliminar Comidas.txt y Añadir Contenido a Peliculas.tx
t"
[master fc79801] Eliminar Comidas.txt y Añadir Contenido a Peliculas.txt
 2 files changed, 2 insertions(+), 3 deletions(-)
 delete mode 100644 comidas.txt
```

O

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ ls
libros.txt  peliculas.txt

ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ touch datos.bak

ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ nano datos.bak
```

P

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ mkdir output
```

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ ls
datos.bak  libros.txt  output/  peliculas.txt

ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ cd output/

ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1/output (master)
$ cat > salida.txt
Jose Ricardo Londono

ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1/output (master)
$ ls
salida.txt

ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1/output (master)
$ cat salida.txt
Jose Ricardo Londono
```

Q

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)

        datos.bak
        output/

nothing added to commit but untracked files present (use "git add" to tr
ack)
```

R

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ cat > .gitignore
*.bak
output/
```

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ ls -lha
total 8,0K
drwxr-xr-x 1 ricar 197609   0 oct. 14 19:02 ./
drwxr-xr-x 1 ricar 197609   0 oct. 14 19:02 ../
drwxr-xr-x 1 ricar 197609   0 oct. 14 19:01 .git/
-rw-r--r-- 1 ricar 197609  13 oct. 14 19:05 .gitignore
-rw-r--r-- 1 ricar 197609  67 oct. 14 18:50 datos.bak
-rw-r--r-- 1 ricar 197609 141 oct. 14 18:23 libros.txt
drwxr-xr-x 1 ricar 197609   0 oct. 14 18:59 output/
-rw-r--r-- 1 ricar 197609  93 oct. 14 18:40 peliculas.txt
```

S

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)

        .gitignore

nothing added to commit but untracked files present (use "git add" to tr
ack)
```

T

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ git add .
warning: LF will be replaced by CRLF in .gitignore.
The file will have its original line endings in your working directory

ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ git commit -am "Crear archivo y Carpeta y Ignorarlos con el GitIgnore"

[master c8239bc] Crear archivo y Carpeta y Ignorarlos con el GitIgnore
 1 file changed, 2 insertions(+)
 create mode 100644 .gitignore
```

U


rica@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW Practicas y Ejercicios/Dise
no-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S1R1 (master)
$ git log --graph
* commit c8239bcc9e710bd3baa97165929419159f2314a9 (HEAD -> master)
| Author: Rick Londini <riccardolondoni@gmail.com>
| Date: Mon Oct 14 19:09:40 2019 +0200
|
| Crear archivo y Carpeta y Ignorarlos con el GitIgnore
|
* commit fc79801be7c89d041340b3c6f1d40747a1537a7e
| Author: Rick Londini <riccardolondoni@gmail.com>
| Date: Mon Oct 14 18:46:36 2019 +0200
|
| Eliminar Comidas.txt y Añadir Contenido a Peliculas.txt
|
* commit dbd0658bef9d67c7a8770389b0545c35dc23f273
| Author: Rick Londini <riccardolondoni@gmail.com>
| Date: Mon Oct 14 18:35:59 2019 +0200
|
| Crear Dos archivos Peliculas.txt y Comidas.txt y escribir en ellos
|
* commit 7bc988ac3f4608c54259b25e194a9cd716da055e
| Author: Rick Londini <riccardolondoni@gmail.com>
| Date: Mon Oct 14 18:23:55 2019 +0200
|
| añado 2 libros mas al archivo libros.txt
|
* commit 907d8bddbd8eb56edd62769510c83d52cdb4492b
Author: Rick Londini <riccardolondoni@gmail.com>
Date: Mon Oct 14 15:46:12 2019 +0200
Primer Commit de S1R1

Fundamentos Git II

1. S2R1

a.

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 -
 23-29 Sep/TAREA 1 (master)
$ mkdir S2R1
```

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 -
 23-29 Sep/TAREA 1/S2R1 (master)
$ git init
Initialized empty Git repository in D:/Ricardo/DAW/Diseno-de-Interfaces-Web/1º E
V/S1 - 23-29 Sep/TAREA 1/S2R1/.git/
```

b.

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 -
 23-29 Sep/TAREA 1/S2R1 (master)
$ cat > actores.txt
Will Smith
Keanu Reeves
Johnny Depp
```

c.

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 -
 23-29 Sep/TAREA 1/S2R1 (master)
$ git commit -am "Creacion del Repo y archivo actores.txt con contenido en el mi
smo"
[master (root-commit) 1699dbe] Creacion del Repo y archivo actores.txt con conte
nido en el mismo
 1 file changed, 4 insertions(+)
 create mode 100644 actores.txt
```

d.

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 -
 23-29 Sep/TAREA 1/S2R1 (master)
$ git branch
* master
```

b.

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 -
 23-29 Sep/TAREA 1/S2R1 (master)
$ git branch test
```

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 -
 23-29 Sep/TAREA 1/S2R1 (master)
$ git branch
* master
  test
```

c.

e.

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 -
 23-29 Sep/TAREA 1/S2R1 (master)
$ git checkout test
Switched to branch 'test'

ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 -
 23-29 Sep/TAREA 1/S2R1 (test)
$ cat > actrices.txt
Angelina Jolie
Jennifer Aniston
Scarlett Johansson
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 -
 23-29 Sep/TAREA 1/S2R1 (test)
$ git add .
warning: LF will be replaced by CRLF in actrices.txt.
The file will have its original line endings in your working directory

ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 -
 23-29 Sep/TAREA 1/S2R1 (test)
$ git status
On branch test
Changes to be committed:
  (use "git reset HEAD <file>..." to unstage)

        new file:   actrices.txt


ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 -
 23-29 Sep/TAREA 1/S2R1 (test)
$ git commit -am "Crear Rama test y crear archivo actrices.txt con contenido"
[test fa8fffa] Crear Rama test y crear archivo actrices.txt con contenido
 1 file changed, 3 insertions(+)
 create mode 100644 actrices.txt
```

f.

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º
V/S1 - 23-29 Sep/TAREA 1/S2R1 (test)
$ git log --graph --all
* commit fa8fffa8bc8ce588d05e273283ee554760f2605b (HEAD -> test)
| Author: Rick Londini <riccardolondoni@gmail.com>
| Date:   Tue Oct 15 22:09:20 2019 +0200
|
|     Crear Rama test y crear archivo actrices.txt con contenido
|
* commit 1699dbed5f88b48a93638f787c49a6f75ced377e (master)
  Author: Rick Londini <riccardolondoni@gmail.com>
  Date:   Tue Oct 15 22:05:09 2019 +0200

      Creacion del Repo y archivo actores.txt con contenido en el mismo
```

g.

Estando en la rama Test, hacemos un git log para ver los commits que tenemos en esta rama, podemos ver que en la cabecera(HEAD) “tenemos “ (que apunta a dicha rama) test y que master esta en un commit anterior





Al hacer el merge y hacer de nuevo un git log , comprobamos que ahora el contenido de la rama test se

ha fusionado con la rama master , y que ambas están en los mismo commits.

h.



i.



j.



Haciendo el ejercicio me di cuenta de que no hice commit y cuando quería hacer el apartado L) , los cambios de las ramas eran los mismos.
Solución:
Como no se ha realizado ningún commit, los cambios solo están en el área de trabajo local, por ello voy a realizar lo siguente para solucionar el problema.

```
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º E
V/S1 - 23-29 Sep/TAREA 1/S2R1 (master)
$ git stash list
stash@{0}: WIP on master: fa8fffa Crear Rama test y crear archivo actrices
.txt con contenido

ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º E
V/S1 - 23-29 Sep/TAREA 1/S2R1 (master)
$ git stash drop stash@{0}
Dropped stash@{0} (c90e7369489ee95cfb32a58ed335b963969f97f6)

ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º E
V/S1 - 23-29 Sep/TAREA 1/S2R1 (master)
$ git stash list

ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º E
V/S1 - 23-29 Sep/TAREA 1/S2R1 (master)
$ git diff

ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º E
V/S1 - 23-29 Sep/TAREA 1/S2R1 (master)
$ git log
commit fa8fffa8bc8ce588d05e273283ee554760f2605b (HEAD -> master, test2, te
st)
Author: Rick Londini <riccardolondoni@gmail.com>
Date:   Tue Oct 15 22:09:20 2019 +0200

    Crear Rama test y crear archivo actrices.txt con contenido

commit 1699dbed5f88b48a93638f787c49a6f75ced377e
Author: Rick Londini <riccardolondoni@gmail.com>
Date:   Tue Oct 15 22:05:09 2019 +0200

    Creacion del Repo y archivo actores.txt con contenido en el mismo

ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º E
V/S1 - 23-29 Sep/TAREA 1/S2R1 (master)
$ cat actrices.txt
Angelina Jolie
Jennifer Aniston
Scarlett Johansson
```

Así limpio el área de trabajo, y continuo con lo anterior (limpio también la rama test2).

```
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/D
V/S1 - 23-29 Sep/TAREA 1/S2R1 (master)
$ nano actrices.txt

ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/D
V/S1 - 23-29 Sep/TAREA 1/S2R1 (master)
$ git diff
diff --git a/actrices.txt b/actrices.txt
index 3d4a84c..f990e96 100644
--- a/actrices.txt
+++ b/actrices.txt
@@ -1,3 +1,4 @@
 Angelina Jolie
 Jennifer Aniston
-Scarlett Johansson
\ No newline at end of file
+Scarlett Johansson
+Penélope Cruz
```

(Nota: ver porque se edita también la tercera línea, si solo he añadido un salto de línea y he puesto test en la 4 línea.)

k.

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º
V/S1 - 23-29 Sep/TAREA 1/S2R1 (test2)
$ nano actrices.txt

ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º
V/S1 - 23-29 Sep/TAREA 1/S2R1 (test2)
$ git commit -am "Añado una actriz(Jennifer Lopez) a actrices.txt"
[test2 bb4f060] Añado una actriz(Jennifer Lopez) a actrices.txt
 1 file changed, 2 insertions(+), 1 deletion(-)
```

l.

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º
V/S1 - 23-29 Sep/TAREA 1/S2R1 (test2)
$ git log --graph --all
* commit bb4f060090fff394d436d16db9d33efa8993efcc (HEAD -> test2)
| Author: Rick Londini <riccardolondoni@gmail.com>
| Date:   Tue Oct 15 23:03:31 2019 +0200
|
|     Añado una actriz(Jennifer Lopez) a actrices.txt
|
| * commit b24423f28c59617f8ecc0d50505bb5cfdcd4e740 (master)
|/  Author: Rick Londini <riccardolondoni@gmail.com>
|   Date:   Tue Oct 15 23:01:06 2019 +0200
|
|       Añado una actriz (Penélope Cruz) a actrices.txt
|
* commit fa8fffa8bc8ce588d05e273283ee554760f2605b (test)
| Author: Rick Londini <riccardolondoni@gmail.com>
| Date:   Tue Oct 15 22:09:20 2019 +0200
|
|     Crear Rama test y crear archivo actrices.txt con contenido
|
* commit 1699dbed5f88b48a93638f787c49a6f75ced377e
  Author: Rick Londini <riccardolondoni@gmail.com>
  Date:   Tue Oct 15 22:05:09 2019 +0200

      Creacion del Repo y archivo actores.txt con contenido en el mismo
```

m.

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º E
V/S1 - 23-29 Sep/TAREA 1/S2R1 (master)
$ git merge test2
Auto-merging actrices.txt
CONFLICT (content): Merge conflict in actrices.txt
Automatic merge failed; fix conflicts and then commit the result.

ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º E
V/S1 - 23-29 Sep/TAREA 1/S2R1 (master|MERGING)
$ git status
On branch master
You have unmerged paths.
  (fix conflicts and run "git commit")
  (use "git merge --abort" to abort the merge)

Unmerged paths:
  (use "git add <file>..." to mark resolution)

        both modified:   actrices.txt

no changes added to commit (use "git add" and/or "git commit -a")
```

n.

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º E
V/S1 - 23-29 Sep/TAREA 1/S2R1 (master|MERGING)
$ nano actrices.txt
```

```
  GNU nano 4.2
Angelina Jolie
Jennifer Aniston
Scarlett Johansson
<<<<<<< HEAD
Penélope Cruz
=======
Jennifer Lopez
>>>>>>> test2
```

```
  GNU nano 4.2
Angelina Jolie
Jennifer Aniston
Scarlett Johansson
Penélope Cruz
Jennifer Lopez
```

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º E
V/S1 - 23-29 Sep/TAREA 1/S2R1 (master|MERGING)
$ git commit -am "Añadir las dos actrices en Actrices.txt"
[master d4cd435] Añadir las dos actrices en Actrices.txt
```

ñ.



2. S2R2-remoto



3. Clona el repositorio S2R2-remoto en una carpeta denominada S2R2.

```
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Int
V/S1 - 23-29 Sep/Tarea 1 (master)
$ git clone S2R2-remoto/ S2R2
Cloning into 'S2R2'...
warning: You appear to have cloned an empty repository.
done.
```

a.

```
V/S1 - 23-29 Sep/Tarea 1/S2R2 (master
$ cat > directores.txt
Steven Spielberg
Peter Jackson
Los hermanos Russo
```

b.

```
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º
V/S1 - 23-29 Sep/Tarea 1/S2R2 (master)
$ git add .
warning: LF will be replaced by CRLF in directores.txt.
The file will have its original line endings in your working directory

ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º
V/S1 - 23-29 Sep/Tarea 1/S2R2 (master)
$ git commit -am "clonar Repo + archivo directores.txt con 3 directores"
[master (root-commit) c406480] clonar Repo + archivo directores.txt con 3
directores
 1 file changed, 3 insertions(+)
 create mode 100644 directores.txt
```

c.

```
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/Tarea
1/S2R2 (master)
$ git log --all
commit c4064801d1e67a2dcfdf6667402450b15572b644 (HEAD -> master)
Author: Rick Londini <riccardolondoni@gmail.com>
Date:   Wed Oct 16 00:52:08 2019 +0200

    clonar Repo + archivo directores.txt con 3 directores

ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/Tarea
1/S2R2 (master)
$ git remote -v
origin  D:/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S2R2-remoto/ (fetch)
origin  D:/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S2R2-remoto/ (push)

ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/Tarea
1/S2R2 (master)
$ git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 293 bytes | 293.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
To D:/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S2R2-remoto/
 * [new branch]      master -> master

ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/Tarea
1/S2R2 (master)
$ git log --all
commit c4064801d1e67a2dcfdf6667402450b15572b644 (HEAD -> master, origin/master)
Author: Rick Londini <riccardolondoni@gmail.com>
Date:   Wed Oct 16 00:52:08 2019 +0200

    clonar Repo + archivo directores.txt con 3 directores
```

d.

```
ricar@DESKTOP-5O4FC2J MINGW64
 Sep/Tarea 1/S2R2 (master)
$ git branch
* master

ricar@DESKTOP-5O4FC2J MINGW64
 Sep/Tarea 1/S2R2 (master)
$ git branch version1

ricar@DESKTOP-5O4FC2J MINGW64
 Sep/Tarea 1/S2R2 (master)
$ git branch
* master
  version1
```

e.

```
ricar@DESKTOP-5O4FC2J MINGW64
 Sep/Tarea 1/S2R2 (version1)
$ nano directores.txt
```

```
  GNU nano 4.2
Steven Spielberg
Peter Jackson
Los hermanos Russo
Christopher Nolan
Michael Mann
```

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º
 Sep/Tarea 1/S2R2 (version1)
$ git commit -am "Añadimos 2 directores a directores.txt"
warning: LF will be replaced by CRLF in directores.txt.
The file will have its original line endings in your working directory
[version1 d651e53] Añadimos 2 directores a directores.txt
 1 file changed, 3 insertions(+), 1 deletion(-)
```

f.

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 - 23-29
 Sep/Tarea 1/S2R2 (version1)
$ git push
fatal: The current branch version1 has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin version1


ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 - 23-29
 Sep/Tarea 1/S2R2 (version1)
$ git push -u origin version1
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 346 bytes | 346.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
To D:/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S2R2-remoto/
 * [new branch]      version1 -> version1
Branch 'version1' set up to track remote branch 'version1' from 'origin'.

ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 - 23-29
 Sep/Tarea 1/S2R2 (version1)
$ git branch -vv
  master   c406480 [origin/master] clonar Repo + archivo directores.txt con 3 director
es
* version1 d651e53 [origin/version1] Añadimos 2 directores a directores.txt
```

4. Clona el repositorio S2R2-remoto en una segunda carpeta denominada S2R3.

```
ep/Tarea 1 (master)
$ git clone S2R2-remoto/ S2R3
Cloning into 'S2R3'...
done.
```

a.

```
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Di
ep/Tarea 1 (master)
$ cd s2r3

ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Di
ep/Tarea 1/s2r3 (master)
$ ls
directores.txt

ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Di
ep/Tarea 1/s2r3 (master)
$ cat directores.txt
Steven Spielberg
Peter Jackson
Los hermanos Russo
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Di
ep/Tarea 1/s2r3 (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean
```

b.

```
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º
ep/Tarea 1/s2r3 (master)
$ git branch
* master

ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º
ep/Tarea 1/s2r3 (master)
$ git checkout version1
Switched to a new branch 'version1'
Branch 'version1' set up to track remote branch 'version1' from 'origin'.

ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º
ep/Tarea 1/s2r3 (version1)
$ git branch
  master
* version1
```

c.

```
ricar@DESKTOP-504FC2J MING
ep/Tarea 1/s2r3 (version1)
$ cat directores.txt
Steven Spielberg
Peter Jackson
Los hermanos Russo
Christopher Nolan
Michael Mann
```

d.

```
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 - 23-29 S
ep/Tarea 1/s2r3 (master)
$ git merge version1
Updating c406480..d651e53
Fast-forward
 directores.txt | 4 +++-
 1 file changed, 3 insertions(+), 1 deletion(-)

ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 - 23-29 S
ep/Tarea 1/s2r3 (master)
$ git log --graph --all
* commit d651e53394d85e49379d3161fe3bb1513967c8ef (HEAD -> master, origin/version1, vers
ion1)
| Author: Rick Londini <riccardolondoni@gmail.com>
| Date:   Wed Oct 16 01:01:24 2019 +0200
|
|     Añadimos 2 directores a directores.txt
|
* commit c4064801d1e67a2dcfdf6667402450b15572b644 (origin/master, origin/HEAD)
  Author: Rick Londini <riccardolondoni@gmail.com>
  Date:   Wed Oct 16 00:52:08 2019 +0200

      clonar Repo + archivo directores.txt con 3 directores
```

e.

```
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 - 23-29 S
ep/Tarea 1/s2r3 (master)
$ git push
Total 0 (delta 0), reused 0 (delta 0)
To D:/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 - 23-29 Sep/TAREA 1/S2R2-remoto/
   c406480..d651e53  master -> master

ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º EV/S1 - 23-29 S
ep/Tarea 1/s2r3 (master)
$ git log --graph --all
* commit d651e53394d85e49379d3161fe3bb1513967c8ef (HEAD -> master, origin/version1, orig
in/master, origin/HEAD, version1)
| Author: Rick Londini <riccardolondoni@gmail.com>
| Date:   Wed Oct 16 01:01:24 2019 +0200
|
|     Añadimos 2 directores a directores.txt
|
* commit c4064801d1e67a2dcfdf6667402450b15572b644
  Author: Rick Londini <riccardolondoni@gmail.com>
  Date:   Wed Oct 16 00:52:08 2019 +0200

      clonar Repo + archivo directores.txt con 3 directores
```

5. Vuelve de nuevo a la carpeta S2R2

a.



b.



c.



3. GitHub

1. Ya tenía una cuenta de GitHub por ello asociare mi cuenta de estudiante a esta cuenta ya creada.

2. 

   La pongo como default en mi cuenta de GitHub.

3. 

4.




```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º E
V/S1 - 23-29 Sep/TAREA 1 (master)
$ git clone git@github.com:RickLondini/semana1-github.git
Cloning into 'semana1-github'...
Enter passphrase for key '/c/Users/ricar/.ssh/id_rsa':
remote: Enumerating objects: 7, done.
remote: Total 7 (delta 0), reused 0 (delta 0), pack-reused 7
Receiving objects: 100% (7/7), done.

ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/1º E
V/S1 - 23-29 Sep/TAREA 1 (master)
$ ls
'~$rea S1.docx'   '~WRL2623.tmp'   S2R1/   S2R2-remoto/   semana1-github/
'~WRL0660.tmp'    S1R1/            S2R2/   S2R3/          'Tarea S1.docx'
```

a.

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Di
V/S1 - 23-29 Sep/TAREA 1/semana1-github (master
$ nano README.md

ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Di
V/S1 - 23-29 Sep/TAREA 1/semana1-github (master
$ cat README.md
# Diseño de Interfaces Web
Repositorio para la práctica de uso de GitHub

Incluye a continuación tu nombre y apellidos:

Jose Ricardo Londono
```

```
ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/
V/S1 - 23-29 Sep/TAREA 1/semana1-github (master)
$ git commit -am "Modifico el README.md introduciendo mis datos"
[master 18964c9] Modifico el README.md introduciendo mis datos
 1 file changed, 2 insertions(+)

ricar@DESKTOP-5O4FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web/
V/S1 - 23-29 Sep/TAREA 1/semana1-github (master)
$ git push
Enter passphrase for key '/c/Users/ricar/.ssh/id_rsa':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 336 bytes | 112.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To github.com:RickLondini/semana1-github.git
   8c0cabb..18964c9  master -> master
```

b.


RickLondini / semana1-github
forked from interfacesweb-19-20/semana1-github
Code
Issues 3
Pull requests 0
Filters
is:issue is:open
3 Open
0 Closed
Añadir 3 discos
#3 opened 2 minutes ago by RickLondini
Añadir 3 películas
#2 opened 2 minutes ago by RickLondini
Añadir 3 libros
#1 opened 2 minutes ago by RickLondini

c.


RickLondini / semana1-github
forked from interfacesweb-19-20/semana1-github
Watch 0
Star 0
Fork 12
Code
Issues 3
Pull requests 0
Projects 0
Wiki
Security
Insights
Settings
New milestone
Create a new milestone to help organize your issues and pull requests. Learn more about milestones and issues.
Title
Tareas
Due date (optional)
dd/mm/aaaa
Description
Create milestone

RickLondini / semana1-github
forked from interfacesweb-19-20/semana1-github
Watch
Code
Issues 3
Pull requests 0
Projects 0
Wiki
Security
Insights
Filters
is:issue is:open
Labels 9
Milestones 1
3 selected
Mark as
Label
Añadir 3 discos
#3 opened 2 minutes ago by RickLondini
Añadir 3 películas
#2 opened 2 minutes ago by RickLondini
Añadir 3 libros
#1 opened 2 minutes ago by RickLondini
Set milestone
Filter milestones
No milestone
Tareas


RickLondini / semana1-github
forked from interfacesweb-19-20/semana1-github
Code
Issues 3
Pull requests 0
Pro
Filters
is:issue is:open
3 Open
0 Closed
Añadir 3 discos
#3 opened 3 minutes ago by RickLondini
Tareas
Añadir 3 películas
#2 opened 3 minutes ago by RickLondini
Tareas
Añadir 3 libros
#1 opened 3 minutes ago by RickLondini
Tareas


RickLondini / semana1-github
forked from interfacesweb-19-20/semana1-github
Watch 0
Star 0
Fork 12
Code
Issues 3
Pull requests 0
Projects 0
Wiki
Security
Insights
Settings
Labels
Milestones
Edit milestone
New issue
Tareas
No due date
0% complete
3 Open
0 Closed
Añadir 3 libros
#1 opened 24 minutes ago by RickLondini
Añadir 3 películas
#2 opened 24 minutes ago by RickLondini
Añadir 3 discos
#3 opened 24 minutes ago by RickLondini
Tip! You can use shift + j or shift + k to move items with your keyboard.

d.

e.


ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web
V/S1 - 23-29 Sep/TAREA 1/semana1-github (master)
$ ls
discos.txt libros.txt LICENSE peliculas.txt README.md
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web
V/S1 - 23-29 Sep/TAREA 1/semana1-github (master)
$ nano libros.txt
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web
V/S1 - 23-29 Sep/TAREA 1/semana1-github (master)
$ cat libros.txt
Juego de Tronos
El Juego de Ender
La Historia Interminable
Mision Emprender
Sesgos Cognitivos
El principito
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web
V/S1 - 23-29 Sep/TAREA 1/semana1-github (master)
$ git commit -am "Añado 3 libros. closed #1"
[master 4a58984] Añado 3 libros. closed #1
1 file changed, 3 insertions(+)
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web
29 Sep/TAREA 1/semana1-github (master)
$ git push
Enter passphrase for key '/c/Users/ricar/.ssh/id_rsa':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 365 bytes | 365.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:RickLondini/semana1-github.git
18964c9..4a58984 master -> master


ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web
29 Sep/TAREA 1/semana1-github (master)
$ nano peliculas.txt
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web
29 Sep/TAREA 1/semana1-github (master)
$ cat peliculas.txt
Orgullo y Prejuicio
La boda de mi mejor amiga
Alta Fidelidad
En busca de la felicidad
Kimi no na wa
El lado bueno de las cosas
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web
29 Sep/TAREA 1/semana1-github (master)
$ git commit -am "Añado 3 peliculas. closed #2"
[master 9b16ad9] Añado 3 peliculas. closed #2
1 file changed, 4 insertions(+)
ricar@DESKTOP-504FC2J MINGW64 /d/Ricardo/DAW/Diseno-de-Interfaces-Web
29 Sep/TAREA 1/semana1-github (master)
$ git push
Enter passphrase for key '/c/Users/ricar/.ssh/id_rsa':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 375 bytes | 375.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:RickLondini/semana1-github.git
4a58984..9b16ad9 master -> master



f.

Creo un pdf visible en github con todas las capturas.

g.