



Response example:
 paymentParams
 { sourceAmount: '10.04',
 connectorAccount: 'USD-ledger.gate', // next hop
 destinationAmount: '10',
 destinationAccount: 'RUR-ledger.carol.0bd1124b-be7b-4751-9dd4-0ca473a4f0a9', // final destination
 destinationMemo: { data: undefined, expires_at: '2016-09-08T13:58:33.123Z' },
 expiresAt: '2016-09-08T13:58:13.185Z',
 executionCondition:
 'cc:0:3:G4KH7W8LSiWtf_VSHumr0xxXqGCTBPkZiPyJloudme8:32' }

```

transfer: { id: 'b2e8f5f6-9a24-4ed9-8cd9-6755d0e54cd3',
direction: 'incoming',
account: 'RUR-ledger.gate',
ledger: 'RUR-ledger.',
amount: '10',
data:
{ ilp_header:
{ account: 'RUR-ledger.carol.0bd1124b-be7b-4751-9dd4-0ca473a4f0a9',
amount: '10',
data: { expires_at: '2016-09-08T13:58:33.123Z' } } },
executionCondition:
'cc:0:3:G4KH7W8LSiWtf_VSHumr0xxXqGCTBPkZiPyJloudme8:32',
expiresAt: '2016-09-08T13:58:12.185Z' }
fulfilled transfer hold with fulfillment:
cf:0:CH7E5Zl25EDDC8PZIBM4VZ_p9odtsbMPwpt34ystSiQ
  
```