

StockSense / demo-marketing.html

658 lines · 33508 chars · Generated 22 May 2026

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8"/>
<meta name="viewport" content="width=device-width,initial-scale=1.0"/>
<title>StockSense – The inventory agent that acts, not just alerts.</title>
<link rel="preconnect" href="https://fonts.googleapis.com"/>
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
<link href="https://fonts.googleapis.com/css2?family=DM+Sans:ital,opsz,wght@0,9..40,300;0,9..40,400;0,9..40,500;0,9..40,600;1,9..40,400&f" data-bbox="136 198 1000 211" rel="stylesheet">
<style>
*{box-sizing:border-box;margin:0;padding:0}
html{scroll-behavior:smooth}
::selection{background:#ff4d1c33;color:#f0ede8}
body{
  font-family:'DM Sans',sans-serif;
  background:#050505;
  color:#f0ede8;
  min-height:100vh;
  overflow-x:hidden;
  -webkit-font-smoothing:antialiased;
}
a{color:inherit;text-decoration:none}

/* ■■ Buttons ■■ */
.ss-btn-primary{
  background:#ff4d1c;color:#fff;border:none;
  padding:12px 28px;border-radius:6px;
  font-family:'DM Sans',sans-serif;font-size:14px;font-weight:500;
  cursor:pointer;transition:all .2s;letter-spacing:.01em;
}
.ss-btn-primary:hover{background:#e63d0d;transform:translateY(-1px);box-shadow:0 8px 24px #ff4d1c33}
.ss-btn-ghost{
  background:transparent;color:#f0ede8;
  border:1px solid #2a2a2a;padding:11px 24px;border-radius:6px;
  font-family:'DM Sans',sans-serif;font-size:14px;font-weight:400;
  cursor:pointer;transition:all .2s;
}
.ss-btn-ghost:hover{border-color:#555;background:#111}

/* ■■ Animations ■■ */
.fade-up{opacity:0;transform:translateY(24px);animation:fadeUp .7s forwards}
@keyframes fadeUp{to{opacity:1;transform:translateY(0)}}

.ticker-track{
  display:flex;gap:48px;
  animation:ticker 24s linear infinite;
  white-space:nowrap;
}
@keyframes ticker{from{transform:translateX(0)}to{transform:translateX(-50%)}}

@keyframes blink{0%,100%{opacity:1}50%{opacity:0}}
@keyframes spin{to{transform:rotate(360deg)}}

/* ■■ Cards ■■ */
.step-card{
  border:1px solid #1a1a1a;border-radius:12px;padding:32px;
  transition:all .3s;cursor:pointer;background:#0a0a0a;
}
.step-card:hover,.step-card.active{border-color:#ff4d1c44;background:#0f0f0f}
.step-card.active{border-color:#ff4d1c66}

.plan-card{
  border:1px solid #1a1a1a;border-radius:12px;padding:32px;
  background:#0a0a0a;transition:all .3s;position:relative;
}
.plan-card:hover{border-color:#333;transform:translateY(-2px)}
.plan-card.featured{border-color:#ff4d1c66;background:#0f0a09}

/* ■■ Hamburger ■■ */
.hamburger{
  display:none;flex-direction:column;justify-content:center;gap:5px;
  width:36px;height:36px;background:none;border:none;cursor:pointer;padding:4px;
}
.hamburger span{
  display:block;height:1.5px;background:#f0ede8;border-radius:2px;
  transition:all .25s;transform-origin:center;
```

```

.hamburger.open span:nth-child(1){transform:translateY(6.5px) rotate(45deg)}
.hamburger.open span:nth-child(2){opacity:0}
.hamburger.open span:nth-child(3){transform:translateY(-6.5px) rotate(-45deg)}
.mobile-menu{
  display:none;position:fixed;top:64px;left:0;right:0;z-index:99;
  background:#080808;border-bottom:1px solid #1a1a1a;
  flex-direction:column;padding:16px 24px 24px 4px;
}
.mobile-menu.open{display:flex}
.mobile-menu a,.mobile-menu button{
  display:block;width:100%;text-align:left;padding:13px 0;
  font-size:15px;color:#888;background:none;border:none;
  border-bottom:1px solid #111;font-family:'DM Sans',sans-serif;
  cursor:pointer;transition:color .15s;
}
.mobile-menu a:last-child,.mobile-menu button:last-child{border-bottom:none}
.mobile-menu a:hover,.mobile-menu button:hover{color:#f0ede8}
.mobile-menu .mob-cta{
  margin-top:12px;background:#ff4d1c;color:#fff!important;
  border-radius:6px;padding:13px!important;text-align:center!important;
  font-weight:500;border:none!important;
}
}

/* ■■■ Responsive ■■■ */
@media(max-width:768px){
  /* Nav */
  .nav-links{display:none!important}
  .nav-actions{display:none!important}
  .hamburger{display:flex!important}

  /* Hero */
  .hero-section{padding:100px 20px 60px!important}
  .hero-stats{gap:28px!important}

  /* Steps */
  .steps-section{padding:64px 20px!important}
  .steps-grid{grid-template-columns:1fr!important;gap:24px!important}
  .steps-terminal{position:static!important}

  /* Competitors */
  .comp-section{padding:60px 20px!important}

  /* Stats */
  .stats-section{padding:60px 20px!important}
  .stats-grid{grid-template-columns:1fr 1fr!important}
  .stat-cell{border-right:none!important;border-bottom:1px solid #1a1a1a}
  .stat-cell:nth-child(1),.stat-cell:nth-child(2){border-right:1px solid #1a1a1a!important}
  .stat-cell .stat-number{font-size:38px!important}
  .stat-cell{padding:32px 24px!important}

  /* Pricing */
  .pricing-section{padding:60px 20px 80px!important}
  .plans-grid{grid-template-columns:1fr!important;max-width:420px;margin:0 auto}

  /* CTA */
  .cta-section{padding:60px 20px!important}
  .cta-inner{padding:40px 24px 24px 16px!important;border-radius:16px!important}

  /* Footer */
  .footer{flex-direction:column!important;align-items:flex-start!important;padding:28px 20px!important;gap:20px!important}
}

@media(max-width:480px){
  .hero-section{padding:90px 16px 48px!important}
  .hero-btns{flex-direction:column!important;align-items:stretch!important}
  .hero-btns button{width:100%!important;text-align:center!important}
  .hero-stats{flex-direction:column!important;gap:20px!important}
  .steps-section{padding:52px 16px!important}
  .comp-section{padding:48px 16px!important}
  .pricing-section{padding:48px 16px 64px!important}
  .cta-section{padding:48px 16px!important}
  .cta-inner{padding:32px 18px!important}
  .waitlist-row{flex-direction:column!important}
  .waitlist-row input,.waitlist-row button{width:100%!important}
  .stats-grid{grid-template-columns:1fr!important}
  .stat-cell{border-right:none!important;border-bottom:1px solid #1a1a1a!important}
}
</style>
</head>

```

```
<body>

<!-- ■■ NAV ■■ -->
<nav style="position:fixed;top:0;left:0;right:0;z-index:100;display:flex;align-items:center;justify-content:space-between;padding:0 40px;
  <div style="display:flex;align-items:center;gap:8px">
    <div style="width:28px;height:28px;background:#ff4d1c;border-radius:6px;display:flex;align-items:center;justify-content:center;font-size:10px;
      <span style="font-weight:600;font-size:16px;letter-spacing:-.01em">Stock<span style="color:#ff4d1c">Sense</span></span>
      <span style="margin-left:10px;font-size:10px;font-weight:500;letter-spacing:.1em;color:#ff4d1c;background:#ff4d1c15;border:1px solid #ff4d1c">
    </div>
    <div class="nav-links" style="display:flex;gap:32px;font-size:14px;color:#888">
      <a href="#how" style="transition:color .2s onmouseenter=this.style.color='#f0ede8' onmouseleave=this.style.color='#888'">How it works</a>
      <a href="#pricing" style="transition:color .2s onmouseenter=this.style.color='#f0ede8' onmouseleave=this.style.color='#888'">Pricing</a>
      <a href="#" style="transition:color .2s onmouseenter=this.style.color='#f0ede8' onmouseleave=this.style.color='#888'">Docs</a>
    </div>
    <div class="nav-actions" style="display:flex;gap:12px">
      <button class="ss-btn-ghost" style="padding:8px 18px;font-size:13px">Sign in</button>
      <button class="ss-btn-primary" style="padding:8px 18px;font-size:13px">Get started →</button>
    </div>
    <button class="hamburger" id="hamburger" onclick="toggleMenu()" aria-label="Menu">
      <span></span><span></span><span></span><span></span>
    </button>
  </nav>

<!-- Mobile menu -->
<div class="mobile-menu" id="mobile-menu">
  <a href="#how" onclick="toggleMenu()">How it works</a>
  <a href="#pricing" onclick="toggleMenu()">Pricing</a>
  <a href="#">Docs</a>
  <a href="#">Sign in</a>
  <button class="mob-cta" onclick="toggleMenu()">Get started →</button>
</div>

<!-- ■■ HERO ■■ -->
<section class="hero-section" style="min-height:100vh;display:flex;flex-direction:column;justify-content:center;padding:120px 40px 80px;
  <!-- Grid bg -->
  <div style="position:absolute;inset:0;z-index:0;background-image:linear-gradient(#1a1a1a 1px,transparent 1px),linear-gradient(90deg,#1a1a1a 1px,transparent 1px);background-size:40px 40px;
  </div>
  <!-- Glow -->
  <div style="position:absolute;top:10%;left:50%;transform:translateX(-50%);width:600px;height:400px;z-index:0;background:radial-gradient(circle,transparent 0%,#f0ede8 0%,#f0ede8 40%,transparent 40%);
  </div>
  <div style="position:relative;z-index:1">
    <div class="fade-up" style="animation-delay:.1s;margin-bottom:24px">
      <span style="display:inline-flex;align-items:center;gap:8px;font-size:13px;color:#888;border:1px solid #222;padding:6px 14px;border-radius:6px">
        <span style="width:6px;height:6px;border-radius:50%;background:#22c55e;box-shadow:0 0 6px #22c55ee8"></span>
        Now live — connect your Shopify store
      </span>
    </div>
    <h1 class="fade-up" style="animation-delay:.2s;font-family:'Instrument Serif',serif;font-size:clamp(52px,7vw,96px);font-weight:400;line-height:1.2">
      The inventory agent that <span style="color:#ff4d1c;font-style:italic">acts</span>,<br/>not just alerts.
    </h1>
    <p class="fade-up" style="animation-delay:.35s;font-size:18px;color:#888;line-height:1.7;max-width:520px;margin-bottom:48px;font-weight:400">
      StockSense connects to Shopify, reasons through your live inventory data, and sends purchase orders to suppliers automatically. The
    </p>
    <div class="fade-up hero-btns" style="animation-delay:.45s;display:flex;gap:16px;flex-wrap:wrap">
      <button class="ss-btn-primary" style="font-size:15px;padding:14px 32px">Connect your store →</button>
      <button class="ss-btn-ghost" style="font-size:15px">See how it works</button>
    </div>
    <div class="fade-up hero-stats" style="animation-delay:.6s;margin-top:64px;display:flex;gap:48px;flex-wrap:wrap">
      <div>
        <div style="font-family:'Instrument Serif',serif;font-size:36px;font-weight:400;color:#f0ede8">$1.8T</div>
        <div style="font-size:13px;color:#555;margin-top:6px;max-width:140px">lost to inventory distortion yearly</div>
      </div>
      <div>
        <div style="font-family:'Instrument Serif',serif;font-size:36px;font-weight:400;color:#f0ede8">34%</div>
        <div style="font-size:13px;color:#555;margin-top:6px;max-width:140px">avg revenue lost to stockouts</div>
      </div>
      <div>
        <div style="font-family:'Instrument Serif',serif;font-size:36px;font-weight:400;color:#f0ede8">0</div>
        <div style="font-size:13px;color:#555;margin-top:6px;max-width:140px">tools that explain their reasoning</div>
      </div>
    </div>
  </section>

<!-- ■■ TICKER ■■ -->
```

```
<div style="overflow:hidden;border-top:1px solid #1a1a1a;border-bottom:1px solid #1a1a1a;padding:14px 0;background:#080808">
  <div style="display:flex">
    <div class="ticker-track" id="ticker">
      <!-- filled by JS -->
    </div>
  </div>
</div>

<!-- ■■ HOW IT WORKS ■■ -->
<section id="how" class="steps-section" style="padding:120px 40px;max-width:1200px;margin:0 auto">
  <div style="margin-bottom:64px">
    <div style="font-size:12px;letter-spacing:.15em;color:#ff4d1c;text-transform:uppercase;font-weight:500;margin-bottom:16px">How it works</div>
    <h2 style="font-family:'Instrument Serif', serif;font-size:clamp(36px,4vw,56px);font-weight:400;letter-spacing:-.02em;line-height:1.1">
      The agent that reasons<br/><span style="font-style:italic;color:#888">out loud.</span>
    </h2>
  </div>

  <div class="steps-grid" style="display:grid;grid-template-columns:1fr 1fr;gap:48px;align-items:start">

    <!-- Step cards -->
    <div style="display:flex;flex-direction:column;gap:12px" id="step-cards"></div>

    <!-- Demo terminal -->
    <div class="steps-terminal" style="position:sticky;top:100px">
      <div id="reasoning-demo" style="background:#0a0a0a;border:1px solid #1f1f1f;border-radius:12px;padding:32px;font-family:'JetBrains Mono', monospace">
        <div style="display:flex;align-items:center;gap:8px;margin-bottom:24px">
          <div style="width:11px;height:11px;border-radius:50%;background:#ff5f57"></div>
          <div style="width:11px;height:11px;border-radius:50%;background:#febc2e"></div>
          <div style="width:11px;height:11px;border-radius:50%;background:#28c840"></div>
          <span style="color:#4a4a4a;font-size:12px;margin-left:8px">stocksense — agent reasoning</span>
        </div>
        <div id="reasoning-lines"></div>
      </div>

      <div style="margin-top:16px;padding:20px 24px;border:1px solid #1a1a1a;border-radius:12px;background:#0a0a0a;display:flex;align-items:center">
        <div>
          <div style="font-size:13px;color:#888">Purchase order ready</div>
          <div style="font-weight:600;font-size:16px;margin-top:4px">SafeGear EU · 180 units · €4,320</div>
        </div>
        <button class="ss-btn-primary" style="padding:10px 20px;font-size:13px">Approve & Send →</button>
      </div>
    </div>
  </div>
</section>

<!-- ■■ VS COMPETITORS ■■ -->
<section class="comp-section" style="padding:80px 40px;background:#080808;border-top:1px solid #1a1a1a">
  <div style="max-width:1200px;margin:0 auto">
    <div style="margin-bottom:56px;text-align:center">
      <div style="font-size:12px;letter-spacing:.15em;color:#ff4d1c;text-transform:uppercase;font-weight:500;margin-bottom:16px">Competitors</div>
      <h2 style="font-family:'Instrument Serif', serif;font-size:clamp(32px,4vw,52px);font-weight:400;letter-spacing:-.02em">
        Every competitor is a dashboard.<br/><span style="font-style:italic">We're the first agent.</span>
      </h2>
    </div>

    <div style="overflow-x:auto">
      <table style="width:100%;border-collapse:collapse;font-size:14px">
        <thead>
          <tr style="border-bottom:1px solid #1a1a1a">
            <th style="padding:12px 20px;text-align:left;color:#444;font-weight:400;font-size:12px;letter-spacing:.05em;text-transform:uppercase">Company</th>
            <th style="padding:12px 20px;text-align:center;color:#444;font-weight:400;font-size:12px;letter-spacing:.05em;text-transform:uppercase">Revenue</th>
            <th style="padding:12px 20px;text-align:center;color:#444;font-weight:400;font-size:12px;letter-spacing:.05em;text-transform:uppercase">Profit</th>
            <th style="padding:12px 20px;text-align:center;color:#444;font-weight:400;font-size:12px;letter-spacing:.05em;text-transform:uppercase">Market Share</th>
            <th style="padding:12px 20px;text-align:center;color:#444;font-weight:400;font-size:12px;letter-spacing:.05em;text-transform:uppercase">Notes</th>
          </tr>
        </thead>
        <tbody id="competitors-tbody"></tbody>
      </table>
    </div>
  </div>
</section>

<!-- ■■ STATS ■■ -->
<section class="stats-section" style="padding:120px 40px;max-width:1200px;margin:0 auto">
  <div class="stats-grid" style="display:grid;grid-template-columns:repeat(4,1fr);gap:2px;border:1px solid #1a1a1a;border-radius:12px;overflow:hidden">
    <div class="stat-cell" data-value="1800" data-suffix="+" style="padding:48px 40px;border-right:1px solid #1a1a1a;background:#0a0a0a">
      <div class="stat-number" style="font-family:'Instrument Serif', serif;font-size:52px;font-weight:400;color:#f0ede8;line-height:1;margin-bottom:8px">1800</div>
      <div style="font-size:13px;color:#555;line-height:1.5">Billions lost yearly to inventory distortion</div>
    </div>
  </div>
</section>
```

```
<div class="stat-cell" data-value="34" data-suffix="%" style="padding:48px 40px;border-right:1px solid #1a1a1a;background:#0a0a0a">
  <div class="stat-number" style="font-family:'Instrument Serif',serif;font-size:52px;font-weight:400;color:#f0ede8;line-height:1;margin:0 10px">
    <div style="font-size:13px;color:#555;line-height:1.5">Average revenue lost to stockouts annually</div>
  </div>
<div class="stat-cell" data-value="12" data-suffix="d" style="padding:48px 40px;border-right:1px solid #1a1a1a;background:#0a0a0a">
  <div class="stat-number" style="font-family:'Instrument Serif',serif;font-size:52px;font-weight:400;color:#f0ede8;line-height:1;margin:0 10px">
    <div style="font-size:13px;color:#555;line-height:1.5">Avg stockout predicted in advance by StockSense</div>
  </div>
<div class="stat-cell" data-value="100" data-suffix="%" style="padding:48px 40px;background:#0a0a0a">
  <div class="stat-number" style="font-family:'Instrument Serif',serif;font-size:52px;font-weight:400;color:#f0ede8;line-height:1;margin:0 10px">
    <div style="font-size:13px;color:#555;line-height:1.5">Of decisions explained in plain language</div>
  </div>
</div>
</section>

<!-- ■■■ PRICING ■■■ -->
<section id="pricing" class="pricing-section" style="padding:80px 40px 120px;background:#080808;border-top:1px solid #1a1a1a">
  <div style="max-width:1200px;margin:0 auto">
    <div style="margin-bottom:64px;text-align:center">
      <div style="font-size:12px;letter-spacing:.15em;color:#ff4d1c;text-transform:uppercase;font-weight:500;margin-bottom:16px">Pricing</div>
      <h2 style="font-family:'Instrument Serif',serif;font-size:clamp(32px,4vw,52px);font-weight:400;letter-spacing:-.02em">Simple. Transparent.
    </div>
    <div class="plans-grid" style="display:grid;grid-template-columns:repeat(4,1fr);gap:16px" id="plans-grid"></div>
  </div>
</section>

<!-- ■■■ WAITLIST CTA ■■■ -->
<section class="cta-section" style="padding:120px 40px;max-width:800px;margin:0 auto;text-align:center">
  <div class="cta-inner" style="padding:80px 60px;border:1px solid #1a1a1a;border-radius:20px;background:#0a0a0a;position:relative;overflow:hidden">
    <div style="position:relative">
      <div style="font-size:12px;letter-spacing:.15em;color:#ff4d1c;text-transform:uppercase;font-weight:500;margin-bottom:16px">Early access</div>
      <h2 style="font-family:'Instrument Serif',serif;font-size:clamp(32px,4vw,52px);font-weight:400;letter-spacing:-.02em;margin-bottom:16px">
        Stop managing inventory.<br/><span style="font-style:italic;color:#888">Start delegating it.</span>
      </h2>
      <p style="color:#555;font-size:15px;margin-bottom:40px;line-height:1.6">First 100 stores get 3 months free. No credit card required</p>
    </div>
    <div id="waitlist-success" style="display:none;justify-content:center">
      <div style="display:inline-flex;align-items:center;gap:10px;background:#22c55e15;border:1px solid #22c55e44;color:#22c55e;padding:16px 24px">
        <span>✓</span> You're on the list – we'll be in touch.
      </div>
    </div>
  </div>
  <div id="waitlist-form" class="waitlist-row" style="display:flex;gap:12px;max-width:440px;margin:0 auto;flex-wrap:wrap;justify-content:center">
    <input id="waitlist-email" type="email" placeholder="you@yourstore.com"
      style="flex:1;background:#111;border:1px solid #2a2a2a;border-radius:6px;padding:13px 18px;font-size:14px;color:#f0ede8;outline:none;
      onfocus="this.style.borderColor='#ff4d1c44'"
      onblur="this.style.borderColor='#2a2a2a'"
    </div>
    <button class="ss-btn-primary" onclick="handleWaitlist()" style="font-size:14px">Join waitlist →</button>
  </div>
</div>
</section>

<!-- ■■■ FOOTER ■■■ -->
<footer class="footer" style="padding:40px;border-top:1px solid #111;display:flex;justify-content:space-between;align-items:center;flex-wrap:wrap">
  <div style="display:flex;align-items:center;gap:8px">
    <div style="width:24px;height:24px;background:#ff4d1c;border-radius:5px;display:flex;align-items:center;justify-content:center;font-size:10px">
      <span style="font-weight:500;font-size:14px">StockSense</span>
    <div style="color:#333;font-size:13px;margin-left:8px"> by Interluty Inc.</div>
  </div>
  <div style="font-size:12px;color:#333">© 2026 StockSense. AI-native supply chain agent.</div>
  <div style="display:flex;gap:24px;font-size:13px;color:#444">
    <a href="#" onmouseenter="this.style.color='#888'" onmouseleave="this.style.color='#444'" style="transition:color .2s">Privacy</a>
    <a href="#" onmouseenter="this.style.color='#888'" onmouseleave="this.style.color='#444'" style="transition:color .2s">Terms</a>
    <a href="#" onmouseenter="this.style.color='#888'" onmouseleave="this.style.color='#444'" style="transition:color .2s">Docs</a>
  </div>
</footer>

<script>
/* ■■■ Data ■■■ */
const steps = [
  { id:"01", label:"Observe", title:"Live inventory intelligence",
    body:"Connects to Shopify via OAuth. Reads every SKU – stock levels, sales velocity, supplier history, and order data. All live, all in real-time.",
    stat:"Real-time", statLabel:"data sync" },
  { id:"02", label:"Reason", title:"Agent-level analysis",
    body:"Not 'stock is low.' It reasons: given your velocity, your supplier's real lead time, and upcoming demand signals, you have 2 days to act.",
    stat:"12 days", statLabel:"avg stockout predicted in advance" },
  { id:"03", label:"Decide", title:"Explains every decision",
```

```

        body:"Generates a specific recommendation with full plain-language reasoning. Not a black box – every decision explained so you stay .",
        stat:"100%", statLabel:"transparent reasoning" },
    { id:"04", label:"Act", title:"Purchase orders, automatically",
      body:"Drafts and sends purchase orders directly to suppliers via email. One click to approve, the agent handles the rest – routing, f",
      stat:"1 click", statLabel:"to approve and send" },
  ];

const competitors = [
  { name:"Linnworks",          type:"Dashboard", highlight:false },
  { name:"Brightpearl",        type:"Dashboard", highlight:false },
  { name:"Inventory Planner",  type:"Dashboard", highlight:false },
  { name:"Skubana",            type:"Dashboard", highlight:false },
  { name:"Cin7",               type:"Dashboard", highlight:false },
  { name:"StockSense",         type:"Agent",      highlight:true  },
];

const reasoning = [
  { role:"observe", text:"Helmet Safety V2 – stock: 8 units. Velocity: 3.8/day. Days remaining: 2.1" },
  { role:"reason",  text:"Supplier SafeGear EU has a 14-day lead time. Summer starts in 28 days – demand spike expected." },
  { role:"decide",  text:"Order 180 units immediately. Covers 12-day gap + 90 days summer demand buffer." },
  { role:"act",     text:"Purchase Order generated → SafeGear EU · 180 units · €4,320. Ready to send." },
];

const plans = [
  { name:"Free",   price:"$0",   period:"",   desc:"Try the agent on your store.",
    features:["10 SKUs","1 analysis/month","View recommendations"], cta:"Start free", highlight:false },
  { name:"Starter", price:"$49", period:"/mo", desc:"For growing Shopify stores.",
    features:["50 SKUs","Unlimited analyses","PO sending","All business models"], cta:"Get started", highlight:false },
  { name:"Pro",     price:"$149", period:"/mo", desc:"Full agent for scaling brands.",
    features:["Unlimited SKUs","CSV export","3 users","90-day history"], cta:"Get started", highlight:true },
  { name:"Agency", price:"$399", period:"/mo", desc:"Manage multiple stores.",
    features:["5 stores","10 users","Unlimited history","Priority support"], cta:"Get started", highlight:false },
];

const roleStyle = {
  observe:{ label:"→ Observing", color:"#6ee7b7" },
  reason: { label:"→ Reasoning", color:"#93c5fd" },
  decide: { label:"→ Decision",  color:"#fbbf24" },
  act:    { label:"→ Action",    color:"#f87171" },
};

/* ■■ Ticker ■■ */
const tickerItems = ["Reasons through data","Predicts stockouts","Sends purchase orders","Explains every decision","Works 24/7","Zero false"];
const tickerEl = document.getElementById('ticker');
const repeated = [...tickerItems,...tickerItems,...tickerItems,...tickerItems];
tickerEl.innerHTML = repeated.map(t =>
  `<span style="font-size:13px;color:#555;display:inline-flex;align-items:center;gap:16px">${t}<span style="color:#ff4d1c;font-size:16px">`
).join('');

/* ■■ Step cards ■■ */
let activeStep = 0;
const cardsEl = document.getElementById('step-cards');

function renderSteps() {
  cardsEl.innerHTML = steps.map((s,i) => `
    <div class="step-card${i===activeStep?' active':''}" onclick="setStep(${i})">
      <div style="display:flex;align-items:flex-start;justify-content:space-between;margin-bottom:12px">
        <div style="display:flex;align-items:center;gap:12px">
          <span style="font-family:'JetBrains Mono',monospace;font-size:11px;color:#333;font-weight:500">${s.id}</span>
          <span style="font-size:11px;letter-spacing:.1em;text-transform:uppercase;color:#555;font-weight:500">${s.label}</span>
        </div>
        <div style="text-align:right">
          <div style="font-family:'Instrument Serif',serif;font-size:22px;color:#f0ede8">${s.stat}</div>
          <div style="font-size:10px;color:#444;margin-top:2px">${s.statLabel}</div>
        </div>
        <div style="font-weight:500;font-size:16px;margin-bottom:8px;color:#f0ede8">${s.title}</div>
        <div style="font-size:14px;color:#666;line-height:1.6;max-height:${i===activeStep?'200px':'0'};overflow:hidden;transition:max-height`
    </div>
  `).join('');
}

function setStep(i) {
  activeStep = i;
  renderSteps();
}

renderSteps();

/* ■■ Reasoning demo typewriter ■■ */

```

```

const linesEl = document.getElementById('reasoning-lines');
let reasoningStarted = false;
function startReasoning() {
  if(reasoningStarted) return;
  reasoningStarted = true;

  // init DOM
  linesEl.innerHTML = reasoning.map((r,i) => {
    const s = roleStyle[r.role];
    return `
      <div id="rl-${i}" style="margin-bottom:16px;opacity:.2;transition:opacity .4s">
        <div style="color:${s.color};font-weight:600;margin-bottom:4px">${s.label}</div>
        <div id="rl-text-${i}" style="color:#d4d4d4;padding-left:16px"></div>
      </div>;
    `
  }).join('');

  let idx = 0;
  function runLine(i) {
    if(i >= reasoning.length) return;
    const r = reasoning[i];
    const lineEl = document.getElementById(`rl-${i}`);
    const textEl = document.getElementById(`rl-text-${i}`);
    lineEl.style.opacity = '1';
    let pos = 0;
    const full = r.text;

    function type() {
      pos++;
      textEl.innerHTML = full.slice(0,pos) + (pos < full.length
        ? '<span style="border-right:2px solid #fff;margin-left:2px;animation:blink 1s step-end infinite">&nbsp;</span>'
        : '');
      if(pos < full.length) {
        setTimeout(type, 18);
      } else {
        setTimeout(() => runLine(i+1), 900);
      }
    }
    setTimeout(type, 400);
  }
  runLine(0);
}

// IntersectionObserver for reasoning demo
const obs = new IntersectionObserver(entries => {
  entries.forEach(e => { if(e.isIntersecting) startReasoning(); });
}, { threshold: 0.2 });
obs.observe(document.getElementById('reasoning-demo'));

/* ■■ Competitors table ■■ */
const tbody = document.getElementById('competitors-tbody');
tbody.innerHTML = competitors.map(c => `
  <tr style="border-bottom:1px solid #111;background:${c.highlight?'#0f0a09':'transparent'};transition:background .2s"
    onmouseenter="this.style.background='${c.highlight?'#130c0a':'#0a0a0a'}"
    onmouseleave="this.style.background='${c.highlight?'#0f0a09':'transparent'}'">
    <td style="padding:16px 20px">
      <div style="display:flex;align-items:center;gap:10px">
        <span style="font-weight:${c.highlight?600:400};color:${c.highlight?'#f0ede8':'#888'}">${c.name}</span>
        <span style="font-size:10px;letter-spacing:.08em;text-transform:uppercase;padding:2px 8px;border-radius:4px;background:${c.highlight?
          '#f0ede8':'#888'}">${c.highlight?'':'X'}</span>
      </div>
    </td>
    ${[0,1,2,3,4].map(ci => {
      const val = c.highlight ? true : ci === 4;
      return `<td style="padding:16px 20px;text-align:center"><span style="font-size:16px;color:${val?'#22c55e':'#2a2a2a'}">${val?'✓':'X'}</span>`;
    }).join('')}
  </tr>
`.join('');

/* ■■ Animated numbers ■■ */
function animateNum(el, target) {
  const duration = 1200;
  const start = Date.now();
  function step() {
    const p = Math.min((Date.now()-start)/duration, 1);
    const eased = 1 - Math.pow(1-p, 3);
    el.textContent = Math.round(eased * target);
    if(p < 1) requestAnimationFrame(step);
  }
  requestAnimationFrame(step);
}

const statObs = new IntersectionObserver(entries => {

```

```

entries.forEach(e => {
  if(!e.isIntersecting) return;
  const cell = e.target;
  const val = parseInt(cell.dataset.value);
  const spanEl = cell.querySelector('.stat-number span');
  animateNum(spanEl, val);
  statObs.unobserve(cell);
});
}, { threshold: 0.4 });
document.querySelectorAll('.stat-cell').forEach(el => statObs.observe(el));

/* ■■ Plans ■■ */
const plansEl = document.getElementById('plans-grid');
plansEl.innerHTML = plans.map(p => `
<div class="plan-card${p.highlight?' featured':''}">
  ${p.highlight ? `<div style="position:absolute;top:-1px;left:50%;transform:translateX(-50%);background:#ff4d1c;color:#fff;font-size:1
  <div style="margin-top:${p.highlight?'16px':'0'};margin-bottom:8px">
    <span style="font-size:13px;color:#555;font-weight:500;text-transform:uppercase;letter-spacing:.08em">${p.name}</span>
  </div>
  <div style="display:flex;align-items:baseline;gap:4px;margin-bottom:12px">
    <span style="font-family:'Instrument Serif',serif;font-size:44px;font-weight:400;color:#f0ede8">${p.price}</span>
    <span style="color:#555;font-size:14px">${p.period}</span>
  </div>
  <div style="font-size:13px;color:#555;margin-bottom:28px;line-height:1.5">${p.desc}</div>
  <div style="border-top:1px solid #1a1a1a;padding-top:24px;margin-bottom:24px">
    ${p.features.map(f => `
      <div style="display:flex;align-items:center;gap:10px;margin-bottom:10px">
        <span style="color:#22c55e;font-size:12px">✓</span>
        <span style="font-size:13px;color:#888">${f}</span>
      </div>
    `).join('')}
  </div>
  <button class="${p.highlight?'ss-btn-primary':'ss-btn-ghost'}" style="width:100%;padding:12px;font-size:14px">${p.cta}</button>
</div>
`).join('');

/* ■■ Waitlist ■■ */
function handleWaitlist() {
  const email = document.getElementById('waitlist-email').value;
  if(!email) return;
  document.getElementById('waitlist-form').style.display = 'none';
  document.getElementById('waitlist-success').style.display = 'flex';
}
document.getElementById('waitlist-email').addEventListener('keydown', e => {
  if(e.key === 'Enter') handleWaitlist();
});

/* ■■ Fade-up on scroll ■■ */
const fuObs = new IntersectionObserver(entries => {
  entries.forEach(e => {
    if(e.isIntersecting) {
      e.target.style.opacity = '1';
      e.target.style.transform = 'none';
      fuObs.unobserve(e.target);
    }
  });
}, { threshold: 0.1 });
document.querySelectorAll('.fade-up').forEach(el => {
  // let CSS animation handle hero, observe the rest for scroll
  fuObs.observe(el);
});

/* ■■ Blink keyframe ■■ */
const style = document.createElement('style');
style.textContent = '@keyframes blink{0%,100%{opacity:1}50%{opacity:0}}';
document.head.appendChild(style);

/* ■■ Hamburger ■■ */
function toggleMenu() {
  const btn = document.getElementById('hamburger');
  const menu = document.getElementById('mobile-menu');
  btn.classList.toggle('open');
  menu.classList.toggle('open');
}

/* ■■ Nav padding on mobile ■■ */
function fixNavPadding() {
  const nav = document.querySelector('nav');
  if(window.innerWidth <= 480) {
    nav.style.padding = '0 16px';
  }
}

```



```
    } else if(window.innerWidth <= 768) {
      nav.style.padding = '0 24px';
    } else {
      nav.style.padding = '0 40px';
    }
  }
  fixNavPadding();
  window.addEventListener('resize', fixNavPadding);

  /* ■■■ Close menu on resize ■■■ */
  window.addEventListener('resize', () => {
    if(window.innerWidth > 768) {
      document.getElementById('hamburger').classList.remove('open');
      document.getElementById('mobile-menu').classList.remove('open');
    }
  });
</script>
</body>
</html>
```