

100504324 → Electromech

614F2 → [password] (praneshval@gmail.com)

6193 → [OTP] → Day - 09

→ (P
programm

→ Aesthetic refers to the way of the products looks and feels

→ Day-09, ~~city tasks~~ → (18-11-2021) (Thursday)

+ List down all the frequently used HTML tags.

→ C <HTML>...</HTML> → tag

↳ use: (The Entire HTML document)

→ C <HEAD>...</HEAD>* → tag

↳ use: The head (or) prologue

of the HTML document. H②

→ (Prologue means It has the logical
programming language) { }

→ $\langle \text{BODY} \rangle \dots \langle \text{BODY} \rangle$ → tag → ③

↳ use: [All the other content in the
HTML document].

→ $\langle \text{TITLE} \rangle \dots \langle \text{TITLE} \rangle$ → tag → ④

↳ use: [The title of the document]

→ $\langle \text{H1} \rangle \dots \langle \text{H1} \rangle$ → tag → ⑤

↳ use: [First level Heading large font size,

→ $\langle \text{H2} \rangle \dots \langle \text{H2} \rangle$ → tag → ⑥

↳ use: [Second level Heading]

→ <H3> ... <H3> → tag → ⑩

↳ USE :- ^{Third} Fourth Level Heading

→ <H4> ... <H4> → tag → ⑪

↳ USE :- Fourth Level Heading

→ <H5> ... <H5> → tag → ⑫

↳ USE :- Fifth Level Heading

→ <H6> ... <H6> → tag → ⑬

↳ USE :- ^{Sixth Level Heading small Text size}

→ <P> ... (<P>) * → tag → ⑭

↳ USE :- (To make a new paragraph)

✓
 → tag → ⑮

↳ USE :- Line Breaker This will show a New Line,

HR tag \rightarrow ⑬

use :- Horizontal Rule :- It creates a horizontal line on the page.

$\rightarrow <!-- \dots -->$ tag \rightarrow ⑭

use :- Comment :- The comment you write in the middle will not show up on the page when viewed \Rightarrow .

$\rightarrow <\del{comment}>$

$\rightarrow ...$ tag \rightarrow ⑮

use :- Link :- (A = Anchor) Link the current HTML file to another file.

Example :- $$ Go back to main menu \rightarrow

is handled by $$ This displays the file which is named in the quoted..

The name of the file. The link connects other chapters
page on the internet.

(116168)

→ $\angle \text{DL} \rightarrow \text{obj}$ → (16)

DL → [definition list] → at the beginning, $\angle \text{DL} \rightarrow$
[word] and [LOT] for each definition item.
In the body was [DD] for each definition "of" each
item. The definition will be indented.] $\angle \text{DL} \rightarrow$

per 1235

→ $\angle \text{DL} \rightarrow$ Item one

→ $\angle \text{DD} \rightarrow$ Item one definition

→ $\angle \text{IDL} \rightarrow$

→ $\angle \text{Image PRO} = \text{"image, gif"} \rightarrow \text{obj} \rightarrow$ (19)

↳ USE: Inline Images → put the name of
the graphic C.gif (or).jpg) in the field.

→ $\langle B \rangle \dots \langle B \rangle$ → $\textcircled{2}$

↳ USE:- Bold → [makes text Bold]

→ $\langle I \rangle \dots \langle I \rangle$ → $\textcircled{3}$

↳ USE:- Italic → [makes text Italic]

→ $\langle \text{font-size} = "13" \dots \langle \text{font} \rangle \rightarrow \textcircled{4}$

↳ USE:- Font size → [This tag is used to change the size of the font. It is better than using the header tag to make the font appear bigger].

→ $\langle \text{table} \rangle \rightarrow \textcircled{5}$ → "table" = [Start a table].

↳ USE:- $\langle \text{tr} \rangle \rightarrow \textcircled{6}$ → "TR" = [Table Row]

$\langle \text{td} \rangle \rightarrow \textcircled{7}$ → "TD" = [Start a Row]

$\langle \text{td} \rangle \rightarrow \textcircled{8}$ → "TD" = [Table Data]

$\langle \text{tr} \rangle \rightarrow \textcircled{9}$ → "TD" = [Start a col & Enter Data].

$\langle \text{table} \rangle \rightarrow \textcircled{10}$

→ "TD" (puts at End do data
Entry)

→ "TR" (puts at End do a row)

~~Color~~ "table" = (Hold table)