

Voluntary Product Accessibility Template (VPAT®) 2.5

WCAG 2.2 Report

Product Name: Practera App **Product Version:** 2.4.6 **Vendor Name:** Practera (Intersective)

VPAT Version: 2.5

Date: November 2025

Contact Information: accessibility@practera.com

Evaluation Method Used: Manual testing, automated testing with axe DevTools, WAVE, and Lighthouse, screen reader testing with NVDA, JAWS, and VoiceOver

Table of Contents

1. [Executive Summary](#)
 2. [WCAG 2.2 Level A](#)
 3. [WCAG 2.2 Level AA](#)
 4. [WCAG 2.2 Level AAA](#)
 5. [Revised Section 508](#)
 6. [EN 301 549](#)
-

Executive Summary

Practera App V3 is a web-based learning experience platform built with Ionic and Angular frameworks. This VPAT documents the accessibility compliance status of the application against WCAG 2.2 Level A and AA standards.

Overall Conformance Level: WCAG 2.2 Level AA (Supports)

Key Strengths:

- Comprehensive keyboard navigation support
- Screen reader compatibility with proper ARIA attributes
- Focus management and visible focus indicators
- Responsive design supporting multiple device types
- Text alternatives for non-text content

Areas Requiring Attention:

- Color contrast ratios require customer-specific validation (known JIRA issues: CORE-6313, CORE-6314, CORE-6315)

- Manual screen reader testing recommended for language detection feature (requires foreign language content)
-

WCAG 2.2 Level A

Guideline 1.1: Text Alternatives

1.1.1 Non-text Content (Level A)

- **Conformance Level:** Supports
- **Remarks:** All images have descriptive alt text or are marked decorative with `aria-hidden="true"`. Icon-only buttons have `aria-label` attributes. Form inputs have associated labels. Content authors must provide alternatives for user-generated content. Fixed missing alt attributes on images in home page and chat attachments. Added aria-labels to icon-only buttons (attach, cancel, remove attachments).
- **Supporting Features:**
 - HTML lang attribute set to "en" in index.html
 - Images have descriptive alt text or are marked decorative
 - Icon-only buttons have aria-label attributes
 - Decorative images/icons have `aria-hidden="true"`
 - Form inputs have associated labels (ion-label with for attribute)

Guideline 1.2: Time-based Media

1.2.1 Audio-only and Video-only (Prerecorded) (Level A)

- **Conformance Level:** Supports
- **Remarks:** Content authors must provide alternatives for pre-recorded audio-only or video-only content. The platform supports the addition of text alternatives and transcripts.

1.2.2 Captions (Prerecorded) (Level A)

- **Conformance Level:** Supports
- **Remarks:** Content authors must use a video/audio hosting provider that supports captions. The platform supports video players that include caption functionality.

1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)

- **Conformance Level:** Supports
- **Remarks:** Content authors must provide alternatives for pre-recorded synchronized audio/video content.

Guideline 1.3: Adaptable

1.3.1 Info and Relationships (Level A)

- **Conformance Level:** Supports
- **Remarks:** Information, structure, and relationships can be programmatically determined. Fixed duplicate heading IDs (experiences-heading renamed to experiences-heading-mobile). Fixed heading hierarchy on home page - changed experience name from h1 to h2 to maintain single visible h1 per page (h1 > h2 > h3 structure maintained with for-accessibility class for screen readers). Verified via browser testing on staging site.
- **Supporting Features:**
 - Form fields grouped with fieldsets/legends for radio buttons and checkboxes (multiple, one of components)
 - Form inputs have proper label associations (ion-label with for attribute)
 - Error messages associated with form fields via aria-describedby (text component)
 - Fixed duplicate heading IDs
 - Heading hierarchy maintained (h1 > h2 > h3)
 - Single visible h1 per page (additional h1s use for-accessibility class for screen readers only)
- **Verification:** Browser testing confirmed heading structure. Fixed in code commit.

1.3.2 Meaningful Sequence (Level A)

- **Conformance Level:** Supports
- **Remarks:** The correct reading sequence can be programmatically determined. Content is structured logically and maintains proper reading order.

1.3.3 Sensory Characteristics (Level A)

- **Conformance Level:** Supports
- **Remarks:** The application does not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound.

Guideline 1.4: Distinguishable

1.4.1 Use of Color (Level A)

- **Conformance Level:** Supports
- **Remarks:** Color is not used as the only visual means of conveying information. Status indicators use icons, text, or patterns in addition to color.

1.4.2 Audio Control (Level A)

- **Conformance Level:** Supports
- **Remarks:** Audio can be paused and stopped, or the audio volume can be changed. Video players include standard playback controls.

Guideline 2.1: Keyboard Accessible

2.1.1 Keyboard (Level A)

- **Conformance Level:** Supports
- **Remarks:** All functionality is available from a keyboard, except for tasks such as drawing. Skip navigation links implemented. All interactive elements are keyboard accessible through Ionic components and custom handlers. Custom buttons have keyboard event handlers (Enter/Space). Modals have proper keyboard trap handling. Added ESC key support to fast-feedback modal (even when closable=false).
- **Supporting Features:**
 - Skip navigation links implemented (app.component.html)
 - All interactive elements are keyboard accessible (Ionic components + custom handlers)
 - Custom buttons have keyboard event handlers (Enter/Space)
 - Keyboard trap handling in modals (Ionic modals handle this, achievement-pop-up has custom focus management)
 - ESC key support for modal dismissal
- **JIRA Tickets:** AV2-1188, AV2-1189, AV2-1190, AV2-1191, AV2-1197, AV2-1198, AV2-1199, AV2-1202

2.1.2 No Keyboard Trap (Level A)

- **Conformance Level:** Supports
- **Remarks:** Users can navigate away from all components using only keyboard (ESC key for modals, Tab for navigation). Modals have proper focus management.

2.1.4 Character Key Shortcuts (Level A)

- **Conformance Level:** Supports
- **Remarks:** The application does not implement single key shortcuts that could conflict with user agent functionality.

Guideline 2.2: Enough Time

2.2.1 Timing Adjustable (Level A)

- **Conformance Level:** Supports
- **Remarks:** The application does not have time-based UI elements that require adjustment.

2.2.2 Pause, Stop, Hide (Level A)

- **Conformance Level:** Supports
- **Remarks:** Users can stop, pause, or hide moving, blinking, scrolling, or auto-updating information. Video players include standard pause/play controls.

Guideline 2.3: Seizures and Physical Reactions

2.3.1 Three Flashes or Below Threshold (Level A)

- **Conformance Level:** Supports
- **Remarks:** No content flashes more than three times per second or is below the defined thresholds.

Guideline 2.4: Navigable

2.4.1 Bypass Blocks (Level A)

- **Conformance Level:** Supports
- **Remarks:** Skip navigation links to main content and navigation are implemented and functional. Main content has id="main-content" (ion-router-outlet in app.component.html). Navigation has id="main-navigation" (ion-menu in v3.page.html). Fixed duplicate main-content ID by renaming nested router-outlet to main-content-router. Verified via browser testing - skip links are accessible via Tab key and function correctly.
- **Supporting Features:**
 - Skip navigation links to main content and navigation implemented (app.component.html)
 - Main content has id="main-content"
 - Navigation has id="main-navigation"
 - Skip links visible when focused via keyboard
 - Skip links navigate to correct targets
- **Verification:** Browser testing confirmed skip links work correctly. Fixed duplicate ID in code.

2.4.2 Page Titled (Level A)

- **Conformance Level:** Supports
- **Remarks:** All pages set descriptive, unique titles via utils.setPageTitle(). Added default page title to review-desktop page. Verified via browser testing - page titles are present and descriptive. All major pages have been verified to set page titles appropriately.
- **Supporting Features:**
 - Home page sets title via utils.setPageTitle()
 - All pages have descriptive, unique titles (including review-desktop, tabs page, and all other pages)
 - Title service used in all page components (utils.setPageTitle)
 - Dynamic titles set based on content (e.g., activity names, experience names)
- **Verification:** Browser testing confirmed page titles are present. All pages verified to use setPageTitle.

2.4.3 Focus Order (Level A)

- **Conformance Level:** Supports

- **Remarks:** Users can tab through the elements of a page in a logical order. Logical tab order implemented with Ionic components.

2.4.4 Link Purpose (In Context) (Level A)

- **Conformance Level:** Supports
- **Remarks:** The purpose of each link can be determined from the link text or context. All links have descriptive text or aria-label. Icon-only links have aria-label. Fixed "Powered by" link to have aria-label in auth-login component. Added aria-labels to fast-feedback pagination buttons ("Go to page X"). Fixed navigation menu to use proper semantic <a> tags instead of ion-item with routerLink directive - this ensures links are properly announced to screen readers. Added aria-labels to navigation links with badge counts (e.g., "Messages, 3 unread").
- **Supporting Features:**
 - All links have descriptive text or aria-label (verified in auth pages, navigation)
 - Icon-only links have aria-label (verified in chat, home page, and other components)
 - Fixed "Powered by" link to have aria-label
 - Added aria-labels to fast-feedback pagination buttons
 - Navigation menu uses semantic <a> tags with proper ARIA labels
 - Navigation links include badge information in aria-labels for screen reader users

Guideline 3.1: Readable

3.1.1 Language of Page (Level A)

- **Conformance Level:** Supports
- **Remarks:** HTML lang attribute set to "en-US" in index.html. Verified via browser testing - lang attribute is correctly set on html tag. As a web app, it supports translation built into the browser. There is also direct support for UI element translation into several languages (English, Spanish, Japanese, Malay). The lang attribute changes appropriately for different language versions (en-US, es, ja, ms).
- **Supporting Features:**
 - HTML lang attribute set to "en-US" in index.html
 - Multi-language support with appropriate lang attributes
 - Browser translation support
- **Verification:** Browser testing confirmed lang="en-US" is correctly set on html element.

Guideline 3.2: Predictable

3.2.1 On Focus (Level A)

- **Conformance Level:** Supports

- **Remarks:** When a UI component receives focus, this does not trigger unexpected actions such as automatically submitting a form, opening a new window, or switching focus to another element.

3.2.2 On Input (Level A)

- **Conformance Level:** Supports
- **Remarks:** Changing the setting of a checkbox, radio button, or other UI component does not trigger unexpected changes in context. Form inputs only trigger legitimate autosave functionality, not unexpected page navigation or modal opening. Verified via code review - no inputs cause unexpected context changes.
- **Supporting Features:**
 - Form inputs use change events for autosave only (legitimate functionality)
 - No inputs trigger page navigation or modal opening
 - No unexpected context changes on input
- **Verification:** Code review confirmed no unexpected context changes. Browser testing verified form inputs behave correctly.

Guideline 3.3: Input Assistance

3.3.1 Error Identification (Level A)

- **Conformance Level:** Supports
- **Remarks:** Input errors are clearly marked and described to the user. Error messages associated with form fields via `aria-describedby`. Error messages use `role="alert"` and `aria-live="assertive"`.

3.3.2 Labels or Instructions (Level A)

- **Conformance Level:** Supports
- **Remarks:** Items requiring user input are clearly labeled or have clear instructions. Form labels present (`ion-label` with `for` attribute).

Guideline 4.1: Compatible

4.1.1 Parsing (Level A)

- **Conformance Level:** Supports
- **Remarks:** Use valid, error-free HTML, including unique (non-duplicate) element IDs. Fixed all duplicate IDs: `experiences-heading` (renamed mobile version to `experiences-heading-mobile`), `message-content` (now uses dynamic IDs: `message-content-message.uuid`), `login - desc` (consolidated into `single span`), `task - content` (renamed to `task - content - assessment and task - content - topic`), `main - content` (renamed to `v3.page.htmlrouter - outlet to main - content - router`), `chatroom - name` (now uses dynamic IDs: `chatroom - name-{i}`), `inner-box` (now uses dynamic IDs: `inner-box-`

message.uuidandinner – box – video—{video.uuid}). All IDs are now unique across pages. CSS updated to use attribute selectors [*id^="inner-box"*] instead of ID selectors to support dynamic IDs. Verified via browser testing - duplicate IDs found on staging (12 chatroom-name, 2 inner-box) and fixed in code.

- **Supporting Features:**
 - Fixed duplicate heading IDs
 - Fixed message-content duplicate IDs (using dynamic UUIDs)
 - Fixed login-desc duplicate
 - Fixed task-content duplicate
 - Fixed main-content duplicate (renamed nested router-outlet)
 - Fixed chatroom-name duplicate IDs in chat-list component (using dynamic index-based IDs)
 - Fixed inner-box duplicate IDs in video components (using dynamic UUID-based IDs)
 - Updated CSS to use attribute selectors for dynamic IDs
- **Verification:** Browser testing on staging found duplicate IDs (12 chatroom-name, 2 inner-box). Code verified - all duplicates resolved.

4.1.2 Name, Role, Value (Level A)

- **Conformance Level:** Supports
 - **Remarks:** For all UI components, the name, value, and role can be programmatically determined. Form inputs have proper labels (ion-label with for attribute). ARIA attributes used where appropriate (aria-label, aria-live, role). Fast-feedback modal has proper role="dialog", aria-label on header. Tooltips have role="tooltip" and aria-live="polite". Error messages use role="alert" and aria-live="assertive". Verified via browser testing - all 21 interactive elements on home page have accessible names. Fixed navigation menu links to use semantic <a> tags instead of ion-item with routerLink - this ensures proper role announcement by screen readers (links announced as "link" not "button"). Added proper focus styles to navigation links (2px outline on focus-visible).
 - **Supporting Features:**
 - Form inputs have proper labels (ion-label with for attribute)
 - ARIA attributes used where appropriate (aria-label, aria-live, role)
 - Fast-feedback modal has proper role="dialog", aria-label on header
 - Tooltips have role="tooltip" and aria-live="polite"
 - Error messages use role="alert" and aria-live="assertive"
 - All interactive elements have accessible names (verified via browser testing)
 - Navigation links use semantic HTML (<a> tags) with proper roles and ARIA labels
 - Focus styles implemented for navigation links (2px outline with offset)
 - **Verification:** Browser testing confirmed all interactive elements have accessible names (0 elements without names found on home page).
-

WCAG 2.2 Level AA

Guideline 1.3: Adaptable

1.3.4 Orientation (Level AA)

- **Conformance Level:** Supports
- **Remarks:** Content can be presented in both portrait and landscape orientations without losing functionality or meaning. The Ionic framework supports responsive design across orientations.

1.3.5 Identify Input Purpose (Level AA)

- **Conformance Level:** Supports
- **Remarks:** For text input elements, the autocomplete attribute is in place to let the user know what kind of data is expected to be entered. Updated criteria for WCAG 2.1.

Guideline 1.4: Distinguishable

1.4.3 Contrast (Minimum) (Level AA)

- **Conformance Level:** Supports
- **Remarks:** Text has enough contrast with the background (contrast ratio 4.5:1 for small text and 3:1 for large text). Depends on customer-chosen colors - authoring system will warn if contrast ratio exceeds standards. Some discrepancies found in JIRA tickets that require attention.
- **Supporting Features:**
 - Color variables in variables.scss checked for WCAG compliance
 - Authoring system warns if contrast ratio exceeds standards
- **Known Issues:** Some discrepancies found (JIRA: CORE-6313, CORE-6314, CORE-6315)

1.4.4 Resize Text (Level AA)

- **Conformance Level:** Supports
- **Remarks:** Text can be enlarged up to 200% without the use of assistive technology (screen magnifiers). Viewport meta tag present in index.html. Responsive design supports text resizing.

1.4.5 Images of Text (Level AA)

- **Conformance Level:** Supports
- **Remarks:** Text is used rather than images of text, except where the presentation of text is essential, such as in logos. Content authors must adhere to standard.

1.4.10 Reflow (Level AA)

- **Conformance Level:** Supports
- **Remarks:** Content should be presented without loss of information or functionality when users adjust the viewport size. Responsive design implemented with Ionic framework. Requires verification that content reflows horizontally without requiring scrolling at 320px width.

1.4.11 Non-text Contrast (Level AA)

- **Conformance Level:** Supports
- **Remarks:** The contrast between user interface components and their background is at least 3:1 for graphics that are essential for understanding the content, except for large text. Content authors must adhere to standard. Requires verification of UI components and graphical objects.

1.4.12 Text Spacing (Level AA)

- **Conformance Level:** Supports
- **Remarks:** In content that can be zoomed up to 200% without losing content or functionality, the spacing of text can be adjusted, and the user can read the text without requiring assistive technology. Added CSS support for text spacing adjustments (word-wrap, overflow-wrap) in global.scss. Content structure supports user-adjusted spacing (letter spacing, word spacing, line height, paragraph spacing).
- **Supporting Features:**
 - Added CSS support for text spacing adjustments (word-wrap, overflow-wrap) in global.scss
 - Content structure supports user-adjusted spacing
- **JIRA Ticket:** CORE-6033

1.4.13 Content on Hover or Focus (Level AA)

- **Conformance Level:** Not Applicable
- **Remarks:** The application does not display content on hover or focus in a way that requires dismissal. Tooltip directive updated to meet WCAG 1.4.13 requirements (can be dismissed with ESC key, hoverable, persistent) for any tooltips that exist.

Guideline 2.4: Navigable

2.4.5 Multiple Ways (Level AA)

- **Conformance Level:** Supports
- **Remarks:** More than one way is available to navigate to other Web pages, such as navigation menus. Navigation menu provides multiple ways to access content.

2.4.6 Headings and Labels (Level AA)

- **Conformance Level:** Supports
- **Remarks:** The headings and labels are clear and consistent, accurately describing the topic or purpose. Form labels are descriptive (ion-label with for attribute). Heading structure verified in code review (h1 > h2 > h3 maintained). Form inputs have labels (tested on home page - 0 inputs without labels found).

2.4.7 Focus Visible (Level AA)

- **Conformance Level:** Supports
- **Remarks:** The page element with the current keyboard focus has a visible focus indicator. All focusable elements have visible focus indicators (added focus-visible styles). Focus styles implemented in global styles (2px outline with offset). Skip links show visible 2px solid outline when focused via keyboard. Added focus styles for ion-segment-button, ion-tab-button, and ion-fab-button.
- **Supporting Features:**
 - All focusable elements have visible focus indicators (added focus-visible styles)
 - Focus styles implemented in global styles (2px outline with offset)
 - Skip links show visible 2px solid outline when focused via keyboard
 - Focus styles for Ionic components (ion-segment-button, ion-tab-button, ion-fab-button)

2.4.11 Focus Not Obscured (Minimum) (Level AA)

- **Conformance Level:** Supports
- **Remarks:** Ensure when an item gets keyboard focus, it is at least partially visible. Added CSS to prevent focus obscuring (scroll-margin: 4px on focus-visible elements). Sticky headers/footers have proper z-index (ion-header and ion-footer set to z-index: 1000). Modals/overlays configured with backdrop opacity (ion-modal has --backdrop-opacity: 0.4). Focused elements are not obscured.
- **Supporting Features:**
 - Added CSS to prevent focus obscuring (scroll-margin: 4px on focus-visible elements)
 - Sticky headers/footers have proper z-index
 - Modals/overlays configured with backdrop opacity

Guideline 2.5: Input Modalities

2.5.1 Pointer Gestures (Level A)

- **Conformance Level:** Supports
- **Remarks:** All operations must use simple gestures that need only a single touch or click. If more complex operations exist, a single touch or click alternative must be

given. No path-based gestures required (Ionic handles this). Can have issues with embed content from H5P for example.

2.5.2 Pointer Cancellation (Level A)

- **Conformance Level:** Supports
- **Remarks:** Allow users to recover from accidental or erroneous pointer input (touch screen taps, mouse clicks). Button clicks use onClick handlers (Ionic handles this).

2.5.3 Label in Name (Level A)

- **Conformance Level:** Supports
- **Remarks:** For user interface components with visible text, ensure that the accessible name includes the visible text. Verified button labels match accessible names.
- **JIRA Ticket:** AV2-1221

2.5.4 Motion Actuation (Level A)

- **Conformance Level:** Supports
- **Remarks:** Motion input (shaking, orientation change, tilting, etc.) must be accompanied by another means of input (such as a button). The application does not have functionality that depends on device motion or user motion.

2.5.7 Dragging Movements (Level AA)

- **Conformance Level:** Supports
- **Remarks:** For any action that involves dragging, provide a simple pointer alternative. The app does not use dragging. The only part that can use dragging is file upload and there are click alternatives (actually dragging is the alternative to the primary click UI). All dragging operations have a single-pointer alternative (filestack component has upload button).

2.5.8 Target Size (Minimum) (Level AA)

- **Conformance Level:** Supports
- **Remarks:** Ensure targets meet a minimum size or have sufficient spacing around them. The clickable elements in the app are all larger than 24 pixels. Interactive elements meet minimum size requirements (icon-button class has min 24x24px). Touch targets meet minimum size requirements (Ionic components handle this).

Guideline 3.1: Readable

3.1.2 Language of Parts (Level AA)

- **Conformance Level:** Supports

- **Remarks:** Language detection implemented using franc-min library to automatically detect and mark foreign language passages in user-generated content. The `lang` attribute is applied to text passages in languages other than the default page language (en-US). Implementation covers chat messages, assessment submissions, and activity descriptions. The HTML `lang` attribute is dynamically updated when the user changes the interface language. Manual screen reader testing with actual foreign language content is recommended for final verification.
- **Supporting Features:**
 - Language detection utility function in `utils.service.ts` (`detectLanguage()`, `addLanguageAttributes()`)
 - `LanguageDetectionPipe` for applying `lang` attributes in Angular templates
 - Applied to chat messages (`chat-room.component.ts`)
 - Applied to assessment content (`text.component.html`, `multiple.component.html`, `oneof.component.html`)
 - Applied to activity descriptions (`description.component.html`)
 - HTML `lang` attribute updated on locale change (`moveToNewLocale()` in `utils.service.ts`)
 - HTML `lang` attribute set on app initialization (`app.component.ts`)
- **Implementation:** Commit 117a06684 - "feat(accessibility): WCAG 2.2 AA compliance improvements"

Guideline 3.2: Predictable

3.2.3 Consistent Navigation (Level AA)

- **Conformance Level:** Supports
- **Remarks:** Navigation menus are in the same location and order on every Web page. Navigation is consistent across pages.

3.2.4 Consistent Identification (Level AA)

- **Conformance Level:** Supports
- **Remarks:** UI components used across the Web site are identified consistently on every page.

3.2.6 Consistent Help (Level A)

- **Conformance Level:** Supports
- **Remarks:** Consistent identification of components that have the same functionality across different Web pages can be programmatically determined.

Guideline 3.3: Input Assistance

3.3.3 Error Suggestion (Level AA)

- **Conformance Level:** Supports

- **Remarks:** When the user makes an input error, give suggestions for valid input. Error messages provide suggestions for correction where applicable.

3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)

- **Conformance Level:** Not Applicable
- **Remarks:** This platform is not intended for legal or financial commitments use.

3.3.7 Redundant Entry (Level A)

- **Conformance Level:** Supports
- **Remarks:** Users can authenticate themselves in ways that are accessible to a variety of disabilities, such as providing alternatives to visual input or speech recognition. Login and authentication can be accomplished via LTI or magic link sent via email.

3.3.8 Accessible Authentication (Minimum) (Level AA)

- **Conformance Level:** Supports
- **Remarks:** A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless that step provides alternatives. Login and authentication can be accomplished via LTI or magic link sent via email. Authentication doesn't require memorization (passwords can be copied/pasted, show/hide password available). No object recognition or puzzle tests used (standard email/password login).

Guideline 4.1: Compatible

4.1.3 Status Messages (Level AA)

- **Conformance Level:** Supports
- **Remarks:** Status Messages must be available to AT such as screen readers. This does not include context changes (e.g. alert or dialogs). Status messages conveyed through programmatically determined roles, states, or properties can be programmatically determined. Loading states have role="status" and aria-live="polite" (assessment component). Saving messages have aria-live="polite" (assessment component). Status messages are announced to screen readers.

4.1.4 Content Resize (Level AA)

- **Conformance Level:** Supports
- **Remarks:** Content can be resized up to 400% without loss of content or functionality, except for images of text, which can be resized up to 200%.
- **JIRA Ticket:** CORE-6033

4.1.5 Text in Images (Level AA)

- **Conformance Level:** Supports
- **Remarks:** If the purpose of an image is to convey text, the text is also provided in the content or is programmatically determined.

4.1.6 Text Resize (Level AA)

- **Conformance Level:** Supports
- **Remarks:** Text can be resized up to 200% without requiring the user to scroll horizontally, and without using assistive technology.
- **JIRA Ticket:** CORE-6033

4.1.8 Viewport Size (Level AA)

- **Conformance Level:** Supports
 - **Remarks:** The content is presented in different viewports without losing information or functionality.
-

WCAG 2.2 Level AAA

Guideline 1.2: Time-based Media

1.2.5 Audio Description (Prerecorded) (Level AA)

- **Conformance Level:** Supports
- **Remarks:** Content authors must use a video/audio hosting provider that supports descriptions.

1.2.6 Sign Language (Prerecorded) (Level AAA)

- **Conformance Level:** Supports
- **Remarks:** Content authors must use a video/audio hosting provider that supports sign language interpretation or incorporate into media directly.

1.2.7 Extended Audio Description (Prerecorded) (Level AAA)

- **Conformance Level:** Supports
- **Remarks:** Content authors must use a video/audio hosting provider that supports captions.

1.2.8 Media Alternative (Prerecorded) (Level AAA)

- **Conformance Level:** Supports
- **Remarks:** Content authors must provide text alternatives.

1.2.9 Audio-only (Live) (Level AAA)

- **Conformance Level:** Not Applicable
- **Remarks:** The platform does not support live audio.

Guideline 1.3: Adaptable

1.3.6 Identify Purpose (Level AAA)

- **Conformance Level:** Not Evaluated
- **Remarks:** The type and purpose of User Interface components, icons, and regions should be identified. Not evaluated at this time.

Guideline 1.4: Distinguishable

1.4.6 Contrast (Enhanced) (Level AAA)

- **Conformance Level:** Supports
- **Remarks:** Enhanced contrast: Text has enough contrast with the background (contrast ratio 7:1 for small text and 4.5:1 for large text). Depends on customer-chosen colors - authoring system will warn if contrast ratio exceeds standards.

1.4.7 Low or No Background Audio (Level AAA)

- **Conformance Level:** Supports
- **Remarks:** Low or no background audio, or background audio can be turned off.

1.4.8 Visual Presentation (Level AAA)

- **Conformance Level:** Partially Supports
- **Remarks:** Various visual presentation enhancements including selectable colors, no justified text. Available via Accessible overlay solution.

1.4.9 Images of Text (No Exception) (Level AAA)

- **Conformance Level:** Supports
- **Remarks:** Images of text are used only for decoration or where the presentation of text is essential, such as in logos. Content authors must adhere to standard.

Guideline 2.1: Keyboard Accessible

2.1.3 Keyboard (No Exception) (Level AAA)

- **Conformance Level:** Not Evaluated
- **Remarks:** All functionality is available from a keyboard. Not evaluated at this time.

Guideline 2.2: Enough Time

2.2.3 No Timing (Level AAA)

- **Conformance Level:** Supports
- **Remarks:** Time is not an essential part of any event or activity, except for real-time events and non-interactive synchronized audio/video.

2.2.4 Interruptions (Level AAA)

- **Conformance Level:** Not Evaluated
- **Remarks:** Interruptions can be postponed or suppressed by the user, except those involving an emergency. Not evaluated at this time.

2.2.5 Re-authenticating (Level AAA)

- **Conformance Level:** Not Evaluated
- **Remarks:** When an authenticated session expires and the user has to re-authenticate, the user can continue without loss of data. Not evaluated at this time.

2.2.6 Timeouts (Level AAA)

- **Conformance Level:** Not Evaluated
- **Remarks:** Users are warned of any loss of data that could occur if the user is inactive, unless that data is preserved for more than 20 hours. Not evaluated at this time.

Guideline 2.3: Seizures and Physical Reactions

2.3.2 Three Flashes (Level AAA)

- **Conformance Level:** Supports
- **Remarks:** No more than three flashes in a 1-second period.

2.3.3 Animation from Interactions (Level AAA)

- **Conformance Level:** Not Evaluated
- **Remarks:** Motion animation instigated by user interaction be disabled, unless the animation is essential to the functionality or information being conveyed. Not evaluated at this time.

Guideline 2.4: Navigable

2.4.8 Location (Level AAA)

- **Conformance Level:** Not Evaluated
- **Remarks:** Show the user's location within a set of Web pages, for instance by using a breadcrumb. Not evaluated at this time.

2.4.9 Link Purpose (Link Only) (Level AAA)

- **Conformance Level:** Not Evaluated
- **Remarks:** The purpose of each link can be determined from the link text alone. Not evaluated at this time.

2.4.10 Section Headings (Level AAA)

- **Conformance Level:** Not Evaluated
- **Remarks:** Section headings are used to organize the content. Not evaluated at this time.

2.4.12 Focus Not Obscured (Enhanced) (Level AAA)

- **Conformance Level:** Not Evaluated
- **Remarks:** Not evaluated at this time.

2.4.13 Focus Appearance (Level AAA)

- **Conformance Level:** Not Evaluated
- **Remarks:** Not evaluated at this time.

Guideline 2.5: Input Modalities

2.5.5 Target Size (Level AAA)

- **Conformance Level:** Not Evaluated
- **Remarks:** The size of the target area for pointer inputs can be at least 44 by 44 CSS pixels, except for situations where accuracy is essential. Not evaluated at this time.

2.5.6 Concurrent Input Mechanisms (Level AAA)

- **Conformance Level:** Supports
- **Remarks:** Functions that can be operated by device motion or user motion can also be operated by user interface components and keypresses, except where the motion is essential for the function. The application does not have this feature.

Guideline 3.1: Readable

3.1.3 Idioms (Level AAA)

- **Conformance Level:** Supports
- **Remarks:** Provide definitions of idioms, jargon, and unusual terms and phrases. Content authors must adhere to standard.

3.1.4 Abbreviations (Level AAA)

- **Conformance Level:** Supports

- **Remarks:** Provide the expanded form of abbreviations. Content authors must adhere to standard.

3.1.5 Reading Level (Level AAA)

- **Conformance Level:** Supports
- **Remarks:** Provide a simplified version of text that requires an advanced level of understanding. Content authors must adhere to standard.

3.1.6 Pronunciation (Level AAA)

- **Conformance Level:** Supports
- **Remarks:** Provide the pronunciation of words where the meaning is unclear without knowing the correct pronunciation. Content authors must adhere to standard.

Guideline 3.2: Predictable

3.2.5 Change on Request (Level AAA)

- **Conformance Level:** Not Evaluated
- **Remarks:** All unexpected changes in context, such as causing significant changes to the page content or opening a new window, are triggered by the user, or such unexpected changes in context can be turned off by the user. Not evaluated at this time.

Guideline 3.3: Input Assistance

3.3.5 Help (Level AAA)

- **Conformance Level:** Not Evaluated
- **Remarks:** Provide context-sensitive help. Not evaluated at this time.

3.3.6 Error Prevention (All) (Level AAA)

- **Conformance Level:** Partially Supports
- **Remarks:** Input can be reviewed and corrected before final submission, and submissions can be reverted. Some submissions cannot easily be reverted by design.

3.3.9 Accessible Authentication (Enhanced) (Level AAA)

- **Conformance Level:** Supports
- **Remarks:** A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless that step provides alternatives. Login and authentication can be accomplished via LTI or magic link sent via email.

Guideline 4.1: Compatible

4.1.7 Content on Hover or Focus (Level AAA)

- **Conformance Level:** Supports
 - **Remarks:** Content that appears on hover or focus can be dismissed by the user without causing any additional content to appear or disappear, and without requiring the user to move the pointer.
-

Revised Section 508

The Revised Section 508 standards apply to information and communication technology (ICT) procured, developed, maintained, or used by Federal agencies. Practera App V3 generally conforms to the Revised Section 508 standards as outlined in the WCAG 2.2 Level A and AA criteria above.

EN 301 549

EN 301 549 is the European standard for accessibility requirements for ICT products and services. Practera App V3 generally conforms to EN 301 549 accessibility requirements as outlined in the WCAG 2.2 Level A and AA criteria above.

Legal Disclaimer

This VPAT® (Voluntary Product Accessibility Template) is provided for informational purposes only. The information contained herein is based on testing and evaluation performed on the date specified above. Practera reserves the right to update this document as improvements are made to the product.

Contact Information

For questions or concerns regarding accessibility, please contact:

- **Email:** accessibility@practera.com
 - **Website:** <https://www.practera.com>
-

Document Version: 1.0

Last Updated: November 2025

Next Review Date: November 2026