


# CSS ASSIGNMENT

INTESHAB ALAM

RA2031241010094


Q 1) Unordered list using css

HTML CODE




```
File Edit Selection View Go Run Terminal Help unordered.html - Visual Studio Code
# productr.css time.html # recipe.css # time1.css Resume.html
C: > Users > User > Desktop > HTML > time.html > html > body > section.hero-section >
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>Document</title>
8   <link rel="stylesheet" href="unoreder.css">
9 </head>
10 <body>
11   <section class="hero-section">
12     <u><h2 style="color: sienna">UNORDERED LIST</h2></u>
13     <i>
14       <font size="5">
15         <ul>
16           <li style="color: rgb(250, 249, 249)">RANCHI</li>
17           <li style="color: rgb(0, 255, 76)">PATNA</li>
18           <li style="color: rgb(9, 162, 250)">KOLKTA</li>
19           <li style="color: rgb(4, 41, 248)">MUMBAI</li>
20           <li style="color: rgb(252, 1, 177)">CHENNAI</li>
21         </ul>
22       </font>
23     </i>
24   </section>
25 </body>
26 </html>
```

## CSS CODE



```
File Edit Selection View Go Run Terminal Help
# productr.css < time.html # recipe.css # tim
C: > Users > User > Desktop > HTML > # unoreder.css > .hero-section
1 .hero-section {
2     background-color: rgb(255, 2, 2);
3     height: 50vh;
4 }
```

## OUTPUT



## Q 2) Create table using html and css

### HTML CODE

```
time.html - Visual Studio Code
File Edit Selection View Go Run Terminal Help
# productr.css # time.html X # recipe.css # time1.css Resume.html vaccineform.html unordered.html # un
C: > Users > User > Desktop > HTML > time.html > html > body > table > tr.odd > td
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8">
5 <meta http-equiv="X-UA-Compatible" content="IE=edge">
6 <meta name="viewport" content="width=device-width, initial-scale=1.0">
7 <title>Document</title>
8 <link rel="stylesheet" href="time1.css">
9 </head>
10 <body>
11 <center><h1>TIME TABLE</h1></center>
12 <table border="6" cellspacing="0" align="center">
13 <tr>
14 <td align="center" height="50" width="100" style="background-color: #mediumorchid;">
15 <b>DAY ORDER</b></td>
16 <td align="center" height="50" width="100" style="background-color: #silver;"><b>9.30-10.10</b></td>
17 <td align="center" height="50" width="100" style="background-color: #silver;"><b>10.20-11.00</b></td>
18 <td align="center" height="50" width="100" style="background-color: #silver;"><b>11.10-11.50</b></td>
19 <td align="center" height="50" width="100" style="background-color: #silver;"><b>12.00-12.40</b></td>
20 <td align="center" height="50" width="100" style="background-color: #silver;"><b>1.20-2.00</b></td>
21 <td align="center" height="50" width="100" style="background-color: #silver;"><b>2.10-2.50</b></td>
22 </tr>
23 <tr class="odd">
24 <td align="center" height="50" width="100" style="background-color: #mediumturquoise;">
25 <b>DAY 1</b></td>
26 <td align="center" height="50" width="100">JAVA(AS)</td>
27 <td align="center" height="50" width="100">OS(AR)</td>
28 <td align="center" height="50" width="100">MATHS</td>
29 <td align="center" height="50" width="100">WD(MR)</td>
30 <td colspan="2" align="center" height="50" width="100">JAVA LAB(AS)</td>
31 </tr>
32
```

```
time.html - Visual Studio Code
File Edit Selection View Go Run Terminal Help
# productr.css # time.html X # recipe.css # time1.css Resume.html vaccineform.html unordered.html # un
C: > Users > User > Desktop > HTML > time.html > html > body > table > tr.odd > td
33 <tr class="even">
34 <font></font>
35 <td align="center" height="50" width="100" style="background-color: #mediumturquoise;">
36 <b>DAY 2</b></td>
37 <td align="center" height="50" width="100">MATHS</td>
38 <td align="center" height="50" width="100">WD(MR)</td>
39 <td align="center" height="50" width="100">JAVA(AS)</td>
40 <td align="center" height="50" width="100">OS(AR)</td>
41 <td colspan="2" align="center" height="50" width="100">JAVA LAB(AS)</td>
42 </tr>
43
44 <tr class="odd">
45 <td align="center" height="50" width="100" style="background-color: #mediumturquoise;">
46 <b>DAY 3</b></td>
47 <td colspan="2" align="center" height="50" width="100">OS(AR)</td>
48 <td align="center" height="50" width="100">JAVA(AS)</td>
49 <td align="center" height="50" width="100">OS(AR)</td>
50 <td align="center" height="50" width="100">VAE</td>
51 <td align="center" height="50" width="100">WD(MR)</td>
52 </tr>
53 <tr class="even" font-color="white">
54 <td align="center" height="50" width="100" style="background-color: #mediumturquoise;">
55 <b>DAY 4</b></td>
56 <td colspan="2" align="center" height="50" width="100">WD(MR)</td>
57 <td align="center" height="50" width="100">MATHS</td>
58 <td align="center" height="50" width="100">VAE</td>
59 <td colspan="2" align="center" height="50" width="100">OS(AR)</td>
60 </tr>
61 <tr class="odd">
62 <td align="center" height="50" width="100" style="background-color: #mediumturquoise;">
63 <b>DAY 5</b></td>
64 <td align="center" height="50" width="100">OS(AR)</td>
```

```
File Edit Selection View Go Run Terminal Help
time.html - Visual Studio Code

# productr.css
time.html x # recipe.css # time1.css Resume.html vaccineform.html unordered.htm

C: > Users > User > Desktop > HTML > < time.html > html > body > table > tr.odd > td
56 <td colspan="2" align="center" height="50" width="100">WD(MR)</td>
57 <td align="center" height="50" width="100">MATHS</td>
58 <td align="center" height="50" width="100">VAE</td>
59 <td colspan="2" align="center" height="50" width="100">OS(AR)</td>
60 </tr>
61 <tr class="odd">
62 <td align="center" height="50" width="100" style="background-color: #mediumturquoise;">
63 <b>DAY 5</b></td>
64 <td align="center" height="50" width="100">OS(AR)</td>
65 <td align="center" height="50" width="100">MATHS</td>
66 <td colspan="2" align="center" height="50" width="100">WD(MR)</td>
67 <td align="center" height="50" width="100">WD LAB(MR)</td>
68 <td align="center" height="50" width="100">JAVA(AS)</td>
69 </tr>
70 </body>
71 </html>
```


## CSS CODE

```
File Edit Selection View Go Run Terminal Help

# productr.css
time.html # recipe.css # ti

C: > Users > User > Desktop > HTML > # time1.css > .even td
1 .odd {
2     background-color: #lightgray;
3 }
4 .even td {
5     background-color: #black;
6     color: #white;
7 }
```

# OUTPUT



## TIME TABLE

DAY ORDER	9.30-10.10	10.20-11.00	11.10-11.50	12.00-12.40	1.20-2.00	2.10-2.50
DAY 1	JAVA(AS)	OS(AR)	MATHS	WD(MR)	JAVA LAB(AS)	
DAY 2	MATHS	WD(MR)	JAVA(AS)	OS(AR)	JAVA LAB(AS)	
DAY 3	OS(AR)		JAVA(AS)	OS(AR)	VAE	WD(MR)
DAY 4	WD(MR)		MATHS	VAE	OS(AR)	
DAY 5	OS(AR)	MATHS	WD(MR)		WD LAB(MR)	JAVA(AS)



## Q 3)Recipe Website

### HTML CODE

```
File Edit Selection View Go Run Terminal Help
recipe.html - Visu


> inte.html > orderunorder.html > timetable.html > recipe.html > # productr.c

C: > Users > User > Desktop > HTML > > recipe.html > html > body > div.header
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4     <meta charset="UTF-8">
5     <meta http-equiv="X-UA-Compatible" content="IE=edge">
6     <meta name="viewport" content="width=device-width, initial-scale=1.0">
7     <title>Document</title>
8     <link rel="stylesheet" href="recipe.css">
9 </head>
10 <body>
11     <div class="header">
12         <h1>Simple White Cake</h1> vb
13         <nav>
14             <ul>
15                 <li><a href="">Home</a></li>
16                 <li><a href="">About</a></li>
17                 <li><a href="">Recipes</a></li>
18                 <li><a href="">Desserts</a></li>
19                 <li><a href="">Cakes</a></li>
20                 <li><a href="">Contact</a></li>
21             </ul>
22         </nav>
23         <div class="row">
24             <div class="col-1">
25                 
26             </div>
27             <div class="col-1">
28                 
29             </div>
30             <div class="col-1">
31                 
32             </div>
33         </div>
```

```
File Edit Selection View Go Run Terminal Help
recipe.html - Visual Studio Code
C:\Users\User\Desktop\HTML> recipe.html > html > body > div.header
35 <div class="row">
36 <div class="col-2">
37 <h2>Ingredients</h2>
38 <ul>
39 <li>1 cup white sugar</li><br>
40 <li>1/2 cup butter</li><br>
41 <li>2 eggs</li><br>
42 <li>2 teaspoon vanilla extract</li><br>
43 <li>1 1/2 all purpose flour</li><br>
44 <li>3/4 teaspoon baking powder</li><br>
45 <li>1/2 cup milk</li><br>
46 </ul>
47 </div>
48 <div class="col-2">
49 <ul>
50 <li>Prep :- 20 mins</li><br>
51 <li>Cook :- 30 mins</li><br>
52 <li>Total :-50 mins</li><br>
53 <li>Servings :- 12</li><br>
54 </ul>
55 </div>
56 </div>
57 <h3>Directions</h3><br>
58 <h4>Step 1:</h4>
59 <p>Preheat oven to 350 degrees F (175 degrees C). Grease and flour a 9x9 inch pan or line a muffin pan with paper liners.</p><br>
60 <h5>Step 2:</h5>
61 <p>In a medium bowl, cream together the sugar and butter. Beat in the eggs, one at a time, then stir in the vanilla. Combine flour and ba
62 <h6>Step 3:</h6>
63 <p>Bake for 30 to 40 minutes in the preheated oven. For cupcakes, bake 20 to 25 minutes. Cake is done when it springs back to the touch.<
64 </div>
65
66 </body>
67 </html>
```

## CSS CODE

```
File Edit Selection View Go Run Terminal Help
C:\Users\User\Desktop\HTML> # recipe.css > .col-2
1 nav{
2   flex: 1;
3   text-align: right;
4 }
5 nav ul{
6   display: inline-block;
7   list-style-type: none;
8 }
9 nav ul li{
10  display: inline-block;
11  margin-right: 20px;
12 }
13 .row{
14   display: flex;
15   align-items: center;
16   flex-wrap: wrap;
17   justify-content: space-around;
18 }
19 .col-1{
20   flex-basis: 30%;
21   min-width: 250px;
22   margin-bottom: 30px;
23 }
24 .col-1 img{
25   width: 100%;
26 }
27 .header{
28   background: radial-gradient(white 1px, transparent 0);
29 }
30 .col-2{
31   flex-basis: 30%;
32   min-width: 250px;
33   margin-bottom: 30px;
34 }
```





The image shows a Visual Studio Code editor window with a dark theme. The top menu bar includes File, Edit, Selection, View, Go, Run, Terminal, and Help. Below the menu bar, there are four tabs: inte.html, orderunorder.html, timetable.html, and recipe.html. The active tab is recipe.html, and the file path in the breadcrumb is C: > Users > User > Desktop > HTML > # recipe.css > .col-2. The left sidebar contains icons for Explorer, Search, Source Control, Run and Debug, and Extensions. The main editor area displays CSS code for a recipe page layout. The code includes a navigation bar with a list of items, a flex container for the main content, and a header with a radial gradient background. The code is as follows:

```
9  nav ul li{
10      display: inline-block;
11      margin-right: 20px;
12  }
13  .row{
14      display: flex;
15      align-items: center;
16      flex-wrap: wrap;
17      justify-content: space-around;
18  }
19  .col-1{
20      flex-basis: 30%;
21      min-width: 250px;
22      margin-bottom: 30px;
23  }
24  .col-1 img{
25      width: 100%;
26  }
27  .header{
28      background: radial-gradient(■ #fff, ■ #ffd6d6);
29  }
30  .col-2{
31      flex-basis: 30%;
32      min-width: 250px;
33      margin-bottom: 30px;
34  }
```



# OUTPUT



## Q 4)Product Landing Page

### HTML CODE

```
File Edit Selection View Go Run Terminal Help product.html - Visual Studio Code
C:\Users\User\Desktop\HTML> product.html > html > body > div.row > div.col-6 > p
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>RedStore</title>
8   <link rel="stylesheet" href="productr.css">
9   <link rel="preconnect" href="https://fonts.googleapis.com">
10  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
11  <link href="https://fonts.googleapis.com/css2?family=Poppins:ital,wght@0,100;0,500;1,200;1,300&display=swap" rel="stylesheet">
12 </head>
13 <body>
14   <div class="header">
15     <div class="container">
16       <div class="navbar">
17         <div class="logo">
18           
19         </div>
20         <nav>
21           <ul>
22             <li><a href="">Home</a></li>
23             <li><a href="">Products</a></li>
24             <li><a href="">About</a></li>
25             <li><a href="">Contact</a></li>
26             <li><a href="">Account</a></li>
27           </ul>
28         </nav>
29         
30       </div>
31       <div class="row">
32         <div class="col-2">
33           <h1>Give Your Workout <br>A New Style</h1>
```

```
File Edit Selection View Go Run Terminal Help product.html - Visual Studio Code
C:\Users\User\Desktop\HTML> product.html > html > body > div.row > div.col-6 > p
27 </ul>
28 </nav>
29 
30 </div>
31 <div class="row">
32   <div class="col-2">
33     <h1>Give Your Workout <br>A New Style!</h1>
34     <p>Success isn't always about greatness. It's about consistency. </p>
35     <a href="" class="btn">Explore Now</a>
36   </div>
37   <div class="col-2">
38     
39   </div>
40 </div>
41 </div>
42 </div>
43 <!-------featured categories----->
44 <div class="categories">
45   <div class="small-container">
46     <div class="row">
47       <div class="col-3">
48         
49       </div>
50       <div class="col-3">
51         
52       </div>
53       <div class="col-3">
54         
55       </div>
56     </div>
57   </div>
58 </div>
59 </div>
```

```
File Edit Selection View Go Run Terminal Help
<> inte.html <> orderunorder.html <> timetable.html
C: > Users > User > Desktop > HTML > <> product.html > html >
59 </div>
60 <!-------featured products----->
61 <div class="small-container">
62 <h2>
63     Featured Products
64 </h2>
65 <div class="row">
66 <div class="col-4">
67     
68     <h4>Blach T-Shirt</h4>
69     <p>Rs 400.00</p>
70 </div>
71 <div class="col-4">
72     
73     <h4>White T-Shirt</h4>
74     <p>Rs 400.00</p>
75 </div>
76 <div class="col-4">
77     
78     <h4>Blue Printed T-Shirt</h4>
79     <p>Rs 400.00</p>
80 </div>
81 </div>
82 </div>
83 <div class="row">
84 <div class="col-5">
85     
86     <h5>White Track Pant</h5>
87     <p>Rs 550.00</p>
88 </div>
89 <div class="col-5">
90     
91     <h5>Black Track Pant</h5>
```

```
File Edit Selection View Go Run Terminal Help
<> inte.html <> orderunorder.html <> timetable.html
C: > Users > User > Desktop > HTML > <> product.html > html >
// 
78 <h4>Blue Printed T-Shirt</h4>
79 <p>Rs 400.00</p>
80 </div>
81 </div>
82 </div>
83 <div class="row">
84 <div class="col-5">
85     
86     <h5>White Track Pant</h5>
87     <p>Rs 550.00</p>
88 </div>
89 <div class="col-5">
90     
91     <h5>Black Track Pant</h5>
92     <p>Rs 550.00</p>
93 </div>
94 <div class="col-5">
95     
96     <h5>Red Track Pant</h5>
97     <p>Rs 550.00</p>
98 </div>
99 </div>
100 <div class="row">
101 <div class="col-6">
102     
103     <h6>Puma White Running Shoes</h6>
104     <p>Rs 2500.00</p>
105 </div>
106 <div class="col-6">
107     
108     <h6>Nike Running Shoes</h6>
109     <p>Rs 3200.00</p>
```


```
File Edit Selection View Go Run Terminal Help
<> inte.html <> orderunorder.html <> timetable.html
C: > Users > User > Desktop > HTML > <> product.html > html
90 Black Track Pant</h5>
92 <p>Rs 550.00</p>
93 </div>
94 <div class="col-5">
95 
96 <h5>Red Track Pant</h5>
97 <p>Rs 550.00</p>
98 </div>
99 </div>
100 <div class="row">
101 <div class="col-6">
102 
103 <h6>Puma White Running Shoes</h6>
104 <p>Rs 2500.00</p>
105 </div>
106 <div class="col-6">
107 
108 <h6>Nike Running Shoes</h6>
109 <p>Rs 3200.00</p>
110 </div>
111 <div class="col-6">
112 
113 <h6>Adidas Running Shoes</h6>
114 <p>Rs 4000.00</p>
115 </div>
116 </div>
117 </body>
118 </html>
```

## CSS CODE

```
File Edit Selection View Go Run Terminal Help
<> inte.html <> orderunorder.html <> timetable.htr
C: > Users > User > Desktop > HTML > # productr.css > .col
1 *{
2     margin: 0;
3     padding: 0;
4     box-sizing: border-box;
5 }
6
7 body{
8     font-family: 'Poppins', sans-serif;
9 }
10 .navbar{
11     display: flex;
12     align-items: center;
13     padding: 20px;
14 }
15 nav{
16     flex: 1;
17     text-align: right;
18 }
19 nav ul{
20     display: inline-block;
21     list-style-type: none;
22 }
23 nav ul li{
24     display: inline-block;
25     margin-right: 20px;
26 }
27 a{
28     text-decoration: none;
29     color: #555;
30 }
31 p{
32     color: #555;
33 }
```

```
File Edit Selection View Go Run Terminal Help
C: > Users > User > Desktop > HTML > # productr.css
30 }
31 p{
32     color: #555;
33 }
34 .container{
35     max-width: 1300px;
36     margin: auto;
37     padding-left: 25px;
38     padding-right: 25px;
39 }
40 .row{
41     display: flex;
42     align-items: center;
43     flex-wrap: wrap;
44     justify-content: space-around;
45 }
46 .col-2{
47     flex-basis: 50%;
48     min-width: 300px;
49 }
50 .col-2{
51     max-width: 100%;
52     padding: 50px 0;
53 }
54 .col-2 h1{
55     font-size: 50px;
56     line-height: 60px;
57     margin: 25px 0;
58 }
59 .btn{
60     display: inline-block;
61     background: #ff523b;
62     color: #fff;
63     padding: 8px 30px;
```



```
File Edit Selection View Go Run Terminal Help
C: > Users > User > Desktop > HTML > # productr.css > .col-6 img
64     border-radius: 30px;
65 }
66 .btn:hover{
67     background: #563434;
68 }
69 .header{
70     background: radial-gradient(#fff, #ffd6d6);
71 }
72 .categories{
73     margin: 70px 0;
74 }
75 .col-3{
76     flex-basis: 30%;
77     min-width: 250px;
78     margin-bottom: 30px;
79 }
80 .col-3 img{
81     width: 100%;
82 }
83 .small-container{
84     max-width: 1080px;
85     margin: auto;
86     padding-left: 25px;
87     padding-right: 25px;
88 }
89 .col-4{
90     flex-basis: 25%;
91     padding: 10px;
92     min-width: 200px;
93     margin-bottom: 50px;
94 }
95 .col-4 img{
96     width: 100%;
```



The image shows a screenshot of the Visual Studio Code editor. The top menu bar includes 'File', 'Edit', 'Selection', 'View', 'Go', 'Run', and 'Terminal'. Below the menu, there are two tabs: 'inte.html' and 'orderunorder.html'. The active tab is 'inte.html', and the file path is 'C: > Users > User > Desktop > HTML > # p'. The editor displays CSS code for a grid layout. The code is as follows:

```
88     }
89     .col-4{
90         flex-basis: 25%;
91         padding: 10px;
92         min-width: 200px;
93         margin-bottom: 50px;
94     }
95     .col-4 img{
96         width: 100%;
97     }
98     .col-5{
99         flex-basis: 25%;
100        margin: auto;
101        padding-left: 25px;
102        padding-right: 25px;
103    }
104    .col-5 img{
105        width: 100%;
106    }
107    .col-6{
108        flex-basis: 25%;
109        margin: auto;
110        padding-left: 25px;
111        padding-right: 25px;
112    }
113    .col-6 img{
114        width: 100%;
115    }
```

# OUTPUT







sports shoes - Google Search x RedStore x Document x RedStore x +

File | C:/Users/User/Desktop/HTML/product.html


### Featured Products




**Black T-Shirt**  
Rs 400.00





**White T-Shirt**  
Rs 400.00



**Blue Printed T-Shirt**  
Rs 400.00








Type here to search


2:57 PM 7/27/2021

sports shoes - Google Search x RedStore x Document x RedStore x +


File | C:/Users/User/Desktop/HTML/product.html




**White Track Pant**  
Rs 550.00




**Black Track Pant**  
Rs 550.00




**Red Track Pant**  
Rs 550.00



**Puma White Running Shoes**  
Rs 2500.00



**Nike Running Shoes**  
Rs 3200.00



**Adidas Running Shoes**  
Rs 4000.00

Type here to search

2:57 PM 7/27/2021