

REFERENCES

- Betancourt, M. (2017). A conceptual introduction to Hamiltonian Monte Carlo. arXiv preprint, arXiv:1701.02434.
- Box, G.E.P. and Jenkins, G.M. (1976). Time Series Analysis: Forecasting and Control. San Francisco: Holden-Day.
- Bradley, B.A., Jacob, R.W., Mustard, J.F., and Kucharik, C.J. (2007). A curve fitting procedure to derive inter-annual phenologies from time series of noisy satellite NDVI data. *Remote Sensing of Environment*, 106(2), 137–145.
- Clark, J.S. (2005). Why environmental scientists are becoming Bayesians. *Ecology Letters*, 8(1), 2–14.
- Cleveland, R.B., Cleveland, W.S., McRae, J.E., and Terpenning, I. (1990). STL: A seasonal-trend decomposition procedure based on Loess. *Journal of Official Statistics*, 6(1), 3–33.
- de Beurs, K.M. and Henebry, G.M. (2005). Land surface phenology and temperature variation in the International Geosphere-Biosphere Program high-latitude transects. *Global Change Biology*, 11(5), 779–790.
- Devi, M., Kumar, R., and Singh, P. (2020). NDVI-based crop monitoring using machine learning and time series analysis in Punjab, India. *Journal of the Indian Society of Remote Sensing*, 48(9), 1301–1315.
- Didan, K. (2015). MOD13Q1 MODIS/Terra Vegetation Indices 16-Day L3 Global 250 m SIN Grid V006 [Data set]. NASA EOSDIS Land Processes DAAC. <https://doi.org/10.5067/MODIS/MOD13Q1.006>.
- Ding, Y., Li, Z., and Peng, S. (2018). Global analysis of time-lag and-accumulation effects of climate on vegetation growth. *International Journal of Applied Earth Observation and Geoinformation*, 65, 27–39.
- Fensholt, R. and Proud, S.R. (2012). Evaluation of earth observation based global long term vegetation trends — Comparing GIMMS and MODIS global NDVI time series. *Remote Sensing of Environment*, 119, 131–147.
- Fensholt, R., Langanke, T., Rasmussen, K., et al. (2012). Greenness in semi-arid areas across the globe 1981–2007 — an earth observing satellite based analysis of trends and drivers. *Remote Sensing of Environment*, 121, 144–158.
- Gelman, A., Carlin, J.B., Stern, H.S., Dunson, D.B., Vehtari, A., and Rubin, D.B. (2013). *Bayesian Data Analysis* (3rd ed.). Boca Raton: CRC Press.
- Goodrich, B., Gabry, J., Ali, I., and Brilleman, S. (2023). rstanarm: Bayesian applied regression modeling via Stan. R package version 2.21.4. <https://mc-stan.org/rstanarm>.

- Gorelick, N., Hancher, M., Dixon, M., Ilyushchenko, S., Thau, D., and Moore, R. (2017). Google Earth Engine: Planetary-scale geospatial analysis for everyone. *Remote Sensing of Environment*, 202, 18–27.
- Thenkabail, P. S., Schull, M., and Turrall, H. (2005). Ganges and Indus river basin land use/land cover (LULC) and irrigated area mapping using continuous streams of MODIS data. *Remote Sensing of Environment*, 95(3), 317–341.
- Huete, A. (1988). A soil-adjusted vegetation index (SAVI). *Remote Sensing of Environment*, 25(3), 295–309.
- Huete, A., Didan, K., Miura, T., Rodriguez, E.P., Gao, X., and Ferreira, L.G. (2002). Overview of the radiometric and biophysical performance of the MODIS vegetation indices. *Remote Sensing of Environment*, 83(1–2), 195–213.
- Hyndman, R.J. and Khandakar, Y. (2008). Automatic time series forecasting: the forecast package for R. *Journal of Statistical Software*, 27(3), 1–22.
- Islam, M.S., Siddiqua, A., and Habib, M.A. (2021). Vegetation change detection using MODIS NDVI time series in Bangladesh. *Remote Sensing Applications: Society and Environment*, 21, 100453.
- Jain, M., Mondal, P., DeFries, R.S., Small, C., and Galford, G.L. (2013). Mapping cropping intensity of smallholder farms: a comparison of methods using multiple sensors. *Remote Sensing of Environment*, 134, 210–223.
- Jensen, J.R. (2005). *Introductory Digital Image Processing: A Remote Sensing Perspective* (3rd ed.). Prentice Hall.
- Julien, Y. and Sobrino, J.A. (2009). The Yearly Land Cover Dynamics (YLCD) method: An analysis of global vegetation from NDVI and LST parameters. *Remote Sensing of Environment*, 113(2), 329–334.
- Kendall, M.G. (1975). *Rank Correlation Methods* (4th ed.). London: Charles Griffin.
- Khan, R., Gilani, H., and Siyal, A. (2020). Time series NDVI analysis and forecasting using ARIMA models in Pakistan. *Pakistan Journal of Agricultural Sciences*, 57(3), 811–820.
- Kikon, N., Singh, P., Singh, S.K., and Vyas, A. (2016). Assessment of urban heat islands (UHI) of Noida City, India using multi-temporal satellite data. *Sustainable Cities and Society*, 22, 19–28.
- Lillesand, T.M., Kiefer, R.W., and Chipman, J.W. (2015). *Remote Sensing and Image Interpretation* (7th ed.). New York: John Wiley & Sons.
- Liu, Q., Fu, Y.H., Zhu, Z., et al. (2018). Delayed autumn phenology in the Northern Hemisphere is related to change in both climate and spring phenology. *Global Change Biology*, 22(11), 3702–3711.
- Lobell, D.B., Ortiz-Monasterio, J.I., Asner, G.P., Naylor, R.L., and Falcon, W.P. (2002). Combining field surveys, remote sensing, and regression trees to understand yield variations in an irrigated wheat landscape. *Agronomy Journal*, 95(2), 299–311.

- Lobell, D. and Azzari, G. (2017). Satellite detection of rising maize yield heterogeneity in the US Midwest. *Environmental Research Letters*, 12(1), 014014.
- Mandal, A. and Upadhyay, S. (2020). Vegetation monitoring using MODIS NDVI in Bihar, India: A seasonal analysis. *Tropical Ecology*, 61(2), 215–228.
- Mann, H.B. (1945). Nonparametric tests against trend. *Econometrica*, 13(3), 245–259.
- Mondal, M.H. (2020). Open source GIS for spatial analysis and mapping: Applications in environmental research. *International Journal of Geoinformatics*, 16(2), 25–34.
- Mondal, P., Jain, M., Robertson, A.W., Galford, G.L., Small, C., and DeFries, R.S. (2012). Quantifying surface water variability and flood extent using multi-temporal MODIS NDVI data in the Indo-Gangetic Plain. *Environmental Research Letters*, 7(2), 024027.
- Myneni, R.B., Hall, F.G., Sellers, P.J., and Marshak, A.L. (1995). The interpretation of spectral vegetation indexes. *IEEE Transactions on Geoscience and Remote Sensing*, 33(2), 481–486.
- Patel, N.R., Bhatt, D.S., and Shivankar, K. (2017). NDVI trend analysis in Mathura district using MODIS time series data. *Indian Journal of Remote Sensing*, 45(6), 1115–1124.
- Patel, S., Kumar, S., and Shah, Y. (2021). Agricultural drought monitoring using MODIS NDVI in Gujarat using Google Earth Engine. *Remote Sensing Applications: Society and Environment*, 22, 100493.
- Paudel, K.P. and Andersen, P. (2010). Assessing rangeland degradation using multi temporal remote sensing in the Himalayan region, Nepal. *Remote Sensing of Environment*, 114(12), 2926–2933.
- Ramachandran, R.M., Roy, P.S., Chakravarthi, V., and Srinivasara, G.S. (2007). Long-term land use change analysis in Uttar Pradesh using NOAA-AVHRR data. *Geocarto International*, 22(4), 295–307.
- Rouse, J.W., Haas, R.H., Schell, J.A., and Deering, D.W. (1973). Monitoring vegetation systems in the Great Plains with ERTS. *Proceedings of the 3rd ERTS Symposium*, NASA SP-351, 1, 309–317.
- Roy, D.P. and Soni, A. (2013). An assessment of ten year (2001–2010) changes in vegetation in Uttar Pradesh, India using MODIS NDVI data. *Journal of the Indian Society of Remote Sensing*, 41(3), 517–530.
- Sellers, P.J., Los, S.O., Tucker, C.J., Justice, C.O., Dazlich, D.A., Collatz, G.J., and Randall, D.A. (1996). A revised land surface parameterisation (SiB2) for atmospheric GCMs. Part II: The generation of global fields of terrestrial biophysical parameters from satellite data. *Journal of Climate*, 9(4), 706–737.
- Sen, P.K. (1968). Estimates of the regression coefficient based on Kendall's tau. *Journal of the American Statistical Association*, 63(324), 1379–1389.
- Sharma, V., Rai, S., and Prasad, S. (2022). Monthly NDVI forecasting using seasonal ARIMA in arid agricultural India. *International Journal of Environmental Research*, 16(3), 1–14.

- Singh, P., Gupta, A., and Singh, M. (2018). Hydrological inferences from watershed analysis for water resource management using remote sensing and GIS techniques. *Egyptian Journal of Remote Sensing and Space Sciences*, 17(2), 111–121.
- Soni, A., Mittal, A., and Srivastava, R. (2019). ARIMA-based NDVI forecasting for drought monitoring in Rajasthan, India. *Journal of Environmental Management*, 234, 357–366.
- Tamiminia, H., Salehi, B., Mahdianpari, M., Quackenbush, L., Adeli, S., and Brisco, B. (2020). Google Earth Engine for geo-big data applications: A meta-analysis and systematic review. *ISPRS Journal of Photogrammetry and Remote Sensing*, 164, 152–170.
- Thenkabail, P.S., Biradar, C.M., Noojipady, P., et al. (2005). Global irrigated area map (GIAM) derived from remote sensing for the end of the last millennium. *International Journal of Remote Sensing*, 30(14), 3679–3733.
- Tucker, C.J. (1979). Red and photographic infrared linear combinations for monitoring vegetation. *Remote Sensing of Environment*, 8(2), 127–150.
- Tucker, C.J., Townshend, J.R., and Goff, T.E. (1985). African land-cover classification using satellite data. *Science*, 227(4685), 369–375.
- Verbesselt, J., Zeileis, A., and Herold, M. (2012). Near real-time disturbance detection using satellite image time series. *Remote Sensing of Environment*, 123, 98–108.
- Vermote, E.F., Tanré, D., Deuze, J.L., Herman, M., and Morcette, J.J. (1997). Second simulation of the satellite signal in the solar spectrum, 6S: An overview. *IEEE Transactions on Geoscience and Remote Sensing*, 35(3), 675–686.
- Wang, X., Piao, S., Ciais, P., et al. (2006). A two-fold increase of carbon cycle sensitivity to tropical temperature variations. *Nature*, 506(7487), 212–215.
- Wardlow, B.D. and Egbert, S.L. (2008). Large-area crop mapping using time-series MODIS 250 m NDVI data: An assessment for the US Central Great Plains. *Remote Sensing of Environment*, 112(3), 1096–1116.
- Xu, L., Samanta, A., Costa, M.H., Ganguly, S., Nemani, R.R., and Myneni, R.B. (2018). Widespread decline in greenness of Amazonian vegetation due to the 2010 drought. *Geophysical Research Letters*, 38(7).
- Yue, S., Pilon, P., Phinney, B., and Cavadias, G. (2002). The influence of autocorrelation on the ability to detect trend in hydrological series. *Hydrological Processes*, 16(9), 1807–1829.
- Zhu, Z., Wang, S., and Woodcock, C.E. (2019). Improvement and expansion of the Fmask algorithm: Cloud, cloud shadow, and snow detection for Landsats 4–7, 8, and Sentinel 2 images. *Remote Sensing of Environment*, 159, 269–277.

APPENDICES