

# Regression Models Project - Mauricio Vargas S.

## Short summary:

Does automatic transmission (among other variables) explain MPG in different car models?. To provide some light about this I have worked with R's cars database named Mtcars that contains different car models characteristics. In this report I can conclude that weight and cylinders are important variables and those (and not transmission) explain MPG in different car models. To answer this question I have used ANOVA which allows to determine if a variable can be dropped in a multivariated model.

## 1st Step: Load data and determine principal variables:

```
library(datasets) #This library provides free databases
data(mtcars) #The database I will use
str(mtcars) #str displays variables names and displays basic information
```

There are several variables in this dataset. ANOVA (analysis of variance) will be used to determine whose variables are relevant apart from transmission type. I will proceed from general to particular, so I won't lose generality after dropping variables.

## ANOVA

ANOVA explains the sources of variance so it can help to determine which variables have significant effects (statistically speaking). According to wikipedia: "In its simplest form, ANOVA provides a statistical test of whether or not the means of several groups are equal".

```
analysis <- aov(mpg ~ ., data = mtcars) #I run ANOVA
summary(analysis) #this returns a summary containing relevant statistics
```

```
##              Df Sum Sq Mean Sq F value    Pr(>F)
## cyl           1  817.7    817.7 116.425 5.03e-10 ***
## disp          1   37.6     37.6   5.353  0.03091 *
## hp            1    9.4      9.4   1.334  0.26103
## drat          1   16.5     16.5   2.345  0.14064
## wt            1   77.5     77.5  11.031  0.00324 **
## qsec          1    3.9      3.9   0.562  0.46166
## vs            1    0.1      0.1   0.018  0.89317
## am            1   14.5     14.5   2.061  0.16586
## gear          1    1.0      1.0   0.138  0.71365
## carb          1    0.4      0.4   0.058  0.81218
## Residuals    21  147.5      7.0
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

This analysis suggest I have to include CYL, DISP and WT within a linear model as those are significant variables.

## 2nd Step: Model's specification

I considered the following model (I provide the details and numbers at the end of the document) as I need to determine transmission and significant variables effects over MPG:

```
lm <- lm(mpg ~ cyl + wt + am, data = mtcars)
summary(lm)


##
## Call:
## lm(formula = mpg ~ cyl + wt + am, data = mtcars)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -4.1735 -1.5340 -0.5386  1.5864  6.0812
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   39.4179     2.6415   14.923 7.42e-15 ***
## cyl           -1.5102     0.4223   -3.576  0.00129 **
## wt            -3.1251     0.9109   -3.431  0.00189 **
## am             0.1765     1.3045    0.135  0.89334
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 2.612 on 28 degrees of freedom
## Multiple R-squared:  0.8303, Adjusted R-squared:  0.8122
## F-statistic: 45.68 on 3 and 28 DF,  p-value: 6.51e-11
```

AM is not significant and has a large p-value, but it is not possible to reject the hypothesis that the coefficient of AM is 0.

## 3rd step: Box plot and residual plots

Automatic transmission versus manual transmission related to MPG (the question is to determine is transmission is a relevant variable to explain MPG). The residual is the difference between the observed data of the dependent variable *MPG* and the fitted values  $\widehat{MPG}$ .

```
mtcars$vs <- as.factor(mtcars$vs)
mtcars$am <- as.factor(mtcars$am)
par(mfrow=c(3,2))
par(mar=c(2.5, 5.5, 1.5, 1.5))
boxplot(mpg ~ am, data = mtcars, xlab = "AM (Transmission type)",
        ylab = "MPG (Miles per gallon)", main="Boxplot", xaxt="n", col=c("red","blue"))
axis(1, at=c(1,2), labels=c("automatic", "manual"))
par(mar=c(2.5, 5.5, 1.5, 1.5))
plot(lm)
```



As the boxes in the plot do not superpose it means automatic and manual cars are different.

#### 4th: Conclusion

AM, WT and CYL are relevant variables that explain MPG. The  $R^2$  is 0,83 so the model has a desirable goodness of fit and we can explain MPG related to the model's variables. AM by its own cannot explain MPG but is an important variable that explains (partially) car's performance.

## APPENDIX: Descriptive statistics

In order to obtain an idea of how to proceed I considered the statistical momentums (mean, median, quartiles and variance-covariance matrix)

```
summary(mtcars) #mean, median and quatiles
```

```
##           mpg           cyl           disp           hp
## Min.      :10.40   Min.      :4.000   Min.       : 71.1   Min.       : 52.0
## 1st Qu.:15.43   1st Qu.:4.000   1st Qu.:120.8   1st Qu.: 96.5
## Median :19.20   Median :6.000   Median :196.3   Median :123.0
## Mean     :20.09   Mean     :6.188   Mean     :230.7   Mean     :146.7
## 3rd Qu.:22.80   3rd Qu.:8.000   3rd Qu.:326.0   3rd Qu.:180.0
## Max.     :33.90   Max.     :8.000   Max.     :472.0   Max.     :335.0
##           drat           wt           qsec           vs           am
## Min.      :2.760   Min.      :1.513   Min.       :14.50   0:18      0:19
## 1st Qu.:3.080   1st Qu.:2.581   1st Qu.:16.89   1:14      1:13
## Median :3.695   Median :3.325   Median :17.71
## Mean     :3.597   Mean     :3.217   Mean     :17.85
## 3rd Qu.:3.920   3rd Qu.:3.610   3rd Qu.:18.90
## Max.     :4.930   Max.     :5.424   Max.     :22.90
##           gear           carb
## Min.      :3.000   Min.      :1.000
## 1st Qu.:3.000   1st Qu.:2.000
## Median :4.000   Median :2.000
## Mean     :3.688   Mean     :2.812
## 3rd Qu.:4.000   3rd Qu.:4.000
## Max.     :5.000   Max.     :8.000
```

```
var(mtcars) #variance-covariance matrix
```

```
##           mpg           cyl           disp           hp           drat
## mpg      36.324103   -9.1723790  -633.09721  -320.732056   2.19506351
## cyl      -9.172379    3.1895161   199.66028   101.931452   -0.66836694
## disp    -633.097208  199.6602823  15360.79983  6721.158669  -47.06401915
## hp      -320.732056  101.9314516  6721.15867  4700.866935  -16.45110887
## drat      2.195064   -0.6683669   -47.06402   -16.451109    0.28588135
## wt       -5.116685    1.3673710   107.68420    44.192661   -0.37272073
## qsec      4.509149   -1.8868548   -96.05168   -86.770081    0.08714073
## vs        2.017137   -0.7298387   -44.37762   -24.987903    0.11864919
## am        1.803931   -0.4657258   -36.56401    -8.320565    0.19015121
## gear      2.135685   -0.6491935   -50.80262    -6.358871    0.27598790
## carb     -5.363105    1.5201613    79.06875    83.036290   -0.07840726
##           wt           qsec           vs           am           gear
## mpg     -5.1166847    4.50914919    2.01713710    1.80393145    2.1356855
## cyl      1.3673710   -1.88685484   -0.72983871   -0.46572581   -0.6491935
## disp   107.6842040  -96.05168145  -44.37762097  -36.56401210  -50.8026210
## hp      44.1926613  -86.77008065  -24.98790323   -8.32056452   -6.3588710
## drat   -0.3727207    0.08714073    0.11864919    0.19015121    0.2759879
## wt      0.9573790   -0.30548161   -0.27366129   -0.33810484   -0.4210806
## qsec   -0.3054816    3.19316613    0.67056452   -0.20495968   -0.2804032
## vs     -0.2736613    0.67056452    0.25403226    0.04233871    0.0766129
## am     -0.3381048   -0.20495968    0.04233871    0.24899194    0.2923387
```

```
## gear -0.4210806 -0.28040323 0.07661290 0.29233871 0.5443548
## carb 0.6757903 -1.89411290 -0.46370968 0.04637097 0.3266129
## carb
## mpg -5.36310484
## cyl 1.52016129
## disp 79.06875000
## hp 83.03629032
## drat -0.07840726
## wt 0.67579032
## qsec -1.89411290
## vs -0.46370968
## am 0.04637097
## gear 0.32661290
## carb 2.60887097
```

## APPENDIX: Model specification

If I take this model direct from ANOVA data:

```
lm <- lm(mpg ~ cyl + disp + wt + am, data = mtcars)
summary(lm)
```

```
##
## Call:
## lm(formula = mpg ~ cyl + disp + wt + am, data = mtcars)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -4.318 -1.362 -0.479  1.354  6.059
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  40.898313   3.601540  11.356 8.68e-12 ***
## cyl          -1.784173   0.618192  -2.886 0.00758 **
## disp           0.007404   0.012081   0.613 0.54509
## wt           -3.583425   1.186504  -3.020 0.00547 **
## am            0.129066   1.321512   0.098 0.92292
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 2.642 on 27 degrees of freedom
## Multiple R-squared:  0.8327, Adjusted R-squared:  0.8079
## F-statistic: 33.59 on 4 and 27 DF,  p-value: 4.038e-10
```

Then DISP is not significant, so there is evidence that the model can be improved by dropping variables as it is done with the final specification considered in this report.