



2005 JEEP WRANGLER

Like its predecessors, the Wrangler Unlimited is designed to keep its wheels firmly planted on the ground—even when one or more may be climbing an obstacle.

For more information, please visit www.jeep.com/wrangler

© 1995-2004 DaimlerChrysler. All Rights Reserved.
For important information, go to www.jeep.com/universal/privacy.html

Page 1 of 8



WRANGLER FEATURES



WIND IN YOUR HAIR FREEDOM

Wrangler has spent the last 60 years as the only true convertible 4x4—and it's just one reason why the Wrangler experience can't be matched. Taking the top off makes life a little more adventurous and lets you become one with the elements. That's the true spirit of Wrangler.



HARD OR SOFT TOP? BOTH!

Help protect yourself from the elements with the available full hard doors and composite hard top for the winter months; unzip the soft top in the summer. This option allows you to experience the ultimate in flexibility.



EASY WASH OUT INTERIOR

Drain Plug? Yep. Right in the floor. So if you get a little carried away on the trail, just remove the carpet and wash out the floor and the water resistant seats. Nifty, huh?



ADVENTURES IN COMFORT

Wrangler's interior is comfortable and full of available safety and security features (see Specs for more safety information). Santana cloth seats shown. Remember to secure all cargo properly.



CAGE MATCH

You drive Wrangler in some pretty inhospitable places, so it's nice to know you're protected by its safety cage made of high-strength alloy steel that surrounds and helps protect occupants.

For more information, please visit www.jeep.com/wrangler

© 1995-2004 DaimlerChrysler. All Rights Reserved.
For important information, go to www.jeep.com/universal/privacy.html

Page 2 of 8



WRANGLER COLOR OPTIONS



For more information, please visit www.jeep.com/wrangler

© 1995-2004 DaimlerChrysler. All Rights Reserved.
For important information, go to www.jeep.com/universal/privacy.html




WRANGLER OFF-ROAD



TWO DOMINANT 4X4 SYSTEMS

Like every other Jeep® vehicle, the Wrangler Unlimited had to earn its Trail Rated badge, and the Command Trac® and Rock-Trac™ part-time four-wheel-drive system help make it part of the family.



TRIED AND TRUE SUSPENSION


The Quadra-Coil™ suspension system commands the terrain with live solid axles, coil springs and gas-charged shock absorbers. It's tough. And time-tested.



A HERO'S TRAIL

It all started with the Willys MB, a 4x4 so vital to the Allies in the WWII that General Eisenhower declared that the war could not have been won without it.

For more information, please visit www.jeep.com/wrangler



GROUND CLEARANCE

At curb weight, it has an impressive 8.8 inches of ground clearance, 41.8° approach angle, a 31.3° departure angle and a breakover angle of 22.3. Bring on the terrain.



POWER PACKED ENGINE

The 4.0L Power Tech I-6 (shown) develops nearly 85 percent of its usable torque at idle, making it a supreme choice for 4WD situations. The punchy 2.4L Power Tech I-4 boasts improved horsepower.



WRANGLER TECHNICAL SPECIFICATIONS

JEEP WRANGLER

POWERTRAIN

	2.4L Power Tech I4	4.0L Power Tech I6
Engine		
Horsepower (SAE net @ rpm)	147 @ 5,200	190 @ 4,600
Torque (net ft-lb @ rpm)	165 @ 4,000	235 @ 3,200
Displacement (cu in)	148	242
Exhaust System	Long-life, stainless steel	
Fuel System	Sequential multipoint electronic fuel injection	
Transmission	Six-speed heavy duty manual with overdrive and synchronized forward and reverse gears; hydraulically assisted, adjustable free clutch Four-speed automatic with overdrive and lockup torque converter, includes off-road skid plate	

FOUR-WHEEL-DRIVE SYSTEM (Transfer Case)

Command-Trac® NV231	Part-time; two-speed with shift-on-the-fly; 2.72:1 low gear ratio, includes off-road skid plate
Rock-Trac™ NV2430R	Part-time; two-speed with shift-on-the-fly; 4:1 low gear ratio, includes off-road skid plate

BODY/SUSPENSION/CHASSIS

Body Design	Body on frame with rectangular-shaped steel frame; includes reinforced body mounts, transfer case shield/frame and gusseted box section crossmembers
Quadra-Coil™ Suspension	Live axle with trailing arms, coil springs, track and stabilizer bars, front steering dampers and gas-charged shock absorbers
Steering	Power-assisted, recirculating ball
Turns	3.0 lock-to-lock
Turning Diameter	33.5 ft, curb-to-curb
Brake System	Disc/Drum Hydraulic, power-assisted; Front, low-drag ventilated disc/Rear, self-adjusting drum brakes Four-Wheel Disc Hydraulic, power-assisted; Front/Rear, low-drag ventilated disc Anti-lock Brake System (ABS): Three channels with four-wheel speed sensors

CAPACITIES/WEIGHTS

Fuel Tank (gal) (includes off-road skid plate)	19.0
Base Curb Weight (lb)	
2.4L Power Tech I4	3,231
4.0L Power Tech I6	3,418
Gross Vehicle Weight Rating (lb)	4,450 ¹

¹Jeep, Trail Rated, Grand Cherokee, Liberty, Wrangler, Rubicon, Power Tech, Rock Trac, Command-Trac, Trail Lark, Quadra-Coil, Sertty Key, Fold-and-Tumble, Mopar, Camp, Jeep and the Jeep grille are trademarks of DaimlerChrysler Corporation. Sundair is a trademark of Bestop, Inc.

²4,000 on Rubicon



Jeep Wrangler Sport shown.

EXTERIOR DIMENSIONS (inches unless otherwise specified)

Length	
Wheelbase	93.4
Overall Length (SE/Rubicon)	156.4/156.1
Width	
Overall Width (SE/Rubicon)	66.7/68.2
Track, front/rear (SE/Rubicon)	(58.0/58.0) (59.5/59.5)
Height	
Overall Height (SE/Rubicon)	70.8/72.1
Ground Clearance (at curb weight)	
Running Ground Clearance (SE/Rubicon)	8.9/10.3
Approach Angle (SE/Rubicon)	42.0°/44.9°
Breakover Angle (SE/Rubicon)	22.8°/26.4°
Departure Angle (SE/Rubicon)	31.5°/33.9°

INTERIOR DIMENSIONS (inches unless otherwise specified)

Head Room, front/rear (Soft top/Hardtop)	(42.5/41.3) (40.9/39.5)
Leg Room, front/rear	40.9/35.3
Shoulder Room, front/rear	50.8/57.3
Hip Room, front/rear	51.4/42.7
Cargo Volume, (cu ft) (Soft top/Hardtop)	
Behind Rear Seat	11.9/11.6
Rear Seat Tumbled	26.4/24.2
Rear Seat Removed	47.1/46.8
Seating capacity	4

TOWING DATA

Engine	Transmission	Maximum Loaded Trailer Weight (lb)
2.4L Power Tech I4	Six-Speed Manual	1,000
4.0L Power Tech I6	Six-Speed Manual/Four-Speed Automatic	2,000
Class 1 Towing		
Maximum Gross Combined Weight Rating (2.4L/4.0L) (lb)		5,350/5,250
Tongue Load Limit (lb)		300

RESTRICTIONS: Trailer front-end limitation of 25 sq ft. This chart is meant to serve as a quick and easy reference guide on how to properly load your Jeep Wrangler for towing. For specific details, discuss your plans with your Jeep dealer, who will help you select the right equipment to meet your specifications.

For more information, please visit www.jeep.com/wrangler

© 1995-2004 DaimlerChrysler. All Rights Reserved.
For important information, go to www.jeep.com/universal/privacy.html

Page 5 of 8



WRANGLER UNLIMITED TECHNICAL SPECIFICATIONS

JEEP, WRANGLER UNLIMITED

POWERTRAIN

Engine	4.0L Power Tech I6
Horsepower (SAE net @ rpm)	190 @ 4,600
Torque (net ft-lb @ rpm)	235 @ 3,200
Displacement (cu in)	242
Exhaust System	Long-life, stainless steel
Fuel System	Sequential multipoint electronic fuel injection
Transmission	Suspension heavy-duty manual with overdrive and synchronized forward and reverse gears; hydraulically assisted, adjustment-free clutch Four-speed automatic with overdrive and lockup torque converter, includes off-road skid plate

FOUR-WHEEL-DRIVE SYSTEM (Transfer Case)

CommandTrac® NV231	Part-time two-speed with shift-on-the-fly; 2.72:1 low gear ratio, includes off-road skid plate
Rock-Trac™ NV2410R	Part-time two-speed with shift-on-the-fly; 4:1 low gear ratio, includes off-road skid plate

BODY/SUSPENSION/CHASSIS

Body Design	Body on frame with rectangular-shaped steel frame; includes reinforced body mounts, transfer case shield/frame and gusseted box section crossmembers
Quadra-Coil™ Suspension	Live solid axles with loading arms, coil springs, track and stabilizer bars, front steering damper and gas-charged shock absorbers
Steering	Power-assisted, recirculating ball
Tires	3.0, lock-to-lock
Turning Diameter	36.0 ft, curb-to-curb
Brake System	Front/Rear: Hydraulic, power-assisted, low-drag ventilated disc brakes

CAPACITIES/WEIGHTS

Fuel Tank (gal) (includes off-road skid plate)	19.0
Base Curb Weight (lb)	
4.0L Power Tech I6	3,730
Gross Vehicle Weight Rating (lb)	4,600

All product illustrations, specifications and competitive comparisons are based upon current information at the time of publication approval. Although descriptions are believed correct, complete accuracy cannot be guaranteed. DaimlerChrysler reserves the right to make changes at any time, without notice or obligation, in prices, specifications, equipment, colors and materials, and to change or discontinue models. Some of the equipment shown or described throughout this catalog is available at extra cost. Available in U.S. markets only. See your dealer for the latest information.



Jeep, Wrangler Unlimited shown

EXTERIOR DIMENSIONS (inches unless otherwise specified)

Length	
Wheelbase	109.4
Overall Length	157.0
Width	
Overall Width (Unlimited/Rubicon)	66.7/68.2
Track, front/rear (Unlimited/Rubicon)	(58.9/58.0) (59.5/59.5)
Height	
Overall Height (Unlimited/Rubicon)	70.8/72.1
Ground Clearance (at curb weight)	
Running Board Clearance	8.3
Approach Angle	43.1°
Breakover Angle	21.4°
Departure Angle	27.7°

INTERIOR DIMENSIONS (inches unless otherwise specified)

Head Room, front/rear (Soft top/Handtop)	42.2/40.4
Leg Room, front/rear	40.9/37.0
Shoulder Room, front/rear	50.8/57.3
Hip Room, front/rear	51.8/42.7
Cargo Volume, (cu ft)	
Behind Rear Seat	29.5
Rear Seat Tumbled	43.0
Rear Seat Removed	64.0
Seating capacity	4

TOWING DATA

Engine	Transmission	Maximum Loaded Trailer Weight (lb)
4.0L Power Tech I6	5a-Speed Manual/Four-Speed Automatic	3,500
Class II Towing		
Maximum Gross Combined Weight Rating (lb)		7,800
Tongue Load Limit (lb)		300

RESTRICITION: Trailer frontal area limitation of 25 sq ft. This chart is meant to serve as a quick and easy reference guide on how to properly equip your Jeep Wrangler for towing. For specific details, discuss your plans with your Jeep dealer, who will help you select the right equipment to meet your specifications.

For more information, please visit www.jeep.com/wrangler

© 1995-2004 DaimlerChrysler. All Rights Reserved.
For important information, go to www.jeep.com/universal/privacy.html

Page 6 of 8



WRANGLER STANDARD AND OPTIONAL FEATURES

	SE	X	SPORT	4WD	4WD/CON	UNLIMITED	4-DOOR LIMITED	UNLIMITED 4-DOOR
	C/P/S/M ¹ PACKAGE							
INTERIOR	W/STANDARD EQUIPMENT							
Add-A-Trunk ² — Lockable storage, integrated tailgate tray				O	D	O		
Air Conditioning ³ — Manual temperature controls	O	O	*	*	*	*	*	*
Console — Mirrors/center with two cup holders	*							
Convenience Group — Courtesy lamps under instrument panel, engine compartment lamp and full-center console with two front and two rear cup holders, locking storage bin and storage tray		*	*	*	*	*	*	*
Floor Mats — Front, carpeted	O	O	O	O	O	O	*	O
Premium Audio Group — AM/FM stereo radio with in-radio CD player and seven-speaker sound system with subwoofer		O				O		
Rearview Mirror — Automatic dimming with map lamps, compass and temperature display (included with Security Group)			P			P	*	P
Seat Fabric — Button vinyl/trimmed	*					P	*	*
— Santana cloth/trimmed	O	*	*	*	*	*	*	*
— Sedona cloth/trimmed, two-tone							*	
Seats — Fold-and-Tumble ⁴ rear	*	*	*	*	*	*	*	*
— Front passenger up-and-slide	*	*	*	*	*	*	*	*
— Driver up-and-slide (included with cloth seats)	P	*	*	*	*	*	*	*
Side Steps — Body-side			O			O	O	
Smoker's Group — Removable ashtray and lighter element	O	O	O	O	O	O	O	O
Sound System — AM/FM stereo radio with CD player	*	*	*	*	*	*	*	*
— AM/FM stereo radio with in-radio 6-disc CD changer (included in Premium Audio Group)		P	O	O	O	P	O	O
Speakers — Four, including two midrange and two full-range (included with AM/FM stereo radio with CD player)	*	*	*	*	*	*	*	*
— Seven, including a subwoofer, two midrange speakers, two tweeters and two full-range speakers (included in Premium Audio Group)		Q/P	*	*	*	Q/P	*	*
Steering — Height-adjustable steering column	*	*	*	*	*	*	*	*
— Leather-wrapped steering wheel with speed controls		O	O	O	O	O	*	O
Windows — Deep-penetration rear quarter and rear (included with hardtop)		Q/P	*	*	*	*	*	*
SAFETY AND SECURITY								
Air Bags — Next Generation driver and front-passenger	*1R	*1R	*1R	*1R	*1R	*1R	*1R	*1R
Brakes — Power front disc/rear drum	*	*						
— Four-wheel disc (included in Brake and Traction Group)			P	*	*	*	*	*
— Four-wheel antilock with Dana 44 rear axle (requires Trail-Lok if 3.73 axle ratio)			O					
Brake and Traction Group — Four-wheel disc brakes, Trail-Lok rear differential, 3.73 axle ratio and Dana 44 heavy-duty rear axle (requires 30" tires)			O			*	*	
Child Seat Anchor System (LATCH) — Lower child seat anchors and upper tether anchors help ease the installation of compatible after-market seats	*	*	*	*	*	P	*	*
Fuel Cap — Locking	O	O	O	O	O	O	O	O
Security Group — Auto-dimming rearview mirror and Sentry Key Engine Immobilizer			O			O	O	O
Sentry Key ⁵ Engine Immobilizer — Theft deterrent system with two encoded keys (included in the Security Group)			P			P	*	P
Speed Control — Electronic with steering wheel-mounted controls (included with leather-wrapped steering wheel)		P	P	P	P	P	*	P

¹ * = Included, P = Available with package, O = Optional.
² There are special seating requirements for non-rated installed air conditioning. Failure to follow these requirements may invalidate warranty.
³ Conforms to the Federal Regulations that allow use for child seats or baby strollers use only. Child 12 and older should always be in the back seat correctly using an infant or child restraint system, or the seat belt positioned correctly for the child's age and size.

For more information, please visit www.jeep.com/wrangler

© 1995-2004 DaimlerChrysler. All Rights Reserved.
For important information, go to www.jeep.com/universal/privacy.html



WRANGLER STANDARD AND OPTIONAL FEATURES

	SE	X	SPORT	4WD	4WD/L	UNLIMITED	UNLIMITED 4X4	
	N	X	D	D	U	E	H	U
CPO® PACKAGE	WRANGLER				SPORT WRANGLER			
Axle — Dana 44 heavy-duty front and rear						*		*
— Dana 44 heavy-duty rear (included with 30" Tire and Wheel Group, Brake and Traction Group and antilock brakes)				Q/P	*	*	*	*
Axle Ratio — 4.11:1						*		*
— 3.07:1 (included with manual transmission)		P	F					
— 3.73:1 (included with each of the following features: automatic transmission, 30" Tire and Wheel Group, Trac-Lok on X)	*	Q/P	F	*	*	*	*	*
Differential — Trac-Lok limited-slip rear (includes 3.73 axle ratio on X; included with Brake and Traction Group)		D	F	*	*	*	*	*
— Tru-Lok® front and rear remote locking with limited-slip gear					*	*	*	*
Engine Block Heater	Q	Q	Q	Q	Q	Q	Q	Q
Powertrain — 2.4L I-4 engine with manual transmission	*							
— 4.0L I-6 engine with manual transmission		*	*		*	*	*	*
— 4.0L I-6 engine with automatic transmission	Q	Q	Q	*	Q	Q	Q	Q
Tow Hooks — Two front, one rear	Q	Q	*	*	*	*	*	*
Transfer Case — Command-Trac® NV231 part-time 4WD	*	*	*	*	*	*	*	*
— Rock-Trac® NV241OR heavy-duty part-time 4WD					*	*	*	*
EXTERIOR								
Decor Group — Silver painted instrument panel, body-color fender flares, chrome grille overlay and two-tone Sedona cloth seats								*
Doors — Halfhard with zip-out windows (not available with hardtop)	*	*			Q			
— Full-hard with light-tinted roll-up windows (included with hardtop or Dual Top)	Q	Q/P	*	*	*	*	*	*
Eeco Wheel and Tire Group — Eeco cast aluminum wheels and P225/75R15 Goodyear Wrangler OWL tires		D						
Fog Lamps — Two halogen, mounted on bumper			*	*	*	*	*	*
Spore Tire Cover — Black vinyl with Jeep logo (not available with 30" Tire and Wheel Group)			Q	Q				
Tires — P225/75R15 Goodyear Wrangler RT/S, vertically serrated band, all-terrain BSW	*	*						
— P225/75R15 Goodyear Wrangler GSA all-terrain OWL (included in Eeco Wheel and Tire Group)		Q/P	*	*				
— 30"x9.5" R15 LT Goodyear Wrangler GSA all-terrain OWL (included in 30" Tire and Wheel Group)			P		*	*	*	*
— LT245/75R16 Goodyear Wrangler MT/R on/off-road BSW					*	*	*	*
— Full-size spare with matching wheel	*	*	*	*	*	*	*	*
30" Tire and Wheel Group — Heavy-duty suspension, Ravine cast aluminum wheels, 30"x9.5" R15 LT Goodyear Wrangler OWL tires, Dana 44 rear axle and 3.73 axle ratio			Q					
Top — Soft, easy-folding, three-ply Sailcloth	*	*	*	*	*	*	*	*
— Hardtop with rear wiper/washer and rear defroster, full-hard doors and deep-tinted glass; fiberglass		D	Q	*	Q	Q	Q	Q
— Dual Top (hardtop and soft top in same color with full-hard doors and deep-tinted glass)				Q	Q			
— Sundor® easy-folding soft top with sunroof feature, three-ply sailcloth					*	*	*	*
Wiper System — Variably-intermittent front	*	*	*	*	*	*	*	*

For more information, please visit www.jeep.com/wrangler

© 1995-2004 DaimlerChrysler. All Rights Reserved.
For important information, go to www.jeep.com/universal/privacy.html

Page 8 of 8