

02_afd_polling_preparation

May 11, 2026

1 02 AfD Polling Preparation (DAWUM)

Goal: build a clean monthly AfD Bundestag polling series from DAWUM for later merge with media salience indicators.

```
[1]: from pathlib import Path
import json

import numpy as np
import pandas as pd
import requests
import matplotlib.pyplot as plt

pd.set_option('display.max_columns', 200)
pd.set_option('display.width', 180)

PROJECT_ROOT = Path.cwd()
if PROJECT_ROOT.name == 'notebooks':
    PROJECT_ROOT = PROJECT_ROOT.parent

DATA_DIR = PROJECT_ROOT / 'data'
RAW_DIR = DATA_DIR / 'polling' / 'raw'
PROCESSED_DIR = DATA_DIR / 'polling' / 'processed'
FIGURES_DIR = PROJECT_ROOT / 'figures' / '02_notebook_figures'

for d in [RAW_DIR, PROCESSED_DIR, FIGURES_DIR]:
    d.mkdir(parents=True, exist_ok=True)

RAW_POLL_PATH = RAW_DIR / 'afd_polling_raw_dawum.csv'
POLL_LEVEL_CSV_PATH = PROCESSED_DIR / 'afd_bundestag_polls_dawum.csv'
POLL_LEVEL_PARQUET_PATH = PROCESSED_DIR / 'afd_bundestag_polls_dawum.parquet'
MONTHLY_CSV_PATH = PROCESSED_DIR / 'afd_polling_monthly.csv'
MONTHLY_PARQUET_PATH = PROCESSED_DIR / 'afd_polling_monthly.parquet'
MONTHLY_ANALYSIS_CSV_PATH = PROCESSED_DIR / 'afd_polling_monthly_2017_2025.csv'
MONTHLY_ANALYSIS_PARQUET_PATH = PROCESSED_DIR / 'afd_polling_monthly_2017_2025.
↳parquet'

ANALYSIS_START = pd.Timestamp('2017-01-01')
```

```

ANALYSIS_END = pd.Timestamp('2025-12-31')

AUTO_FETCH_DAWUM = False
DAWUM_API_URL = 'https://api.dawum.de/'

print('PROJECT_ROOT:', PROJECT_ROOT)
print('RAW_POLL_PATH:', RAW_POLL_PATH)
print('POLL_LEVEL_CSV_PATH:', POLL_LEVEL_CSV_PATH)
print('MONTHLY_CSV_PATH:', MONTHLY_CSV_PATH)
print('MONTHLY_ANALYSIS_CSV_PATH:', MONTHLY_ANALYSIS_CSV_PATH)
print('ANALYSIS_WINDOW:', ANALYSIS_START.date(), 'to', ANALYSIS_END.date())
print('FIGURES_DIR:', FIGURES_DIR)

```

```

PROJECT_ROOT: c:\PythonProjects\AfD-project
RAW_POLL_PATH: c:\PythonProjects\AfD-
project\data\polling\raw\afd_polling_raw_dawum.csv
POLL_LEVEL_CSV_PATH: c:\PythonProjects\AfD-
project\data\polling\processed\afd_bundestag_polls_dawum.csv
MONTHLY_CSV_PATH: c:\PythonProjects\AfD-
project\data\polling\processed\afd_polling_monthly.csv
MONTHLY_ANALYSIS_CSV_PATH: c:\PythonProjects\AfD-
project\data\polling\processed\afd_polling_monthly_2017_2025.csv
ANALYSIS_WINDOW: 2017-01-01 to 2025-12-31
FIGURES_DIR: c:\PythonProjects\AfD-project\figures\02_notebook_figures

```

1.1 1) DAWUM JSON Diagnostics

```

[2]: diag_resp = requests.get(
    DAWUM_API_URL,
    headers={'User-Agent': 'AfD-project/1.0 (Notebook02 diagnostics)'},
    timeout=60,
)
diag_resp.raise_for_status()
diag_data = diag_resp.json()

print('Top-level keys:', list(diag_data.keys()))
for key in ['Database', 'Parliaments', 'Institutes', 'Taskers', 'Methods', 'Parties', 'Surveys']:
    block = diag_data.get(key)
    block_len = len(block) if hasattr(block, '__len__') else 'NA'
    print(f"{key}: type={type(block).__name__}, len={block_len}")

surveys_block = diag_data.get('Surveys', {})
if not isinstance(surveys_block, dict) or len(surveys_block) == 0:
    raise RuntimeError('DAWUM diagnostics failed: Surveys block is empty or not a dict.')

```

```

example_survey_id, example_survey = next(iter(surveys_block.items()))
print('Example survey id:', example_survey_id)
print('Example survey keys:', list(example_survey.keys()))
print('Example survey record (truncated):')
print(json.dumps(example_survey, indent=2, ensure_ascii=False)[:3000])

```

Top-level keys: ['Database', 'Parliaments', 'Institutes', 'Taskers', 'Methods', 'Parties', 'Surveys']

Database: type=dict, len=4

Parliaments: type=dict, len=18

Institutes: type=dict, len=22

Taskers: type=dict, len=112

Methods: type=dict, len=6

Parties: type=dict, len=26

Surveys: type=dict, len=3804

Example survey id: 4176

Example survey keys: ['Date', 'Survey_Period', 'Surveyed_Persons', 'Parliament_ID', 'Institute_ID', 'Tasker_ID', 'Method_ID', 'Results']

Example survey record (truncated):

```

{
  "Date": "2026-05-09",
  "Survey_Period": {
    "Date_Start": "2026-05-04",
    "Date_End": "2026-05-08"
  },
  "Surveyed_Persons": "1200",
  "Parliament_ID": "0",
  "Institute_ID": "5",
  "Tasker_ID": "3",
  "Method_ID": "4",
  "Results": {
    "7": 28,
    "1": 23,
    "2": 13,
    "4": 13,
    "5": 11,
    "0": 6,
    "3": 3,
    "23": 3
  }
}

```

1.2 2) Fetch and Flatten DAWUM

One output row = one survey-party result.

```

[3]: def _to_dict(value):
      return value if isinstance(value, dict) else {}

```

```

def _coerce_int(value):
    try:
        return int(str(value))
    except Exception:
        return None

def _lookup_value(block: dict, item_id, field: str, default=np.nan):
    if item_id is None or (isinstance(item_id, float) and np.isnan(item_id)):
        return default

    candidates = [item_id]
    s = str(item_id)
    candidates.append(s)
    i = _coerce_int(item_id)
    if i is not None:
        candidates.extend([i, str(i)])

    for key in candidates:
        if key in block and isinstance(block[key], dict):
            return block[key].get(field, default)
    return default

def _extract_survey_period(period_obj):
    if isinstance(period_obj, dict):
        return period_obj.get('Date_Start'), period_obj.get('Date_End')

    if isinstance(period_obj, str) and period_obj.strip():
        val = period_obj.strip()
        if '-' in val:
            left, right = val.split('-', 1)
            return left.strip(), right.strip()
        if '--' in val and len(val.split('--')) == 2:
            left, right = val.split('--', 1)
            return left.strip(), right.strip()

    return None, None

def fetch_and_flatten_dawum(api_url: str):
    response = requests.get(
        api_url,
        headers={'User-Agent': 'AfD-project/1.0 (Notebook02 fetch)'},
        timeout=60,

```

```

)
response.raise_for_status()
payload = response.json()

parliaments = _to_dict(payload.get('Parliaments'))
institutes = _to_dict(payload.get('Institutes'))
taskers = _to_dict(payload.get('Taskers'))
methods = _to_dict(payload.get('Methods'))
parties = _to_dict(payload.get('Parties'))
surveys = _to_dict(payload.get('Surveys'))

if not surveys:
    raise RuntimeError(
        'DAWUM parser error: Surveys block is empty. '
        f"Top-level keys: {list(payload.keys())}"
    )

rows = []
for survey_id, survey in surveys.items():
    if not isinstance(survey, dict):
        continue

    parliament_id = survey.get('Parliament_ID')
    institute_id = survey.get('Institute_ID')
    tasker_id = survey.get('Tasker_ID')
    method_id = survey.get('Method_ID')

    published_date = survey.get('Date')
    fieldwork_start, fieldwork_end = _extract_survey_period(survey.
↳get('Survey_Period'))
    sample_size = survey.get('Surveyed_Persons')
    if sample_size in (None, ''):
        sample_size = survey.get('SampleSize')

    results = survey.get('Results', {})
    if not isinstance(results, dict):
        continue

    for party_id, pct in results.items():
        rows.append({
            'survey_id': str(survey_id),
            'parliament_id': parliament_id,
            'parliament': _lookup_value(parliaments, parliament_id, 'Name'),
            'parliament_shortcut': _lookup_value(parliaments,
↳parliament_id, 'Shortcut'),
            'pollster': _lookup_value(institutes, institute_id, 'Name'),
            'tasker': _lookup_value(taskers, tasker_id, 'Name'),

```

```

        'method': _lookup_value(methods, method_id, 'Name'),
        'published_date': published_date,
        'fieldwork_start': fieldwork_start,
        'fieldwork_end': fieldwork_end,
        'sample_size': sample_size,
        'party_id': party_id,
        'party': _lookup_value(parties, party_id, 'Shortcut'),
        'party_name': _lookup_value(parties, party_id, 'Name'),
        'pct': pct,
        'source': 'DAWUM',
    })

raw = pd.DataFrame(rows)
if raw.empty:
    sample_sid, sample_survey = next(iter(surveys.items()))
    raise RuntimeError(
        'DAWUM parser produced empty raw dataframe. '
        'Schema assumptions did not match DAWUM JSON. '
        f"Top-level keys: {list(payload.keys())}; sample survey id:␣
↪{sample_sid}; "
        f"sample survey keys: {list(sample_survey.keys())}"
    )

raw['pct'] = pd.to_numeric(raw['pct'], errors='coerce')
raw['sample_size'] = pd.to_numeric(raw['sample_size'], errors='coerce')
for c in ['published_date', 'fieldwork_start', 'fieldwork_end']:
    raw[c] = pd.to_datetime(raw[c], errors='coerce')

return raw, payload

```

```

[4]: required_raw_columns = {
    'survey_id', 'parliament_id', 'parliament', 'parliament_shortcut',␣
↪'pollster', 'tasker',
    'method', 'published_date', 'fieldwork_start', 'fieldwork_end',␣
↪'sample_size',
    'party_id', 'party', 'party_name', 'pct', 'source'
}

if AUTO_FETCH_DAWUM or not RAW_POLL_PATH.exists():
    raw, raw_payload = fetch_and_flatten_dawum(DAWUM_API_URL)
else:
    raw = pd.read_csv(RAW_POLL_PATH)
    raw_payload = None
    raw['pct'] = pd.to_numeric(raw.get('pct'), errors='coerce')
    raw['sample_size'] = pd.to_numeric(raw.get('sample_size'), errors='coerce')
    for c in ['published_date', 'fieldwork_start', 'fieldwork_end']:
        if c in raw.columns:

```

```

        raw[c] = pd.to_datetime(raw[c], errors='coerce')

if raw.empty:
    if raw_payload is not None:
        surveys = raw_payload.get('Surveys', {}) if isinstance(raw_payload, dict) else {}
        sample_survey = next(iter(surveys.values())) if isinstance(surveys, dict) and surveys else {}
        raise RuntimeError(
            'Raw dataframe is empty after fetch/flatten. '
            f'Available keys: {list(raw_payload.keys()) if isinstance(raw_payload, dict) else 'NA'}; '
            f'sample survey: {sample_survey}'
        )
        raise RuntimeError('Raw dataframe is empty and no payload diagnostics are available.')

missing = required_raw_columns - set(raw.columns)
if missing:
    raise ValueError(f'Missing required raw columns: {sorted(missing)}')

if raw['pct'].notna().sum() == 0:
    raise ValueError('pct is fully non-numeric after coercion. Parser assumptions likely wrong.')

raw.to_csv(RAW_POLL_PATH, index=False)
print('Saved raw file:', RAW_POLL_PATH)
print('raw.shape:', raw.shape)
print('raw.head():')
print(raw.head())
print('Top parliaments:')
print(raw['parliament'].value_counts(dropna=False).head(20))
print('Top parties:')
print(raw['party'].value_counts(dropna=False).head(20))
print('Top pollsters:')
print(raw['pollster'].value_counts(dropna=False).head(20))

```

Saved raw file: c:\PythonProjects\AfD-project\data\polling\raw\afd_polling_raw_dawum.csv

raw.shape: (28069, 16)

raw.head():

survey_id	parliament_id	parliament	parliament_shortcut	pollster	tasker	method	published_date	fieldwork_start	fieldwork_end	sample_size
0	4174	0 Bundestag	Bundestag	Verian (Emnid)	FOCUS	Telefonisch	2026-05-08	2026-04-28	2026-05-05	1448
7	AfD									

1	4174	0	Bundestag	Bundestag	Verian (Emnid)	
FOCUS	Telefonisch	2026-05-08	2026-04-28	2026-05-05	1448	
1	CDU/CSU					
2	4174	0	Bundestag	Bundestag	Verian (Emnid)	
FOCUS	Telefonisch	2026-05-08	2026-04-28	2026-05-05	1448	
4	Grüne					
3	4174	0	Bundestag	Bundestag	Verian (Emnid)	
FOCUS	Telefonisch	2026-05-08	2026-04-28	2026-05-05	1448	
2	SPD					
4	4174	0	Bundestag	Bundestag	Verian (Emnid)	
FOCUS	Telefonisch	2026-05-08	2026-04-28	2026-05-05	1448	
5	Linke					

	party_name	pct	source
0	Alternative für Deutschland	25.0	DAWUM
1	Christlich Demokratische Union / Christlich-So...	24.0	DAWUM
2	Bündnis 90/Die Grünen	15.0	DAWUM
3	Sozialdemokratische Partei Deutschlands	13.0	DAWUM
4	Die Linke	10.0	DAWUM

Top parliaments:

parliament	
Bundestag	18772
Bayerischer Landtag	1479
Berliner Abgeordnetenhaus	989
Landtag von Nordrhein-Westfalen	671
Thüringischer Landtag	669
Brandenburgischer Landtag	606
Hessischer Landtag	572
Sächsischer Landtag	548
Landtag von Baden-Württemberg	545
Niedersächsischer Landtag	500
Landtag von Rheinland-Pfalz	481
Europäisches Parlament	462
Landtag von Mecklenburg-Vorpommern	374
Landtag von Schleswig-Holstein	335
Hamburgische Bürgerschaft	323
Landtag von Sachsen-Anhalt	268
Bremische Bürgerschaft	246
Saarländischer Landtag	229

Name: count, dtype: int64

Top parties:

party	
Sonstige	3802
SPD	3802
Grüne	3801
AfD	3794
Linke	3728
FDP	3723

CDU/CSU	2623
CDU	999
BSW	803
Freie Wähler	583
CSU	180
BVB/FW	57
SSW	42
Bayernpartei	32
BD	24
Tierschutzpartei	23
Die PARTEI	21
Piraten	12
Volt	11
Familie	2

Name: count, dtype: int64

Top pollsters:

pollster

INSA	7903
Forsa	4340
Infratest dimap	3553
Verian (Emnid)	2702
Institut Wahlkreisprognose	2023
Forschungsgruppe Wahlen	1943
Civey	1789
GMS	1018
YouGov	993
Allensbach	884
Ipsos	588
Trend Research Hamburg	102
pollytix	85
IM Field	45
Policy Matters	36
Universität Hamburg	14
Mentefactum	14
IFM Berlin	8
GESS Phone & Field	8
uniQma	7

Name: count, dtype: int64

	survey_id	parliament_id	parliament	parliament_shortcut	pollster	
tasker	method	published_date	fieldwork_start	fieldwork_end	sample_size	
party_id	party \					
0	4174	0	Bundestag	Bundestag	Verian (Emnid)	
FOCUS	Telefonisch	2026-05-08	2026-04-28	2026-05-05	1448	
7	AfD					
1	4174	0	Bundestag	Bundestag	Verian (Emnid)	
FOCUS	Telefonisch	2026-05-08	2026-04-28	2026-05-05	1448	
1	CDU/CSU					
2	4174	0	Bundestag	Bundestag	Verian (Emnid)	

FOCUS	Telefonisch	2026-05-08	2026-04-28	2026-05-05	1448
4	Grüne				
3	4174	0 Bundestag		Bundestag Verian (Emnid)	
FOCUS	Telefonisch	2026-05-08	2026-04-28	2026-05-05	1448
2	SPD				
4	4174	0 Bundestag		Bundestag Verian (Emnid)	
FOCUS	Telefonisch	2026-05-08	2026-04-28	2026-05-05	1448
5	Linke				

	party_name	pct	source
0	Alternative für Deutschland	25.0	DAWUM
1	Christlich Demokratische Union / Christlich-So...	24.0	DAWUM
2	Bündnis 90/Die Grünen	15.0	DAWUM
3	Sozialdemokratische Partei Deutschlands	13.0	DAWUM
4	Die Linke	10.0	DAWUM

Top parliaments:

parliament

Bundestag	18772
Bayerischer Landtag	1479
Berliner Abgeordnetenhaus	989
Landtag von Nordrhein-Westfalen	671
Thüringischer Landtag	669
Brandenburgischer Landtag	606
Hessischer Landtag	572
Sächsischer Landtag	548
Landtag von Baden-Württemberg	545
Niedersächsischer Landtag	500
Landtag von Rheinland-Pfalz	481
Europäisches Parlament	462
Landtag von Mecklenburg-Vorpommern	374
Landtag von Schleswig-Holstein	335
Hamburgische Bürgerschaft	323
Landtag von Sachsen-Anhalt	268
Bremische Bürgerschaft	246
Saarländischer Landtag	229

Name: count, dtype: int64

Top parties:

party

Sonstige	3802
SPD	3802
Grüne	3801
AfD	3794
Linke	3728
FDP	3723
CDU/CSU	2623
CDU	999
BSW	803
Freie Wähler	583

CSU	180
BVB/FW	57
SSW	42
Bayernpartei	32
BD	24
Tierschutzpartei	23
Die PARTEI	21
Piraten	12
Volt	11
Familie	2

Name: count, dtype: int64

Top pollsters:

pollster	
INSA	7903
Forsa	4340
Infratest dimap	3553
Verian (Emnid)	2702
Institut Wahlkreisprognose	2023
Forschungsgruppe Wahlen	1943
Civey	1789
GMS	1018
YouGov	993
Allensbach	884
Ipsos	588
Trend Research Hamburg	102
pollytix	85
IM Field	45
Policy Matters	36
Universität Hamburg	14
Mentefactum	14
IFM Berlin	8
GESS Phone & Field	8
uniQma	7

Name: count, dtype: int64

1.3 3) Filter to Bundestag + AfD, then build poll-level dataset

```
[5]: party_short = raw['party'].astype(str).str.strip().str.lower()
party_name = raw['party_name'].astype(str).str.strip().str.lower()
parl_name = raw['parliament'].astype(str).str.strip().str.lower()
parl_short = raw['parliament_shortcut'].astype(str).str.strip().str.lower()

afd_mask = party_short.eq('afd') | party_name.str.contains('alternative',
↳na=False)
bundestag_mask = parl_name.str.contains('bundestag', na=False) | parl_short.str.
↳contains('bundestag', na=False)
```

```

polls = raw.loc[afd_mask & bundestag_mask].copy()

if polls.empty:
    raise RuntimeError(
        'Bundestag + AfD filter returned zero rows. '
        'Check parliament and party value counts in raw diagnostics.'
    )

for c in ['published_date', 'fieldwork_start', 'fieldwork_end']:
    polls[c] = pd.to_datetime(polls[c], errors='coerce')

polls['pct'] = pd.to_numeric(polls['pct'], errors='coerce')
polls = polls.sort_values(['published_date', 'survey_id']).
    ↪reset_index(drop=True)

polls.to_csv(POLL_LEVEL_CSV_PATH, index=False)
polls.to_parquet(POLL_LEVEL_PARQUET_PATH, index=False)

print('Saved poll-level CSV:', POLL_LEVEL_CSV_PATH)
print('Saved poll-level parquet:', POLL_LEVEL_PARQUET_PATH)
print('polls.shape:', polls.shape)
print('date range:', polls['published_date'].min(), 'to', ↪
    ↪polls['published_date'].max())
print('unique surveys:', polls['survey_id'].nunique())
print('Pollsters by frequency:')
print(polls['pollster'].value_counts(dropna=False).head(20))
print('Missing fieldwork_start:', int(polls['fieldwork_start'].isna().sum()))
print('Missing fieldwork_end:', int(polls['fieldwork_end'].isna().sum()))
print('Missing sample_size:', int(polls['sample_size'].isna().sum()))
print('pct describe:')
print(polls['pct'].describe())

```

```

Saved poll-level CSV: c:\PythonProjects\AfD-
project\data\polling\processed\afd_bundestag_polls_dawum.csv
Saved poll-level parquet: c:\PythonProjects\AfD-
project\data\polling\processed\afd_bundestag_polls_dawum.parquet
polls.shape: (2571, 16)
date range: 2017-01-18 00:00:00 to 2026-05-08 00:00:00
unique surveys: 2571
Pollsters by frequency:
pollster
INSA                745
Forsa                478
Verian (Emnid)      380
Infratest dimap     202
Forschungsgruppe Wahlen 182
YouGov              125

```

```

Allensbach                116
Civey                     113
GMS                       79
Ipsos                    74
Institut Wahlkreisprognose 60
pollytix                 10
Trend Research Hamburg    7
Name: count, dtype: int64
Missing fieldwork_start: 0
Missing fieldwork_end: 0
Missing sample_size: 0
pct describe:
count    2571.000000
mean      14.843602
std       5.112230
min       6.500000
25%      11.000000
50%      14.000000
75%      18.000000
max      28.000000
Name: pct, dtype: float64

```

1.4 4) Construct analysis date and aggregate monthly

```

[6]: work = polls.copy()

midpoint_mask = work['fieldwork_start'].notna() & work['fieldwork_end'].notna()
work['poll_date'] = pd.NaT
work.loc[midpoint_mask, 'poll_date'] = work.loc[midpoint_mask,
↪ 'fieldwork_start'] + (
    work.loc[midpoint_mask, 'fieldwork_end'] - work.loc[midpoint_mask,
↪ 'fieldwork_start']
) / 2
work['poll_date'] = work['poll_date'].fillna(work['fieldwork_end'])
work['poll_date'] = work['poll_date'].fillna(work['published_date'])

if work['poll_date'].isna().all():
    raise RuntimeError('All poll_date values are missing after fallback logic.')

work['month_dt'] = work['poll_date'].dt.to_period('M').dt.to_timestamp()
work['year_month'] = work['month_dt'].dt.strftime('%Y-%m')
work['year'] = work['month_dt'].dt.year
work['month_num'] = work['month_dt'].dt.month
work['month'] = work['year_month']

monthly = (

```


0	7	2017-01-11 00:00:00	2017-01-31 12:00:00	DAWUM
1	10	2017-02-01 00:00:00	2017-02-26 12:00:00	DAWUM
2	9	2017-03-01 00:00:00	2017-03-29 00:00:00	DAWUM
3	9	2017-04-01 00:00:00	2017-04-30 00:00:00	DAWUM
4	10	2017-05-01 12:00:00	2017-05-31 00:00:00	DAWUM

1.5 6) Create analysis-window polling dataset

```
[7]: required_monthly_columns = [
    'month',
    'year_month',
    'month_dt',
    'year',
    'month_num',
    'afd_poll_support_mean',
    'afd_poll_support_median',
    'afd_poll_support_min',
    'afd_poll_support_max',
    'afd_poll_support_sd',
    'n_polls',
    'n_pollsters',
    'first_poll_date',
    'last_poll_date',
    'source',
]

missing_monthly_cols = [c for c in required_monthly_columns if c not in monthly.
    ↪columns]
if missing_monthly_cols:
    raise ValueError(f'Monthly output is missing required columns: {
    ↪missing_monthly_cols}')

monthly['month_dt'] = pd.to_datetime(monthly['month_dt'], errors='coerce')
monthly_analysis = monthly[(monthly['month_dt'] >= ANALYSIS_START) &
    ↪(monthly['month_dt'] <= ANALYSIS_END)].copy()
monthly_analysis = monthly_analysis.sort_values('month_dt').
    ↪reset_index(drop=True)

if monthly_analysis['month'].duplicated().any():
    dupes = monthly_analysis.loc[monthly_analysis['month'].duplicated(),
    ↪'month'].tolist()
    raise ValueError(f'Duplicate month values in analysis dataset: {dupes[:
    ↪10]}')

expected_months = pd.period_range(ANALYSIS_START, ANALYSIS_END, freq='M')
actual_months = pd.PeriodIndex(monthly_analysis['month_dt'].dropna().dt.
    ↪to_period('M').unique(), freq='M')
```

```

missing_months = expected_months.difference(actual_months)
expected_count = len(expected_months)
actual_count = len(monthly_analysis)

if len(missing_months) > 0:
    raise ValueError(
        'Analysis-window monthly dataset has missing months: '
        + ', '.join(m.strftime('%Y-%m') for m in missing_months[:20])
    )

if actual_count != expected_count:
    raise ValueError(
        f'Analysis-window row count mismatch: expected {expected_count}, got {actual_count}'
    )

monthly_analysis.to_csv(MONTHLY_ANALYSIS_CSV_PATH, index=False)
monthly_analysis.to_parquet(MONTHLY_ANALYSIS_PARQUET_PATH, index=False)

print('Saved analysis-window CSV:', MONTHLY_ANALYSIS_CSV_PATH)
print('Saved analysis-window parquet:', MONTHLY_ANALYSIS_PARQUET_PATH)
print('Full monthly coverage:', monthly['month_dt'].min(), 'to',
      monthly['month_dt'].max(), '| rows =', len(monthly))
print('Analysis coverage:', monthly_analysis['month_dt'].min(), 'to',
      monthly_analysis['month_dt'].max(), '| rows =', len(monthly_analysis))
print('Expected rows:', expected_count)
print('Missing months in analysis window:', [m.strftime('%Y-%m') for m in
      missing_months])

```

```

Saved analysis-window CSV: c:\PythonProjects\AfD-
project\data\polling\processed\afd_polling_monthly_2017_2025.csv
Saved analysis-window parquet: c:\PythonProjects\AfD-
project\data\polling\processed\afd_polling_monthly_2017_2025.parquet
Full monthly coverage: 2017-01-01 00:00:00 to 2026-05-01 00:00:00 | rows = 113
Analysis coverage: 2017-01-01 00:00:00 to 2025-12-01 00:00:00 | rows = 108
Expected rows: 108
Missing months in analysis window: []

```

1.6 7) Validation + Plots

```

[8]: plot_df = monthly_analysis.copy()

plt.figure(figsize=(12, 5))
plt.plot(plot_df['month_dt'], plot_df['afd_poll_support_mean'],
      color='#1f4e79', linewidth=2)
plt.title('AfD Monthly Polling Support Mean (DAWUM, Analysis Window 2017-01 to
      2025-12)')

```

```

plt.xlabel('Month')
plt.ylabel('AfD support (%)')
plt.grid(alpha=0.25)
fig1 = FIGURES_DIR / 'afd_polling_monthly_mean.png'
plt.tight_layout()
plt.savefig(fig1, dpi=150)
plt.show()
print('Saved:', fig1)

plt.figure(figsize=(12, 4))
plt.plot(plot_df['month_dt'], plot_df['n_polls'], color='#7a2e2e', linewidth=1.
↪8)
plt.title('Number of Bundestag AfD Polls per Month (DAWUM, Analysis Window)')
plt.xlabel('Month')
plt.ylabel('n_polls')
plt.grid(alpha=0.25)
fig2 = FIGURES_DIR / 'afd_polling_n_polls_per_month.png'
plt.tight_layout()
plt.savefig(fig2, dpi=150)
plt.show()
print('Saved:', fig2)

coverage_months = pd.period_range(plot_df['month_dt'].min(),
↪plot_df['month_dt'].max(), freq='M')
covered = pd.PeriodIndex(plot_df['month_dt'].dt.to_period('M').unique(),
↪freq='M')
missing = coverage_months.difference(covered)
missing_months_df = pd.DataFrame({'missing_month': [m.strftime('%Y-%m') for m
↪in missing]})

pollsters_by_count = polls['pollster'].value_counts(dropna=False).
↪rename_axis('pollster').reset_index(name='count')

print('Missing months in analysis coverage range:')
print(missing_months_df.head(30))
print('Total missing months in analysis range:', len(missing_months_df))

print('Pollsters by count (top 30):')
print(pollsters_by_count.head(30))

print('Coverage summary:')
print('Full DAWUM monthly start:', monthly['month_dt'].min())
print('Full DAWUM monthly end:', monthly['month_dt'].max())
print('Analysis monthly start:', plot_df['month_dt'].min())
print('Analysis monthly end:', plot_df['month_dt'].max())

media_start = pd.Timestamp('2013-01-01')


```

```


if plot_df['month_dt'].min() > media_start:
    print('Note: DAWUM starts later than media corpus start (2013-01).  

    ↳Historical supplement may be required for early-period analyses.')
else:
    print('DAWUM starts on or before media corpus start.')

```



Saved: c:\PythonProjects\AfD-project\figures\02_notebook_figures\afd_polling_monthly_mean.png



Saved: c:\PythonProjects\AfD-project\figures\02_notebook_figures\afd_polling_n_polls_per_month.png

Missing months in analysis coverage range:

Empty DataFrame

Columns: [missing_month]

Index: []

Total missing months in analysis range: 0

Pollsters by count (top 30):

pollster	count
----------	-------

0	INSA	745
1	Forsa	478
2	Verian (Emnid)	380
3	Infratest dimap	202
4	Forschungsgruppe Wahlen	182
5	YouGov	125
6	Allensbach	116
7	Civey	113
8	GMS	79
9	Ipsos	74
10	Institut Wahlkreisprognose	60
11	pollytix	10
12	Trend Research Hamburg	7

Coverage summary:

Full DAWUM monthly start: 2017-01-01 00:00:00

Full DAWUM monthly end: 2026-05-01 00:00:00

Analysis monthly start: 2017-01-01 00:00:00

Analysis monthly end: 2025-12-01 00:00:00

Note: DAWUM starts later than media corpus start (2013-01). Historical supplement may be required for early-period analyses.