[MS-WSTEP]:

WS-Trust X.509v3 Token Enrollment Extensions

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation ("this documentation") for protocols, file formats, data portability, computer languages, and standards support. Additionally, overview documents cover inter-protocol relationships and interactions.
- **Copyrights**. This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you can make copies of it in order to develop implementations of the technologies that are described in this documentation and can distribute portions of it in your implementations that use these technologies or in your documentation as necessary to properly document the implementation. You can also distribute in your implementation, with or without modification, any schemas, IDLs, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications documentation.
- No Trade Secrets. Microsoft does not claim any trade secret rights in this documentation.
- Patents. Microsoft has patents that might cover your implementations of the technologies described in the Open Specifications documentation. Neither this notice nor Microsoft's delivery of this documentation grants any licenses under those patents or any other Microsoft patents. However, a given Open Specifications document might be covered by the Microsoft Open Specifications Promise or the Microsoft Community Promise. If you would prefer a written license, or if the technologies described in this documentation are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplq@microsoft.com.
- **License Programs**. To see all of the protocols in scope under a specific license program and the associated patents, visit the <u>Patent Map</u>.
- **Trademarks**. The names of companies and products contained in this documentation might be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit www.microsoft.com/trademarks.
- **Fictitious Names**. The example companies, organizations, products, domain names, email addresses, logos, people, places, and events that are depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than as specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications documentation does not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments, you are free to take advantage of them. Certain Open Specifications documents are intended for use in conjunction with publicly available standards specifications and network programming art and, as such, assume that the reader either is familiar with the aforementioned material or has immediate access to it.

Support. For questions and support, please contact <u>dochelp@microsoft.com</u>.

Revision Summary

Date	Revision History	Revision Class	Comments
12/5/2008	0.1	Major	Initial Availability
1/16/2009	0.1.1	Editorial	Changed language and formatting in the technical content.
2/27/2009	0.1.2	Editorial	Changed language and formatting in the technical content.
4/10/2009	0.1.3	Editorial	Changed language and formatting in the technical content.
5/22/2009	0.2	Minor	Clarified the meaning of the technical content.
7/2/2009	1.0	Major	Updated and revised the technical content.
8/14/2009	1.1	Minor	Clarified the meaning of the technical content.
9/25/2009	2.0	Major	Updated and revised the technical content.
11/6/2009	3.0	Major	Updated and revised the technical content.
12/18/2009	4.0	Major	Updated and revised the technical content.
1/29/2010	5.0	Major	Updated and revised the technical content.
3/12/2010	5.1	Minor	Clarified the meaning of the technical content.
4/23/2010	5.1.1	Editorial	Changed language and formatting in the technical content.
6/4/2010	5.1.2	Editorial	Changed language and formatting in the technical content.
7/16/2010	6.0	Major	Updated and revised the technical content.
8/27/2010	6.0	None	No changes to the meaning, language, or formatting of the technical content.
10/8/2010	6.0	None	No changes to the meaning, language, or formatting of the technical content.
11/19/2010	6.0	None	No changes to the meaning, language, or formatting of the technical content.
1/7/2011	6.0	None	No changes to the meaning, language, or formatting of the technical content.
2/11/2011	6.0	None	No changes to the meaning, language, or formatting of the technical content.
3/25/2011	6.0	None	No changes to the meaning, language, or formatting of the technical content.
5/6/2011	6.0	None	No changes to the meaning, language, or formatting of the technical content.
6/17/2011	6.1	Minor	Clarified the meaning of the technical content.
9/23/2011	6.1	None	No changes to the meaning, language, or formatting of the technical content.
12/16/2011	7.0	Major	Updated and revised the technical content.
3/30/2012	7.0	None	No changes to the meaning, language, or formatting of the technical content.

Date	Revision History	Revision Class	Comments
7/12/2012	7.1	Minor	Clarified the meaning of the technical content.
10/25/2012	7.2	Minor	Clarified the meaning of the technical content.
1/31/2013	7.2	None	No changes to the meaning, language, or formatting of the technical content.
8/8/2013	8.0	Major	Updated and revised the technical content.
11/14/2013	8.0	None	No changes to the meaning, language, or formatting of the technical content.
2/13/2014	8.0	None	No changes to the meaning, language, or formatting of the technical content.
5/15/2014	8.1	Minor	Clarified the meaning of the technical content.
6/30/2015	9.0	Major	Significantly changed the technical content.
10/16/2015	9.0	None	No changes to the meaning, language, or formatting of the technical content.
7/14/2016	9.0	None	No changes to the meaning, language, or formatting of the technical content.
6/1/2017	10.0	Major	Significantly changed the technical content.
9/15/2017	11.0	Major	Significantly changed the technical content.
12/1/2017	11.0	None	No changes to the meaning, language, or formatting of the technical content.
9/12/2018	12.0	Major	Significantly changed the technical content.
4/7/2021	13.0	Major	Significantly changed the technical content.
6/25/2021	14.0	Major	Significantly changed the technical content.

Table of Contents

1		duction	
	1.1	Glossary	
	1.2	References	
	1.2.1	Normative References	
	1.2.2		
	1.3	Overview	
	1.4	Relationship to Other Protocols	10
	1.5	Prerequisites/Preconditions	11
	1.6	Applicability Statement	
	1.7	Versioning and Capability Negotiation	
	1.8	Vendor-Extensible Fields	
	1.9	Standards Assignments	
_		-	
2		ages	
	2.1	Transport	
	2.2	Common Message Syntax	
	2.2.1	Namespaces	
	2.2.2	Messages	
	2.2.3	Elements	
	2.2.4	Complex Types	13
	2.2.5	Simple Types	13
	2.2.6	Attributes	14
	2.2.7	Groups	14
	2.2.8	Attribute Groups	
_		·	
3		ocol Details	
	3.1	SecurityTokenService Server Details	
	3.1.1	7.550.550	
		.1.1 Authentication	
	_	.1.1.1.1 Kerberos Authentication	
	3	.1.1.1.2 X.509v3 Certificate Authentication	
	3	.1.1.1.3 Username and Password Authentication	
	3	.1.1.1.4 No (Anonymous) Authentication	16
	3.1.2	Timers	16
	3.1.3	Initialization	16
	3.1.4	Message Processing Events and Sequencing Rules	17
	3.1	.4.1 wst:RequestSecurityToken2	
	3	.1.4.1.1 Messages	
		3.1.4.1.1.1 wst:RequestSecurityTokenMsg	
		3.1.4.1.1.2 wst:RequestSecurityTokenResponseCollectionMsg	
	3	.1.4.1.2 Elements	
		3.1.4.1.2.1 wstep:CertificateEnrollmentWSDetail	
		3.1.4.1.2.2 DispositionMessage	
		3.1.4.1.2.3 wst:KeyExchangeToken	
		3.1.4.1.2.4 RequestID	
		3.1.4.1.2.5 wst:RequestSecurityToken	
		3.1.4.1.2.6 RequestSecurityTokenResponseCollection	1 Q
		3.1.4.1.2.7 wst:RequestType	
	_	3.1.4.1.2.8 wst:TokenType	
	3	.1.4.1.3 Complex Types	
		3.1.4.1.3.1 DispositionMessageType	19
		3.1.4.1.3.2 wst:RequestedSecurityTokenType	
		3.1.4.1.3.3 wst:RequestSecurityTokenType	
		3.1.4.1.3.4 wst:RequestSecurityTokenResponseType	
		3.1.4.1.3.5 wst:RequestSecurityTokenResponseCollectionType	22

	3.1.4.1.3.6 wst:RequestTypeEnum	23
	3.1.4.1.3.7 wstep:CertificateEnrollmentWSDetailType	22
	3.1.4.1.4 Attributes	
	3.1.4.2 Processing Rules	
	3.1.4.2.1 WSTEP Action: Request Security Token Processing Rules	
	3.1.4.2.1.1 New and Renewal Request Processing	
	3.1.4.2.1.2 QueryTokenStatus Request Processing	
	3.1.4.2.2 KET Action: Request Security Token Processing Rules	
	3.1.4.2.2.1 Key Exchange Token Request Processing	. 25
	3.1.5 Timer Events	
	3.1.6 Other Local Events	
_		
	Protocol Examples 4.1 RequestSecurityToken Request/Response Message Sequence	
	The standard out the square may be standard the square may be standard to the standard the stand	
	4.1.1.2 Server RequestSecurityToken Response	
	4.1.2.1 Client Exchange Token Request	
	4.1.2.1 Cheft Exchange Token Request	
	4.1.3 Retrieval of a previously pended certificate request with Query Token Status	
	4.1.3.1 Client Request	
	4.1.4 Message exchange with a server fault	
	4.1.4.1 Client Request	
	4.1.4.2 Server Fault Response	
	4.1.5 Certificate Renewal	
	4.1.5.1 Client Renewal Request	
	4.1.5.2 Server Request Security Token Response	
_	Security	
	5.1 Security Considerations for Implementers	
	5.2 Index of Security Parameters	
	·	
6	Appendix A: Full WSDL	. 38
7	Appendix B: Product Behavior	. 39
8	Change Tracking	. 40
	Tudov	

1 Introduction

The WS-Trust X.509v3 Token Enrollment Extensions are extensions of WS-Trust that are used by a system to request that a **certificate** be issued.

The communication is initiated by a requesting client who requests a new certificate, retrieval of an issued certificate, or retrieval of a server certificate. The server processes the request and generates a response based on the request type.

Sections 1.5, 1.8, 1.9, 2, and 3 of this specification are normative. All other sections and examples in this specification are informative.

1.1 Glossary

This document uses the following terms:

- Abstract Syntax Notation One (ASN.1): A notation to define complex data types to carry a message, without concern for their binary representation, across a network. ASN.1 defines an encoding to specify the data types with a notation that does not necessarily determine the representation of each value. ASN.1 encoding rules are sets of rules used to transform data that is specified in the ASN.1 language into a standard format that can be decoded on any system that has a decoder based on the same set of rules. ASN.1 and its encoding rules were once part of the same standard. They have since been separated, but it is still common for the terms ASN.1 and Basic Encoding Rules (BER) to be used to mean the same thing, though this is not the case. Different encoding rules can be applied to a given ASN.1 definition. The choice of encoding rules used is an option of the protocol designer. ASN.1 is described in the following specifications: [ITUX660] for general procedures; [ITUX680] for syntax specification; [ITUX690] for the Basic Encoding Rules (BER), Canonical Encoding Rules (CER), and Distinguished Encoding Rules (DER) encoding rules; and [ITUX691] for the Packed Encoding Rules (PER). Further background information on ASN.1 is also available in [DUBUISSON].
- **certificate**: When referring to X.509v3 certificates, that information consists of a public key, a distinguished name (DN) of some entity assumed to have control over the private key corresponding to the public key in the certificate, and some number of other attributes and extensions assumed to relate to the entity thus referenced. Other forms of certificates can bind other pieces of information.
- **Certificate Management Messages over CMS (CMC)**: An internet standard for transport mechanisms for CMS [RFC2797].
- **certification authority (CA)**: A third party that issues public key certificates. Certificates serve to bind public keys to a user identity. Each user and certification authority (CA) can decide whether to trust another user or CA for a specific purpose, and whether this trust should be transitive. For more information, see [RFC3280].
- **Hypertext Transfer Protocol Secure (HTTPS)**: An extension of HTTP that securely encrypts and decrypts web page requests. In some older protocols, "Hypertext Transfer Protocol over Secure Sockets Layer" is still used (Secure Sockets Layer has been deprecated). For more information, see [SSL3] and [RFC5246].
- **Public Key Cryptography Standards (PKCS)**: A group of Public Key Cryptography Standards published by RSA Laboratories.
- **security token service (STS)**: A special type of server defined in WS-Trust [WSTrust1.3].
- **SOAP action**: The HTTP request header field used to indicate the intent of the SOAP request, using a URI value. See [SOAP1.1] section 6.1.1 for more information.

- **SOAP fault**: A container for error and status information within a **SOAP message**. See [SOAP1.2-1/2007] section 5.4 for more information.
- **SOAP message**: An **XML** document consisting of a mandatory SOAP envelope, an optional SOAP header, and a mandatory SOAP body. See [SOAP1.2-1/2007] section 5 for more information.
- **Unicode**: A character encoding standard developed by the Unicode Consortium that represents almost all of the written languages of the world. The **Unicode** standard [UNICODE5.0.0/2007] provides three forms (UTF-8, UTF-16, and UTF-32) and seven schemes (UTF-8, UTF-16, UTF-16 BE, UTF-16 LE, UTF-32, UTF-32 LE, and UTF-32 BE).
- **Web Services Description Language (WSDL)**: An XML format for describing network services as a set of endpoints that operate on messages that contain either document-oriented or procedure-oriented information. The operations and messages are described abstractly and are bound to a concrete network protocol and message format in order to define an endpoint. Related concrete endpoints are combined into abstract endpoints, which describe a network service. WSDL is extensible, which allows the description of endpoints and their messages regardless of the message formats or network protocols that are used.
- **X.509**: An ITU-T standard for public key infrastructure subsequently adapted by the IETF, as specified in [RFC3280].
- **XML**: The Extensible Markup Language, as described in [XML1.0].
- **XML namespace**: A collection of names that is used to identify elements, types, and attributes in XML documents identified in a URI reference [RFC3986]. A combination of XML namespace and local name allows XML documents to use elements, types, and attributes that have the same names but come from different sources. For more information, see [XMLNS-2ED].
- **XML Schema (XSD)**: A language that defines the elements, attributes, namespaces, and data types for **XML** documents as defined by [XMLSCHEMA1/2] and [XMLSCHEMA2/2] standards. An XML schema uses **XML** syntax for its language.
- MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as defined in [RFC2119]. All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

Links to a document in the Microsoft Open Specifications library point to the correct section in the most recently published version of the referenced document. However, because individual documents in the library are not updated at the same time, the section numbers in the documents may not match. You can confirm the correct section numbering by checking the Errata.

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information.

[MS-WCCE] Microsoft Corporation, "Windows Client Certificate Enrollment Protocol".

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, https://www.rfc-editor.org/rfc/rfc2119.html

[RFC2797] Myers, M., Liu, X., Schaad, J., and Weinstein, J., "Certificate Management Messages Over CMS", RFC 2797, April 2000, http://www.ietf.org/rfc/rfc2797.txt

[RFC2986] Nystrom, M. and Kaliski, B., "PKCS#10: Certificate Request Syntax Specification", RFC 2986, November 2000, http://www.ietf.org/rfc/rfc2986.txt

[RFC3066] Alvestrand, H., "Tags for the Identification of Languages", BCP 47, RFC 3066, January 2001, http://www.ietf.org/rfc/rfc3066.txt

[RFC3852] Housley, R., "Cryptographic Message Syntax (CMS)", RFC 3852, July 2004, http://www.ietf.org/rfc/rfc3852.txt

[RFC5246] Dierks, T., and Rescorla, E., "The Transport Layer Security (TLS) Protocol Version 1.2", RFC 5246, August 2008, https://www.rfc-editor.org/info/rfc5246

[WSDL] Christensen, E., Curbera, F., Meredith, G., and Weerawarana, S., "Web Services Description Language (WSDL) 1.1", W3C Note, March 2001, https://www.w3.org/TR/2001/NOTE-wsdl-20010315

[WSSUTP] OASIS, "Web Services Security UsernameToken Profile 1.0", OASIS Standard, March 2004, http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-token-profile-1.0.pdf

[WSS] OASIS, "Web Services Security: SOAP Message Security 1.1 (WS-Security 2004)", February 2006, https://www.oasis-open.org/committees/download.php/16790/wss-v1.1-spec-os-SOAPMessageSecurity.pdf

[WSTrust1.3Schema] OASIS Standard, "WS-Trust 1.3", http://docs.oasis-open.org/ws-sx/ws-trust/200512/ws-trust-1.3.xsd

[WSTrust1.3] Lawrence, K., Kaler, C., Nadalin, A., et al., "WS-Trust 1.3", OASIS Standard March 2007, https://docs.oasis-open.org/ws-sx/ws-trust/200512/ws-trust-1.3-os.html

[XMLNS] Bray, T., Hollander, D., Layman, A., et al., Eds., "Namespaces in XML 1.0 (Third Edition)", W3C Recommendation, December 2009, https://www.w3.org/TR/2009/REC-xml-names-20091208/

[XMLSCHEMA1] Thompson, H., Beech, D., Maloney, M., and Mendelsohn, N., Eds., "XML Schema Part 1: Structures", W3C Recommendation, May 2001, https://www.w3.org/TR/2001/REC-xmlschema-1-20010502/

[XMLSCHEMA2] Biron, P.V., Ed. and Malhotra, A., Ed., "XML Schema Part 2: Datatypes", W3C Recommendation, May 2001, https://www.w3.org/TR/2001/REC-xmlschema-2-20010502/

1.2.2 Informative References

[DUBUISSON] Dubuisson, O., "ASN.1 Communication between Heterogeneous Systems", Morgan Kaufmann, October 2000, ISBN: 0126333610.

[SCEP] Nourse, A., and Vilhuber, J. Ed., "Cisco Systems' Simple Certificate Enrollment Protocol", April 2009, http://tools.ietf.org/html/draft-nourse-scep-19

1.3 Overview

The WS-Trust X.509v3 Token Enrollment Extensions (WSTEP) defines the token enrollment profile for WS-Trust [WSTrust1.3] to allow a client to request **X.509v3 certificates**.

Existing **certificate authorities (CAs)** support **Abstract Syntax Notation One (ASN.1)** formats such as **PKCS**#10 ([RFC2986]), PKCS#7 ([RFC3852]), or **CMC** ([RFC2797]) to encode a certificate request, and those requests are carried in an existing protocol, such as Windows Client Certificate Enrollment Protocol [MS-WCCE] or Cisco's SCEP ([SCEP]). WSTEP also carries those requests from the client to the issuer.

WSTEP provides for issuance, renewal, and delayed-issuance scenarios for X.509v3 digital certificates. The server is known in WS-Trust [WSTrust1.3] terminology as a **Security Token Service (STS)**.

The WS-Trust protocol [WSTrust1.3] definition provides the framework for the STS and for enrollment profile extensions. A typical client interacts with a STS with a request security token (RST) message. The STS responds to a client request security token message with a request security token response (RSTR) or a **SOAP fault**.




Figure 1: Typical sequence for certificate enrollment

The following figure shows a scenario in which a request cannot be satisfied immediately. In this scenario, the client makes a request, and the server reply indicates that the request is pending some other action. The client then queries the request at a later time, presumably after any conditions for its satisfaction have been met, and receives a reply that the request was issued, rejected, or is still pending.




Figure 2: Typical sequence for a pended certificate enrollment request

In some circumstances, the client request could be rejected. In these instances, the STS responds with a SOAP fault. The following figure shows the typical sequence.




Figure 3: Typical sequence for a rejected certificate renewal request

The following figure is an example of a message exchange for a renewal request. A renewal request uses an existing certificate and requests a new lifespan. From the point of view of the WSTEP protocol, this is the same as an issue request, as the message format is unchanged.




Figure 4: Typical sequence for a certificate renewal request

1.4 Relationship to Other Protocols

The following figure shows the WSTEP Protocol stack diagram.




Figure 5: WSTEP Protocol stack diagram

The WSTEP protocol specification is a profile of the WS-Trust Protocol [WSTrust1.3] and makes use of the SOAP and **Hypertext Transfer Protocol over Secure Sockets Layer (HTTPS)** protocols for messaging and security.

1.5 Prerequisites/Preconditions

The WSTEP protocol specification facilitates the issuance of **X.509v3** certificates. A server implementation of the protocol requires the functionality of a certificate authority, capable of interpreting requests in at least one of **PKCS**#7, PKCS#10, or **Certificate Management Messages** over **CMS** (**CMC**).

1.6 Applicability Statement

The WSTEP protocol specification is applicable only for requests for **X.509v3 certificates**.

1.7 Versioning and Capability Negotiation

The WSTEP protocol specification does not include versioning and capability negotiation.

1.8 Vendor-Extensible Fields

The WSTEP protocol specification does not include any vendor-extensible fields. WSTEP adheres to the WS-Trust 1.3 [WSTrust1.3] provided extension points.

19	Standards	Assignments
1.9	Stanuarus	Assignments

None.

2 Messages

2.1 Transport

SOAP version 1.2 MUST be used for messaging for the WSTEP protocol. **HTTPS** protocol MUST be used as the transport.

2.2 Common Message Syntax

This section contains common definitions used by this protocol. The syntax of the definitions uses the **XML** schema as defined in [XMLSCHEMA1] and [XMLSCHEMA2], and the **Web Services Description Language (WSDL)** as defined in [WSDL].

2.2.1 Namespaces

This specification defines and references various **XML namespaces**, using the mechanisms specified in [XMLNS]. Although this specification associates a specific XML namespace prefix for each XML namespace that is used, the choice of any particular XML namespace prefix is implementation-specific and not significant for interoperability.

Prefixes and XML namespaces used in this specification are as follows.

Prefix	Namespace URI	Reference
XS	http://www.w3.org/2001/XMLSchema	[XMLSCHEMA1]
wst	http://docs.oasis-open.org/ws-sx/ws-trust/200512	[WSTrust1.3]
auth	http://schemas.xmlsoap.org/ws/2006/12/authorization	[XMLSCHEMA1]
wsu	http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd	
wsse	http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd	
wstep	http://schemas.microsoft.com/windows/pki/2009/01/enrollment	This document

2.2.2 Messages

None.

2.2.3 Elements

This specification does not define any common XML schema element definitions.

2.2.4 Complex Types

This specification does not define any common XML schema complex type definitions.

2.2.5 Simple Types

The WSTEP protocol specification does not define any common XML schema simple type definitions.

2.2.6 Attributes

The WSTEP protocol specification does not define any common XML schema attribute definitions.

2.2.7 Groups

The WSTEP protocol specification does not define any common XML schema group definitions.

2.2.8 Attribute Groups

The WSTEP protocol specification does not define any common XML schema attribute group definitions.

3 Protocol Details

The client side of this protocol is a simple pass-through. No additional timers or other state is required on the client side of this protocol. Calls made by the higher-layer protocol or application are passed directly to the transport layer, and the results returned by the transport are passed directly back to the higher-layer protocol or application.

This section addresses the message processing model for the protocol. It includes related information required by an implementation to successfully send and consume protocol messages.

3.1 SecurityTokenService Server Details

The **SecurityTokenService** hosts a message endpoint that receives **RequestSecurityToken** messages. When received, the server processes the client request and sends it to the **certificate authority**. Upon receiving a response from the certificate authority, a response is generated, and the server sends either a **RequestSecurityTokenResponse** message or a **SOAP fault**. When the message has been sent to the client, the server returns to the waiting state.



Figure 6: Security token service state model

The items of information that are communicated between the server and the certificate authority are specified in this section, but the method of communication used, including timeout and error handling (local API, local remote procedure call (RPC), or some other protocol) is not specified.

The certificate authority MAY have additional requirements that MUST be met in order to issue an **X.509v3 certificate**, such as manager approval, payment processing, or validation of request information. In these instances, a certificate authority response indicating the issuance is pending.

3.1.1 Abstract Data Model

A server supporting the WSTEP protocol maintains a relationship to an issuer which processes messages submitted by the server. When communicating with requestors, a server can support a variety of languages.

Issuer: An address of a **certificate authority (CA)**. The format of the stored address is specific to the implementation and to the form of communication used between the Issuer and the Server.

SupportedLanguages: A list of language identifiers supported by the server. The set of languages are of type xml:lang and defined in [RFC3066].

DefaultLanguage: The default language for the server. DefaultLanguage is of type xml:lang, and the set of supported languages is defined in [RFC3066].

3.1.1.1 Authentication

The WS-Trust X.509v3 Token Enrollment Extensions use the authentication provisions in WS-Security ([WSS]) for the **X.509v3** Security Token issuer to authenticate the X.509v3 Security Token requestor. This section defines the schema used to express the credential descriptor for each supported credential type.

3.1.1.1.1 Kerberos Authentication

Authentication using Kerberos is done at the transport layer.

3.1.1.1.2 X.509v3 Certificate Authentication

Authentication using **X.509v3 certificates** is done at the transport level using Transport Level Security (TLS) 1.2 as defined in [RFC5246].

3.1.1.1.3 Username and Password Authentication

The username and password credential is provided in a request message using the WS-Security Username Token Profile 1.0. The username is provided as defined in section 3.1 of the Ws-Security document [WSSUTP].

3.1.1.1.4 No (Anonymous) Authentication

If no authentication is provided at either the transport layer or the message layer, the request is considered to be anonymous. Anonymous authentication is supported only for renewal requests, where the signature from the existing **certificate** on the request object serves as authentication for the **X.509v3** Security Token requestor.

3.1.2 Timers

None.

3.1.3 Initialization

The SupportedLanguages object MUST be initialized with the set of languages that the server supports.

The *DefaultLanguage* parameter MUST be initialized with the language that is to be used by the server when a request does not define a language preference, or the preference is not in *SupportedLanguages*.<1>

3.1.4 Message Processing Events and Sequencing Rules

Operation	Description
wst:RequestSecurityToken2	The wst:RequestSecurityToken2 operation is the sole operation in the WSTEP protocol. It provides the mechanism for certificate enrollment requests, retrieval of pending certificate status, and the request of the server key exchange certificate. The wst:RequestSecurityToken2 operation is defined in WS-Trust 1.3 [WSTrust1.3].

3.1.4.1 wst:RequestSecurityToken2

The wst:RequestSecurityToken2 operation provides the mechanism for **certificate** enrollment requests, retrieval of pending certificate status, and the request of the server key exchange certificate. The wst:SecurityTokenService port and wst:RequestSecurityToken2 operation are defined in the <a href="https://www.wsdl.gov/wsdl.

```
<wsdl:operation name="RequestSecurityToken2">
  <wsdl:input message="wst:RequestSecurityTokenMsg" />
  <wsdl:output message="wst:RequestSecurityTokenResponseCollectionMsg" />
  </wsdl:operation>
```

WSTEP makes use of the wst:RequestSecurityToken2 operation. The wst:RequestSecurityToken operation defined in the SecurityTokenService operation is not used. The **wst:RequestSecurityTokenMsg** message consists of a single object definition: the client request. The client request is made using the acceptable **SOAP actions** as defined in section 3.1.4.2 and RequestType values, as defined in section 3.1.4.1.2.7.

3.1.4.1.1 Messages

The following **WSDL** message definitions are specific to this operation.

3.1.4.1.1.1 wst:RequestSecurityTokenMsg

The wst:RequestSecurityTokenMsg is an incoming message, and is defined in WS-Trust 1.3 [WSTrust1.3] WSDL.

wst:RequestSecurityToken: An instance of a wst:RequestSecurityTokenType complex type as defined in section 3.1.4.1.3.3. The wst:RequestSecurityToken element defines the client request and the required information for it to be processed.

3.1.4.1.1.2 wst:RequestSecurityTokenResponseCollectionMsg

The wst:RequestSecurityTokenResponseCollectionMsg is an outgoing message, and is defined in WS-Trust 1.3 [WSTrust1.3] WSDL.

wst:RequestSecurityTokenResponseCollectionMsg: An instance of a wst:RequestSecurityTokenResponseCollection element as defined in section 3.1.4.1.2.6. This element contains the results of the client request.

3.1.4.1.2 Elements

3.1.4.1.2.1 wstep:CertificateEnrollmentWSDetail

The wstep:CertificateEnrollmentWSDetail element is used to convey additional information to a client as part of the SOAP fault structure when a server returns a SOAP fault.

```
<xs:element name="CertificateEnrollmentWSDetail" nillable="true"
type="wstep:CertificateEnrollmentWSDetailType" />
```

wstep:CertificateEnrollmentWSDetail: An instance of a

<wstep:CertificateEnrollmentWSDetailType> as defined in section 3.1.4.1.3.7. If there is no additional information, the wstep:CertificateEnrollmentWSDetail SHOULD be omitted in the SOAP fault.

3.1.4.1.2.2 DispositionMessage

```
<xs:element name="DispositionMessage"
type="wstep:DispositionMessageType" nillable="true" />
```

DispositionMessage: An instance of a DispositionMessageType object as defined in section 3.1.4.1.3.1.

3.1.4.1.2.3 wst:KeyExchangeToken

The <wst:KeyExchangeToken> element is defined in WS-Trust 1.3 [WSTrust1.3] section 8.4.

wst:KeyExchangeToken: The wst:KeyExchangeToken element provides a key exchange token that can be used in **certificate** enrollment requests that include the private key.

3.1.4.1.2.4 RequestID

```
<xs:element name="RequestID"
type="xs:string" nillable="true"/>
```

RequestID: A string identifier used to identify a request.

3.1.4.1.2.5 wst:RequestSecurityToken

The <wst:RequestSecurityToken> element is defined in WS-Trust 1.3 [WSTrust1.3], section 3.1.

wst:RequestSecurityToken: An instance of a wst:RequestSecurityTokenType object as specified in section 3.1.4.1.3.3.

3.1.4.1.2.6 RequestSecurityTokenResponseCollection

The RequestSecurityTokenResponseCollection is defined in WS-Trust 1.3 [WSTrust1.3], section 3.2.

RequestSecurityTokenResponseCollection: An instance of a **wst:RequestSecurityTokenResponseCollectionType** object as specified in section 3.1.4.1.3.5.

3.1.4.1.2.7 wst:RequestType

The <wst:RequestType> element is defined in [WSTrust1.3] section 3.1.

wst:RequestType: An instance of a <wst:RequestTypeOpenEnum> object as defined in [WSTrust1.3] XML schema definition (XSD).

The <wst:RequestType> MUST have one of the following values:

```
"http://docs.oasis-open.org/ws-sx/ws-trust/200512/Issue"
"http://schemas.microsoft.com/windows/pki/2009/01/enrollment/QueryTokenStatus"
"http://docs.oasis-open.org/ws-sx/ws-trust/200512/KET"
```

If the <wst:ReguestType> has any other value, the server MUST respond with a SOAP fault.

3.1.4.1.2.8 wst:TokenType

The <TokenType> element is defined in [WSTrust1.3], section 3.1.

wst:TokenType: For the **X.509v3** enrollment extension to WS-Trust, the <wst:tokentype> element MUST be http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-x509-token-profile-1.0#X509v3.

3.1.4.1.3 Complex Types

The following XML schema complex type definitions are specific to this operation.

3.1.4.1.3.1 DispositionMessageType

The DispositionMessageType is an extension to the string type that allows an attribute definition of the language for the string. The DispositionMessageType is used to provide additional information about the server processing.

```
<xs:complexType name="DispositionMessageType">
    <xs:simpleContent>
        <xs:extension base="xs:string">
              <xs:attribute ref="xml:lang" use="optional" />
              </xs:extension>
              </xs:simpleContent>
</xs:complexType>
```

xs:string: The string element contains the literal string disposition message returned from the server. The string element contains an xml:lang attribute that defines the language for the string. The language SHOULD be provided for each string element instance.

xml:lang: The language reference xml:lang, indicating the natural or formal language the string element content is written in.

3.1.4.1.3.2 wst:RequestedSecurityTokenType

The wst:RequestedSecurityTokenType is defined in WS-Trust XML schema definition (XSD) [WSTrust1.3Schema].

```
<xs:complexType name="RequestedSecurityTokenType">
  <xs:sequence>
  <xs:any namespace="##any" processContents="lax" />
  </xs:sequence>
  </xs:complexType>
```

The WSTEP extends wst: RequestedSecurityTokenType with two additional elements.

```
<xs:element ref="wsse:BinarySecurityToken" />
```

wsse:BinarySecurityToken: The wsse:BinarySecurityToken element contains the issued certificate. The issued certificate follows the encoding and data structure defined in [MS-WCCE] section 2.2.2.8.

wsse:SecurityTokenReference: A URI reference used to indicate where a pended Certificate Request can be retrieved. The server MUST provide its own URI as the value of the <wsse:BinarySecurityTokenReference:Reference> element as specified in [WSTrust1.3] section 4.2.

3.1.4.1.3.3 wst:RequestSecurityTokenType

The **wst:RequestSecurityTokenType** complex type contains the elements for the security token request in the RequestSecurityTokenMsg message. It is the client-provided object for a **certificate** enrollment request. **wst:RequestSecurityTokenType** is defined in the WS-Trust [WSTrust1.3] XML schema definition (XSD).

```
<xs:complexType name="RequestSecurityTokenType">
    <xs:annotation>
    <xs:documentation>
      Actual content model is non-deterministic, hence wildcard. The following shows intended
content model:
      <xs:element ref='wst:TokenType' minOccurs='0' />
      <xs:element ref='wst:RequestType' />
      <xs:element ref='wsp:AppliesTo' minOccurs='0' />
      <xs:element ref='wst:Claims' minOccurs='0' />
      <xs:element ref='wst:Entropy' minOccurs='0' />
      <xs:element ref='wst:Lifetime' minOccurs='0' />
      <xs:element ref='wst:AllowPostdating' minOccurs='0' />
      <xs:element ref='wst:Renewing' minOccurs='0' />
      <xs:element ref='wst:OnBehalfOf' minOccurs='0' />
      <xs:element ref='wst:Issuer' minOccurs='0' />
      <xs:element ref='wst:AuthenticationType' minOccurs='0' />
      <xs:element ref='wst:KeyType' minOccurs='0' />
      <xs:element ref='wst:KeySize' minOccurs='0' />
      <xs:element ref='wst:SignatureAlgorithm' minOccurs='0' />
      <xs:element ref='wst:Encryption' minOccurs='0' />
      <xs:element ref='wst:EncryptionAlgorithm' minOccurs='0' />
      <xs:element ref='wst:CanonicalizationAlgorithm' minOccurs='0' />
      <xs:element ref='wst:ProofEncryption' minOccurs='0' />
      <xs:element ref='wst:UseKey' minOccurs='0' />
      <xs:element ref='wst:SignWith' minOccurs='0' />
      <xs:element ref='wst:EncryptWith' minOccurs='0' />
      <xs:element ref='wst:DelegateTo' minOccurs='0' />
      <xs:element ref='wst:Forwardable' minOccurs='0' />
      <xs:element ref='wst:Delegatable' minOccurs='0' />
      <xs:element ref='wsp:Policy' minOccurs='0' />
      <xs:element ref='wsp:PolicyReference' minOccurs='0' />
      <xs:any namespace='##other' processContents='lax' minOccurs='0' maxOccurs='unbounded'</pre>
    </xs:documentation>
  </xs:annotation>
   <xs:sequence>
    <xs:any namespace="##any" processContents="lax" minOccurs="0" maxOccurs="unbounded" />
  <xs:attribute name="Context" type="xs:anyURI" use="optional" />
  <xs:anyAttribute namespace="##other" processContents="lax" />
</xs:complexType>
```

WSTEP extends <wst:RequestSecurityTokenType> with the following elements:

```
<xs:element ref="wsse:BinarySecurityToken" minOccurs="0"
maxOccurs="1" />
<xs:element ref="auth:AdditionalContext" minOccurs="0"
maxOccurs="1" />
<xs:element ref="wst:RequestKET" minOccurs="0" maxOccurs="1" />
<xs:element ref="wstep:RequestID" minOccurs="0" maxOccurs="1" />
```

Only the elements specified below are used in WSTEP. Any element received that is not specified below SHOULD be ignored.

wst:TokenType: Refers to the wst:TokenType definition in section 3.1.4.1.2.8.

wst:RequestType: Refers to the wst:RequestType definition in section <u>3.1.4.1.2.7</u>. The wst:RequestType is used to identify the type of the security token request.

wst:RequestKET: Used when requesting a key exchange token as defined in [WSTrust1.3] section 8.4.

wsse:BinarySecurityToken: Provides the DER ASN.1 representation of the certificate request. The type of token is defined by the wst:TokenType element. For the X.509v3 enrollment extension the wst:TokenType MUST be specified as in section 3.1.4.1.2.8. The certificate request follows the formatting from [MS-WCCE] section 2.2.2.6. The EncodingType attribute of the wsse:BinarySecurityToken element MUST be set to base64Binary.

auth:AdditionalContext: The auth:AdditionalContext element is used to provide extra information in a wst:RequestSecurityToken message. It is an optional element, and SHOULD be omitted if there is no extra information to be passed.

wstep:RequestID: An instance of wstep:RequestID as specified in section 3.1.4.1.2.4.

3.1.4.1.3.4 wst:RequestSecurityTokenResponseType

The wst:RequestSecurityTokenResponseType contains the elements that are part of a server response to a wst:RequestSecurityToken message. wst:RequestSecurityTokenResponseType is defined in the WS-Trust [WSTrust1.3] XML schema definition (XSD).

```
<xs:complexType name="RequestSecurityTokenResponseType">
    <xs:annotation>
    <xs:documentation>
     Actual content model is non-deterministic, hence wildcard. The following shows intended
content model:
      <xs:element ref='wst:TokenType' minOccurs='0' />
      <xs:element ref='wst:RequestType' />
      <xs:element ref='wst:RequestedSecurityToken' minOccurs='0' />
      <xs:element ref='wsp:AppliesTo' minOccurs='0' />
      <xs:element ref='wst:RequestedAttachedReference' minOccurs='0' />
      <xs:element ref='wst:RequestedUnattachedReference' minOccurs='0' />
      <xs:element ref='wst:RequestedProofToken' minOccurs='0' />
      <xs:element ref='wst:Entropy' minOccurs='0' />
      <xs:element ref='wst:Lifetime' minOccurs='0' />
      <xs:element ref='wst:Status' minOccurs='0' />
      <xs:element ref='wst:AllowPostdating' minOccurs='0' />
      <xs:element ref='wst:Renewing' minOccurs='0' />
      <xs:element ref='wst:OnBehalfOf' minOccurs='0' />
      <xs:element ref='wst:Issuer' minOccurs='0' />
      <xs:element ref='wst:AuthenticationType' minOccurs='0' />
      <xs:element ref='wst:Authenticator' minOccurs='0' />
      <xs:element ref='wst:KeyType' minOccurs='0' />
      <xs:element ref='wst:KeySize' minOccurs='0' />
      <xs:element ref='wst:SignatureAlgorithm' minOccurs='0' />
      <xs:element ref='wst:Encryption' minOccurs='0' />
      <xs:element ref='wst:EncryptionAlgorithm' minOccurs='0' />
      <xs:element ref='wst:CanonicalizationAlgorithm' minOccurs='0' />
```

```
<xs:element ref='wst:ProofEncryption' minOccurs='0' />
      <xs:element ref='wst:UseKey' minOccurs='0' />
      <xs:element ref='wst:SignWith' minOccurs='0' />
      <xs:element ref='wst:EncryptWith' minOccurs='0' />
      <xs:element ref='wst:DelegateTo' minOccurs='0' />
      <xs:element ref='wst:Forwardable' minOccurs='0' />
      <xs:element ref='wst:Delegatable' minOccurs='0' />
      <xs:element ref='wsp:Policy' minOccurs='0' />
      <xs:element ref='wsp:PolicyReference' minOccurs='0' />
      <xs:any namespace='##other' processContents='lax' minOccurs='0' maxOccurs='unbounded'</pre>
    </xs:documentation>
  </xs:annotation>
    <xs:sequence>
    <xs:any namespace="##any" processContents="lax" minOccurs="0" maxOccurs="unbounded" />
 </xs:sequence>
  <xs:attribute name="Context" type="xs:anyURI" use="optional" />
  <xs:anyAttribute namespace="##other" processContents="lax" />
</xs:complexType>
```

WSTEP extends the wst:RequestSecurityTokenResponseType with the following elements:

```
<xs:element ref="wstep:DispositionMessage" />
    <xs:element ref="wsse:BinarySecurityToken" minOccurs="0" maxOccurs="1" />
    <xs:element ref="wstep:RequestID" minOccurs="0" maxOccurs="1"
<xs:element ref="wst:KeyExchangeToken" minOccurs="0" maxOccurs="1" />
/>
```

Only the elements documented as follows are used by WSTEP. Any element received that is not documented as follows SHOULD be ignored.

wst:TokenType: Refers to the TokenType definition in section 3.1.4.1.2.8.

wstep:DispositionMessage: Refers to the definition in section <u>3.1.4.1.2.2</u>. The wstep:DispositionMessage element is used to convey any additional server disposition information as part of the response message.

wsse:BinarySecurityToken: Refers to the wsse:BinarySecurityToken definition in section 3.1.4.1.3.2.

wst: KeyExchangeToken: Refers to the wst:KeyExchangeToken definition in section 3.1.4.1.2.3.

wst:RequestedSecurityToken: An instance of a wst:RequestedSecurityTokenType object as defined in section 3.1.4.1.3.2.

wstep:RequestID: An instance of a **wstep:RequestID** as defined in section <u>3.1.4.1.2.4</u> that conveys the request identifier of the originating request.

3.1.4.1.3.5 wst:RequestSecurityTokenResponseCollectionType

The <wst:RequestSecurityTokenResponseCollectionType> is defined in the [WSTrust1.3] XML schema definition (XSD) as a collection of one or more <wst:RequestSecurityTokenResponse> elements. The WS-Trust X.509v3 Token Enrollment Extensions further constrain the [WSTrust1.3] definition and the <wst:RequestSecurityTokenResponseCollection> collection MUST contain at most one <wst:RequestSecurityTokenResponse> element.

```
<xs:complexType name="RequestSecurityTokenResponseCollectionType">
    <xs:annotation>
    <xs:documentation>
```

```
The <wst:RequestSecurityTokenResponseCollection> element (RSTRC) MUST be used to return a security token or response to a security token request on the final response.</a><br/>
/xs:documentation> </xs:annotation> <xs:sequence> <xs:element ref="wst:RequestSecurityTokenResponse" minOccurs="1" maxOccurs="unbounded" /> </xs:sequence> <xs:anyAttribute namespace="##other" processContents="lax" /> </xs:complexType>
```

wst:RequestSecurityTokenResponse: An instance of a <u>wst:RequestSecurityTokenResponseType</u> object. The <wst:RequestSecurityTokenResponseCollectionType> MUST contain only one <RequestSecurityTokenResponse> element.

3.1.4.1.3.6 wst:RequestTypeEnum

The <wst:RequestTypeEnum> is defined in WS-Trust [WSTrust1.3] XML schema definition (XSD). WSTEP defines the following values for <wst:RequestTypeEnum>.

```
"http://schemas.microsoft.com/windows/pki/2009/01/enrollment/QueryTokenStatus"
```

WSTEP makes use of the Key Exchange Token request type defined in [WSTrust1.3] section 10:

```
"http://docs.oasis-open.org/ws-sx/ws-trust/200512/KET"
```

and the issue request type defined in [WSTrust1.3] XML schema definition (XSD):

```
"http://docs.oasis-open.org/ws-sx/ws-trust/200512/Issue"
```

3.1.4.1.3.7 wstep:CertificateEnrollmentWSDetailType

The <wstep:CertificateEnrollmentWSDetailType> contains additional information pertaining to error conditions.

wstep:BinaryResponse: The wstep:BinaryResponse element is used to provide a response if the Issuer generates one. If there is no response to provide, the wstep:BinaryResponse element MUST be nil.

wstep:ErrorCode: An integer value representing a server error. If there is no error to provide, wstep:ErrorCode MUST be specified as nil.

wstep:InvalidRequest: If the request is denied by the Issuer the server MUST return true. For other errors the wstep:InvalidRequest SHOULD be false.

wstep:RequestID: If the Issuer provides a wstep:RequestID to the server, it MUST be provided to a client. If no wstep:RequestID is provided by the Issuer, the wstep:RequestID element must be specified as nil.

3.1.4.1.4 Attributes

There are no attributes that are specific to this operation.

3.1.4.2 Processing Rules

An incoming **SOAP message** MUST be processed to evaluate the **SOAP actions** and authentication information.

If the user is authenticated successfully using the provided authentication information, message processing MUST continue, and the authentication information SHOULD be provided to the Issuer. If the authentication fails, the server MUST respond with a **SOAP fault**.

If the SOAP action is "http://schemas.microsoft.com/windows/pki/2009/01/enrollment/RST/wstep" the server must follow the Request Security Token Processing Rules per section 3.1.4.2.1.

If the SOAP action is "http://docs.oasis-open.org/ws-sx/ws-trust/200512/RST/KET" the server must follow the Key Exchange Token Processing Rules per section 3.1.4.2.2.

If any other SOAP action is defined, the server SHOULD respond with a SOAP fault.

3.1.4.2.1 WSTEP Action: Request Security Token Processing Rules

A <wst:RequestSecurityTokenMsg> MUST contain a <wst:RequestType> element as defined in section 3.1.4.1.2.7. If the <wst:RequestType> element is absent, nil, or undefined, the server MUST respond with a **SOAP fault**.

If a **wstep:PrefferedLanguage** attribute is not present in a <RequestSecurityTokenType> object, or the value is not in SupportedLanguages, the server SHOULD use DefaultLanguage.

If the <wst:RequestType> is "http://docs.oasis-open.org/ws-sx/ws-trust/200512/Issue", the server MUST process the request per section 3.1.4.2.1.1.

If the <wst:RequestType> is

"http://schemas.microsoft.com/windows/pki/2009/01/enrollment/QueryTokenStatus" the server MUST process the request per section <u>3.1.4.2.1.2</u>.

If the <wst:RequestType> is any other value, the server MUST respond with a SOAP fault.

3.1.4.2.1.1 New and Renewal Request Processing

A wst:RequestSecurityToken message with a wst:RequestType value of "http://docs.oasis-open.org/ws-sx/ws-trust/200512/Issue" is used for the purposes of issuing an **X.509v3 certificate** or for renewal of an existing X.509v3 certificate.

For this type of message, a server has additional syntax constraints on the request message.

wsse:BinarySecurityToken: If the wsse:BinarySecurityToken element is absent or undefined, the server MUST respond with a **SOAP fault**.

wstep:RequestID: If the **wstep:RequestID** element is present and defined, the server SHOULD ignore it.

The server MUST provide the **wsse:BinarySecurityToken** to the Issuer and SHOULD provide the **auth:AdditionalContext** (see section 3.1.4.1.3.3) to the Issuer.

If the Issuer responds with an error, the server MUST respond with a SOAP fault. If the Issuer indicates the issuance is pending, the server MUST use the Issuer response to generate a pending **wst:RequestSecurityTokenResponseCollectionMsg** message. If the Issuer responds with an issued certificate, the server MUST respond with a

wst:RequestSecurityTokenResponseCollectionMsg message providing the issued certificate.

3.1.4.2.1.2 QueryTokenStatus Request Processing

A **wst:RequestSecurityToken** message with a <wst:RequestType> of "http://schemas.microsoft.com/windows/pki/2009/01/enrollment/QueryTokenStatus" is used to retrieve an issued **certificate** or check the status of a certificate request that was pending.

For this type of message, the server has additional syntax constraints on the request message.

The **wstep:RequestID** element is a null-terminated **Unicode** string that contains a certificate request identifier (as defined in section 3.1.4.1.2.4). If the <wstep:RequestID> element is absent, defined as nil, or contains no value the server MUST return a **SOAP fault**.

The server MUST provide the **wstep:RequestID** to the Issuer.

If the Issuer responds with an error, the server MUST respond with a SOAP fault. If the Issuer indicates the issuance is pending, the server MUST use the Issuer response to generate a pending **wst:RequestSecurityTokenResponseCollectionMsg** message. If the Issuer responds with an issued certificate, the server MUST respond with a

wst:RequestSecurityTokenResponseCollectionMsq message providing the issued certificate.

3.1.4.2.2 KET Action: Request Security Token Processing Rules

A **wst:RequestSecurityTokenMsg** MUST contain a <wst:RequestType> element as defined in section 3.1.4.1.2.7. If the <wst:RequestType> element is absent, nil, or undefined, the server MUST respond with a **SOAP fault**.

If the <wst:RequestType> is "http://docs.oasis-open.org/ws-sx/ws-trust/200512/KET" the server MUST process the request per section 3.1.4.2.2.1.

If the <wst:RequestType> is any other value, the server MUST respond with a SOAP fault.

3.1.4.2.2.1 Key Exchange Token Request Processing

A RequestSecurityToken message of wst:RequestType of "http://docs.oasis-open.org/ws-sx/ws-trust/200512/KET" is used to retrieve the Key Exchange Token.

For this type of message, a server has additional syntax constraints on the **wst:RequestSecurityTokenMsg** message.

If the <wst:RequestKET> element is absent, the server MUST return a **SOAP fault**.

The server requests the Key Exchange Token from the issuer. If the issuer responds with an error, the server MUST respond with a SOAP fault. Otherwise, the server uses the Issuer response to generate a **wst:RequestSecurityTokenResponseCollectionMsg** message.

The <wst:RequestSecurityTokenResponse> element in the server response follows the [WSTrust1.3] definition in section 8, but for key exchange in the WSTEP protocol, the <wst:KeyExchangeToken> element MUST be present, and provides the key exchange token provided from the Issuer.

3.1.5 Timer Events

None.

3.1.6 Other Local Events

None.

4 Protocol Examples

4.1 RequestSecurityToken Request/Response Message Sequence

In the following message sequence, the username/password authentication headers have been included in the message sequences for clarity.

4.1.1 Standard Certificate Request

4.1.1.1 RequestSecurityToken Message (Issue Request)

```
<s:Envelope xmlns:a="http://www.w3.org/2005/08/addressing"
xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Header>
  <a:Action s:mustUnderstand="1">
http://schemas.microsoft.com/windows/pki/2009/01/enrollment/RST/wstep</a:Action>
  <a:MessageID>urn:uuid:b5dla601-5091-4a7d-b34b-5204c18b5919</a:MessageID>
  <a:Address>http://www.w3.org/2005/08/addressing/anonymous</a:Address>
  </a:ReplyTo>
  </s:Header>
  <s:Body xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <RequestSecurityToken xmlns="http://docs.oasis-open.org/ws-sx/ws-trust/200512">
  <TokenType>http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-x509-token-profile-
1.0#X509v3</TokenType>
  <RequestType>http://docs.oasis-open.org/ws-sx/ws-trust/200512/Issue/RequestType>
  <BinarySecurityToken EncodingType="http://docs.oasis-open.org/wss/2004/01/</pre>
oasis-200401-wss-wssecurity-secext-1.0.xsd#base64binary"
ValueType="http://docs.oasis-open.org/wss/2004/01/
oasis-200401-wss-wssecurity-secext-1.0.xsd#PKCS7"
xmlns="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-
1.0,xsd">MIIEDDCCAvQCAQAwADCCASIwDQYJKoZIhvcNAQEBBQADqqEPADCCAQoCqqEBANPk
/laOEvYikbMJvabzapKyJkqLnaXWm2FvnO6UNCtXWf9WchbbumLqkIas9BUcMiSE
Eh4tVZNFuqi3bahnjUjTG9MIvAZd3/C0YfuLX8yl9mcIVWZhyYZVwUeMh4GYS5ht
90NFZP0vXb7c0brSRyvhvWzq+kG7om24qMTZBgSIRsajcDVY+uGLdhixy4AtXNw5
pzzRdS/1QBF1wsDT3C0bceWy2uej2hsLYolyGdd0fHk1y/tOusoyjc3itw2o3P9j
k+bP4eDG2ukRjMMcjqxQ500Bze7hXQf2hrNEJRTd6pPIOdAub8Hz/DiPYaEY75XN
EQepc11nLmq2GQ9YghcCAwEAAaCCAcUwGgYKKwYBBAGCNw0CAzEMFgo2LjEuNzA1
\verb|My4yMGQGCSsGAQQBgjcVFDFXMFUCAQUMLz| ktmtm1mumwnDa1QS5kOS0xmzuxQzA0|
MDZBLm50dGVzdC5taWNyb3NvZnQuY29tDBJEOS0xMzUxQzA0MDZBXGFiYnkMC0Nl
c1R1c3QuZXh1MHQGCisGAQQBgjcNAgIxZjBkAgEBH1wATQBpAGMAcgBvAHMAbwBm
AHQAIABFAG4AaABhAG4AYwBlAGQAIABDAHIAeQBwAHQAbwBnAHIAYQBwAGgAaQBj
ACAAUABYAG8AdqBpAGQAZQBYACAAdqAxAC4AMAMBADCByqYJKoZIhvcNAQkOMYG8
MIG5MBcGCSsGAQQBgjcUAgQKHggAVQBzAGUAcjApBgNVHSUEIjAgBgorBgEEAYI3
CgMEBggrBgEFBQcDBAYIKwYBBQUHAwIwDgYDVR0PAQH/BAQDAgWgMEQGCSqGSIb3
DQEJDwQ3MDUwDqYIKoZIhvcNAwICAqCAMA4GCCqGSIb3DQMEAqIAqDAHBqUrDqMC
BzAKBgqqhkiG9w0DBzAdBqNVHQ4EFqQUavblZB2QWG6vt+aq4T4jZMPFe3owDQYJ
KoZIhvcNAQEFBQADggEBAGId8Dv9gvCVNgnSHkNuTiErtwIacv609MnMt2WxhnAj
zGQZZS4bZ9JNH+CR49yswieFCS3zFiP5PxGL5CCogn2XHGs7LCCzHtrltAZBACTC
tzLF5Qcj0Ki/H5GRa4Q+Ze1UrcM1cSnD52zY+V1vFXX1Xc2P5hTB0bq8GbZME/MW
84XE1sz75NqZeQ2vhO66ozAMywMtC26Q+7DOfBaPMxXrWgMQBm6qO/Yjj3vDY/U8
T9rpJqGHHTG7E7E+/3EcqPeKNExxf0n+VXRwLO9C5wOS6Xy/JNGfuipw+SzaRbPs
H5/6UiS+uqtSVzaJmAOa9vzxJQfgARCucr49wM3YUek=</BinarySecurityToken>
  <RequestID xsi:nil="true"
xmlns="http://schemas.microsoft.com/windows/pki/2009/01/enrollment" />
  </RequestSecurityToken>
  </s:Body>
  </s:Envelope>
```

4.1.1.2 Server RequestSecurityToken Response

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope"
xmlns:a="http://www.w3.org/2005/08/addressing">
  <s:Header>
  <a:Action s:mustUnderstand="1">
http://schemas.microsoft.com/windows/pki/2009/01/enrollment/RSTRC/wstep</a:Action>
  <ActivityId CorrelationId="a0f231a3-ccf2-4b9c-99a6-bc353a59b5d0"
xmlns="http://schemas.microsoft.com/2004/09/ServiceModel/Diagnostics">
95427c83-902c-48db-9529-f61cc1d8c035</ActivityId>
  <a:RelatesTo>urn:uuid:b5d1a601-5091-4a7d-b34b-5204c18b5919</a:RelatesTo>
  </s:Header>
  <s:Body>
  <RequestSecurityTokenResponseCollection
xmlns="http://docs.oasis-open.org/ws-sx/ws-trust/200512">
  <RequestSecurityTokenResponse>
  <TokenType>http://docs.oasis-open.org/wss/2004/01/
oasis-200401-wss-x509-token-profile-1.0#X509v3</TokenType>
  <DispositionMessage xml:lang="en-US"
xmlns="http://schemas.microsoft.com/windows/pki/2009/01/enrollment">
Issued</DispositionMessage>
  <BinarySecurityToken
ValueType="http://docs.oasis-open.org/wss/2004/01/
oasis-200401-wss-wssecurity-secext-1.0.xsd#PKCS7"
EncodingType="http://docs.oasis-open.org/wss/2004/01/
oasis-200401-wss-wssecurity-secext-1.0.xsd#base64binary"
xmlns="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-
1.0.xsd">MIIRlayJKoZIhvcNaQcCoIIRhTCCEYECAQMxCzaJBqUrDqMCGqUAMH0GCCsGAQUF
BwwDoHEEbzBtMGcwIQIBAQYIKwYBBQUHBwExEjAQAqEAMAMCAQEMBklzc3V1ZDBC
AgECBgorBgEEAYI3CgoBMTEwLwIBADADAgEBMSUwIwYJKwYBBAGCNxURMRYEFFis
145+YbEa1zssa0G63KkQD6+OMAAwAKCCD0EwqqNbMIICQ6ADAqECAhAeqF9153Dz
S0kgVGVhbTEVMBMGA1UEAwwMRkJfRW50Um9vdENBMB4XDTA5MDMwMzAzMjQxMloX
DTEOMDMwMzAzMzQxMFowNDEbMBkGA1UECxMSTWljcm9zb2Z0IFBLSSBUZWFtMRUw
EwYDVQQDDAxGQ19FbnRSb290Q0EwggEiMA0GCSqGSIb3DQEBAQUAA4IBDwAwggEK
AoIBAOCInEl54od1KuJPZ8BoagVIsuE4BX9dXTsk0BmBVblPlYzI1RWm0NE1Zr40
TdggZ/Nv69kwCOzi0D0Eo58fHYz3FAh6rw4o+ABpx9nFJlJj69D9H7JIQWsWdTOe
nQxvW59vzotQfMz00T//1NCi1X3aBMj6VjArX51fYLCqBr2Qqw9BmEkaiVntw9Vd
1gvJTPNoyG79c2V2Mux+4M9dzIR17xw8Mx4LhJrXXKQPZ1YgwVeWdAXelS5aeoXG
LI2GIx15LtsUQzYxce1SVotVcfR4NM3lXkis5x679DtxMoB2gYqjUhkB1hTLIQwK
8V5v5jjjsuy7tXP5qIEpOq7B6NCzAgMBAAGjaTBnMBMGCSsGAQQBgjcUAgQGHgQA
QwBBMA4GA1UdDwEB/wQEAwIBhjAPBqNVHRMBAf8EBTADAQH/MB0GA1UdDqQWBBS9
oNbJuWz92vLuQSIJ1Dzamq3dVTAQBqkrBqEEAYI3FQEEAwIBADANBqkqhkiG9w0B
AQUFAAOCAQEAVr8MMHZHcnUUyKGFnBE8qNPKIHI9oDEee3jnChqO9wmKbEZV4701
+ejdiDjiC9F01HHbuWxhKPj0nAtqXN48E9XLPzS/ezx/LwsEv5LlroioRBym8NbA
ldLJNFqskrC0FAhefg9Jc4c91Q3uyGUjMb4Hoa9b2cqNIeMeRzV+L1oH0wVZpg9o
i8OoCIFX/woETKBryiLnXPLybdQu0E7brTkyYmXJsGuFPgLzj6DVFOdb1ZMmEJNy
60pr98dFJYwcwnhjdVx0FtRTsXnU8epeAY0EHwJCuU01bWpcRPF6C6sJY0wmRaP7
iOCOGXhoFO6lcbL08fztvGpUkyZfDoHg3DCCBUwwggQ0oAMCAQICCmEMfNwAAAAA
AAIwDQYJKoZIhvcNAQEFBQAwNDEbMBkGA1UECxMSTWljcm9zb2Z0IFBLSSBUZWFt
MRUwEwYDVQQDDAxGQ19FbnRSb290Q0EwHhcNMDkwMzAzMDMyNjE2WhcNMTEwMzAz
MDMzNjE2WjAzMRswGQYDVQQLExJNaWNyb3NvZnQqUEtJIFRlYW0xFDASBqNVBAMM
C0ZCX0VudFN1YkNBMIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAzqtl
8VMe3tldurXs810RjWBWoxDQtTPJAlYNQdqvS+H2HutrUNjvW/+vKOAm0ib8GR3u
\tt D8IT+Kk8TJvzSGOuQAKxYtzaqjDt7Alc7Utsne1SiKDT5Z\bar{S}flpmfUvASKd28jJ4Y
B1SDJSiJmOyWqUZCnwwAwW0VXCrMk1QnyGjr3Akq+p6Mgo/ZqaeFuj4o7jJjI/em
BN5mMOlx00yjQF79bQbJagd0bidQkfSASDW3HAycTcWuKfMfjF5vPMZqLWcaRjAS
\verb|v2tEn9urPDJv4mhXrTz53ETup1kAOmA95BQULnLXXHreXImUkGacdPhd1hCWm9KE| \\
v10lvsks9UUBfHUcKwIDAOABo4ICXzCCAlswEAYJKwYBBAGCNxUBBAMCAOAwHOYD
VR00BBYEFJ+3jZGC0QUd0DHiPfaXeoF15VzIMBkGCSsGAQQBgjcUAgQMHgoAUwB1
AGIAQWBBMA4GA1UdDwEB/wQEAwIBhjAPBgNVHRMBAf8EBTADAQH/MB8GA1UdIwQY
\verb|MBaAFL2g1sm5bP3a8u5BIgmUPNqaDd1VMIHsBgNVHR8EgeQwgeEwgd6ggduggdiG||
gdVsZGFwOi8vL0NOPUZCX0VudFJvb3RDQSxDTj05LTEzNTFDMDQwNkEsQ049Q0RQ
LENOPVB1YmxpYyUyMEtleSUyMFNlcnZpY2VzLENOPVNlcnZpY2VzLENOPUNvbmZp
Z3VyYXRpb24sREM9ZDktMTM1MUMwNDA2QSxEQz1udHRlc3QsREM9bW1jcm9zb2Z0
LERDPWNvbT9jZXJ0aWZpY2F0ZVJldm9jYXRpb25MaXN0P2Jhc2U/b2JqZWN0Q2xh
c3M9Y1JMRGlzdHJpYnV0aW9uUG9pbnQwgdsGCCsGAQUFBwEBBIHOMIHLMIHIBggr
BgEFBQcwAoaBu2xkYXA6Ly8vQ049RkJfRW50Um9vdENBLENOPUFJQSxDTj1QdWJs
```

aWMlMjBLZXklMjBTZXJ2aWNlcyxDTj1TZXJ2aWNlcyxDTj1Db25maWd1cmF0aW9u LERDPWQ5LTEzNTFDMDQwNkEsREM9bnR0ZXN0LERDPW1pY3Jvc29mdCxEQz1jb20/ Y0FDZXJ0aWZpY2F0ZT9iYXN1P29iamVjdENsYXNzPWNlcnRpZmljYXRpb25BdXRo b3JpdHkwDQYJKoZIhvcNAQEFBQADggEBACUFJf5b34y2bob4+rmjcJ2F4MRRg8C3 v9ltkpai68neRyC2tNU0C+hav5QZ2DjW8KWns+rRblUW/5iRa/7uKhnHYyS14Yv0 I/LddTlv5Pf5uv5CK0YbmQiGx37aLLHjDngerh346N+z75kJZJ18eEVnUPZUQ/ZB btqb7GAKcIRViJJ+9rspGRJoIFjFIAUI7jThssGlzobaLjyw4IvMX0+VpGpr8zxM ZfK0P4kr3Ou+TSVK1H0cBSFy4SqkcSdxVFkoyCEm7Pr4osxVHcFkC9JqiihYldil xgt4U54nFAgUrTbHjB+JYjHLqQYafPGCYfB9bR4Ml/1jhV05F1V61zIwggaOMIIF dqADAqECAqoY2dXTAAAAAAA9MA0GCSqGSIb3DQEBBQUAMDMxGzAZBqNVBAsTEk1p Y3Jvc29mdCBQS0kgVGVhbTEUMBIGA1UEAwwLRkJfRW50U3ViQ0EwHhcNMDkwMzA1 MTgyNTQ1WhcNMTAwMzA1MTgyNTQ1WjCBvjETMBEGCgmSJomT8ixkARkWA2NvbTEZ MBcGCqmSJomT8ixkARkWCW1pY3Jvc29mdDEWMBQGCqmSJomT8ixkARkWBm50dGVz $\verb|dDEdMBsGCgmSJomT8ixkARkWDWQ5LTEzNTFDMDQwNkExDjAMBgNVBAMTBVVzZXJz| \\$ MO0wCwYDVOODEwRhYmJ5MTYwNAYJKoZIhvcNAOkBFidhYmJ50E05LTEzNTFDMDOw NkEuTlRURVNULk1JQ1JPU09GVC5DT00wggEiMA0GCSqGSIb3DQEBAQUAA4IBDwAw qqEKAoIBAQDT5P5QDhL2IpGzCb2m82qSsiZKi52l1pthb5zulDQrV1n/VnIW27pi 6pCGrPQVHDIkhBIeLVWTRboIt22oZ41I0xvTCLwGXd/wtGH7i1/MpfZnCFVmYcmG VcFHjIeBmEuYbfdDRWT9L12+3NG60kcr4b1s6vpBu6JtuKjE2QYEiEbGo3A1WPrh i3YYscuALVzcOac80XUv9UARdcLA09wtG3Hlstrno9obC2KJchnXdHx5Ncv7TrrK Mo3N4rcNqNz/Y5Pmz+HgxtrpEYzDHI6sUOdDgc3u4V0H9oazRCUU3eqTyDnQLm/B 8/w4j2GhGO+VzREHqXNdZy5qthkPWIIXAqMBAAGjqqMWMIIDEjBEBqkqhkiG9w0B CQ8ENzA1MA4GCCqGSIb3DQMCAgIAgDAOBggqhkiG9w0DBAICAIAwBwYFKw4DAgcw CqYIKoZIhvcNAwcwFwYJKwYBBAGCNxQCBAoeCABVAHMAZQByMIHaBqqrBqEFBQcB AQSBzTCByjCBxwYIKwYBBQUHMAKGgbpsZGFwOi8vL0NOPUZCX0VudFN1YkNBLENO PUFJQSxDTj1QdWJsaWMlMjBLZXklMjBTZXJ2aWNlcyxDTj1TZXJ2aWNlcyxDTj1D b25maWd1cmF0aW9uLERDPWQ5LTEzNTFDMDQwNkEsREM9bnR0ZXN0LERDPW1pY3Jv c29mdCxEQz1jb20/Y0FDZXJ0aWZpY2F0ZT9iYXN1P29iamVjdENsYXNzPWNlcnRp ZmljYXRpb25BdXRob3JpdHkwHQYDVR00BBYEFGr25WQdkFhur7fmo0E+I2TDxXt6 MA4GA1UdDwEB/wQEAwIFoDBrBqNVHREEZDBioDcGCisGAQQBqjcUAqOqKQwnYWJi eUBkOS0xMzUxQzA0MDZBLm50dGVzdC5taWNyb3NvZnQuY29tqSdhYmJ5QEQ5LTEz $\verb|MTFDMDQwNkEuTlRURVNULk1JQ1JPU09GVC5DT00wgesGA1UdHwSB4zCB4DCB3aCB| \\$ 2qCB14aB1GxkYXA6Ly8vQ049RkJfRW50U3ViQ0EsQ049OS0xMzUxQzA0MDdBLENO PUNEUCxDTj1QdWJsaWMlMjBLZXklMjBTZXJ2aWNlcyxDTj1TZXJ2aWNlcyxDTj1D b25maWd1cmF0aW9uLERDPWQ5LTEzNTFDMDQwNkEsREM9bnR0ZXN0LERDPW1pY3Jv c29mdCxEQz1jb20/Y2VydGlmaWNhdGVSZXZvY2F0aW9uTGlzdD9iYXN1P29iamVj dENsYXNzPWNSTERpc3RyaWJ1dGlvblBvaW50MB8GA1UdIwQYMBaAFJ+3jZGC0QUd ODHiPfaXeoF15VzIMCkGA1UdJQQiMCAGCisGAQQBqjcKAwQGCCsGAQUFBwMEBqqr BgEFBQcDAjANBgkqhkiG9w0BAQUFAAOCAQEAwLndycUwoaaIU8itsOhThdSiImen Izf4Gz4f0IcwKucl0RaHbeKDBp5e91x1Z6My+4fbGn2o58vB05wRMfYa31HIng0/ +C2W+9pOxsPGXSfR8qwfiYCpLou6aZC40G21TSkclpZvuCqcOED2CPaHocW9f2OF ${\tt Z8OQyi+zFtNFY04B5TH2i9syCoOWivF4EsbamTLLbqTRdPLBJ2Vz+BB/nwTemZz1}$ vd7ZBw89C9qebI6QVb8udRi2lx5OLqQZUtJyiWpv/3zhpR6eL9DobsxIrhc4Np7r ft2hfopnHulZLhwFRk2GXGRZqBabDN06kCe1qV6X2qwlv6NbDRXc/OfFOTGCAakw ggGlAgEBMEIwNDEbMBkGA1UECxMSTWljcm9zb2Z0IFBLSSBUZWFtMRUwEwYDVQQD DAxGQ19FbnRSb290Q0ECCmEMfNwAAAAAAAIwCQYFKw4DAhoFAKA+MBcGCSqGSIb3 DQEJAzEKBqqrBqEFBQcMAzAjBqkqhkiG9w0BCQQxFqQUy/W4vpjAGswflv6yOirp M+kawzEwDQYJKoZIhvcNAQEBBQAEggEAkQr0469R/EGRQaF4jdVlz/NGG+7WPnv8 SKKS0h3U5ZWkUPHjCtLKfA7oJDgCMMAO26/VVN3nAwCiFtA3ZCc+FASd+5rmUtUq k25eeCTaBH/6NykvOddsgyKrtlGzvj+uavqQ0uNhQeZyWBJNgWlOQO9ENXwcw4qE I05oOF8Td5Z2wACKunoU/xrvrWoPoS58TkSDGkd/BWq8R6ZzafdjAF26bGB7Hif5 OMzCxn5Sd/AILozG3F99/wnqijCxnsFPP6EYrVGs8qjDKfduaIb+cyw4X+wFZch2 DMryOkIN+6YDN60SNPqnHCMq+19P5IjX2aCk3EAyx3NWtf/BOu4KCw==</BinarySecurityToken> <RequestedSecurityToken> <BinarySecurityToken ValueType="http://docs.oasis-open.org/wss/2004/01/</pre> oasis-200401-wss-x509-token-profile-1.0#X509v3" EncodingType="http://docs.oasis-open.org/wss/2004/01/ oasis-200401-wss-wssecurity-secext-1.0.xsd#base64binary" xmlns="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd">MIIGjjCCBXagAwIBAgIKGNnV0wAAAAAAPTANBgkqhkiG9w0BAQUFADAzMRswGQYD VQQLExJNaWNyb3NvZnQqUEtJIFR1YW0xFDASBqNVBAMMC0ZCX0VudFN1YkNBMB4X $\verb|DTA5MDMwNTE4MjU0NVoxDTEwMDMwNTE4MjU0NVowgb4xEzARBgoJkiaJk/IsZAEZ| \\$ FgNjb20xGTAXBgoJkiaJk/IsZAEZFgltaWNyb3NvZnQxFjAUBgoJkiaJk/IsZAEZ FgZudHRlc3QxHTAbBgoJkiaJk/IsZAEZFg1kOS0xMzUxQzA0MDZBMQ4wDAYDVQQD $\verb"EwVVc2VyczeNMAsGA1UEAxMEYWJieTE2MDQGCSqGSIb3DQEJARYnYWJieUBEOS0x"$ MzUxQzA0MDZBLk5UVEVTVC5NSUNST1NPRlQuQ09NMIIBIjANBqkqhkiG9w0BAQEF AAOCAQ8AMIIBCqKCAQEA0+T+UA4S9iKRswm9pvNqkrImSoudpdabYW+c7pQ0K1dZ /1ZyFtu6YuqQhqz0FRwyJIQSHi1Vk0W6CLdtqGeNSNMb0wi8B13f8LRh+4tfzKX2 ZwhVZmHJhlXBR4yHgZhLmG33Q0Vk/S9dvtzRutJHK+G9bOr6QbuibbioxNkGBIhG xqNwNVj64Yt2GLHLqC1c3DmnPNF1L/VAEXXCwNPcLRtx5bLa56PaGwtiiXIZ13R8

```
eTXL+066yjKNzeK3Dajc/20T5s/h4Mba6RGMwxyOrFDnQ4HN7uFdB/aGs0Q1FN3q
k8g50C5vwfP80I9hoRjvlc0RB6lzXWcuarYZD1iCFwIDAQABo4IDFjCCAxIwRAYJ
KoZIhvcNAQkPBDcwNTAOBqqqhkiG9w0DAqICAIAwDqYIKoZIhvcNAwQCAqCAMAcG
{\tt BSsOAwIHMAoGCCqGSIb3DQMHMBcGCSsGAQQBgjcUAgQKHggAVQBzAGUAcjCB2gYI}
{\tt KwYBBQUHAQEEgc0wgccgCCcsGAQUFBzAChoG6bGRhcDovLy9DTj1GQ19FbnRT}
dWJDQSxDTj1BSUEsQ049UHVibGljJTIwS2V5JTIwU2VydmljZXMsQ049U2Vydmlj
ZXMsQ049Q29uZmlndXJhdGlvbixEQz1kOS0xMzUxQzA0MDZBLERDPW50dGVzdCxE
Qz1taWNyb3NvZnQsREM9Y29tP2NBQ2VydGlmaWNhdGU/YmFzZT9vYmp1Y3RDbGFz
\verb|cz1jZXJ0aWZpY2F0aW9uQXV0aG9yaXR5MB0GA1UdDgQWBBRq9uVkHZBYbq+35qDh| \\
PiNkw8V7ejAOBqNVHQ8BAf8EBAMCBaAwawYDVR0RBGQwYqA3BqorBqEEAYI3FAID
oCkMJ2FiYnlAZDktMTM1MUMwNDA2QS5udHRlc3QubWljcm9zb2Z0LmNvbYEnYWJi
eUBEOS0xMzUxQzA0MDZBLk5UVEVTVC5NSUNST1NPRlQuQ09NMIHrBgNVHR8EgeMw
qeAwqd2qqdqqdeGqdRsZGFwOi8vL0NOPUZCX0VudFN1YkNBLENOPTktMTM1MUMw
NDA3QSxDTj1DRFAsQ049UHVibGljJTIwS2V5JTIwU2VydmljZXMsQ049U2Vydmlj
ZXMsO049029uZmlndXJhdGlvbixEOz1kOS0xMzUxOzA0MDZBLERDPW50dGVzdCxE
Qz1taWNyb3NvZnQsREM9Y29tP2NlcnRpZmljYXRlUmV2b2NhdGlvbkxpc3Q/YmFz
ZT9vYmplY3RDbGFzcz1jUkxEaXN0cmlidXRpb25Qb2ludDAfBgNVHSMEGDAWgBSf
t42RgtEFHdAx4j32l3qBdeVcyDApBgNVHSUEIjAgBgorBgEEAYI3CgMEBggrBgEF
BQcDBAYIKwYBBQUHAwIwDQYJKoZIhvcNAQEFBQADqqEBAMC53cnFMKGmifPIrbDo
U4XUoiJnpyM3+Bs+HziHMCrnJdEWh23igwaeXvZcdWejMvuH2xp9qOfLwdOcETH2
Gt9RyJ4Dv/gtlvvaTsbDx10n0fKsH4mAqS6LummQuNBttU0pHJaWb7gqnDhA9gj2
h6HFvX9jhWfDkMovsxbTRWNOAeUx9ovbMqqDlorxeBLG2pkyy26k0XTywSdlc/qQ
f58E3pmc9b3e2QcPPQvanmyOkFW/LnUYtpceTi6kGVLScolqb/984aUeni/Q6G7M
SK4XODae637doX6KZx7pWS4cBUZNhlxkWaqWmwzdOpAntale19oMJb+jWw0V3Pzn xTk=</BinarySecurityToken>
  </RequestedSecurityToken>
  <RequestID
xmlns="http://schemas.microsoft.com/windows/pki/2009/01/enrollment">61</RequestID>
  </RequestSecurityTokenResponse>
  </RequestSecurityTokenResponseCollection>
  </s:Body>
  </s:Envelope>
```

4.1.2 Key Exchange Token Request

4.1.2.1 Client Exchange Token Request

```
<s:Envelope xmlns:a="http://www.w3.org/2005/08/addressing"
xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Header>
  <a:Action s:mustUnderstand="1">
http://docs.oasis-open.org/ws-sx/ws-trust/200512/RST/KET</a:Action>
  <a:MessageID>urn:uuid:c2884a79-b943-45c6-ac02-7256071de309</a:MessageID>
  <a:ReplyTo>
  <a:Address>http://www.w3.org/2005/08/addressing/anonymous</a:Address>
  </a:ReplyTo>
  <s:Body xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <RequestSecurityToken xmlns="http://docs.oasis-open.org/ws-sx/ws-trust/200512">
  <TokenType>http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-x509-token-profile-
1.0#X509v3</TokenType>
  <RequestType>http://docs.oasis-open.org/ws-sx/ws-trust/200512/KET</RequestType>
  <RequestKET />
  <RequestID xsi:nil="true"</pre>
xmlns="http://schemas.microsoft.com/windows/pki/2009/01/enrollment" />
  </RequestSecurityToken>
  </s:Body>
  </s:Envelope>
```

4.1.2.2 Server Key Exchange Token Response

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope"
xmlns:a="http://www.w3.org/2005/08/addressing">
  <s:Header>
  <a:Action s:mustUnderstand="1">
http://docs.oasis-open.org/ws-sx/ws-trust/200512/RSTR/KETFinal</a:Action>
  <ActivityId CorrelationId="45f6782a-fb93-4a48-b0bb-a21496ba1f3c"</pre>
xmlns="http://schemas.microsoft.com/2004/09/ServiceModel/Diagnostics">
17f6073c-c108-4268-9ce4-713ed86894b6</ActivityId>
  <a:RelatesTo>urn:uuid:c2884a79-b943-45c6-ac02-7256071de309</a:RelatesTo>
  </s:Header>
  <s:Body>
  <RequestSecurityTokenResponseCollection
xmlns="http://docs.oasis-open.org/ws-sx/ws-trust/200512">
  <RequestSecurityTokenResponse>
  <TokenType>http://docs.oasis-open.org/wss/2004/01/
oasis-200401-wss-x509-token-profile-1.0#X509v3</TokenType>
  <RequestedSecurityToken>
  <KeyExchangeToken>
  <BinarySecurityToken ValueType="http://docs.oasis-open.org/wss/2004/01/</pre>
oasis-200401-wss-x509-token-profile-1.0#X509v3"
EncodingType="http://docs.oasis-open.org/wss/2004/01/
oasis-200401-wss-wssecurity-secext-1.0.xsd#base64binary"
xmlns="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-
VQQLExJNaWNyb3NvZnQgUEtJIFR1YW0xFDASBgNVBAMMC0ZCX0VudFN1YkNBMB4X
DTA5MDMwNTE4MjYyMloXDTA5MDMxMjE4MzYyMlowODEbMBkGA1UECxMSTWljcm9z
b2Z0IFBLSSBUZWFtMRkwFwYDVQQDDBBGQ19FbnRTdWJDQS1YY2hnMIIBIjANBqkq
hkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAwaBSajsw24Kk106+39WQT87+hxaHSizX
BXOqJClcZOLjqrSkdc4KnUHV+XXohDO6ETCJ5vkXw9OThT6YWDqpno6G0PJ+h9S3
rmyzlEvXaXg4/eTnDygRVji5QgyXUWK5/BSJFDf160yG21L1ueeS7Eux13Rn12m2
IuvL40ExvhM08XVobhAQmYi1YGkJYImeT2Uq1mVJ0hxjAPi4SY56z2rHdsLFt1Pf
tpQIrHPJfwSa3ILMoaW5JODCYf7ixL4IyTaJQJ4+vSTtcz0Jyezje0m7mNS8k6aw
\verb"P0bzJnGMZkiq50q9TYN0ZfBYGE0cQRLLyPCITIoaV6npOlZEkvCsCQIDAQABo4IC"
sTCCAq0wHQYDVR0OBBYEFDO96yx8TPm5xHhJkxqrsGmokCeJMB8GA1UdIwQYMBaA
FJ+3jZGC0QUd0DHiPfaXeoF15VzIMIHrBqNVHR8EqeMwqeAwqd2qqdqqqdeGqdRs
ZGFwOi8vL0NOPUZCX0VudFN1YkNBLENOPTktMTM1MUMwNDA3QSxDTj1DRFAsQ049
UHVibGljJTIwS2V5JTIwU2VydmljZXMsQ049U2VydmljZXMsQ049Q29uZmlndXJh
dGlvbixEQz1kOS0xMzUxQzA0MDZBLERDPW50dGVzdCxEQz1taWNyb3NvZnQsREM9
Y29tP2NlcnRpZmljYXRlUmV2b2NhdGlvbkxpc3Q/YmFzZT9vYmplY3RDbGFzcz1j
UkxEaXN0cmlidXRpb25Qb21udDCB2qYIKwYBBQUHAQEEqc0wqcowqccGCCsGAQUF
BzAChoG6bGRhcDovLy9DTj1GQ19FbnRTdWJDQSxDTj1BSUEsQ049UHVibG1jJTIw
S2V5JTIwU2VydmljZXMsQ049U2VydmljZXMsQ049Q29uZmlndXJhdGlvbixEQz1k
OS0xMzUxOzA0MDZBLERDPW50dGVzdCxEOz1taWNyb3NvZnOsREM9Y29tP2NBO2Vy
\tt dGlmaWNhdGU/YmFzZT9vYmplY3RDbGFzcz1jZXJ0aWZpY2F0aW9uQXV0aG9yaXR5
MCMGCSsGAQQBqjcUAqQWHhQAQwBBAEUAeABjAGqAYQBuAGcAZTA3BgkrBqEEAYI3
{\tt FQcEKjAoBiArBgEEAYI3FQiDpLIy7eQShOGZGYGtn3+D2dR4gUYBGgIBagIBADAU}
BgNVHSUEDTALBgkrBgEEAYI3FQUwDgYDVR0PAQH/BAQDAgUgMBwGCSsGAQQBgjcV
CgQPMAOwCwYJKwYBBAGCNxUFMAOGCSqGSIb3DQEBBQUAA4IBAQDESvFy3wA1iBjJ
pcWYC736HTLsu+90215XQvfFvqswJayHQy6aRGvkoWf6qQcm8IJFp2fM/K29ov1o
KEdR1U/zC36TEL2jCxtJAw9/bwA5XEm9Ph+TFBH9focXFCS9FisFuuJzdaL357eI
WXBUkYDgzQXJcl+naKjC+74dKft/T7URU0e/8TRX0LFLxJG+7tECNEtSE5/oBMMo
yF+HNUmSjyoXMvZoHWB3J7/9ULMpI6lc0BrLVIKqhMmCuIDkIuv67WQj/6NfG7uR
shWg/QbRwuEQk2ls9D9dtZwrN7XWgBbNAF6FnwZg7X9GqIDQ9erb6sZPYWg5Gbiz
XVTXYIKj</BinarySecurityToken>
  </KeyExchangeToken>
  </RequestedSecurityToken>
  </RequestSecurityTokenResponse>
  </RequestSecurityTokenResponseCollection>
  </s:Body>
  </s:Envelope>
```

4.1.3 Retrieval of a previously pended certificate request with Query Token Status

4.1.3.1 Client Request

```
<s:Envelope xmlns:a="http://www.w3.org/2005/08/addressing"
xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Header>
  <a:Action s:mustUnderstand="1">
http://schemas.microsoft.com/windows/pki/2009/01/enrollment/RST/wstep</a:Action>
  <a:MessageID>urn:uuid:ce330bb2-0ca2-473b-a29a-19e9264666ff</a:MessageID>
  <a:ReplvTo>
  <a:Address>http://www.w3.org/2005/08/addressing/anonymous</a:Address>
  </a:ReplyTo>
  </s:Header>
  <s:Body xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <RequestSecurityToken xmlns="http://docs.oasis-open.org/ws-sx/ws-trust/200512">
  <TokenType>http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-x509-token-profile-
1.0#X509v3</TokenType>
<RequestType>http://schemas.microsoft.com/windows/pki/2009/01/enrollment/QueryTokenStatus/Re
questType>
  <RequestID
xmlns="http://schemas.microsoft.com/windows/pki/2009/01/enrollment">65</RequestID>
  </RequestSecurityToken>
  </s:Bodv>
  </s:Envelope>
```

4.1.4 Message exchange with a server fault

4.1.4.1 Client Request

See section 4.1.1.1 for an example of a client request.

4.1.4.2 Server Fault Response

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope"</pre>
xmlns:a="http://www.w3.org/2005/08/addressing">
 <s:Header>
  <a:Action s:mustUnderstand="1">http://schemas.microsoft.com/net/2005/12/
windowscommunicationfoundation/dispatcher/fault</a:Action>
 <a:RelatesTo>urn:uuid:ce330bb2-0ca2-473b-a29a-19e9264666ff</a:RelatesTo>
 <ActivityId CorrelationId="4f0e4425-4883-41c1-b704-771135d18f84"</pre>
xmlns="http://schemas.microsoft.com/2004/09/ServiceModel/Diagnostics">
eda7e63d-0c42-455d-9c4f-47ab85803a50</ActivityId>
 </s:Header>
 <s:Body>
 <s:Fault>
 <s:Code>
 <s:Value>s:Receiver</s:Value>
 <s:Subcode>
  <s:Value xmlns:a="http://schemas.microsoft.com/net/2005/12/windowscommunicationfoundation/
dispatcher">a:InternalServiceFault</s:Value>
  </s:Subcode>
 </s:Code>
 <s:Reason>
 <s:Text xml:lang="en-US">The server was unable to process the request
due to an internal error. For more information about the error, either turn
on IncludeExceptionDetailInFaults (either from ServiceBehaviorAttribute or
from the < <serviceDebuq>&qt; configuration behavior) on the server in order to
```

```
send the exception information back to the client, or turn on tracing as per
the Microsoft .NET Framework 3.0 SDK documentation and inspect the server
trace logs.</s:Text>
    </s:Reason>
    </s:Fault>
    </s:Body>
    </s:Envelope>
```

4.1.5 Certificate Renewal

4.1.5.1 Client Renewal Request

```
<s:Envelope xmlns:a="http://www.w3.org/2005/08/addressing"
xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Header>
  <a:Action s:mustUnderstand="1">http://schemas.microsoft.com/windows/pki/2009/
01/enrollment/RST/wstep</a:Action>
  <a:MessageID>urn:uuid:b0a9b388-2581-451d-8c03-270d4ffe2928</a:MessageID>
  <a:ReplyTo>
  <a:Address>http://www.w3.org/2005/08/addressing/anonymous</a:Address>
  </a:ReplvTo>
  </s:Header>
  <s:Body xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <RequestSecurityToken xmlns="http://docs.oasis-open.org/ws-sx/ws-trust/200512">
  <TokenType>http://docs.oasis-open.org/wss/2004/01/
oasis-200401-wss-x509-token-profile-1.0#X509v3</TokenType>
  <RequestType>http://docs.oasis-open.org/ws-sx/ws-trust/200512/Issue</RequestType>
  <BinarySecurityToken EncodingType="http://docs.oasis-open.org/wss/2004/01/</pre>
oasis-200401-wss-wssecurity-secext-1.0.xsd#base64binary"
ValueType="http://docs.oasis-open.org/wss/2004/01/
oasis-200401-wss-wssecurity-secext-1.0.xsd#PKCS7"
xmlns="http://docs.oasis-open.org/wss/2004/01/
oasis-200401-wss-wssecurity-secext-1.0.xsd">
MIIUIAYJKoZIhvcNAQcCoIIUETCCFA0CAQExCzAJBqUrDqMCGqUAMIIL9wYJKoZI
hvcNAQcBoIIL6ASCC+QwggvgMIIKyAIBADCBvjETMBEGCgmSJomT8ixkARkWA2Nv
bTEZMBcGCgmSJomT8ixkARkWCW1pY3Jvc29mdDEWMBQGCgmSJomT8ixkARkWBm50
dGVzdDEdMBsGCgmSJomT8ixkARkWDWQ5LTEzNTFDMDQwNkExDjAMBgNVBAMTBVVz
{\tt ZXJzMQ0wCwYDVQQDEwRhYmJ5MTYwNAYJKoZIhvcNAQkBFidhYmJ5QEQ5LTEzNTFD}
MDQwNkEuTlRURVNULk1JQ1JPU09GVC5DT00wggEiMA0GCSqGSIb3DQEBAQUAA4IB
DwAwggEKAoIBAQDG7WyEmBjjr1iF0S4zEY2JZG7yTThp8cXI5OLdYS0bwXJLZWJ3
fmTD646r/oCeGKiOogMJO7JUeMgb0F70fqmJH7GaXe6i+QGPY7DaTYYCtn94wPZQ
QGK6Mrnr1jPQyUU/1IOVQxukjZnzT11y9E/XfPLoqTm6p3F6GksLe0kT0MIq0xqX
V181Hh5mzR7ddrZ4YUjyQf2O0n1qNe233vHmiJbLTR1WFn4a+onBSFAUiNTyJXqu
NdDgza8eyNWeleJlJzxWbGtGjPhXrjL8wqpqxOCSlVgOvdDEDU3mCoCaOLw4i5pU
RRnj6RN8VemOIVQSb/XR7si3Xfi5wauKNC6rAqMBAAGqqqjaMBoGCisGAQQBqjcN
AgMxDBYKNi4xLjcwNTMuMjBkBgkrBgEEAYI3FRQxVzBVAgEFDC85LTEzNTFDMDQw
NUEuZDktMTM1MUMwNDA2QS5udHRlc3QubWljcm9zb2Z0LmNvbQwSRDktMTM1MUMw
NDA2QVxhYmJ5DAtDZXNUZXN0LmV4ZTB0BgorBgEEAYI3DQICMWYwZAIBAR5cAE0A
\verb"aQBjAHIAbwBzAG8AZgB0ACAARQBuAGgAYQBuAGMAZQBkACAAQwByAHkAcAB0AG8A"
ZwByAGEAcABoAGkAYwAgAFAAcgBvAHYAaQBkAGUAcgAgAHYAMQAuADADAQAwggE5
BgkqhkiG9w0BCQ4xggEqMIIBJjBEBgkqhkiG9w0BCQ8ENzA1MA4GCCqGSIb3DQMC
AqIAqDAOBqqqhkiG9w0DBAICAIAwBwYFKw4DAqcwCqYIKoZIhvcNAwcwawYDVR0R
BGQwYqA3BgorBgEEAYI3FAIDoCkMJ2FiYnlAZDktMTM1MUMwNDA2QS5udHRlc3Qu
bWljcm9zb2Z0LmNvbYEnYWJieUBEOS0xMzUxQzA0MDZBLk5UVEVTVC5NSUNST1NP
\verb"RlQuQ09NMBcGCSsGAQQBgjcUAgQKHggAVQBzAGUAcjApBgNVHSUEIjAgBgorBgEE"
AYI3CgMEBggrBgEFBQcDBAYIKwYBBQUHAwIwDgYDVR0PAQH/BAQDAgWgMB0GA1Ud
DqQWBBT2hT3VPqSMOvf7763YZRfhPYEZ0zCCBqEGCSsGAQQBgjcNATGCBpIwggaO
MIIFdqADAgECAgoY2d8GAAAAAAA+MA0GCSqGSIb3DQEBBQUAMDMxGzAZBgNVBAsT
Ek1pY3Jvc29mdCBOS0kqVGVhbTEUMBIGA1UEAwwLRkJfRW50U3Vi00EwHhcNMDkw
MzA1MTqyNjE3WhcNMTAwMzA1MTqyNjE3WjCBvjETMBEGCqmSJomT8ixkARkWA2Nv
bTEZMBcGCqmSJomT8ixkARkWCW1pY3Jvc29mdDEWMBQGCqmSJomT8ixkARkWBm50
dGVzdDEdMBsGCgmSJomT8ixkARkWDWQ5LTEzNTFDMDQwNkExDjAMBgNVBAMTBVVz
{\tt ZXJzMQ0wCwYDVQQDEwRhYmJ5MTYwNAYJKoZIhvcNAQkBFidhYmJ5QEQ5LTEzNTFD}
```

MDQwNkEuTlRURVNULk1JQ1JPU09GVC5DT00wqqEiMA0GCSqGSIb3DQEBAQUAA4IB DwAwggEKAoIBAQCUIUF1eKRjXgCHj0u0lmiL+Gq1uG85wgfsz2th+w0jM+BA+lKL e57dbCc+FqzpZqJruPqGDSAfMP4o6Kk8roM/4kPEVSJYIBidnC3hRx2txSR7HrcS Lo8/xhnxWY7m8WjpCfro2mBV/JbOnTT5KfU0Z+YSSCGzEVahJqN2Wj11z3VBZ8YC J3BEUWY1UDYp33zDnPAMULKDPUPJlMXUmlX+pUL4vycfnm1on4iGw0kHHCqfM77L $\verb"NPYJFkDZSgeTFrD2qSPDfUeOurwoS8whyFvPe2LFT5BRcAoF4dIaRK5DYSCP8yv1"$ xQ+6z/yqD+tZ9WpROTC7gFi1xeHPrU3TpBq5AgMBAAGjggMWMIIDEjBEBgkqhkiG 9w0BCQ8ENzA1MA4GCCqGSIb3DQMCAqIAqDA0BqqqhkiG9w0DBAICAIAwBwYFKw4D ${\tt AgcwCgYIKoZIhvcNAwcwFwYJKwYBBAGCNxQCBAoeCABVAHMAZQByMIHaBggrBgEF}$ BQcBAQSBzTCByjCBxwYIKwYBBQUHMAKGqbpsZGFwOi8vL0NOPUZCX0VudFN1YkNB $\verb|LENOPUFJQSxDTj| 1QdWJsaWMlMjBLZXklMjBTZXJ2aWNlcyxDTj| 1TZXJ2aWNlcyxD| \\$ Tj1Db25maWd1cmF0aW9uLERDPWQ5LTEzNTFDMDQwNkEsREM9bnR0ZXN0LERDPW1p Y3Jvc29mdCxEQz1jb20/Y0FDZXJ0aWZpY2F0ZT9iYXN1P29iamVjdENsYXNzPWN1 $\verb"cnRpZmljYXRpb25BdXRob3JpdHkwHQYDVR00BBYEFAiBMzPGoRkGpoPN1ZHy7InY" and the property of the$ IlG+MA4GA1UdDwEB/wQEAwIFoDBrBqNVHREEZDBioDcGCisGAQQBgjcUAgOgKQwn YWJieUBkOS0xMzUxQzA0MDZBLm50dGVzdC5taWNyb3NvZnQuY29tqSdhYmJ5QEQ5 LTEZNTFDMDQwNkEuTlRURVNULk1JQ1JPU09GVC5DT00wgesGA1UdHwSB4zCB4DCB 3aCB2qCB14aB1GxkYXA6Ly8vQ049RkJfRW50U3ViQ0EsQ049OS0xMzUxQzA0MDdB LENOPUNEUCxDTj1QdWJsaWMlMjBLZXklMjBTZXJ2aWNlcyxDTj1TZXJ2aWNlcyxD Tj1Db25maWd1cmF0aW9uLERDPWQ5LTEzNTFDMDQwNkEsREM9bnR0ZXN0LERDPW1p Y3Jvc29mdCxEQz1jb20/Y2VydGlmaWNhdGVSZXZvY2F0aW9uTGlzdD9iYXN1P29i amVjdENsYXNzPWNSTERpc3RyaWJ1dGlvblBvaW50MB8GA1UdIwQYMBaAFJ+3jZGC OQUdODHiPfaXeoF15VzIMCkGA1UdJQQiMCAGCisGAQQBgjcKAwQGCCsGAQUFBwME BqqrBqEFBQcDAjANBqkqhkiG9w0BAQUFAAOCAQEAqe5W3XJ3766qGf8Y+r2Yu1Gm Q0cskpa7tqeZXwZW51skiv6i0S1NPo67HNp08+UFlyRpdghF+ZwtpnhCdTPieAVn OHmd1LvO+LxTGAl6oVCixa3qRG1x2NUQLH7VzH34uqf/YEaJDpJ/9818TJhQQ7iP WqSQPQQrKnUkvxCjvFIIOVrvNM3IluGDjIu9Ejj1gE1ZSqA4Lixjko2M/hzhWpej KnVAEV9eb+ppWh25jbIevk6WrYMgnwPgS9gRBB150q01ahPi6Vj5EOFxOe99KTAN BqkqhkiG9w0BAQUFAAOCAQEAL89MjFAUL4Bi2e/8KvIXY6r8CLEsXVVUsNNv16r4 wPdkWeuGNteclvyufhxr3jNAEVwaechKQcIGKNz5cyd6fBE4LDPP+fiI4Ywb1bPU $\verb|gJVozQpJV5j| 2+ dSux5TiJQYYeX1qrQfG3ioz7m7WSOvoFlmBomGpfUmHZMMdsVSj|$ xFvJ7DShQeOJOmRKc5GlXp7o5/W5Xi6bn4T0RTIGd6vtsbvAta1DJ/jais6urlv8 yqedfAJIE62BbbEWOvIOa6wqdhCLlUXilPv3eZy5SsyZdDBwkbJsVfEhr0yivq6q 0ErE0fcDm/WBqOwHifUgJwIUF9DtE7vykt7n043VZYQLTaCCBpIwggaOMIIFdqAD AqECAqoY2d8GAAAAAA+MA0GCSqGSIb3DQEBBQUAMDMxGzAZBqNVBAsTEk1pY3Jv c29mdCBQS0kgVGVhbTEUMBIGA1UEAwwLRkJfRW50U3ViQ0EwHhcNMDkwMzA1MTgy NjE3WhcNMTAwMzA1MTqyNjE3WjCBvjETMBEGCqmSJomT8ixkARkWA2NvbTEZMBcG CgmSJomT8ixkARkWCW1pY3Jvc29mdDEWMBQGCgmSJomT8ixkARkWBm50dGVzdDEd MBsGCgmSJomT8ixkARkWDWQ5LTEzNTFDMDQwNkExDjAMBgNVBAMTBVVzZXJzMQ0w CwyDVOODEwRhYmJ5MTYwNAYJKoZIhvcNAOkBFidhYmJ50EO5LTEzNTFDMDOwNkEu TlRURVNULk1JQ1JPU09GVC5DT00wggEiMA0GCSqGSIb3DQEBAQUAA4IBDwAwggEK AoIBAQCUIUF1eKRjXgCHj0u0lmiL+Gq1uG85wgfsz2th+w0jM+BA+lKLe57dbCc+ FqzpZqJruPgGDSAfMP4o6Kk8roM/4kPEVSJYIBidnC3hRx2txSR7HrcSLo8/xhnx WY7m8WjpCfro2mBV/JbOnTT5KfU0Z+YSSCGzEVahJqN2Wj11z3VBZ8YCJ3BEUWY1 UDYp33zDnPAMULKDPUPJ1MXUmlX+pUL4vycfnm1on4iGw0kHHCqfM77LNPYJFkDZ SqeTFrD2qSPDfUeOurwoS8whyFvPe2LFT5BRcAoF4dIaRK5DYSCP8yv1xQ+6z/yq $\verb|D+tZ9WpROTC7gFi1xeHPrU3TpBq5AgMBAAGjggMWMIIDEjBEBgkqhkiG9w0BCQ8E| \\$ NzA1MA4GCCqGSIb3DQMCAgIAgDAOBggqhkiG9w0DBAICAIAwBwYFKw4DAgcwCgYI ${\tt KoZIhvcNAwcwFwYJKwYBBAGCNxQCBAoeCABVAHMAZQByMIHaBqqrBqEFBQcBAQSB}$ zTCByjCBxwYIKwYBBQUHMAKGgbpsZGFwOi8vL0NOPUZCX0VudFN1YkNBLENOPUFJ QSxDTj1QdWJsaWM1MjBLZXk1MjBTZXJ2aWN1cyxDTj1TZXJ2aWN1cyxDTj1Db25m aWd1cmF0aW9uLERDPWQ5LTEzNTFDMDQwNkEsREM9bnR0ZXN0LERDPW1pY3Jvc29m dCxEQz1jb20/Y0FDZXJ0aWZpY2F0ZT9iYXN1P29iamVjdENsYXNzPWN1cnRpZmlj YXRpb25BdXRob3JpdHkwHQYDVR00BBYEFAiBMzPGoRkGpoPN1ZHy7InYI1G+MA4G A1UdDwEB/wQEAwIFoDBrBgNVHREEZDBioDcGCisGAQQBgjcUAgOgKQwnYWJieUBk ${\tt OS0xMzUxQzA0MDZBLm50dGVzdC5taWNyb3NvZnQuY29tgSdhYmJ5QEQ5LTEzNTFD}$ MDQwNkEuTlRURVNULk1JQ1JPU09GVC5DT00wgesGA1UdHwSB4zCB4DCB3aCB2qCB 14aB1GxkYXA6Ly8vQ049RkJfRW50U3ViQ0EsQ049OS0xMzUxQzA0MDdBLENOPUNE UCxDTj1QdWJsaWMlMjBLZXklMjBTZXJ2aWNlcyxDTj1TZXJ2aWNlcyxDTj1Db25m aWd1cmF0aW9uLERDPWQ5LTEzNTFDMDQwNkEsREM9bnR0ZXN0LERDPW1pY3Jvc29m dCxEQz1jb20/Y2VydGlmaWNhdGVSZXZvY2F0aW9uTGlzdD9iYXNlP29iamVjdENs YXNzPWNSTERpc3RyaWJ1dGlvblBvaW50MB8GA1UdIwQYMBaAFJ+3jZGC0QUd0DHi ${\tt PfaXeoF15VzIMCkGA1UdJQQiMCAGCisGAQQBgjcKAwQGCCsGAQUFBwMEBggrBgEF}$ BQcDAjANBgkqhkiG9w0BAQUFAAOCAQEAge5W3XJ3766qGf8Y+r2Yu1GmQ0cskpa7 $\verb|tqeZXwZW5| | skiv6i0S1NPo67HNpO8+UFlyRpdghF+ZwtpnhCdTPieAVnOHmd1LvO| | tqeZXwZW5| | tqeZXw5| | tqeZXw5| | tqeZXwZW5| | tqeZXw5| | tq$ +LxTGAl6oVCixa3qRG1x2NUQLH7VzH34uqf/YEaJDpJ/9818TJhQQ7iPTi3jlu9e 52rYmNLb450eqdmVJhbKJIftpcQqbwZY7HP3tzizf50dXhhzq3CGkOJIWqSQPQQr KnUkvxCjvFIIOVrvNM3IluGDjIu9Ejj1gE1ZSqA4Lixjko2M/hzhWpejKnVAEV9e b+ppWh25jbIevk6WrYMqnwPqS9qRBB150q01ahPi6Vj5EOFxOe99KTGCAWqwqqFk

```
AgEBMEEwMzEbMBkGA1UECxMSTWljcm9zb2Z0IFBLSSBUZWFtMRQwEgYDVQQDDAtG
Q19FbnRTdWJDQQIKGNnfBgAAAAAAPjAJBgUrDgMCGgUAMA0GCSqGSIb3DQEBAQUA
BIIBAFO6/80HTk6v4fX5rYijOEpz43tvLOQk/0SfXeg4Nlm47SAzqDzNSZ3QljLJ
vZoBnz4E2vc1ITZsLYpMN0o4rxf1Zwc+2X7MtoYbnbmVllZnTnQINDfbmIiXyi+L
zkjw+ZOTZUxqNYIXhevKru3P3nDhFENhhSm/qC5Wovg7igCsDh9XJ/G6ZkQ8SEbl
vkBU21RjpOyKYaEUXz/Y0yVIIxpYCPFrByDU50ngXhwOhBcbAc5RImh1807xE04W
YQ13sBxWI1sFuxMsmzwQlTJrFauvjoPt96HfloG96p9w8D1zKxt1hqCI+XqIIqur
30aWtKmxTQTxG8uBCrczYAgfWGk=</BinarySecurityToken>
<RequestID xsi:nil="true"
xmlns="http://schemas.microsoft.com/windows/pki/2009/01/enrollment" />
</RequestSecurityToken>
</s:Body>
</s:Envelope>
```

4.1.5.2 Server Request Security Token Response

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope"
xmlns:a="http://www.w3.org/2005/08/addressing">
  <s:Header>
  <a:Action s:mustUnderstand="1">
http://schemas.microsoft.com/windows/pki/2009/01/enrollment/RSTRC/wstep</a:Action>
  <ActivityId CorrelationId="b17bfb40-747b-477a-a83c-175624e401aa"</pre>
xmlns="http://schemas.microsoft.com/2004/09/ServiceModel/Diagnostics">
0a9f1849-8211-489c-a2b7-6a07ed1e6832</ActivityId>
  <a:RelatesTo>urn:uuid:b0a9b388-2581-451d-8c03-270d4ffe2928</a:RelatesTo>
  </s:Header>
  <s:Bodv>
  <RequestSecurityTokenResponseCollection
xmlns="http://docs.oasis-open.org/ws-sx/ws-trust/200512">
  <RequestSecurityTokenResponse>
  <TokenType>
http://docs.oasis-open.org/wss/2004/01/
oasis-200401-wss-x509-token-profile-1.0#X509v3</TokenType>
  <DispositionMessage xml:lang="en-US"</pre>
xmlns="http://schemas.microsoft.com/windows/pki/2009/01/
enrollment">Issued</DispositionMessage>
  <BinarySecurityToken
ValueType="http://docs.oasis-open.org/wss/2004/01/
oasis-200401-wss-wssecurity-secext-1.0.xsd#PKCS7"
EncodingType="http://docs.oasis-open.org/wss/2004/01/
oasis-200401-wss-wssecurity-secext-1.0.xsd#base64binary"
xmlns="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-
1.0.xsd">MIIRlayJKoZIhvcNaQcCoIIRhTCCEYECAQMxCzaJBgUrDgMCGgUAMH0GCCsGAQUF
BwwDoHEEbzBtMGcwIQIBAQYIKwYBBQUHBwExEjAQAgEAMAMCAQEMBklzc3VlZDBC
AgECBgorBgEEAYI3CgoBMTEwLwIBADADAgEBMSUwIwYJKwYBBAGCNxURMRYEFIog
XmwOBOuM1DF7AGxjuxgurDsiMAAwAKCCD0EwggNbMIICQ6ADAgECAhAeqF9153Dz
\verb|n0o0G27H8w6RMA0GCSqGSIb3DQEBBQUAMDQxGzAZBgNVBAsTEk1pY3Jvc29mdCBQ| \\
S0kqVGVhbTEVMBMGA1UEAwwMRkJfRW50Um9vdENBMB4XDTA5MDMwMzAzMjQxMloX
DTE0MDMwMzAzMzQxMFowNDEbMBkGA1UECxMSTWljcm9zb2Z0IFBLSSBUZWFtMRUw
EwYDVQQDDAxGQ19FbnRSb290Q0EwggEiMA0GCSqGSIb3DQEBAQUAA4IBDwAwggEK
AoIBAQCInEl54od1KuJPZ8BoaqVIsuE4BX9dXTsk0BmBVblPlYzI1RWm0NE1Zr40
TdggZ/Nv69kwCOzi0D0Eo58fHYz3FAh6rw4o+ABpx9nFJlJj69D9H7JIQWsWdTOe
nQxvW59vzotQfMz00T//lNCilX3aBMj6VjArX51fYLCqBr2Qqw9BmEkaiVntw9Vd
1gvJTPNoyG79c2V2Mux+4M9dzIR17xw8Mx4LhJrXXKQPZ1YgwVeWdAXelS5aeoXG
LI2GIx15LtsUQzYxce1SVotVcfR4NM3lXkis5x679DtxMoB2gYqjUhkB1hTLIQwK
{\tt 8V5v5jjjsuy7tXP5qIEp0q7B6NCzAgMBAAGjaTBnMBMGCSsGAQQBgjcUAgQGHgQA}
QwBBMA4GA1UdDwEB/wQEAwIBhjAPBqNVHRMBAf8EBTADAQH/MB0GA1UdDqQWBBS9
\verb|oNbJuWz92vLuQSIJ1Dzamg3dVTAQBgkrBgEEAYI3FQEEAwIBADANBgkqhkiG9w0B| \\
AQUFAAOCAQEAVr8MMHZHcnUUyKGFnBE8qNPKIHI9oDEee3jnChqO9wmKbEZV4701
+ejdiDjiC9FQlHHbuWxhKPjOnAtqXN48E9XLPzS/ezx/LwsEv5LlroioRBym8NbA
1dLJNFqskrC0FAhefg9Jc4c91Q3uyGUjMb4Hoa9b2cqNIeMeRzV+L1oH0wVZpg9o
i8OoCIFX/woETKBryiLnXPLybdQu0E7brTkyYmXJsGuFPqLzj6DVFOdblZMmEJNy
60pr98dFJYwcwnhjdVx0FtRTsXnU8epeAYOEHwJCuU01bWpcRPF6C6sJY0wmRaP7
iOCOGXhoFO6lcbLO8fztvGpUkyZfDoHg3DCCBUwwggQOoAMCAQICCmEMfNwAAAAA
AAIwDQYJKoZIhvcNAQEFBQAwNDEbMBkGA1UECxMSTWljcm9zb2Z0IFBLSSBUZWFt
```

MRUwEwYDVQQDDAxGQ19FbnRSb290Q0EwHhcNMDkwMzAzMDMyNjE2WhcNMTEwMzAz MDMzNjE2WjAzMRswGQYDVQQLExJNaWNyb3NvZnQqUEtJIFR1YW0xFDASBqNVBAMM C0ZCX0VudFN1YkNBMIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAzqtl 8VMe3t1durXs810RjWBWoxDQtTPJAlYNQdqvS+H2HutrUNjvW/+vKOAm0ib8GR3u D8IT+Kk8TJvzSGOuQAKxYtzaqjDt7Alc7Utsne1SiKDT5ZSflpmfUvASKd28jJ4Y B1SDJSiJmOyWqUZCnwwAwW0VXCrMk1QnyGjr3Akq+p6Mgo/ZqaeFuj4o7jJjI/em BN5mM01x00yjQF79bQbJaqd0bidQkfSASDW3HAycTcWuKfMfjF5vPMZqLWcaRjAS v2tEn9urPDJv4mhXrTz53ETup1kAOmA95BQULnLXXHreXImUkGacdPhd1hCWm9KE v1Qlvsks9UUBfHUcKwIDAQABo4ICXzCCAlswEAYJKwYBBAGCNxUBBAMCAQAwHQYD VR00BBYEFJ+3;ZGC0QUd0DHiPfaXeoF15VzIMBkGCSsGAQQBq;cUAqQMHqoAUwB1 AGIAQwBBMA4GA1UdDwEB/wQEAwIBhjAPBgNVHRMBAf8EBTADAQH/MB8GA1UdIwQY MBaAFL2g1sm5bP3a8u5BIgmUPNqaDd1VMIHsBgNVHR8EgeQwgeEwgd6ggduggdiG qdVsZGFwOi8vL0NOPUZCX0VudFJvb3RDQSxDTj05LTEzNTFDMDQwNkEsQ049Q0RQ $\verb|LENOPVB1YmxpYyUyMEtleSUyMFN1cnZpY2VzLENOPVN1cnZpY2VzLENOPUNvbmZp| \\$ Z3VyYXRpb24sREM9ZDktMTM1MUMwNDA2QSxEQz1udHR1c3QsREM9bWljcm9zb2Z0 LERDPWNvbT9jZXJ0aWZpY2F0ZVJldm9jYXRpb25MaXN0P2Jhc2U/b2JqZWN0Q2xh c3M9Y1JMRGlzdHJpYnV0aW9uUG9pbnQwqdsGCCsGAQUFBwEBBIHOMIHLMIHIBqgr BgEFBQcwAoaBu2xkYXA6Ly8vQ049RkJfRW50Um9vdENBLENOPUFJQSxDTj1QdWJs aWM1MjBLZXklMjBTZXJ2aWN1cyxDTj1TZXJ2aWN1cyxDTj1Db25maWd1cmF0aW9u LERDPWQ5LTEzNTFDMDQwNkEsREM9bnR0ZXN0LERDPW1pY3Jvc29mdCxEQz1jb20/ Y0FDZXJ0aWZpY2F0ZT9iYXN1P29iamVjdENsYXNzPWN1cnRpZmljYXRpb25BdXRo b3JpdHkwDQYJKoZIhvcNAQEFBQADqqEBACUFJf5b34y2bob4+rmjcJ2F4MRRq8C3 v9ltkpai68neRyC2tNU0C+hav5QZ2DjW8KWns+rRb1UW/5iRa/7uKhnHYyS14Yv0 I/LddTlv5Pf5uv5CK0YbmQiGx37aLLHjDnqerh346N+z75kJZJ18eEVnUPZUQ/ZB btqb7GAKcIRViJJ+9rspGRJoIFjFIAUI7jThssGlzobaLjyw4IvMX0+VpGpr8zxM ZfK0P4kr3Ou+TSVK1H0cBSFy4SqkcSdxVFkoyCEm7Pr4osxVHcFkC9JqiihYldil $\verb|xgt4U54nFAgUrTbHjB+JYjHLqQYafPGCYfB9bR4M1/1jhV05F1V61zIwggaOMIIF| \\$ $\verb|dqADAgECAgoY2eyOAAAAAAA| MAOGCSqGSIb3DQEBBQUAMDMxGzAZBgNVBAsTEk1p| \\$ Y3Jvc29mdCBOS0kqVGVhbTEUMBIGA1UEAwwI.RkJfRW50U3Vi00EwHhcNMDkwMzA1 MTqyNjIxWhcNMTAwMzA1MTqyNjIxWjCBvjETMBEGCgmSJomT8ixkARkWA2NvbTEZ MBcGCqmSJomT8ixkARkWCW1pY3Jvc29mdDEWMBQGCqmSJomT8ixkARkWBm50dGVz $\verb|dDEdMBsGCgmSJomT8ixkARkWDWQ5LTEzNTFDMDQwNkExDjAMBgNVBAMTBVVzZXJz| \\$ MQ0wCwYDVQQDEwRhYmJ5MTYwNAYJKoZIhvcNAQkBFidhYmJ5QEQ5LTEzNTFDMDQw NkEuTlRURVNULk1JQ1JPU09GVC5DT00wggEiMA0GCSqGSIb3DQEBAQUAA4IBDwAw ggEKAoIBAQDG7WyEmBjjr1iF0S4zEY2JZG7yTThp8cXI5OLdYS0bwXJLZWJ3fmTD 646r/oCeGKiOogMJO7JUeMgb0F70fqmJH7GaXe6i+QGPY7DaTYYCtn94wPZQQGK6 Mrnr1jPQyUU/1IOVQxukjZnzT11y9E/XfPLoqTm6p3F6GksLe0kT0MIq0xqXV181 Hh5mzR7ddrZ4YUjyQf200n1qNe233vHmiJbLTR1WFn4a+onBSFAUiNTyJXquNdDq za8eyNWeleJlJzxWbGtGjPhXrjL8wqpqxOCSlVgOvdDEDU3mCoCaOLw4i5pURRnj 6RN8VemOIVQSb/XR7si3Xfi5wauKNC6rAqMBAAGjqqMWMIIDEjBEBqkqhkiG9w0B $\verb|CQ8ENZA1MA4GCCqGSIb3DQMCAgIAgDAOBgqqhkiG9w0DBAICAIAwBwYFKw4DAgcw| \\$ $\verb|CgYIKoZIhvcNAwcwFwYJKwYBBAGCNxQCBAoeCABVAHMAZQByMIHaBggrBgEFBQcB||$ AQSBzTCByjCBxwYIKwYBBQUHMAKGgbpsZGFwOi8vL0NOPUZCX0VudFN1YkNBLENO PUFJQSxDTj1QdWJsaWMlMjBLZXklMjBTZXJ2aWNlcyxDTj1TZXJ2aWNlcyxDTj1D b25maWd1cmF0aW9uLERDPWQ5LTEzNTFDMDQwNkEsREM9bnR0ZXN0LERDPW1pY3Jv c29mdCxEQz1jb20/Y0FDZXJ0aWZpY2F0ZT9iYXNlP29iamVjdENsYXNzPWNlcnRp ZmljYXRpb25BdXRob3JpdHkwHQYDVR0OBBYEFPaFPdU+BIw69/vvrdhlF+E9qRnT MA4GA1UdDwEB/wQEAwIFoDBrBgNVHREEZDBioDcGCisGAQQBgjcUAgOgKQwnYWJi eUBkOS0xMzUxQzA0MDZBLm50dGVzdC5taWNyb3NvZnQuY29tgSdhYmJ5QEQ5LTEz NTFDMDQwNkEuTlRURVNULk1JQ1JPU09GVC5DT00wqesGA1UdHwSB4zCB4DCB3aCB 2qCB14aB1GxkYXA6Ly8vQ049RkJfRW50U3ViQ0EsQ049OS0xMzUxQzA0MDdBLENO PUNEUCxDTj1QdWJsaWMlMjBLZXklMjBTZXJ2aWNlcyxDTj1TZXJ2aWNlcyxDTj1D b25maWd1cmF0aW9uLERDPWQ5LTEzNTFDMDQwNkEsREM9bnR0ZXN0LERDPW1pY3Jv c29mdCxEQz1jb20/Y2VydGlmaWNhdGVSZXZvY2F0aW9uTGlzdD9iYXN1P29iamVj dENsYXNzPWNSTERpc3RyaWJ1dGlvblBvaW50MB8GA1UdIwQYMBaAFJ+3jZGC0QUd ODHiPfaXeoF15VzIMCkGA1UdJQQiMCAGCisGAQQBgjcKAwQGCCsGAQUFBwMEBggr BgEFBOcDA; ANBgkghkiG9w0BAOUFAAOCAOEAoZEiMPDULBVa9GIOi/Y4S4EN9x6C MpbZ6krcUPEL2bRylJ7XJxxmq5VD6FdS90jdTHkLnq4U5TtW6B1cjC55JiaUsQMj Etyr8/b08Xvbg4pR6MDLHIO5hxQSCxNOubX4hjKyG9guJbTau9zLVVziHO7YXzYE AJ95NiQKwG+bIks/uLnF0HjOGq9NE2q6CEDpduP3X4N3X6WjDuZL8aj42GipN9PW 9emOn2fwhQzO5VT4KIM6y+PJc93B8k3wayStolsGKHChb80Trj6jFLUR7RtN5LuN 7MnnuAlB/xsEP/T4iaFSYaPmpLikarJEwqJAvkQ/g7pmGrYNJ2I0Xww/4jGCAakw qqGlAqEBMEIwNDEbMBkGA1UECxMSTWljcm9zb2Z0IFBLSSBUZWFtMRUwEwYDVQQD DAxGQ19FbnRSb290Q0ECCmEMfNwAAAAAAAIwCQYFKw4DAhoFAKA+MBcGCSqGS1b3 DQEJAzEKBggrBgEFBQcMAzAjBgkqhkiG9w0BCQQxFgQUoOWV5P4v001TW171ZHHO acJ312QwDQYJKoZIhvcNAQEBBQAEqqEAN0UXGUWCiZM9zOIFJt50AkL82/DHk43t PElklvP4s3s/7EtKn04qbfVV4//HYWpcXz24dJ/SWZSTApWlKffKIY6Y67nL/dsn swYSeBWxhzp6ZIYk8k1epCR+ebR8Nr1G9ZTow7yE0e9NZW/OR9IifwvPf8EMJBo/ 6kXZaY/Ppz30NljXfVmuAipYHn033A8PqR2i2/fj0+z2MC5grmkF0Hxd4Sg90inQ

```
deTO8i8ksQ+aO/LsbEShmK/qWmHnnQ45Z8bWxkpvt7EtxpYGwQiZt6lU2oQt/UYL
hZBPEYQC1KpgCTMmVuzk6NdEim2z7RXUMIFBmjDTAh6M9FdLmMKQDw==</BinarySecurityToken>
  <RequestedSecurityToken>
  <BinarySecurityToken
ValueType="http://docs.oasis-open.org/wss/2004/01/
oasis-200401-wss-x509-token-profile-1.0#X509v3"
EncodingType="http://docs.oasis-open.org/wss/2004/01/
oasis-200401-wss-wssecurity-secext-1.0.xsd#base64binary"
xmlns="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-
1.0.xsd">MIIGjjCCBXaqAwIBAqIKGNnsjqAAAAAAPzANBqkqhkiG9w0BAQUFADAzMRswGQYD
VQQLExJNaWNyb3NvZnQgUEtJIFR1YW0xFDASBgNVBAMMC0ZCX0VudFN1YkNBMB4X
DTA5MDMwNTE4MjYyMVoXDTEwMDMwNTE4MjYyMVowgb4xEzARBgoJkiaJk/IsZAEZ
FqNjb20xGTAXBqoJkiaJk/IsZAEZFqltaWNyb3NvZnQxFjAUBqoJkiaJk/IsZAEZ
\verb|FgZudHRlc3QxHTAbBgoJkiaJk/IsZAEZFg1kOS0xMzUxQzA0MDZBMQ4wDAYDVQQD|\\
EwVVc2VyczENMAsGA1UEAxMEYWJieTE2MDOGCSqGSIb3DOEJARYnYWJieUBEOS0x
MzUxQzA0MDZBLk5UVEVTVC5NSUNST1NPRlQuQ09NMIIBIjANBqkqhkiG9w0BAQEF
AAOCAQ8AMIIBCgKCAQEAxu1shJgY469YhdEuMxGNiWRu8k04afHFyOTi3WEtG8Fy
S2Vid35kw+uOq/6AnhiotKIDCTuyVHjIG9Be9H6piR+xml3uovkBj2Ow2k2GArZ/
eMD2UEBiujK569Yz0MlFP9SDlUMbpI2Z809dcvRP13zy6Kk5uqdxehpLC3tJE9DC
KtMal1ZfJR4eZs0e3Xa2eGFI8kH9jtJ9ajXtt97x5oiWy00dVhZ+GvqJwUhQFIjU
8iV6rjXQ4M2vHsjVnpXiZSc8VmxrRoz4V64y/MKqasTgkpVYDr3QxA1N5gqAmji8
OIuaVEUZ4+kTffXpjiFUEm/10e7It134ucGrijQuqwIDAQABo4IDFjCCAxIwRAYJ
{\tt KoZIhvcNAQkPBDcwNTAOBggqhkiG9w0DAgICAIAwDgYIKoZIhvcNAwQCAgCAMAcG}
BSsOAwIHMAoGCCqGSIb3DQMHMBcGCSsGAQQBqjcUAqQKHqqAVQBzAGUAcjCB2qYI
{\tt KwYBBQUHAQEEgc0wgccGCCsGAQUFBzAChoG6bGRhcDovLy9DTj1GQ19FbnRT}
dWJDQSxDTj1BSUEsQ049UHVibGljJTIwS2V5JTIwU2VydmljZXMsQ049U2Vydmlj
ZXMsQ049Q29uZmlndXJhdGlvbixEQz1kOS0xMzUxQzA0MDZBLERDPW50dGVzdCxE
Qz1taWNyb3NvZnQsREM9Y29tP2NBQ2VydGlmaWNhdGU/YmFzZT9vYmplY3RDbGFz
cz1jZXJ0aWZpY2F0aW9uQXV0aG9yaXR5MB0GA1UdDgQWBBT2hT3VPgSMOvf7763Y
ZRfhPYEZ0zAOBqNVHQ8BAf8EBAMCBaAwawYDVR0RBGQwYqA3BgorBqEEAYI3FAID
oCkMJ2FiYnlAZDktMTM1MUMwNDA2QS5udHRlc3QubWljcm9zb2Z0LmNvbYEnYWJi
\verb"euBEOS0xMzuxQzA0MDZBLk5uVEVTVC5NSUNST1NPRlQuQ09NMIHrBgNVHR8EgeMw" \\
qeAwqd2qqdqqdeGqdRsZGFwOi8vL0NOPUZCX0VudFN1YkNBLENOPTktMTM1MUMw
NDA3QSxDTj1DRFAsQ049UHVibGljJTIwS2V5JTIwU2VydmljZXMsQ049U2Vydmlj
ZXMsQ049Q29uZmlndXJhdGlvbixEQz1kOS0xMzUxQzA0MDZBLERDPW50dGVzdCxE
Qz1taWNyb3NvZnQsREM9Y29tP2NlcnRpZmljYXRlUmV2b2NhdGlvbkxpc3Q/YmFz
ZT9vYmplY3RDbGFzcz1jUkxEaXN0cmlidXRpb25Qb2ludDAfBgNVHSMEGDAWgBSf
t42RqtEFHdAx4j3213qBdeVcyDApBqNVHSUEIjAqBqorBqEEAYI3CqMEBqqrBqEF
BQcDBAYIKwYBBQUHAwIwDQYJKoZIhvcNAQEFBQADqqEBAKGRIjDw1CwVWvRiDov2
OEuBDfcegjKW2epK3FDxC9m0cpSe1yccZquVQ+hXUvTo3Ux5C54OFOU7VugdXIwu
eSYmlLEDIxLcq/P29PF724OKUejAyxyDuYcUEgsTTrm1+IYyshvYLiW02rvcy1Vc
4hzu2F82BACfeTYkCsBvmyJLP7i5xdB4zhqvTRNqughA6Xbj91+Dd1+low7mS/Go
+NhoqTfT1vXpjp9n8IUMzuVU+CiDOsvjyXPdwfJN8GskraJbBihwoW/NE64+oxS1
Ee0bTeS7jezJ51AJQf8bBD/0+ImhUmGj5qS4pGqyRMKiQL5EP4O6Zhq2DSdiNF8M
P+I=</BinarySecurityToken>
  </RequestedSecurityToken>
  <RequestID
xmlns="http://schemas.microsoft.com/windows/pki/2009/01/enrollment">63</RequestID>
  </RequestSecurityTokenResponse>
  </RequestSecurityTokenResponseCollection>
  </s:Body>
  </s:Envelope>
```

5 Security

5.1 Security Considerations for Implementers

None.

5.2 Index of Security Parameters

None.

6 Appendix A: Full WSDL

The WSTEP protocol is a profile extension of WS-Trust1.3. As such, it does not have a WSDL.

WS-Trust 1.3 WSDL: The full WSDL for WS-Trust can be found at: http://docs.oasis-open.org/ws-sx/ws-trust/200512/ws-trust-1.3.wsdl.

WSTEP XML Schema: For the convenience of implementation, the XML Schema is provided here.

```
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"</pre>
           xmlns:wstep="http://schemas.microsoft.com/windows/pki/2009/01/enrollment"
           targetNamespace="http://schemas.microsoft.com/windows/pki/2009/01/enrollment"
    elementFormDefault="qualified">
 <xs:import namespace="http://www.w3.org/XML/1998/namespace"</pre>
schemaLocation="http://www.w3.org/2001/xml.xsd" />
 <xs:element name="DispositionMessage" type="wstep:DispositionMessageType" nillable="true"</pre>
  <xs:complexType name="DispositionMessageType">
    <xs:simpleContent>
      <xs:extension base="xs:string">
        <xs:attribute ref="xml:lang" use="optional" />
     </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
 <xs:element name="CertificateEnrollmentWSDetail" nillable="true"</pre>
type="wstep:CertificateEnrollmentWSDetailType" />
  <xs:complexType name="CertificateEnrollmentWSDetailType">
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="1" name="BinaryResponse" nillable="true"</pre>
type="xs:string" />
     <xs:element minOccurs="0" maxOccurs="1" name="ErrorCode" nillable="true" type="xs:int"</pre>
      <xs:element minOccurs="0" maxOccurs="1" name="InvalidRequest" nillable="true"</pre>
type="xs:boolean" />
      <xs:element minOccurs="0" maxOccurs="1" name="RequestID" type="xs:string"</pre>
nillable="true" />
    </xs:sequence>
  </xs:complexType>
 <xs:element name="RequestID" type="xs:string" nillable="true" />
</xs:schema>
```

7 Appendix B: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include updates to those products.

The following table shows the relationships between Microsoft product versions or supplemental software and the roles they perform.

Windows Releases	Server Role	Client Role
Windows 7 operating system	No	Yes
Windows Server 2008 R2 operating system	Yes	Yes
Windows 8 operating system	No	Yes
Windows Server 2012 operating system	Yes	Yes
Windows 8.1 operating system	No	Yes
Windows Server 2012 R2 operating system	Yes	Yes
Windows 10 operating system	No	Yes
Windows Server 2016 operating system	Yes	Yes
Windows Server operating system	Yes	Yes
Windows Server 2019 operating system	Yes	Yes
Windows Server 2022 operating system	Yes	Yes
Windows 11 operating system	No	Yes

Exceptions, if any, are noted in this section. If an update version, service pack or Knowledge Base (KB) number appears with a product name, the behavior changed in that update. The new behavior also applies to subsequent updates unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms "SHOULD" or "SHOULD NOT" implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term "MAY" implies that the product does not follow the prescription.

<1> Section 3.1.3: Applicable Windows Server releases set the DefaultLanguage parameter to the installed language.

8 Change Tracking

This section identifies changes that were made to this document since the last release. Changes are classified as Major, Minor, or None.

The revision class **Major** means that the technical content in the document was significantly revised. Major changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements.
- A document revision that captures changes to protocol functionality.

The revision class **Minor** means that the meaning of the technical content was clarified. Minor changes do not affect protocol interoperability or implementation. Examples of minor changes are updates to clarify ambiguity at the sentence, paragraph, or table level.

The revision class **None** means that no new technical changes were introduced. Minor editorial and formatting changes may have been made, but the relevant technical content is identical to the last released version.

The changes made to this document are listed in the following table. For more information, please contact dochelp@microsoft.com.

Section	Description	Revision class
Z Appendix B: Product Behavior	Updated for this version of Windows Client.	Major

9 Index

A	Groups 14
Abstract data model 16	I
server 16	•
Applicability 11	Implementer - security considerations 37
Attribute groups 14	Index of security parameters 37
Attributes 14	Informative references 8
overview 14	Initialization 16
RequestSecurityToken2 24	server 16
Authentication 16	Introduction 6
	Issue request processing 24
C	
	K
Capability negotiation 11	
Change tracking 40	Key Exchange Token request processing 25
Complex types 13	
overview 13	L
RequestSecurityToken2	
DispositionMessageType 19	Local events 25
overview 19	server 25
RequestedSecurityTokenEnrollmentType 19	
RequestSecurityTokenEnrollmentType 20	M
<u>RequestSecurityTokenResponseCollectionEnrollm</u>	Message processing
entType 22	overview 17
<u>RequestSecurityTokenResponseEnrollmentType</u>	RequestSecurityToken2
21	attributes 24
RequestTypeEnum 23	complex types 19
	elements 17
D	messages 17
	overview 17
<u>Data model - abstract</u> 16	server 17
server 16	Messages
	attribute groups 14
E	attributes 14
	complex types 13
Elements	elements 13
overview 13	enumerated 13
RequestSecurityToken2	groups 14
<u>DispositionMessage</u> 18	namespaces 13
RequestID 18	simple types 13
RequestSecurityToken 18	syntax 13
RequestSecurityTokenResponseCollection 18	transport 13
RequestType 18	
TokenType 19	N
Events	
local 25	Namespaces 13
local - server 25	Normative references 7
timer 25	
timer - server 25	0
Examples - RequestSecurityToken request/response	
message sequence 26	Operations
F	Processing Rules 24
F	wst:RequestSecurityToken2 17
Fields vender extensible 11	Overview (synopsis) 8
Fields - vendor-extensible 11	_
Full WSDL 38	P
G	Development of the second of t
	Parameters - security index 37
Glossary 6	Preconditions 11
Ologodi y O	Prerequisites 11

Processing rules	<u>overview</u> 24
Issue request 24	QueryTokenStatus request 25
Key Exchange Token request 25	Renew request 24
overview 24	sequencing rules
QueryTokenStatus request 25	overview 17
Renew request 24	RequestSecurityToken2 17
Product behavior 39	timer events 25
Protocol Details	timers 16
overview 15	Sequencing rules
	overview 17
Q	RequestSecurityToken2
Y	attributes 24
QueryTokenStatus request processing 25	complex types 19
	elements 17
R	messages 17
N.	overview 17
References 7	server 17
informative 8	Server
normative 7	abstract data model 16
	initialization 16
Relationship to other protocols 10	
Renew request processing 24	<u>local events</u> 25
RequestSecurityToken request/response message	message processing 17
sequence example 26	Processing Rules operation 24
	sequencing rules 17
RequestSecurityToken2	
attributes 24	timer events 25
complex types	timers 16
DispositionMessageType 19	wst:RequestSecurityToken2 operation 17
	Server - SecurityTokenService - overview 15
overview 19	Simple types 13
RequestedSecurityTokenEnrollmentType 19	
RequestSecurityTokenEnrollmentType 20	Standards assignments 12
	Syntax
RequestSecurityTokenResponseCollectionEnrollm	messages - overview 13
	Syntax - messages - overview 13
entType 22	<u>Syntax - messages - overview</u> 13
<u>RequestSecurityTokenResponseEnrollmentType</u>	
21	T
RequestTypeEnum 23	
	Times events 25
elements	<u>Timer events</u> 25
<u>DispositionMessage</u> 18	server 25
RequestID 18	Timers 16
ReguestSecurityToken 18	server 16
	Tracking changes 40
RequestSecurityTokenResponseCollection 18	
RequestType 18	Transport 13
TokenType 19	Types
messages	complex 13
	simple 13
overview 17	Simple 13
RequestSecurityTokenMsg 17	
RequestSecurityTokenResponseCollectionMsq 17	V
overview 17	
OVERVIEW 17	Vendor-extensible fields 11
S	Versioning 11
Security	W
•	•••
<u>implementer considerations</u> 37	
parameter index 37	WSDL 38
SecurityTokenService server	
abstract data model 16	
initialization 16	
<u>local events</u> 25	
message processing	
overview 17	
RequestSecurityToken2 17	
overview 15	
processing rules	
Issue request 24	
Key Exchange Token request 25	
Kov Evchango lokon roguest JE	