

TechTrackInvest API

Overview

API !"#\$%&'(")*+,-'&-'%' . +, .)&/%&+#+-+#. + + +0&/(1. + %&/2), , ' . +.

Paths

GET /categories ! "#\$%&' () * &) " + ,) - . + / ' - 0 " 1 & 2

3/4(&' 5') - 6' -)0/&+ + ! " # , - ' & - ' % / (+ .) & / % & + # - + 7

Responses

Code	Description	Links												
200	<p>8, %) 9 * 1 7 / - () -</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Example</i></p> <div><pre>[{"id": 1, "name": "IT"}, {"id": 2, "name": "MedTech"}, {"id": 3, "name": "GreenTech"}, {"id": 4, "name": "SpaceTech"}]</pre></div>	No Links												
500	<p>: 9 +; 6' ,) & () &'</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>error <i>required</i></td><td><+ % / 9 +; 6 +</td><td>string</td></tr><tr><td>code <i>required</i></td><td>HTTP-6 / ! / 9 +; 6 +</td><td>integer</td></tr><tr><td>message <i>required</i></td><td>= / / ; 5) * +)</td><td>string</td></tr></table> <div><pre>{"error": "Internal server error", "code": 500, "message": "! " # \$ % # & ' () * +, " - * * . . # & \$ / 0 (1 - ") - " (" }</pre></div>	Name	Description	Schema	error <i>required</i>	<+ % / 9 +; 6 +	string	code <i>required</i>	HTTP-6 / ! / 9 +; 6 +	integer	message <i>required</i>	= / / ; 5) * +)	string	No Links
Name	Description	Schema												
error <i>required</i>	<+ % / 9 +; 6 +	string												
code <i>required</i>	HTTP-6 / ! / 9 +; 6 +	integer												
message <i>required</i>	= / / ; 5) * +)	string												

GET /events ! " # \$ % & ' () * & " + 3 - 1 " * 1 & 4 ' & 2

3/4(&' 5 ') - 6 & ' - 6 \$ > + * ? / & . ' 2 + > / .) & / % & + # - + # @ , (/ 4 . / A * / , - B > ? + " B - & ' 2 + + % / 6 ' -) 0 / & + +

Parameters

Type	Name	Description	Schema
query	category_id <i>optional</i>	C + " B - & % / ID 6 ' -) 0 / & + +	integer

Responses

Code	Description	Links												
200	<p>8, %) 9 * 1 7 / - () -</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Example</i></p> <pre>[{"id": 1, "name": "Tech Conference", "description": "23-4#5*(. 0#*6-"-*7\$. 8#*#)9: , -; *#' #4\$. : ", "category_id": 1}, {"id": 2, "name": "MedTech Summit", "description": "23-4#5*(. 0#*6-"-*7\$. 8#*#)9: , -; *#' #4\$. : ", "category_id": 2}]</pre>	No Links												
400	<p>D) () & * 1 7 4 ' % & / ,</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>error <i>required</i></td><td>< + % / 9 + ; 6 +</td><td>string</td></tr><tr><td>code <i>required</i></td><td>HTTP-6 / ! / 9 + ; 6 +</td><td>integer</td></tr><tr><td>message <i>required</i></td><td>= / / ; 5) * +)</td><td>string</td></tr></table> <pre>{"error": "Invalid request", "code": 400, "message": "<-0#""-0, *9= 8("(: -, "category_id"}</pre>	Name	Description	Schema	error <i>required</i>	< + % / 9 + ; 6 +	string	code <i>required</i>	HTTP-6 / ! / 9 + ; 6 +	integer	message <i>required</i>	= / / ; 5) * +)	string	No Links
Name	Description	Schema												
error <i>required</i>	< + % / 9 + ; 6 +	string												
code <i>required</i>	HTTP-6 / ! / 9 + ; 6 +	integer												
message <i>required</i>	= / / ; 5) * +)	string												

Code	Description	Links												
500	<p>: 9+; 6' ,) & () & ' </p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>error <i>required</i></td><td><+% /9+; 6+</td><td>string</td></tr> <tr> <td>code <i>required</i></td><td>HTTP-6/! /9+; 6+</td><td>integer</td></tr> <tr> <td>message <i>required</i></td><td>=//; 5) *+)</td><td>string</td></tr> </table> <div> {"error": "Internal server error", "code": 500, "message": "! " # \$ % & ' () * + , " - * * . . # & \$ / 0 (1 - ") - " (" } </div>	Name	Description	Schema	error <i>required</i>	<+% /9+; 6+	string	code <i>required</i>	HTTP-6/! /9+; 6+	integer	message <i>required</i>	=//; 5) *+)	string	No Links
Name	Description	Schema												
error <i>required</i>	<+% /9+; 6+	string												
code <i>required</i>	HTTP-6/! /9+; 6+	integer												
message <i>required</i>	=//; 5) *+)	string												

GET /events/{eventId} ! " # \$ % & ' (5 - ' / # (6 \$ 7 & 6 8 " 1 3 / 9 & 7 " 3 - 1 " * 1 & 4 ' & &

3/4 (& ' 5 ') - % / " * \$ > + * ? / & . ' 2 + > / 6 / * 6 &) - * / . .) & / % & + # - + +

Parameters

Type	Name	Description	Schema
path	eventId <i>required</i>		integer

Responses

Code	Description	Links																								
200	<p>8, %) 9 * 1 7 / - () -</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>required</i></td><td></td><td>integer</td></tr> <tr> <td>name <i>required</i></td><td></td><td>string</td></tr> <tr> <td>descripti on <i>required</i></td><td></td><td>string</td></tr> <tr> <td>category_ id <i>required</i></td><td>Maximum: 4 Minimum: 1</td><td>integer</td></tr> <tr> <td>enrollPri ce <i>required</i></td><td>Minimum: 0</td><td>number</td></tr> <tr> <td>gainedRe putation <i>required</i></td><td></td><td>integer</td></tr> <tr> <td>expertise <i>required</i></td><td></td><td>integer</td></tr> </table> <div> <pre>{ "id": 1, "name": "Tech Conference", "description": "23-4#5*(.0#*6--*7\$. 8# *#)9:,-; *#' #4\$.: ", "category_id": 1, "enrollPrice": 2000, "gainedReputation": 10, "expertise": 10 }</pre> </div>	Name	Description	Schema	id <i>required</i>		integer	name <i>required</i>		string	descripti on <i>required</i>		string	category_ id <i>required</i>	Maximum: 4 Minimum: 1	integer	enrollPri ce <i>required</i>	Minimum: 0	number	gainedRe putation <i>required</i>		integer	expertise <i>required</i>		integer	No Links
Name	Description	Schema																								
id <i>required</i>		integer																								
name <i>required</i>		string																								
descripti on <i>required</i>		string																								
category_ id <i>required</i>	Maximum: 4 Minimum: 1	integer																								
enrollPri ce <i>required</i>	Minimum: 0	number																								
gainedRe putation <i>required</i>		integer																								
expertise <i>required</i>		integer																								

Code	Description	Links												
404	<p>E) &/%&+ #- +) *) * ' 7!) */</p> <p><i>Content</i> application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>error <i>required</i></td><td><+% /9 +; 6+</td><td>string</td></tr> <tr> <td>code <i>required</i></td><td>HTTP-6/! /9 +; 6+</td><td>integer</td></tr> <tr> <td>message <i>required</i></td><td>=//; 5) * +)</td><td>string</td></tr> </table> <pre>{ "error": "Not found", "code": 404, "message": ">-\"#8\"\$. , \$- 1 +0(%(*9: ID *- *(=5- *#\"}"}</pre>	Name	Description	Schema	error <i>required</i>	<+% /9 +; 6+	string	code <i>required</i>	HTTP-6/! /9 +; 6+	integer	message <i>required</i>	=//; 5) * +)	string	No Links
Name	Description	Schema												
error <i>required</i>	<+% /9 +; 6+	string												
code <i>required</i>	HTTP-6/! /9 +; 6+	integer												
message <i>required</i>	=//; 5) * +)	string												
500	<p>: 9 +; 6' ,) & () &'</p> <p><i>Content</i> application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>error <i>required</i></td><td><+% /9 +; 6+</td><td>string</td></tr> <tr> <td>code <i>required</i></td><td>HTTP-6/! /9 +; 6+</td><td>integer</td></tr> <tr> <td>message <i>required</i></td><td>=//; 5) * +)</td><td>string</td></tr> </table> <pre>{ "error": "Internal server error", "code": 500, "message": "!\"#\$%#&' () * +, \"- **.. #&\$ / 0 (1 - \") - \" (\"}"}</pre>	Name	Description	Schema	error <i>required</i>	<+% /9 +; 6+	string	code <i>required</i>	HTTP-6/! /9 +; 6+	integer	message <i>required</i>	=//; 5) * +)	string	No Links
Name	Description	Schema												
error <i>required</i>	<+% /9 +; 6+	string												
code <i>required</i>	HTTP-6/! /9 +; 6+	integer												
message <i>required</i>	=//; 5) * +)	string												

**POST /events/{eventId}/attend : /* 1") 6/ *") - ; - 6&-
3- 1" * 1&4' &4**

: - %&' (" #) - 4' %&/, * ' \$F' , - +) (\$6' 4' * * / . .) & / %&+ #- + +

Parameters

Type	Name	Description	Schema
path	eventId <i>required</i>		integer

Responses

Code	Description	Links															
200	<p>8, %) 9 * ' # 4' %+, B * ' .) & / % & + # - +)</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>success <i>optional</i></td><td></td><td>boolean</td></tr> <tr> <td>newBalance <i>optional</i></td><td>: , - ' - /6 , &) ! , - (% / , ") / % " ' - 1</td><td>integer</td></tr> <tr> <td>reputationChange <i>optional</i></td><td>G4.) *) * +) &) % \$ - ' 2 + +</td><td>integer</td></tr> <tr> <td>remainingActionPoints <i>optional</i></td><td>: , - ' (9)) , # 6 / " + F) , - (/ / F 6 / (!) 7 , - (+ 7</td><td>integer</td></tr> </table>	Name	Description	Schema	success <i>optional</i>		boolean	newBalance <i>optional</i>	: , - ' - /6 , &) ! , - (% / , ") / % " ' - 1	integer	reputationChange <i>optional</i>	G4.) *) * +) &) % \$ - ' 2 + +	integer	remainingActionPoints <i>optional</i>	: , - ' (9)) , # 6 / " + F) , - (/ / F 6 / (!) 7 , - (+ 7	integer	No Links
Name	Description	Schema															
success <i>optional</i>		boolean															
newBalance <i>optional</i>	: , - ' - /6 , &) ! , - (% / , ") / % " ' - 1	integer															
reputationChange <i>optional</i>	G4.) *) * +) &) % \$ - ' 2 + +	integer															
remainingActionPoints <i>optional</i>	: , - ' (9)) , # 6 / " + F) , - (/ / F 6 / (!) 7 , - (+ 7	integer															

Code	Description	Links												
400	<p>D) () &* 1 7 4' %&/,</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>error <i>required</i></td><td><+% /9+; 6+</td><td>string</td></tr> <tr> <td>code <i>required</i></td><td>HTTP-6/! /9+; 6+</td><td>integer</td></tr> <tr> <td>message <i>required</i></td><td>=//; 5) *+)</td><td>string</td></tr> </table> <p>invalidPayment</p> <p><i>Example</i></p> <pre>{ "error": "Payment failed", "code": 400, "message": "<-5#1, (, #?*# 1"-51,) 5' . #8' (, 9 : -"#8"\$. , \$. "}" }</pre> <p>alreadyAttended</p> <p><i>Example</i></p> <pre>{ "error": "Already attended", "code": 400, "message": "@9 +3- %("-4\$1, "\$"#)(*9 *(A, # : -"#8"\$. , \$ -"}" }</pre>	Name	Description	Schema	error <i>required</i>	<+% /9+; 6+	string	code <i>required</i>	HTTP-6/! /9+; 6+	integer	message <i>required</i>	=//; 5) *+)	string	No Links
Name	Description	Schema												
error <i>required</i>	<+% /9+; 6+	string												
code <i>required</i>	HTTP-6/! /9+; 6+	integer												
message <i>required</i>	=//; 5) *+)	string												
404	<p>E) &/%&+#+- +) *) *' 7!) */</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>error <i>required</i></td><td><+% /9+; 6+</td><td>string</td></tr> <tr> <td>code <i>required</i></td><td>HTTP-6/! /9+; 6+</td><td>integer</td></tr> <tr> <td>message <i>required</i></td><td>=//; 5) *+)</td><td>string</td></tr> </table> <pre>{ "error": "Not found", "code": 404, "message": ">-"#8"\$. , \$ - 1 +0(%(**9: ID *- *(=5-*#")" }</pre>	Name	Description	Schema	error <i>required</i>	<+% /9+; 6+	string	code <i>required</i>	HTTP-6/! /9+; 6+	integer	message <i>required</i>	=//; 5) *+)	string	No Links
Name	Description	Schema												
error <i>required</i>	<+% /9+; 6+	string												
code <i>required</i>	HTTP-6/! /9+; 6+	integer												
message <i>required</i>	=//; 5) *+)	string												

Code	Description	Links												
500	<p>: 9+; 6' ,)&() &'</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>error <i>required</i></td><td><+% /9+; 6+</td><td>string</td></tr> <tr> <td>code <i>required</i></td><td>HTTP-6/! /9+; 6+</td><td>integer</td></tr> <tr> <td>message <i>required</i></td><td>=//; 5)*+)</td><td>string</td></tr> </table> <div> <pre>{ "error": "Internal server error", "code": 500, "message": "! "#\$%&' ()*+, "-**.. #&\$/0(1-")-"("}"</pre> </div>	Name	Description	Schema	error <i>required</i>	<+% /9+; 6+	string	code <i>required</i>	HTTP-6/! /9+; 6+	integer	message <i>required</i>	=//; 5)*+)	string	No Links
Name	Description	Schema												
error <i>required</i>	<+% /9+; 6+	string												
code <i>required</i>	HTTP-6/! /9+; 6+	integer												
message <i>required</i>	=//; 5)*+)	string												

GET /user/money ! " # \$ % & ' (8 & 6 / 6) " , \$ 7 & 6 8 " 1 3 / 9 & 7 * " # (< " , / ' - # 4

3/4(&' 5')- %/" * \$> +*?/&. ' 2+> / (,)@ (+!' @ ?+* ' * ,/(%/" B4/(' -)"#

Responses

Code	Description	Links												
200	<p>8,%)9*17/-()-</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>cash <i>required</i></td><td>=(/;/!*1),&)!,-('</td><td>integer</td></tr> <tr> <td>investments <i>required</i></td><td>=-/+. /,-B'6-+(/((,-'&-'%1)</td><td>integer</td></tr> <tr> <td>total <i>required</i></td><td>:;5'#,\$. .' ,&)!,-(</td><td>integer</td></tr> </table> <pre>{"cash": 15000, "investments": 50000, "total ": 65000}</pre>	Name	Description	Schema	cash <i>required</i>	=(/;/!*1),&)!,-('	integer	investments <i>required</i>	=-/+. /,-B'6-+(/((,-'&-'%1)	integer	total <i>required</i>	:;5'#,\$. .' ,&)!,-(integer	No Links
Name	Description	Schema												
cash <i>required</i>	=(/;/!*1),&)!,-('	integer												
investments <i>required</i>	=-/+. /,-B'6-+(/((,-'&-'%1)	integer												
total <i>required</i>	:;5'#,\$. .' ,&)!,-(integer												
401	<p>H/"B4/(' -)"B*)'(-/&+4/('*</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>error <i>required</i></td><td><+%/9+;6+</td><td>string</td></tr> <tr> <td>code <i>required</i></td><td>HTTP-6/!/9+;6+</td><td>integer</td></tr> <tr> <td>message <i>required</i></td><td>=//;5)*+)</td><td>string</td></tr> </table> <pre>{"error": "Unauthorized", "code": 401, "message": "B"-/+-, 1.(),#"\$%(7\$. "}</pre>	Name	Description	Schema	error <i>required</i>	<+%/9+;6+	string	code <i>required</i>	HTTP-6/!/9+;6+	integer	message <i>required</i>	=//;5)*+)	string	No Links
Name	Description	Schema												
error <i>required</i>	<+%/9+;6+	string												
code <i>required</i>	HTTP-6/!/9+;6+	integer												
message <i>required</i>	=//;5)*+)	string												

Code	Description	Links												
500	<p>: 9+; 6' ,)&()&'</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>error <i>required</i></td><td><+% /9+; 6+</td><td>string</td></tr> <tr> <td>code <i>required</i></td><td>HTTP-6/! /9+; 6+</td><td>integer</td></tr> <tr> <td>message <i>required</i></td><td>=//; 5)*+)</td><td>string</td></tr> </table> <pre>{ "error": "Internal server error", "code": 500, "message": "! "#\$%&' (' - +\$; \$7 1- *\$' /9&7 * " #(<" , /' - #4</pre>	Name	Description	Schema	error <i>required</i>	<+% /9+; 6+	string	code <i>required</i>	HTTP-6/! /9+; 6+	integer	message <i>required</i>	=//; 5)*+)	string	No Links
Name	Description	Schema												
error <i>required</i>	<+% /9+; 6+	string												
code <i>required</i>	HTTP-6/! /9+; 6+	integer												
message <i>required</i>	=//; 5)*+)	string												

*GET /user/reputation ! "#\$%&' (' - +\$; \$7 1- *\$' /9&7 * " #(<" , /' - #4*

3/4(&' 5')- /;I)6- , -)6\$5+. \$&/(*). &)%\$-' 2++ %/" B4/(' -)"#

Responses

Code	Description	Links						
200	<p>8,%)9*17 /-()-</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>reputation <i>optional</i></td><td> <)6\$5+7 \$&/() *B &)%\$-' 2++ (0-100) Maximum: 100 Minimum: 0 </td><td>integer</td></tr> </table> <pre>{ "reputation": 75 }</pre>	Name	Description	Schema	reputation <i>optional</i>	<)6\$5+7 \$&/() *B &)%\$-' 2++ (0-100) Maximum: 100 Minimum: 0	integer	No Links
Name	Description	Schema						
reputation <i>optional</i>	<)6\$5+7 \$&/() *B &)%\$-' 2++ (0-100) Maximum: 100 Minimum: 0	integer						

Code	Description	Links												
401	<p>H/" B4/(' -) " B *) ' (- /&+4/(' *</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>error <i>required</i></td><td><+% /9+; 6+</td><td>string</td></tr> <tr> <td>code <i>required</i></td><td>HTTP-6/! /9+; 6+</td><td>integer</td></tr> <tr> <td>message <i>required</i></td><td>=//; 5) *+)</td><td>string</td></tr> </table> <pre> {"error": "Unauthorized", "code": 401, "message": "B" -/+-, 1. (), #"\$%(7\$. "} </pre>	Name	Description	Schema	error <i>required</i>	<+% /9+; 6+	string	code <i>required</i>	HTTP-6/! /9+; 6+	integer	message <i>required</i>	=//; 5) *+)	string	No Links
Name	Description	Schema												
error <i>required</i>	<+% /9+; 6+	string												
code <i>required</i>	HTTP-6/! /9+; 6+	integer												
message <i>required</i>	=//; 5) *+)	string												
500	<p>: 9+; 6' ,)&()&'</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>error <i>required</i></td><td><+% /9+; 6+</td><td>string</td></tr> <tr> <td>code <i>required</i></td><td>HTTP-6/! /9+; 6+</td><td>integer</td></tr> <tr> <td>message <i>required</i></td><td>=//; 5) *+)</td><td>string</td></tr> </table> <pre> {"error": "Internal server error", "code": 500, "message": "! "\$%#&' () *+, "- **.. #&\$ /0(1-") - "("} </pre>	Name	Description	Schema	error <i>required</i>	<+% /9+; 6+	string	code <i>required</i>	HTTP-6/! /9+; 6+	integer	message <i>required</i>	=//; 5) *+)	string	No Links
Name	Description	Schema												
error <i>required</i>	<+% /9+; 6+	string												
code <i>required</i>	HTTP-6/! /9+; 6+	integer												
message <i>required</i>	=//; 5) *+)	string												

*GET /user/expertise ! " # \$ % & ' (\$ 1 " , - 6 (= +) * - 1 ' & < >*
** " # (< " , / ' - # 4 * ") 8 - 1 / 3*

3/4 (& ' 5 ') - / ; I) 6 - , \$ & / (* #. + J 6 , %) & - + 4 1 % / " B 4 / (' -) " # (& ' 4 " + F * 1 @ , ?) & ' @

Responses

Code	Description	Links															
200	<p>8, %) 9 * 1 7 / - () -</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>it <i>required</i></td><td>8&/() * B J6, %) &- +4 1 (IT-, ?) &)</td><td>integer</td></tr> <tr> <td>medTech <i>required</i></td><td>8&/() * B J6, %) &- +4 1 (.) ! +2 +*, 6+@ -) @* /" /0+#@</td><td>integer</td></tr> <tr> <td>greenTech <i>required</i></td><td>8&/() * B J6, %) &- +4 1 (4)" * 1 @ -) @* /" /0+#@</td><td>integer</td></tr> <tr> <td>spaceTech <i>required</i></td><td>8&/() * B J6, %) &- +4 1 (6/, . +F), 6+@ -) @* /" /0+#@</td><td>integer</td></tr> </table> <pre>{ "i t": 45, "medTech": 30, "greenTech": 20, "spaceTech": 10 }</pre>	Name	Description	Schema	it <i>required</i>	8&/() * B J6, %) &- +4 1 (IT-, ?) &)	integer	medTech <i>required</i>	8&/() * B J6, %) &- +4 1 (.) ! +2 +*, 6+@ -) @* /" /0+#@	integer	greenTech <i>required</i>	8&/() * B J6, %) &- +4 1 (4)" * 1 @ -) @* /" /0+#@	integer	spaceTech <i>required</i>	8&/() * B J6, %) &- +4 1 (6/, . +F), 6+@ -) @* /" /0+#@	integer	No Links
Name	Description	Schema															
it <i>required</i>	8&/() * B J6, %) &- +4 1 (IT-, ?) &)	integer															
medTech <i>required</i>	8&/() * B J6, %) &- +4 1 (.) ! +2 +*, 6+@ -) @* /" /0+#@	integer															
greenTech <i>required</i>	8&/() * B J6, %) &- +4 1 (4)" * 1 @ -) @* /" /0+#@	integer															
spaceTech <i>required</i>	8&/() * B J6, %) &- +4 1 (6/, . +F), 6+@ -) @* /" /0+#@	integer															
401	<p>H/" B4/(' -) " B *) ' (- /&+4/(' *</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>error <i>required</i></td><td><+%/9+; 6+</td><td>string</td></tr> <tr> <td>code <i>required</i></td><td>HTTP-6/! /9+; 6+</td><td>integer</td></tr> <tr> <td>message <i>required</i></td><td>=//; 5) * +)</td><td>string</td></tr> </table> <pre>{ "error": "Unauthorized", "code": 401, "message": "B" -/+ -, 1. (), #"\$%(7\$. " }</pre>	Name	Description	Schema	error <i>required</i>	<+%/9+; 6+	string	code <i>required</i>	HTTP-6/! /9+; 6+	integer	message <i>required</i>	=//; 5) * +)	string	No Links			
Name	Description	Schema															
error <i>required</i>	<+%/9+; 6+	string															
code <i>required</i>	HTTP-6/! /9+; 6+	integer															
message <i>required</i>	=//; 5) * +)	string															

Code	Description	Links												
500	<p>: 9+; 6' ,) & () & ' </p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>error <i>required</i></td><td><+% /9+; 6+</td><td>string</td></tr> <tr> <td>code <i>required</i></td><td>HTTP-6/! /9+; 6+</td><td>integer</td></tr> <tr> <td>message <i>required</i></td><td>=//; 5) *+)</td><td>string</td></tr> </table> <div> <pre>{ "error": "Internal server error", "code": 500, "message": "! \"\$%#&' () *+, - **.. #&\$/0(1-") - "(" }</pre> </div>	Name	Description	Schema	error <i>required</i>	<+% /9+; 6+	string	code <i>required</i>	HTTP-6/! /9+; 6+	integer	message <i>required</i>	=//; 5) *+)	string	No Links
Name	Description	Schema												
error <i>required</i>	<+% /9+; 6+	string												
code <i>required</i>	HTTP-6/! /9+; 6+	integer												
message <i>required</i>	=//; 5) *+)	string												

Components

Schemas

EventShort

Properties

Name	Description	Schema
id <i>required</i>		integer
description <i>required</i>		string
name <i>required</i>		string
category_id <i>required</i>	Maximum: 4 Minimum: 1	integer

EventFull

Properties

Name	Description	Schema
id <i>required</i>		integer
name <i>required</i>		string

Name	Description	Schema
description <i>required</i>		string
category_id <i>required</i>	Maximum: 4 Minimum: 1	integer
enrollPrice <i>required</i>	Minimum: 0	number
gainedReputati on <i>required</i>		integer
expertise <i>required</i>		integer

UserMoney

Properties

Name	Description	Schema
cash <i>required</i>	=(/; /! * 1) , &! , - ('	integer
investments <i>required</i>	=- /+ . / , - B ' 6- + (/ ((, - ' &- ' %1)	integer
total <i>required</i>	: ; 5 ' # , \$. . ' , &! , - (integer

Error

Properties

Name	Description	Schema
error <i>required</i>	<+% / 9 +; 6+	string
code <i>required</i>	HTTP-6/! / 9 +; 6+	integer
message <i>required</i>	=//; 5) * +)	string