



- Note:
1. INTERPRET ALL DRAWINGS IN ACCORDANCE WITH ASME Y14.5-2009
 2. FOR EXPLICIT ASSEMBLY SEQUENCE OF OPERATIONS REFERENCE OPERATING PROCEDURES
 3. WEAR GLOVES AND OTHER PPE AS DICTATED BY PROCEDURES
 4. NO ADHESIVE OR MATERIAL SUBSTITUTES ACCEPTABLE
 5. FOLLOW MANUFACTURER SPECIFICATIONS FOR INSTALLATION OF HARDWARE

REVISION HISTORY			
REV	REVISION DESCRIPTION	DATE	AUTHOR
A	INITIAL RELEASE	04/27/2026	sdeoolwadikar



PARTS LIST			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	V1015294	COMPONENT MOUNTING PLATE #1 - AIC TASKBOARD
2	1	V1015051	COMPONENT MOUNTING PLATE #2 - AIC TASKBOARD
3	2	V1015067	CONNECTOR FIXTURE ASM. - AIC TASKBOARD
4	5	V1015069	NIC MOUNTING ASM. - AIC TASKBOARD
5	1	V1015074	SC PORT MOUNTING PLATE - AIC TASKBOARD
6	12	V1015326	SC PORT ADAPTER
7	2	V1015325	NEODYMIUM MAGNET - NONMARKING ENCASED
8	14	V1015073	INSERTS FOR PLASTIC -SCREW-TO-EXPAND - M3x0.5, 4.8MM LG.
9	44	V1015077	THIN PROFILE SQUARE NUT - M2 x 0.4 THREAD, S.S.
10	44	C1004554	ISO 4762 - M2 x 8 - SOCKET CAP ISO 4762 - ZINC PLATED CLASS 10.9 OR GREATER
11	14	C1004570	ISO 4762 - M3 x 8 - SOCKET CAP ISO 4762 - ZINC PLATED CLASS 10.9 OR GREATER
12	2	C1004846	ISO 7380-1 - M5 x 8 - BUTTON HEAD ISO 7380 - ZINC PLATED CLASS 10.9 OR GREATER
		DESCRIPTION AIC TASKBOARD	
		PART NO. V1015044	SIZE D
		DRAWN BY SD	SCALE 1:1
		CREATED DATE 4/27/2026	SHEET 1 OF 4
		APPROVED BY	REV A



- Note:
1. INTERPRET ALL DRAWINGS IN ACCORDANCE WITH ASME Y14.5-2009
 2. FOR EXPLICIT ASSEMBLY SEQUENCE OF OPERATIONS REFERENCE OPERATING PROCEDURES
 3. WEAR GLOVES AND OTHER PPE AS DICTATED BY PROCEDURES
 4. NO ADHESIVE OR MATERIAL SUBSTITUTES ACCEPTABLE
 5. FOLLOW MANUFACTURER SPECIFICATIONS FOR INSTALLATION OF HARDWARE



PLAN
SCALE 1 / 1

intrinsic Intrinsic AI 100 Mayfield Ave Mountain view, CA 94043	Unless Otherwise Specified: Dimensions are in mm		DESCRIPTION AIC TASKBOARD			
	Tolerances: X ± 0.5 X.X ± 0.2 X.XX ± 0.1 Angular: ± 0.5°		PART NO. V1015044		SIZE D	
	Interpret Geometric Tolerancing Per ANSI Y14.5 2009		DRAWN BY SD	CREATED DATE 4/27/2026	APPROVED BY	SCALE 1 / 1
	SURFACE FINISH		MATERIAL			SHEET 2 OF 4
						REV A

- Note:
1. INTERPRET ALL DRAWINGS IN ACCORDANCE WITH ASME Y14.5-2009
 2. FOR EXPLICIT ASSEMBLY SEQUENCE OF OPERATIONS REFERENCE OPERATING PROCEDURES
 3. WEAR GLOVES AND OTHER PPE AS DICTATED BY PROCEDURES
 4. NO ADHESIVE OR MATERIAL SUBSTITUTES ACCEPTABLE
 5. FOLLOW MANUFACTURER SPECIFICATIONS FOR INSTALLATION OF HARDWARE



intrinsic Intrinsic AI 100 Mayfield Ave Mountain view, CA 94043	Unless Otherwise Specified: Dimensions are in mm		DESCRIPTION AIC TASKBOARD		
	Tolerances: X ± 0.5 X.X ± 0.2 X.XX ± 0.1 Angular: ± 0.5°		PART NO. V1015044		SIZE D
	Interpret Geometric Tolerancing Per ANSI Y14.5 2009		DRAWN BY SD	CREATED DATE 4/27/2026	APPROVED BY
	SURFACE FINISH		MATERIAL		SCALE 1 / 1 SHEET 3 OF 4 REV A

- Note:
1. INTERPRET ALL DRAWINGS IN ACCORDANCE WITH ASME Y14.5-2009
 2. FOR EXPLICITT ASSEMBLY SEQUENCE OF OPERATIONS REFERENCE OPERATING PROCEDURES
 3. WEAR GLOVES AND OTHER PPE AS DICTATED BY PROCEDURES
 4. NO ADHESIVE OR MATERIAL SUBSTITUTES ACCEPTABLE
 5. FOLLOW MANUFACTURER SPECIFICATIONS FOR INSTALLATION OF HARDWARE

BILL OF MATERIAL							
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL	CATEGORY	VENDOR	STOCK NUMBER
1	1	V1015294	COMPONENT MOUNTING PLATE #1 - AIC TASKBOARD	PETG	3D PRINTED		
2	1	V1015051	COMPONENT MOUNTING PLATE #2 - AIC TASKBOARD	PETG	3D PRINTED		
3	2	V1015066	CONNECTOR FIXTURE PLATE - AIC TASKBOARD	PETG	3D PRINTED		
4	1	V1015074	SC PORT MOUNTING PLATE - AIC TASKBOARD	PETG	3D PRINTED		
5	5	V1015085	NIC BASE MOUNT - AIC TASKBOARD	PETG	3D PRINTED		
6	5	V1015166	NIC CARD MOUNT - AIC TASKBOARD	PETG	3D PRINTED		
7	18	V1015225	PLUG FIXTURE BASE MOUNT - AIC TASKBOARD	PETG	3D PRINTED		
8	6	V1015226	FIXTURE FOR SC PLUG - AIC TASKBOARD	PETG	3D PRINTED		
9	6	V1015236	FIXTURE FOR SFP CONNECTOR - AIC TASKBOARD	PETG	3D PRINTED		
10	6	V1015237	FIXTURE FOR LC PLUG - AIC TASKBOARD	PETG	3D PRINTED		
11	12	V1015326	SC PORT ADAPTER	PETG	3D PRINTED		
15	14	V1015073	INSERTS FOR PLASTIC -SCREW-TO-EXPAND - M3x0.5, 4.8MM LG.	Brass, Soft Yellow	MECHANICAL HARDWARE	MCMaster-CARR	94510A240
16	5	V1015170	INSERTS FOR PLASTIC -SCREW-TO-EXPAND - M4 x 0.7, 7.1MM LG.	Brass, Soft Yellow	MECHANICAL HARDWARE	MCMaster-CARR	94510A512
17	126	V1015077	THIN PROFILE SQUARE NUT - M2 x 0.4 THREAD, S.S.	Stainless Steel	MECHANICAL HARDWARE	MCMaster-CARR	97258A121
18	2	V1015325	NEODYMIUM MAGNET - NONMARKING ENCASED	Rubber, Black	MECHANICAL HARDWARE	MCMaster-CARR	7132T31
19	126	C1004554	ISO 4762 - M2 x 8 - SOCKET CAP ISO 4762 - ZINC PLATED CLASS 10.9 OR GREATER	Steel	Fasteners		ISO 4762 - M2 x 8
20	14	C1004570	ISO 4762 - M3 x 8 - SOCKET CAP ISO 4762 - ZINC PLATED CLASS 10.9 OR GREATER	Steel	Fasteners		ISO 4762 - M3 x 8
21	5	C1004578	ISO 4762 - M4 x 8 - SOCKET CAP ISO 4762 - ZINC PLATED CLASS 10.9 OR GREATER	Steel	Fasteners		ISO 4762 - M4 x 8
22	2	C1004846	ISO 7380-1 - M5 x 8 - BUTTON HEAD ISO 7380 - ZINC PLATED CLASS 10.9 OR GREATER	Steel	Fasteners		ISO 7380-1 - M5 x 8



BILL OF MATERIAL

- NOTE :
1. REFER BOM TO PROCURE COMPONENTS AND PART FABRICATION
 2. FOR ASSEMBLY STEPS, COMPONENTS AND HARDWARE MOUNTING LOCATION REFER ASSEMBLY DRAWINGS

intrinsic	Unless Otherwise Specified: Dimensions are in mm		DESCRIPTION AIC TASKBOARD			
	Tolerances: X ± 0.5 X.X ± 0.2 X.XX ± 0.1 Angular: ± 0.5°		PART NO. V1015044		SIZE D	
Intrinsic AI 100 Mayfield Ave Mountain view, CA 94043	Interpret Geometric Tolerancing Per ANSI Y14.5 2009		DRAWN BY SD	CREATED DATE 4/27/2026	APPROVED BY	
			SCALE 1 : 1			
	SURFACE FINISH		MATERIAL			SHEET 4 OF 4
						REV A




- Note:
1. INTERPRET ALL DRAWINGS IN ACCORDANCE WITH ASME Y14.5-2009
 2. FOR EXPLICIT ASSEMBLY SEQUENCE OF OPERATIONS REFERENCE OPERATING PROCEDURES
 3. WEAR GLOVES AND OTHER PPE AS DICTATED BY PROCEDURES
 4. NO ADHESIVE OR MATERIAL SUBSTITUTES ACCEPTABLE
 5. FOLLOW MANUFACTURER SPECIFICATIONS FOR INSTALLATION OF HARDWARE

REVISION HISTORY			
REV	REVISION DESCRIPTION	DATE	AUTHOR
A	INITIAL RELEASE	04/27/2026	sdeoolwadikar



PARTS LIST					
ITEM	QTY	PART NUMBER	DESCRIPTION		
1	1	V1015066	CONNECTOR FIXTURE PLATE - AIC TASKBOARD		
2	3	V1015243	SC PLUG FIXTURE ASM.		
3	3	V1015244	SFP CONNECTOR FIXTURE ASM.		
4	3	V1015245	LC PLUG FIXTURE ASM.		
8	18	V1015077	THIN PROFILE SQUARE NUT - M2 x 0.4 THREAD, S.S.		
9	18	C1004554	ISO 4762 - M2 x 8 - SOCKET CAP ISO 4762 - ZINC PLATED CLASS 10.9 OR GREATER		
Intrinsic AI		Unless Otherwise Specified: Dimensions are in mm	DESCRIPTION CONNECTOR FIXTURE ASM. - AIC TASKBOARD		
		Tolerances:	PART NO.	SIZE	
		X ± 0.5	V1015067	D	
		X.X ± 0.2	DRAWN BY	CREATED DATE	APPROVED BY
100 Mayfield Ave Mountain view, CA 94043		X.XX ± 0.1	SD	4/27/2026	SCALE 2 : 1
		Angular: ± 0.5°	Interpret Geometric Tolerancing Per ANSI Y14.5 2009		SHEET 1 OF 2
		SURFACE FINISH	MATERIAL	REV	
					A



- Note:
1. INTERPRET ALL DRAWINGS IN ACCORDANCE WITH ASME Y14.5-2009
 2. FOR EXPLICIT ASSEMBLY SEQUENCE OF OPERATIONS REFERENCE OPERATING PROCEDURES
 3. WEAR GLOVES AND OTHER PPE AS DICTATED BY PROCEDURES
 4. NO ADHESIVE OR MATERIAL SUBSTITUTES ACCEPTABLE
 5. FOLLOW MANUFACTURER SPECIFICATIONS FOR INSTALLATION OF HARDWARE



intrinsic Intrinsic AI 100 Mayfield Ave Mountain view, CA 94043	Unless Otherwise Specified: Dimensions are in mm		DESCRIPTION CONNECTOR FIXTURE ASM. - AIC TASKBOARD		
	Tolerances: X ± 0.5 X.X ± 0.2 X.XX ± 0.1 Angular: ± 0.5°		PART NO. V1015067		SIZE D
	Interpret Geometric Tolerancing Per ANSI Y14.5 2009		DRAWN BY SD	CREATED DATE 4/27/2026	APPROVED BY SCALE 1 : 1
	SURFACE FINISH		MATERIAL		REV A





- Note:
1. INTERPRET ALL DRAWINGS IN ACCORDANCE WITH ASME Y14.5-2009
 2. FOR EXPLICITT ASSEMBLY SEQUENCE OF OPERATIONS REFERENCE OPERATING PROCEDURES
 3. WEAR GLOVES AND OTHER PPE AS DICTATED BY PROCEDURES
 4. NO ADHESIVE OR MATERIAL SUBSTITUTES ACCEPTABLE
 5. FOLLOW MANUFACTURER SPECIFICATIONS FOR INSTALLATION OF HARDWARE

REVISION HISTORY			
REV	REVISION DESCRIPTION	DATE	AUTHOR
A	INITIAL RELEASE	04/27/2026	sdeoolwadikar



PARTS LIST					
ITEM	QTY	PART NUMBER	DESCRIPTION		
1	1	V1015085	NIC BASE MOUNT - AIC TASKBOARD		
2	1	V1015166	NIC CARD MOUNT - AIC TASKBOARD		
3	1	V1015170	INSERTS FOR PLASTIC -SCREW-TO-EXPAND - M4 x 0.7, 7.1MM LG.		
4	2	V1015077	THIN PROFILE SQUARE NUT - M2 x 0.4 THREAD, S.S.		
5	2	C1004554	ISO 4762 - M2 x 8 - SOCKET CAP ISO 4762 - ZINC PLATED CLASS 10.9 OR GREATER		
6	1	C1004578	ISO 4762 - M4 x 8 - SOCKET CAP ISO 4762 - ZINC PLATED CLASS 10.9 OR GREATER		
		Unless Otherwise Specified: Dimensions are in mm		DESCRIPTION NIC MOUNTING ASM. - AIC TASKBOARD	
		Tolerances: X ± 0.5 X.X ± 0.2 X.XX ± 0.1 Angular: ± 0.5°		PART NO. V1015069	
Intrinsic AI 100 Mayfield Ave Mountain view, CA 94043		Interpret Geometric Tolerancing Per ANSI Y14.5 2009		DRAWN BY SD	CREATED DATE 4/27/2026
		SURFACE FINISH		APPROVED BY	SCALE 2 : 1
		MATERIAL		REV	SHEET 1 OF 2
				A	





- Note:
1. INTERPRET ALL DRAWINGS IN ACCORDANCE WITH ASME Y14.5-2009
 2. FOR EXPLICIT ASSEMBLY SEQUENCE OF OPERATIONS REFERENCE OPERATING PROCEDURES
 3. WEAR GLOVES AND OTHER PPE AS DICTATED BY PROCEDURES
 4. NO ADHESIVE OR MATERIAL SUBSTITUTES ACCEPTABLE
 5. FOLLOW MANUFACTURER SPECIFICATIONS FOR INSTALLATION OF HARDWARE



intrinsic Intrinsic AI 100 Mayfield Ave Mountain view, CA 94043	Unless Otherwise Specified: Dimensions are in mm		DESCRIPTION NIC MOUNTING ASM. - AIC TASKBOARD		
	Tolerances: X ± 0.5 X.X ± 0.2 X.XX ± 0.1 Angular: ± 0.5°		PART NO. V1015069		SIZE D
	Interpret Geometric Tolerancing Per ANSI Y14.5 2009		DRAWN BY SD	CREATED DATE 4/27/2026	APPROVED BY
	SURFACE FINISH		MATERIAL		SCALE 1 : 1
					SHEET 2 OF 2
				REV A	

- Note:
1. INTERPRET ALL DRAWINGS IN ACCORDANCE WITH ASME Y14.5-2009
 2. FOR EXPLICITT ASSEMBLY SEQUENCE OF OPERATIONS REFERENCE OPERATING PROCEDURES
 3. WEAR GLOVES AND OTHER PPE AS DICTATED BY PROCEDURES
 4. NO ADHESIVE OR MATERIAL SUBSTITUTES ACCEPTABLE
 5. FOLLOW MANUFACTURER SPECIFICATIONS FOR INSTALLATION OF HARDWARE





REVISION HISTORY			
REV	REVISION DESCRIPTION	DATE	AUTHOR
A	INITIAL RELEASE	04/27/2026	sdeoolwadikar



PARTS LIST				
ITEM	QTY	PART NUMBER	DESCRIPTION	
1	1	V1015225	PLUG FIXTURE BASE MOUNT - AIC TASKBOARD	
2	1	V1015226	FIXTURE FOR SC PLUG - AIC TASKBOARD	
3	2	V1015077	THIN PROFILE SQUARE NUT - M2 x 0.4 THREAD, S.S.	
4	2	C1004554	ISO 4762 - M2 x 8 - SOCKET CAP ISO 4762 - ZINC PLATED CLASS 10.9 OR GREATER	
		Unless Otherwise Specified: Dimensions are in mm	DESCRIPTION SC PLUG FIXTURE ASM.	
		Tolerances: X ± 0.5 X.X ± 0.2 X.XX ± 0.1 Angular: ± 0.5°	PART NO. V1015243	
Intrinsic AI 100 Mayfield Ave Mountain view, CA 94043		Interpret Geometric Tolerancing Per ANSI Y14.5 2009	DRAWN BY SD	
		SURFACE FINISH	MATERIAL	
		CREATED DATE 4/27/2026	APPROVED BY	
			SCALE 4 : 1	
			SHEET 1 OF 1	
			REV A	
			SIZE D	

- Note:
1. INTERPRET ALL DRAWINGS IN ACCORDANCE WITH ASME Y14.5-2009
 2. FOR EXPLICITT ASSEMBLY SEQUENCE OF OPERATIONS REFERENCE OPERATING PROCEDURES
 3. WEAR GLOVES AND OTHER PPE AS DICTATED BY PROCEDURES
 4. NO ADHESIVE OR MATERIAL SUBSTITUTES ACCEPTABLE
 5. FOLLOW MANUFACTURER SPECIFICATIONS FOR INSTALLATION OF HARDWARE





REVISION HISTORY			
REV	REVISION DESCRIPTION	DATE	AUTHOR
A	INITIAL RELEASE	04/27/2026	sdeoolwadikar



PARTS LIST				
ITEM	QTY	PART NUMBER	DESCRIPTION	
1	1	V1015225	PLUG FIXTURE BASE MOUNT - AIC TASKBOARD	
2	1	V1015236	FIXTURE FOR SFP CONNECTOR - AIC TASKBOARD	
3	2	V1015077	THIN PROFILE SQUARE NUT - M2 x 0.4 THREAD, S.S.	
4	2	C1004554	ISO 4762 - M2 x 8 - SOCKET CAP ISO 4762 - ZINC PLATED CLASS 10.9 OR GREATER	
		Unless Otherwise Specified: Dimensions are in mm	DESCRIPTION SFP CONNECTOR FIXTURE ASM.	
		Tolerances: X ± 0.5 X.X ± 0.2 X.XX ± 0.1 Angular: ± 0.5°	PART NO. V1015244	
Intrinsic AI 100 Mayfield Ave Mountain view, CA 94043		Interpret Geometric Tolerancing Per ANSI Y14.5 2009	DRAWN BY SD	
		SURFACE FINISH	MATERIAL	
		CREATED DATE 4/27/2026	APPROVED BY	
			SCALE 4 : 1	
			SHEET 1 OF 1	
			REV A	

- Note:
1. INTERPRET ALL DRAWINGS IN ACCORDANCE WITH ASME Y14.5-2009
 2. FOR EXPLICITT ASSEMBLY SEQUENCE OF OPERATIONS REFERENCE OPERATING PROCEDURES
 3. WEAR GLOVES AND OTHER PPE AS DICTATED BY PROCEDURES
 4. NO ADHESIVE OR MATERIAL SUBSTITUTES ACCEPTABLE
 5. FOLLOW MANUFACTURER SPECIFICATIONS FOR INSTALLATION OF HARDWARE

REVISION HISTORY			
REV	REVISION DESCRIPTION	DATE	AUTHOR
A	INITIAL RELEASE	04/27/2026	sdeoolwadikar



PARTS LIST					
ITEM	QTY	PART NUMBER	DESCRIPTION		
1	1	V1015225	PLUG FIXTURE BASE MOUNT - AIC TASKBOARD		
2	1	V1015237	FIXTURE FOR LC PLUG - AIC TASKBOARD		
3	2	V1015077	THIN PROFILE SQUARE NUT - M2 x 0.4 THREAD, S.S.		
4	2	C1004554	ISO 4762 - M2 x 8 - SOCKET CAP ISO 4762 - ZINC PLATED CLASS 10.9 OR GREATER		
 Intrinsic AI 100 Mayfield Ave Mountain view, CA 94043		Unless Otherwise Specified: Dimensions are in mm		DESCRIPTION LC PLUG FIXTURE ASM.	
		Tolerances: X ± 0.5 X.X ± 0.2 X.XX ± 0.1 Angular: ± 0.5°		PART NO. V1015245	
		Interpret Geometric Tolerancing Per ANSI Y14.5 2009		DRAWN BY SD	
		SURFACE FINISH		MATERIAL	
				SIZE D	
				SCALE 4 : 1	
				SHEET 1 OF 1	
				REV A	