

DBMS LAB #6

Exercise 1:

Query:

```
Select TeacherName, format(TeacherDOJ,'dd/MM/yyyy') from
Teacher
Where Job = (select job from teacher where TeacherName = 'Dr.
Khalid')
```

Output:

Results Messages		
	TeacherName	(No column name)
1	Dr. Khalid	21/09/1998
2	Dr. Fatima	01/02/2018

Exercise 2:

Query:

```
select TeacherID, TeacherName, BasicSalary from Teacher
where Job = (select job from teacher where TeacherID = 7)
```

Output:

Results Messages			
	TeacherID	TeacherName	BasicSalary
1	3	Dr. Khalid	100000.00
2	7	Dr. Fatima	225000.00

Exercise 3:

Query:

```
Select TeacherID, TeacherName
FROM Teacher
where BasicSalary > (
    SELECT AVG(BasicSalary) from Teacher
)
ORDER BY BasicSalary DESC;
```

Output:

Results Messages		
	TeacherID	TeacherName
1	6	Dr. Sohaib
2	7	Dr. Fatima
3	5	Dr. Safdar

Exercise 4:

Query:

```
SELECT TeacherID, TeacherName, Job
FROM Teacher
WHERE BasicSalary > (
    SELECT BasicSalary FROM Teacher
    WHERE TeacherName = 'Dr. Safdar'
);
```

Output:

Results Messages			
	TeacherID	TeacherName	Job
1	6	Dr. Sohaib	Sr. Associate Prof
2	7	Dr. Fatima	J. Assist Prof

Exercise 5:

Query:

```
SELECT TeacherName, BasicSalary
FROM Teacher
WHERE Manager = (
    SELECT TeacherID
    FROM Teacher
    WHERE TeacherName = 'Dr. Safdar'
);
```

Output:


Results Messages		
	TeacherName	BasicSalary
1	Dr. Ahmed	80000.00
2	Dr. Khalid	100000.00

Exercise 6:

Query:

```
SELECT DISTINCT t.TeacherName, t.Job
FROM Teacher t
LEFT JOIN StdCourseTeacher sct ON (t.TeacherID =
sct.TeacherID)
LEFT JOIN Course c ON (sct.CourseID = c.CourseID)
LEFT JOIN Prog p ON (c.ProgID = p.ProgID)
WHERE p.ProgID = (
    SELECT DISTINCT p.ProgID
    FROM Teacher t
    LEFT JOIN StdCourseTeacher sct ON (t.TeacherID =
sct.TeacherID)
    LEFT JOIN Course c ON (sct.CourseID = c.CourseID)
    LEFT JOIN Prog p ON (c.ProgID = p.ProgID)
    WHERE t.TeacherID = 2
)
AND t.BasicSalary > (
    SELECT BasicSalary
    FROM Teacher
    WHERE TeacherID = 7
);
```

Output:



The screenshot shows a SQL Server Enterprise Manager interface. At the top, there is a dropdown menu set to '120 %' and a scroll bar. Below this, there are two tabs: 'Results' and 'Messages'. The 'Results' tab is active, displaying a table with two columns: 'teachername' and 'job'. The table is currently empty.

teachername	job
-------------	-----

Exercise 7:

Query:

```
SELECT DISTINCT t.TeacherName, t.TeacherID, p.ProgID
FROM Teacher t
LEFT JOIN StdCourseTeacher sct ON (t.TeacherID =
sct.TeacherID)
LEFT JOIN Course c ON (sct.CourseID = c.CourseID)
LEFT JOIN Prog p ON (c.ProgID = p.ProgID)
WHERE BasicSalary < (
    SELECT MIN(BasicSalary)
    FROM Teacher t
    LEFT JOIN StdCourseTeacher sct ON (t.TeacherID =
sct.TeacherID)
    LEFT JOIN Course c ON (sct.CourseID = c.CourseID)
    LEFT JOIN Prog p ON (c.ProgID = p.ProgID)
    WHERE p.ProgID = 2
);
```

Output:

Results Messages			
teachername	TeacherID	ProgID	

Exercise 8:

Query:

```

SELECT TeacherID, TeacherName, Job
FROM Teacher
WHERE BasicSalary > (
    SELECT AVG(BasicSalary)
    FROM Teacher
);

```

Output:

Results		Messages	
	TeacherID	TeacherName	Job
1	5	Dr. Safdar	J. Associate Prof
2	6	Dr. Sohaib	Sr. Associate Prof
3	7	Dr. Fatima	J. Assist Prof

Exercise 9:

Query:

```

SELECT * FROM Teacher
WHERE BasicSalary > ALL (
    SELECT BasicSalary
    FROM Teacher
    WHERE Job = 'J. Assist Prof'
)
ORDER BY BasicSalary DESC;

```

Output:

Results		Messages								
	TeacherID	TeacherName	TeacherDOB	TeacherDOJ	TeacherGender	Status	BasicSalary	HouseRent	Job	Manager
1	6	Dr. Sohaib	1972-09-01 00:00:00	2012-01-06 00:00:00	Male	Permanent	280000.00	80000.00	Sr. Associate Prof	NULL