



MySupplier

Build for less.

Real prices for building materials and equipment from every supplier, in one place.

System Inventory & Deployment Verification

Everything the platform contains, what must exist on the production server, and how to prove nothing was left out

Audience	The developer/DevOps engineer deploying MySupplier, and the owner signing off the launch
Reference build	Branch <code>claude/building-materials-ecommerce-ktfxj3</code> , commit <code>f7b12dc</code>
Date	29 / 09 / 2026
Companion	<code>deploy/scripts/verify-deployment.sh</code> , <code>deploy/GO-LIVE.md</code>

Purpose. This document lists everything the MySupplier platform consists of, what must exist on the production server after a correct deployment, and how the developer proves that nothing was left out. Work through Part 3 and Part 4 in order and sign the checklist in Part 6. Reference build: branch `claude/building-materials-ecommerce-ktfxj3`, commit `f7b12dc` (29 Sep 2026).

How to use it in 15 minutes. (1) Confirm the deployed commit matches the reference (Part 3, step 1). (2) Run `deploy/scripts/verify-deployment.sh` against the live domains (Part 4.1): every FAIL is a missing piece. (3) Do the 10-minute manual walkthrough (Part 4.3). (4) Go through Part 5, the list of things that are most often forgotten. If all four are clean, the deployment is complete.

Part 1 — The system at a glance

Component	Technology	Runs as	Purpose
Reverse proxy	Caddy 2	<code>caddy</code> container	HTTPS (Let's Encrypt), HSTS, routes <code>DOMAIN</code> → web, <code>API_DOMAIN</code> → api, <code>www</code> redirect
Web app	Next.js 15.5 (React 19), Tailwind	<code>web</code> container, port 3000	Public site, shop, buyer dashboard, supplier portal, admin console (EN/AR)
API	Node 20, Express 4, Prisma 5, TypeScript	<code>api</code> container, port 4000	REST API <code>/api/v1</code> , background jobs, uploads, generated images, printable documents
Database	PostgreSQL 16 (+ <code>pg_trgm</code>)	<code>db</code> container, volume <code>pgdata</code>	All data (55 tables)
Backups	<code>pg_dump</code> loop	<code>backup</code> container, <code>deploy/backups/</code>	Nightly dump, 14-day retention
Uploads	Local disk (or S3/CDN via <code>UPLOAD_BASE_URL</code>)	volume <code>uploads</code>	Logos, product photos (public), verification documents (private)
Mobile app	Expo SDK 51 / React Native	App Store / Play Store build (EAS)	Buyer and supplier features on iOS/Android
Shared types	TypeScript package	<code>packages/shared</code>	API contracts shared by web and mobile

Size of the system (generated from the code at the reference commit)

Measure	Count
API endpoints	245 across 27 route modules
Web routes (pages)	96
Mobile screens	42
Database models	55
Database migrations	12 (all must be applied)
Background jobs	3 (daily price snapshot, hourly price alerts + recurring orders, webhook dispatcher every minute)
Automated tests	104 API unit tests, API smoke script, Playwright browser e2e (10 checks), 178-page render sweep
Standard catalogue (seed)	62 categories, 1,305 products, 185 category attributes, 39 demo suppliers, ~12,000 price listings
Languages	English and Arabic (RTL) on web and mobile

Repository layout

```

apps/api      Express API, Prisma schema, migrations, seed, jobs, tests, scripts/smoke.sh
apps/web      Next.js app (src/app = routes, src/components, src/lib/i18n.ts)
apps/mobile   Expo app (app/ = screens, src/)
packages/shared TypeScript types
deploy/       docker-compose.prod.yml, Caddyfile, .env.production.example, GO-LIVE.md, scripts/
docs/         API.md, INTEGRATIONS.md, openapi.yaml, ARCHITECTURE.md, DEVELOPER-HANDOVER.pdf,
              LAUNCH-PLAN-AR.pdf, SUPPLIER-GUIDE-AR/EN.pdf, this document
.github/      CI: typecheck, unit tests, migrate + seed, builds, browser e2e

```

Part 2 — Complete functional inventory

Everything below exists in the code and must work on the server. Use it as the definition of "complete".

2.1 Public site (no login)

- Home page with deals, featured products, new arrivals, category grid, brand strip, "how it works", supplier CTA; cookie consent; EN/AR toggle with RTL.
- **Shop**: category tree (62), product listing with facets (brand, city, price range, in-stock, rating, per-category attribute filters such as power, size, grade), sort, pagination, active-filter chips, search box with autocomplete suggestions (`/shop?q=`), brand pages (`/brands` , `/brands/[brand]`).
- **Product page**: gallery, specifications table, offers from every supplier in the chosen city with volume tiers and sale prices, delivery options, best-offer buy box, add to cart / buy now, wishlist, price alert, reviews with helpful votes, Q&A, frequently bought together, recently viewed, related products.
- **Materials & price index** (`/materials` , `/materials/[id]`): price statistics (min/avg/median/max), history charts, cheapest supplier, compare page (`/compare`).
- **Suppliers directory** (`/suppliers` , `/suppliers/[id]`): storefront with rating, verified badge, cities served, catalogue.
- **BOQ pricing** (`/boq`): paste or upload a bill of quantities (text/CSV/Excel), Arabic and English line parsing, cheapest total, best single supplier, per-line alternatives, export.
- Static/legal pages: about, help & FAQ, contact form (stored, visible in admin support), terms, privacy, refund & cancellation. `robots.txt` , `sitemap.xml` , web manifest, Open Graph image.
- Guest cart (local) that merges into the account on login.

2.2 Accounts & security

- Email/password registration (buyer or supplier with company), login, forgot/reset password, phone OTP login (Unifonic SMS), account page, `/join` invite acceptance for supplier team members.
- Roles: BUYER, SUPPLIER (company roles OWNER / MANAGER / SALES / WAREHOUSE), ADMIN.
- JWT sessions with token versioning (logout, password change, role change or deactivation revoke earlier tokens); 60-second path-bound download tokens for invoices, delivery notes, exports and private files; helmet, CSP on web and on API HTML pages, CORS allow-list, rate limits (auth, OTP, BOQ, per-user UGC), bcrypt, SSRF guard, upload magic-byte validation, audit log.

2.3 Buyer features (`/dashboard/**` , `/cart` , `/checkout`)

- Cart with per-supplier grouping, tier pricing hints, delivery city and carrier quotes, promo code; checkout with address book, PO number, notes, payment methods (cash on delivery, bank transfer, card via Moyasar, credit terms

when approved), coupon, VAT 15% itemised; orders split per supplier.

- Orders list and detail: timeline, messages with the supplier, cancel while pending, reorder, printable tax invoice (ZATCA QR) and delivery note, e-invoice XML, payment status, shipment tracking.
- RFQs: create (manual lines or from BOQ), publish to suppliers in the city, receive bids, compare, award → order; quotations page.
- Returns/RMA: request on delivered orders, track approval → received → refund.
- Recurring orders (weekly/monthly with pause/resume/run now), buy again, project lists / wishlists (share, add all to cart), saved addresses, price alerts, notifications centre, credit terms status, ERP integrations page (API keys, webhooks) for buyer companies.

2.4 Supplier portal (/supplier/**)

- Dashboard: revenue, orders, pending confirmations, unpaid orders, open RFQs in my cities, win rate, low-stock items, unread messages, rating, product views, charts, getting-started checklist.
- **My products:** every offer as buyers see it, status tiles (active / cheapest in city / paused / out of stock / expired), inline edit of price, sale price with end date, stock, MOQ, lead time, validity, pause/resume, photo upload/remove, volume tiers, competitor comparison, 30-day sales, filters kept in the URL.
- Price list (add/edit/delete, duplicate-offer protection), **Sell on MySupplier** (create a new product + bulk CSV), **Import price list** with AI extraction from Excel/CSV/PDF/photo and review before publishing, magic-link price update pages for outreach.
- Marketplace of open RFQs, bids (submit, update, withdraw), awarded bids → orders.
- Orders: confirm → in transit → delivered, carrier and tracking, shipments, messages, delivery note, invoice, COD confirmation, refunds.
- Inventory: stock per listing and branch, reservations, movement ledger, low-stock threshold and alerts, import from PDF/Excel, CSV export.
- Returns handling, reviews & questions (reply/answer), company profile & storefront (logo, description, cities served), verification documents (CR, VAT), branches, team (invites, roles), finance (gross, commission, net, payouts, statement CSV, bank details), notifications, ERP & API page.

2.5 Admin console (/admin/**)

- Overview KPIs, reports (range, CSV), orders and order detail, payments, payouts, returns, credit-terms approvals, coupons, category attributes, product reviews and questions moderation, supplier reviews, support inbox (contact messages), announcements (targeted by role), audit log, users (role, activation), companies (verification, documents, commission override), categories (create/edit/delete), materials (create/edit/delete, specs), price imports, external price feeds (AI scraping), supplier outreach, shipping rate cards and carriers, platform settings (commission %, payout day, low-stock default), notifications.

2.6 Integrations & platform services

- **Payments:** Moyasar (Mada, Visa/Mastercard, Apple Pay) with intents, webhooks, refunds; bank transfer with instructions on the invoice; COD; credit terms.
- **Shipping:** rate-card quoting per city/weight/volume (works without keys); carrier adapters (Trukker, Trella, SMSA, Aramex, SPL) enabled by API keys; carrier webhooks with secret.
- **Invoicing:** ZATCA phase-1 simplified tax invoice with QR (TLV), delivery note, phase-2 XML groundwork.
- **Notifications:** in-app, email (SMTP), push (Expo devices), SMS (Unifonic OTP), announcements.

- **AI (Anthropic API):** price-list extraction, BOQ line matching assistance, feed scraping; heuristic fallback when the key is missing or has no credit.
- **ERP integration** (`/api/v1/integrations/v1/*`): API keys with scopes, 600 req/min, bulk prices/stock, orders pull/push, RFQ bidding, webhooks (order.created, order.status_changed, return.requested, ...) with retries; OpenAPI spec `docs/openapi.yaml`, guide `docs/INTEGRATIONS.md`.
- **Background jobs** (inside the api process, no cron needed): daily price-history snapshot, hourly price alerts and recurring-order runs, webhook dispatcher every minute.
- **Ops:** `/api/v1/health` (db status, version, uptime), Sentry (optional), morgan access logs with token redaction, nightly DB backup container, `deploy/scripts/backup.sh` and `restore.sh`.

2.7 Mobile app (Expo)

Login/register/forgot password, OTP, home, shop with search and facets, product page (offers, tiers, reviews, Q&A, wishlist, alerts), cart, checkout, payment (hosted Moyasar page), orders and order detail (invoice, delivery note, tracking, messages), RFQs (create, detail, bids), BOQ, lists, addresses, buy again, recurring orders, returns, alerts, notifications, account; supplier: dashboard, my products, price list, inventory (+ movements), company, team, finance; price-list imports. Screens listed in Appendix C.

Part 3 — What must exist on the server after a correct deployment

3.1 Code version

The deployed code must be the reference commit or newer on the same branch. On the server:

```
cd <repo> && git fetch origin && git rev-parse --short HEAD && git status --short
git log --oneline -1 origin/claude/building-materials-ecommerce-ktfxj3
```

Both hashes must match (`f7b12dc` at the time of writing). If the server is behind, run `deploy/scripts/deploy.sh` (pulls, rebuilds, restarts). A partial deployment usually means an older commit: e.g. the supplier "My products" page, returns, credit terms, wishlists, the ERP API, the Arabic product page and the security hardening all arrived in the last 12 commits.

3.2 Containers and DNS

`docker compose -f deploy/docker-compose.prod.yml ps` must show five services **Up** (`caddy`, `db` (healthy), `api` (healthy), `web`, `backup`). DNS A records for `DOMAIN`, `API_DOMAIN` and `www.DOMAIN` point at the server; ports 80 and 443 open; Caddy has obtained certificates (`docker compose logs caddy | grep -i certificate`).

3.3 Environment variables (`deploy/.env`)

Copy from `deploy/.env.production.example`. The API refuses to start without the **required** ones; the **feature** ones switch capabilities on and off silently, which is the most common reason a deployment "feels incomplete".

Variable	Required	What breaks when missing / wrong
<code>DOMAIN</code> , <code>API_DOMAIN</code>	Yes	Caddy routing, TLS, CORS, links in emails and invoices
<code>POSTGRES_USER/PASSWORD/DB</code>	Yes	Database; changing the password later requires updating the <code>db</code> volume too

Variable	Required	What breaks when missing / wrong
<code>JWT_SECRET</code> (≥32 random chars)	Yes	All logins; rotating it logs everyone out
<code>JWT_EXPIRES_IN</code> , <code>APP_SCHEME</code>	Yes (defaults ok)	Session length; mobile deep links <code>mysupplier://</code>
<code>NEXT_PUBLIC_API_URL</code> , <code>NEXT_PUBLIC_SITE_URL</code>	Yes (compose passes them as build args)	Baked into the web bundle at build time. Wrong value = web cannot reach the API. Rebuild the web image after any change.
<code>CORS_ORIGIN</code> (compose sets <code>https://DOMAIN</code>)	Yes	Browser calls blocked ("Cannot reach the MySupplier API")
<code>TRUST_PROXY=1</code>	Yes	Rate limiting keyed on the real client IP behind Caddy
<code>UPLOAD_DIR</code> , <code>UPLOAD_BASE_URL</code>	Yes / optional	Photos and documents; set the base URL only when files are served from S3/CDN
<code>SMTP_*</code> , <code>MAIL_FROM</code>	Feature	No emails (password reset, order notifications, invites) — they are logged instead
<code>MOYASAR_SECRET_KEY</code> , <code>MOYASAR_PUBLISHABLE_KEY</code> , <code>MOYASAR_WEBHOOK_SECRET</code>	Feature	Card / Apple Pay option hidden at checkout (COD, bank transfer, credit still work)
<code>UNIFONIC_APP_SID</code> , <code>UNIFONIC_SENDER_ID</code>	Feature	Phone OTP login does not send SMS (codes are logged)
<code>ANTHROPIC_API_KEY</code> , <code>ANTHROPIC_MODEL</code>	Feature	AI price-list extraction falls back to heuristics; PDF/photo import reports an error; feed scraping off
<code>PLATFORM_LEGAL_NAME</code> , <code>PLATFORM_VAT_NUMBER</code> , <code>PLATFORM_ADDRESS</code> , <code>VAT_RATE</code> , <code>BANK_*</code>	Yes for invoices	Wrong legal entity / VAT number / IBAN printed on every tax invoice
<code>TRUKKER/TRELLA/SMSA/ARAMEX/SPL_API_KEY</code> , <code>CARRIER_WEBHOOK_SECRET</code>	Feature	Carrier booking and tracking webhooks; rate-card quotes still work
<code>SENTRY_DSN</code> , <code>SENTRY_TRACES_SAMPLE_RATE</code>	Optional	No error monitoring
<code>ZATCA_API_BASE</code> , <code>ZATCA_BINARY_TOKEN</code> , <code>ZATCA_SECRET</code>	Later	Phase-2 e-invoice reporting (after Fatoora onboarding)
<code>OUTREACH_AUTO</code> , <code>OUTREACH_STALE_DAYS</code>	Optional	Automatic supplier price-refresh reminders

Never commit `deploy/.env` ; rotate any key that was ever pasted into chat or a ticket.

3.4 Database

- All **12 migrations applied**: `docker compose exec api npx prisma migrate status` must print "Database schema is up to date". The api container runs `prisma migrate deploy` on every start; if it fails, the api never becomes healthy — read `docker compose logs api`.
- Extension `pg_trgm` installed (created by migration `pg_trgm_search`) — fuzzy search depends on it.
- **Catalogue present**: 62 categories and the standard products. Decide explicitly: run `deploy/scripts/seed-demo.sh` for a first launch / staging (creates the catalogue **and** demo accounts and demo suppliers), or load the production catalogue only. An empty shop means the seed was never run.
- Demo accounts (`admin@mysupplier.sa` / `Admin123!` , `buyer@...` , `supplier@...` , `warehouse@...` , `sales@<supplier>.sa`) **must be deleted or given new passwords** before the public launch; create the real admin

account.

- Platform settings set in Admin → Settings: commission %, payout day, low-stock default. Shipping rate cards entered in Admin → Shipping.

3.5 Runtime checks inside the api container

```
docker compose -f deploy/docker-compose.prod.yml logs api | grep -E "listening|snapshot|price alerts|recurring|webhook"
```

The log must show "MySupplier API listening" and the three job start lines. `ls /app/apps/api/uploads` inside the container must be on the persistent volume (files survive `docker compose down && up`).

3.6 Web build

`docker compose logs web` must not show "does not work with output: standalone" errors; the image starts `node server.js` (standalone). The CSP header of the home page must contain the API domain (proof that `NEXT_PUBLIC_API_URL` was baked correctly).

3.7 Mobile

`apps/mobile/app.json` / EAS profile: `EXPO_PUBLIC_API_URL=https://API_DOMAIN/api/v1`, `EXPO_PUBLIC_WEB_URL=https://DOMAIN`, scheme `mysupplier`, bundle identifiers, icons, push credentials (FCM/APNs) configured in EAS; Apple Pay merchant + domain association file if card payments are enabled.

Part 4 — Verification procedure

4.1 Automated external check (2 minutes)

From any machine with `curl` and `python3`:

```
WEB=https://mysupplier.sa API=https://api.mysupplier.sa \
ADMIN_EMAIL=<real admin> ADMIN_PASSWORD='<password>' \
bash deploy/scripts/verify-deployment.sh
```

It checks ~50 items: API health and database, catalogue counts, shop/search/brands/BOQ/carriers endpoints, auth enforcement (401s), ERP key rejection, CORS from the web origin, security headers and HSTS, every public web page and asset, that the web bundle points at the right API domain, www redirect, admin login, platform settings, reports, audit log, and that the demo admin password no longer works. **Expected result on a complete deployment: 0 FAIL.** Warnings are informational (e.g. no HTTPS on a staging box).

4.2 Server-side checks (5 minutes)

```
docker compose -f deploy/docker-compose.prod.yml ps # 5 services Up, db/api
healthy
docker compose -f deploy/docker-compose.prod.yml exec api npx prisma migrate status
docker compose -f deploy/docker-compose.prod.yml exec db psql -U $POSTGRES_USER -d $POSTGRES_DB -c \
"select (select count(*) from \"Category\") categories, (select count(*) from \"Material\") prod
ucts, \
(select count(*) from \"PriceListing\") listings, (select count(*) from \"User\" where r
ole='ADMIN') admins;"
docker compose -f deploy/docker-compose.prod.yml logs --since 24h api | grep -ciE "error|unhandle
d" # should be ~0
ls -la deploy/backups | tail -3 # a dump from the l
ast 24 h
docker compose -f deploy/docker-compose.prod.yml exec caddy caddy list-certificates 2>/dev/null ||
docker compose logs caddy | tail -20
```

4.3 Manual walkthrough (10 minutes, one pass per role)

- Guest:** open the home page in EN and AR; search "cement"; open a product; add to cart; run a BOQ with three lines; open a supplier page; send the contact form.
- Buyer** (real test account): register with a company → verify the email arrives (if SMTP is set) → add an address → checkout with cash on delivery → open the order → download the invoice (QR present) → request a quotation (RFQ) → create a list and a price alert.
- Supplier** (real test account): register as supplier → upload CR/VAT documents → add a price to an existing product → "Sell a new product" → import a small Excel price list → see the offer in the shop as a guest → receive the buyer's order → confirm → mark delivered → print the delivery note → check Finance shows commission and net.
- Admin:** verify the supplier company (badge appears on its page) → approve credit for the buyer company → create a coupon and use it at checkout → hide a review → check Audit shows all of the above → export a report CSV.
- Mobile** (TestFlight/internal build): log in as the buyer, receive the push notification for an order status change, open the invoice from the app.

4.4 Integration checks (only where the feature is enabled)

- Moyasar: pay SAR 1 with a test card in test mode, confirm the webhook marks the order PAID, refund it from the supplier order page.
- SMTP: password-reset email arrives with a working link to `https://DOMAIN/reset-password`.
- Unifonic: OTP SMS arrives within 30 s.
- ERP: create an API key in Supplier → ERP & API, `curl -H "X-API-Key: ..."`
`https://API_DOMAIN/api/v1/integrations/v1/ping` returns `ok:true`; add a webhook endpoint and send the test event.
- Carriers: request a quote at checkout for Riyadh → Jeddah; if keys are set, a booking creates a shipment with a tracking number.

Part 5 — Most commonly forgotten items ("it feels incomplete")

- Old commit deployed.** Compare hashes (3.1). Newer features live only in the latest commits.

2. **Web built with the wrong API URL** (`NEXT_PUBLIC_API_URL` is a build arg, not a runtime variable). Symptom: "Cannot reach the MySupplier API". Fix: correct `.env`, `docker compose build web`, `up -d web`.
3. **CORS_ORIGIN mismatch** (http vs https, www vs apex). Symptom: login fails only in the browser while `curl` works.
4. **Seed never run** → empty shop, no categories, no attributes, no shipping rates. Or seed run in production and **demo accounts left active**.
5. **Migrations pending** → api restarts in a loop; check `prisma migrate status`.
6. **Uploads not on the volume** → logos and documents disappear after a redeploy.
7. **Feature keys empty**: no card payments, no emails, no SMS, no AI extraction — each is silent by design (see 3.3). Decide which are needed for launch and fill them.
8. **Invoice legal data left at placeholders** (`PLATFORM_VAT_NUMBER=300000000000003` , sample IBAN) → invalid tax invoices.
9. **Platform settings and rate cards** not entered (commission, payout day, shipping prices per city).
10. **TRUST_PROXY** left unset with an extra CDN/proxy hop → rate limits key on the wrong IP.
11. **Backups**: container running but `deploy/backups` never copied off the server (`deploy/scripts/backup.sh`).
12. **www and apex DNS** both pointed; certificate for both issued.
13. **Mobile build** pointing at localhost or staging; push credentials missing; Apple Pay domain file not served.
14. **Legal pages** still generic text; support email / phone not updated in Contact and the footer.
15. **xlsx dependency patch** from GO-LIVE §6b not applied (Excel import security advisory).
16. **Monitoring**: no Sentry DSN, nobody watching `docker compose logs` ; no uptime check on `/api/v1/health`.
17. **JWT_SECRET / passwords copied from the example file**.
18. **Keys pasted in chats or tickets never rotated**.

Part 6 — Sign-off checklist

#	Check	Evidence	Done by	Date
1	Deployed commit = reference commit (<code>f7b12dc</code> or newer)	<code>git rev-parse --short HEAD</code> output		
2	5 containers Up, db and api healthy	<code>docker compose ps</code> output		
3	<code>prisma migrate status</code> = up to date (12 migrations)	log line		
4	<code>verify-deployment.sh</code> → 0 FAIL	script summary line		
5	Catalogue counts (categories ≥ 62, products > 0)	SQL output		
6	Demo accounts removed / passwords changed; real admin created	admin user list		
7	<code>.env</code> complete: required + chosen feature keys; placeholders replaced	reviewed by		
8	Legal/invoice data (name, VAT, address, IBAN) correct	test invoice PDF		
9	Platform settings + shipping rate cards entered	admin screenshots		
10	Manual walkthrough 4.3 passed for guest, buyer, supplier, admin	notes		
11	Integration checks 4.4 for enabled features	notes		

#	Check	Evidence	Done by	Date
12	Uploads persist across down/up ; backup dump exists and copied off-site	file listing		
13	Mobile build points at production; push works	TestFlight/APK build id		
14	Monitoring (Sentry or uptime check) active	dashboard link		
15	Secrets rotated, <code>.env</code> not in git	<code>git status</code>		

Appendix A — All API endpoints (245, base path `/api/v1`)

Admin: users, companies, categories, materials (`admin.ts` , 12 endpoints)

Method	Path
GET	<code>/admin/stats</code>
GET	<code>/admin/users</code>
PATCH	<code>/admin/users/:id</code>
GET	<code>/admin/companies</code>
PATCH	<code>/admin/companies/:id/verify</code>
POST	<code>/admin/categories</code>
PATCH	<code>/admin/categories/:id</code>
DELETE	<code>/admin/categories/:id</code>
POST	<code>/admin/materials</code>
PATCH	<code>/admin/materials/:id</code>
DELETE	<code>/admin/materials/:id</code>
POST	<code>/admin/prices/import</code>

Admin back office: returns, credit, coupons, reviews, support, announcements, reports, audit (`adminCommerce.ts` , 15 endpoints)

Method	Path
GET	<code>/admin/coupons</code>
POST	<code>/admin/coupons</code>
PATCH	<code>/admin/coupons/:id</code>
DELETE	<code>/admin/coupons/:id</code>
GET	<code>/admin/reviews</code>
PATCH	<code>/admin/reviews/:id</code>
DELETE	<code>/admin/reviews/:id</code>
GET	<code>/admin/payments</code>
GET	<code>/admin/reports</code>

Method	Path
GET	/admin/audit
POST	/admin/announcements
GET	/admin/announcements
POST	/contact
GET	/admin/contact
PATCH	/admin/contact/:id

Authentication & account (auth.ts , 12 endpoints)

Method	Path
POST	/register
POST	/login
GET	/me
PATCH	/me
GET	/invite/:token
POST	/accept-invite
POST	/forgot-password
POST	/reset-password
POST	/change-password
DELETE	/me
POST	/download-token
POST	/logout

BOQ analysis (boq.ts , 3 endpoints)

Method	Path
POST	/boq/parse
POST	/boq/analyze
POST	/boq/to-rfq

Cart & checkout (cart.ts , 6 endpoints)

Method	Path
GET	/cart
POST	/cart/items
PATCH	/cart/items/:id
DELETE	/cart/items/:id
DELETE	/cart
POST	/checkout

Catalogue, materials, prices, categories (`catalog.ts` , 12 endpoints)

Method	Path
GET	<code>/health</code>
GET	<code>/sitemap.xml</code>
GET	<code>/stats</code>
GET	<code>/price-index</code>
GET	<code>/categories</code>
GET	<code>/materials</code>
GET	<code>/materials/:id</code>
GET	<code>/materials/:id/prices</code>
GET	<code>/prices/compare</code>
GET	<code>/suppliers</code>
GET	<code>/suppliers/:id/reviews</code>
GET	<code>/suppliers/:id</code>

B2B commerce: tiers, addresses, credit, returns, recurring, coupons (`commerce.ts` , 18 endpoints)

Method	Path
GET	<code>/addresses</code>
POST	<code>/addresses</code>
PATCH	<code>/addresses/:id</code>
DELETE	<code>/addresses/:id</code>
POST	<code>/addresses/:id/default</code>
GET	<code>/me/credit</code>
GET	<code>/admin/companies/:id/credit</code>
PATCH	<code>/admin/companies/:id/credit</code>
POST	<code>/orders/:id/reorder</code>
POST	<code>/orders/:id/returns</code>
GET	<code>/returns</code>
GET	<code>/returns/:id</code>
PATCH	<code>/returns/:id</code>
GET	<code>/recurring</code>
POST	<code>/recurring</code>
PATCH	<code>/recurring/:id</code>
DELETE	<code>/recurring/:id</code>
POST	<code>/recurring/:id/run-now</code>

Push devices (`devices.ts` , 2 endpoints)

Method	Path
POST	/devices
DELETE	/devices/:token

E-invoicing (ZATCA phase 2 groundwork) (`einvoice.ts` , 3 endpoints)

Method	Path
GET	/orders/:id/einvoice
GET	/orders/:id/einvoice.xml
POST	/admin/einvoices/:id/report

Admin feeds (external price sources) (`feeds.ts` , 5 endpoints)

Method	Path
GET	/admin/feeds
POST	/admin/feeds
POST	/admin/feeds/:id/run
POST	/admin/feeds/import
DELETE	/admin/feeds/:id

Price-list imports (AI) (`imports.ts` , 8 endpoints)

Method	Path
GET	/ai/config
POST	/imports
GET	/imports
GET	/imports/:id
PATCH	/imports/:id/rows/:rowId
POST	/imports/:id/approve-all
POST	/imports/:id/publish
POST	/imports/:id/reject

ERP integration: API keys, webhooks, /integrations/v1 (`integrations.ts` , 11 endpoints)

Method	Path
GET	/integrations/scopes
GET	/integrations/keys
POST	/integrations/keys
POST	/integrations/keys/:id/revoke
GET	/integrations/webhooks
POST	/integrations/webhooks

Method	Path
PATCH	/integrations/webhooks/:id
DELETE	/integrations/webhooks/:id
POST	/integrations/webhooks/:id/test
GET	/integrations/webhooks/:id/deliveries
POST	/integrations/deliveries/:id/retry

Invoices (ZATCA phase 1) (`invoice.ts` , 2 endpoints)

Method	Path
GET	/orders/:id/invoice
GET	/orders/:id/invoice.html

Product discovery: attributes, reviews, Q&A, wishlists, alerts (`marketplace.ts` , 34 endpoints)

Method	Path
GET	/categories/:slug/attributes
GET	/admin/categories/:id/attributes
POST	/admin/categories/:id/attributes
PATCH	/admin/attributes/:id
DELETE	/admin/attributes/:id
GET	/shop/products/:id/reviews
POST	/shop/products/:id/reviews
PATCH	/shop/reviews/:id
POST	/shop/reviews/:id/helpful
POST	/supplier/reviews/:id/reply
GET	/admin/product-reviews
PATCH	/admin/product-reviews/:id
DELETE	/admin/product-reviews/:id
GET	/shop/products/:id/questions
POST	/shop/products/:id/questions
POST	/shop/questions/:id/answer
GET	/admin/product-questions
PATCH	/admin/product-questions/:id
DELETE	/admin/product-questions/:id
GET	/shop/recently-viewed
GET	/shop/recommendations
GET	/wishlists

Method	Path
GET	/wishlists/contains
POST	/wishlists
GET	/wishlists/:id
PATCH	/wishlists/:id
DELETE	/wishlists/:id
POST	/wishlists/:id/items
PATCH	/wishlists/:id/items/:itemId
DELETE	/wishlists/:id/items/:itemId
POST	/wishlists/:id/add-to-cart
GET	/alerts
POST	/alerts
DELETE	/alerts/:id

Notifications (notifications.ts , 3 endpoints)

Method	Path
GET	/notifications
POST	/notifications/read-all
POST	/notifications/:id/read

Ops (ops.ts , 1 endpoints)

Method	Path
POST	/client-errors

Order timeline, messages, delivery note (orderExtras.ts , 6 endpoints)

Method	Path
GET	/orders/:id/events
GET	/orders/:id/messages
POST	/orders/:id/messages
GET	/orders/:id/delivery-note.html
POST	/orders/:id/review
POST	/reviews/:id/reply

Orders (orders.ts , 5 endpoints)

Method	Path
GET	/orders
GET	/orders/frequently-ordered

Method	Path
GET	/orders/:id
PATCH	/orders/:id/status
PATCH	/orders/:id/payment

Phone OTP login (otp.ts , 3 endpoints)

Method	Path
POST	/otp/request
POST	/otp/verify
POST	/phone/verify

Supplier outreach & magic-link price updates (outreach.ts , 4 endpoints)

Method	Path
GET	/admin/outreach
POST	/admin/outreach/requests
GET	/price-update/:token
POST	/price-update/:token

Payments (Moyasar) & refunds (payments.ts , 7 endpoints)

Method	Path
GET	/payments/config
POST	/payments/:orderId/intent
POST	/payments/:orderId/verify
POST	/payments/webhook/moyasar
GET	/payments/:orderId
GET	/payments/:orderId/page
POST	/payments/:orderId/refund

RFQs, bids & awards (rfqs.ts , 11 endpoints)

Method	Path
POST	/rfqs
GET	/rfqs
GET	/rfqs/:id
POST	/rfqs/:id/close
POST	/rfqs/:id/cancel
GET	/marketplace/rfqs
POST	/rfqs/:id/bids

Method	Path
GET	/bids
POST	/bids/:id/withdraw
POST	/bids/:id/accept
POST	/bids/:id/reject

Shipping, carriers & tracking (shipping.ts , 10 endpoints)

Method	Path
GET	/shipping/carriers
POST	/shipping/quote
GET	/orders/:id/shipments
POST	/orders/:id/shipments
PATCH	/shipments/:id
POST	/shipping/webhooks/:carrier
GET	/admin/shipping/rates
POST	/admin/shipping/rates
PATCH	/admin/shipping/rates/:id
DELETE	/admin/shipping/rates/:id

Shop storefront & search (shop.ts , 7 endpoints)

Method	Path
GET	/shop/home
GET	/shop/suggest
GET	/shop/brands
GET	/shop/brands/:brand
GET	/shop/products
GET	/shop/products/:id
GET	/images/materials/:sku

Supplier portal: dashboard, company, team, branches, inventory, finance, platform settings (supplierPortal.ts , 35 endpoints)

Method	Path
GET	/supplier/dashboard
GET	/supplier/company
PATCH	/supplier/company
POST	/supplier/company/logo
GET	/supplier/company/documents

Method	Path
POST	/supplier/company/documents
GET	/supplier/company/documents/:id/file
GET	/admin/companies/:id/documents/:docId/file
DELETE	/supplier/company/documents/:id
GET	/supplier/branches
POST	/supplier/branches
PATCH	/supplier/branches/:id
DELETE	/supplier/branches/:id
GET	/supplier/team
POST	/supplier/team/invite
DELETE	/supplier/team/invite/:id
PATCH	/supplier/team/:userId
GET	/supplier/inventory
GET	/supplier/inventory/export.csv
GET	/supplier/inventory/:listingId
PATCH	/supplier/inventory/:listingId
POST	/supplier/inventory/:listingId/movements
GET	/supplier/inventory/:listingId/movements
GET	/supplier/finance/summary
GET	/supplier/finance/statement
GET	/supplier/finance/statement.csv
GET	/supplier/payouts
GET	/admin/settings
PATCH	/admin/settings
GET	/admin/payouts
POST	/admin/payouts/generate
PATCH	/admin/payouts/:id
GET	/admin/companies/:id
PATCH	/admin/companies/:id/verification
PATCH	/admin/companies/:id/documents/:docId

Supplier price list (supplierPrices.ts , 7 endpoints)

Method	Path
GET	/supplier/prices
POST	/supplier/prices

Method	Path
POST	/supplier/prices/bulk
DELETE	/supplier/prices/:id
PATCH	/supplier/prices/:id
PUT	/supplier/prices/:id/tiers
POST	/supplier/catalog/import

Supplier “My products” (supplierProducts.ts , 3 endpoints)

Method	Path
GET	/supplier/products
POST	/supplier/prices/:id/image
DELETE	/supplier/prices/:id/image

Appendix B — All web routes (96)

Public (22 routes)

/about , /boq , /brands , /brands/[brand] , /compare , /contact , /forgot-password , /help , /join , /login , /materials , /materials/[id] , / , /privacy , /refund-policy , /register , /reset-password , /shop , /shop/products , /shop/products/[id] , /terms , /update-prices/[token]

Buyer (signed in) (22 routes)

/account , /cart , /checkout , /dashboard , /dashboard/addresses , /dashboard/alerts , /dashboard/buy-again , /dashboard/integrations , /dashboard/lists , /dashboard/notifications , /dashboard/orders , /dashboard/orders/[id] , /dashboard/quotations , /dashboard/quotations/[id] , /dashboard/recurring , /dashboard/returns , /dashboard/returns/[id] , /dashboard/rfqs , /dashboard/rfqs/[id] , /dashboard/rfqs/new , /pay/[orderId] , /payments/callback

Supplier portal (24 routes)

/supplier , /supplier/bids , /supplier/branches , /supplier/catalog , /supplier/company , /supplier/documents , /supplier/finance , /supplier/imports , /supplier/imports/[id] , /supplier/integrations , /supplier/inventory , /supplier/marketplace , /supplier/marketplace/[id] , /supplier/notifications , /supplier/orders , /supplier/orders/[id] , /supplier/prices , /supplier/products , /supplier/returns , /supplier/returns/[id] , /supplier/reviews , /supplier/team , /suppliers , /suppliers/[id]

Admin console (28 routes)

/admin , /admin/announcements , /admin/attributes , /admin/audit , /admin/categories , /admin/companies , /admin/companies/[id] , /admin/coupons , /admin/credit , /admin/feeds , /admin/imports , /admin/imports/[id] , /admin/materials , /admin/notifications , /admin/orders , /admin/orders/[id] , /admin/outreach , /admin/payments , /admin/payouts , /admin/product-reviews , /admin/reports , /admin/returns , /admin/returns/[id] , /admin/reviews , /admin/settings , /admin/shipping , /admin/support , /admin/users

Appendix C — Mobile screens (42)

```
/(auth)/forgot-password, /(auth)/login, /(auth)/register, /(tabs)/index, /(tabs)/orders,
/(tabs)/profile, /(tabs)/rfqs, /(tabs)/search, /(tabs)/shop, /+not-found, /account, /addresses,
/alerts, /boq, /buy-again, /cart, /checkout, /imports/[id], /imports/index, /imports/new,
/lists/[id], /lists/index, /material/[id], /notifications, /order/[id], /payment,
/recurring/index, /recurring/new, /returns/[id], /returns/index, /rfq/[id], /rfq/new,
/shop/product/[id], /shop/search, /supplier/company, /supplier/dashboard, /supplier/finance,
/supplier/inventory, /supplier/inventory/[listingId], /supplier/prices, /supplier/products,
/supplier/team
```

Appendix D — Database models (55)

```
User, Company, Category, Material, PriceListing, PriceHistory, Rfq, RfqItem, Bid, BidItem,
Order, OrderItem, Cart, CartItem, Feed, Notification, Counter, Payment, Device,
PasswordResetToken, PriceImport, PriceImportRow, PriceUpdateRequest, CompanyInvite,
CompanyDocument, Branch, StockMovement, OrderEvent, OrderMessage, Review, Payout,
PlatformSetting, OtpCode, Shipment, ShipmentEvent, ShippingRate, EInvoiceRecord, Coupon,
AuditLog, ContactMessage, CategoryAttribute, ProductReview, ReviewVote, ProductQuestion,
Wishlist, WishlistItem, RecentlyViewed, PriceAlert, ListingTier, Address, Return,
RecurringOrder, ApiKey, WebhookEndpoint, WebhookDelivery
```

Appendix E — Migrations (apply in order; `prisma migrate deploy` does this automatically)

#	Migration
1	20260914224438_init
2	20260914231142_shop_cart_feeds
3	20260915101318_payments_devices_reset
4	20260915111737_ai_price_collection
5	20260915202500_supplier_portal
6	20260915213000_go_live
7	20260924210000_admin_commerce
8	20260925090000_listing_status_image
9	20260925120000_marketplace_program
10	20260925140000_pg_trgm_search
11	20260925180000_token_version
12	20260925190000_review_votes

Appendix F — Where to read more

[deploy/G0-LIVE.md](#) (step-by-step launch), [docs/DEVELOPER-HANDOVER.pdf](#) (architecture and remaining work), [docs/API.md](#) (endpoint reference), [docs/INTEGRATIONS.md](#) + [docs/openapi.yaml](#) (ERP), [docs/SUPPLIER-GUIDE-EN.pdf](#) (what suppliers see), [README.md](#) (local development).



MySupplier

Build for less.

A deployment is complete when the reference commit is live, the verification script reports zero failures, the manual walkthrough passes for every role, and the sign-off table is filled in.

[docs/DEPLOYMENT-VERIFICATION.md](#) · [deploy/scripts/verify-deployment.sh](#)