




HAU-USC LOGISTICS

Glossy Command Center Visual Reference Pack

Claude Code continuation brief for the owner-named v0.4.1 front-end preview



Design thesis: dark-mode logistics command center, controlled glassmorphism, glowing telemetry, real-time micro-animation, and an optional real WebGL routing globe - all while preserving the existing HAU-USC workflow model and keeping the task front-end only.



1. Owner Directives

- * Take over Codex work from the exact current local design state. Do not restart or discard newer local work.
- * Treat v0.4.1 as the owner-named design-preview checkpoint, not the production software release number.
- * Front-end only: no Worker business logic, database, migrations, D1/R2, Google, provider, deployment, staging, or production changes.
- * Make the visual improvement substantial. A minor reskin is not acceptable.
- * Use the supplied crescent moon treatment as the visual authority for the night-state icon.
- * Push toward a glossy, cinematic logistics command center with purposeful animation, floating glass surfaces, luminous telemetry, and a real WebGL route globe when supported.
- * Preserve existing workflows and modules. Add preview-only front-end enhancements; do not remove hard workflows.
- * Use Hallmark and Impeccable as actual design workflows and record what each changed.

The visual references below are inspiration and anti-reference material. They are not permission to clone a third-party design pixel-for-pixel.


2. Owner-Provided Visual Reference Atlas

These images were provided directly in this conversation and are the highest-priority visual references for the requested front-end direction.

 A dark rectangular UI element containing two circular icons: a sun with rays on the left and a crescent moon on the right. Below the icons is a horizontal bar with a purple segment on the left and a grey segment on the right. The letter 'An' is partially visible on the right side.	 A dark square UI element featuring a white left-pointing arrow centered within a thin white circular outline.	 A dark square UI element featuring three horizontal white lines (a hamburger menu icon) centered in the upper half.
DAY/NIGHT TOGGLE - target reference	BACK CONTROL - anti-reference to replace	MENU CONTROL - anti-reference to replace


Moon correction: use the filled crescent silhouette inside the bright glossy active plate. Do not use a generic outline moon, emoji moon, or unrelated icon family. The active plate should travel smoothly between sun and moon states.

Global Freight Solutions - ship hero




Use for cinematic logistics storytelling: deep ocean/blue atmosphere, full-bleed freight image, compact telemetry overlays, and a clear primary action.
Adapt the atmosphere, not the branding.

Dark truck logistics landing page




Use for black/gold premium freight tone, dramatic photography, strong headline hierarchy, editorial pacing, and the balance between cinematic hero and operational content.

Carry Horizon dark logistics dashboard



Use for compact command-center structure: left rail, strong search, high-value KPI strip, chart + orders table, restrained accent color, and dense but readable operations data.

Dark high-tech logistics dashboard



Use for high-end dark dashboard depth, tinted glass surfaces, data visualization, soft neon telemetry, active navigation, and premium device-grade polish. Avoid copying its purple identity.

3. Visual DNA Synthesis

The common direction across the owner references is not simply dark mode. It is a controlled command-center aesthetic that combines visual atmosphere with operational legibility.

Layer	Hardcoded direction
Command center	Dark structural shell, compact navigation, high-information content surface, operational focus.
Gloss	Translucent/reflective floating surfaces used selectively; specular highlights and inner hairlines; no foggy glass everywhere.
Telemetry	Luminous status nodes, route arcs, live indicators, compact charts, progress lines, and restrained neon accents.
Motion	Cause-and-effect transitions, route pulses, staged reveals, loading progress, micro-animations, and responsive controls.
3D routing	Interactive globe/map for global routing context, with real WebGL when supported and a graceful static fallback.
Brand	Keep HAU-USC oxblood/maroon + muted gold as signature anchors; do not adopt third-party purple/blue brands wholesale.
Workflow	Preserve Request, Lending, Release, Inventory, Restocking/Receiving, Procurement, Events, role workspaces, Accounts/Access, Directory, Links, Announcements, Profile, and status surfaces.

4. Researched Logistics / Shipping UI References

The following external references were selected for transferable design patterns. Use them as evidence for direction and interaction, not as pixel-clone targets.

1. Dribbble - Shipping UI/UX search

<https://dribbble.com/search/shipping-ui-ux>

Primary owner-specified browse surface for shipping UI/UX visual direction.

2. ShipNex - Logistics Website UI/UX Design

<https://dribbble.com/shots/26972948-ShipNex-Logistics-Website-UI-UX-Design>

Use for clean logistics hierarchy, global-shipping storytelling, trust cues, and a strong hero-to-product transition.

3. ShipNex Logistics Website UI Design

<https://dribbble.com/shots/26765473-ShipNex-Logistics-Website-UI-Design>

Use for freight-specific visual storytelling and modern service presentation.

4. ShipNex Logistics Landing Page

<https://dribbble.com/shots/26283821-ShipNex-Logistics-Landing-Page>

Use for global-shipping hero hierarchy, real-time visibility cues, and focused CTA presentation.

5. Logistics Dashboard Design | UI UX - AOI Studio

<https://dribbble.com/shots/27047666-Logistics-Dashboard-Design-UI-UX>

Use for central live-fleet map, high-level KPIs, carrier performance, alerts, and balanced data hierarchy.

6. Logistics Dashboard UI - Delivery Management

<https://dribbble.com/shots/27100826-Logistics-Dashboard-UI-Design-Delivery-Management-System>

Use for order/shipment statistics, planning-vs-actual views, fleet management, shipment detail, and tracking timeline.

7. Logistics Dashboard UI/UX - Muntasir Mahmud

<https://dribbble.com/shots/26206279-Logistics-Dashboard-UI-UX-Design>

Use as a dark logistics palette reference; extract hierarchy and contrast rather than branding.

8. Logistics Dashboard - Vismind

<https://dribbble.com/shots/26961604-Logistics-Dashboard-Design-UI-UX>

Use for route-map + real-time analytics + shipment tracking composition.

9. Logistics & Fleet Management Dashboard - Ronas IT

<https://dribbble.com/shots/26849863-Logistics-Fleet-Management-Dashboard-UI>

Use for shipment tracking, driver efficiency, live active-shipment tables, and modern operational density.

10. Shipping & Logistics Website UI/UX + Development - ShipX

<https://dribbble.com/shots/26571740-Shipping-Logistics-Website-UI-UX-Development>

Use for a cohesive dark logistics product + marketing aesthetic and compact stat blocks.

11. Dribbble - Shipping Dashboard search

<https://dribbble.com/search/shipping-dashboard>

Browse RouteX, shipment tracking, maritime dashboards, compact tables, and status visualization patterns.

12. Dribbble - Logistics Dashboard search

<https://dribbble.com/search/Logistics-dashboard>

Browse modern logistics dashboard compositions for maps, tables, alerts, and fleet visibility.

13. Dribbble - 3D Globe search

<https://dribbble.com/search/3d-globe>

Use to study globe-centered visual hierarchy and route visualization without copying assets.

14. Delivery Admin Panel Dashboard - 3D Globe

<https://dribbble.com/shots/19851679-Delivery-Admin-Panel-Dashboard-Web-App-UI-Concept>

Use for a dark command center with illuminated globe, global parcel routing, status KPIs, and progress indicators.

15. Shipment Tracking Dashboard - Forge Studio

<https://dribbble.com/shots/14985978-Shipment-tracking-dashboard>

Use for globe/map routing, color-coded shipment states, and high-contrast dark telemetry.

16. Logistics Product Dashboard - Worldwide Perspective

<https://dribbble.com/shots/26003908-Logistics-Product-Dashboard-LP>

Use for 3D globe + route line + cargo content + activity + environmental context pattern.

5. Supporting Web UI/UX Research

1. TabNav - 60 Best Website Design Examples for 2026

<https://tabnav.com/blog/best-website-design-examples>

Study clean layouts, high-contrast typography, purposeful motion, accessibility, Firstpoint Logistics, cinematic dark examples, floating UI, and 3D/GSAP references.

2. BlueZoo - Best Websites for Web Design Inspiration

<https://bluezooweb.com/best-websites-for-web-design-inspiration-brilliant-examples-to-boost-your-creativity/>

Study dark mode, micro-animation, 3D graphics, interaction patterns, and how to derive inspiration without cloning.

3. Hallmark

<https://github.com/nutlope/hallmark>

Use study/audit/redesign to extract design DNA, reject AI-default macrostructures, and force a different UI fingerprint.

4. Impeccable

<https://github.com/pbakaus/impeccable>

Use critique/shape/bolder/animate/layout/typeset/colorize/delight/overdrive/adapt/harden/optimize/audit/polish with deterministic detector gates.

5. Laws of UX

<https://lawsofux.com/>

Use cognitive-load, proximity, Fitts/Hick, aesthetic-usability, and related principles to keep the glossy UI operationally usable.

6. Nielsen Norman Group - Visual Design Principles

https://media.nngroup.com/media/articles/attachments/Principles_Visual_Design-A4.pdf

Use scale, hierarchy, balance, contrast, and Gestalt grouping as structure checks.

7. Material Motion

<https://m1.material.io/motion/material-motion.html>

Use motion to communicate hierarchy, continuity, spatial relationships, and cause/effect; avoid decorative delays.

8. web.dev - prefers-reduced-motion

<https://web.dev/articles/prefers-reduced-motion>

Respect the user preference for reduced motion and remove non-essential spatial effects.

9. Three.js WebGLRenderer

<https://threejs.org/docs/pages/WebGLRenderer.html>

Reference for the isolated preview globe renderer, animation loop, tone mapping, and resource lifecycle.

10. Globe.gl

<https://github.com/vasturiano/globe.gl>

Optional Three.js-backed globe layer for arcs, points, labels, and route visualization in the preview.

11. Mobbin

<https://mobbin.com/>

Use real shipped product patterns for navigation, tables, split views, filters, dark mode, progress, and mobile interaction when available.

6. Hardcoded Signature-Control Requirements

Night / Day toggle

- * Use the exact filled crescent silhouette shown in the owner reference, inside a bright glossy active plate. Do not substitute an outlined crescent.
- * The inactive sun and moon remain visible as alternate states; the active plate travels between them.
- * Use transform/opacity choreography: press compression -> thumb travel -> sun-ray contraction -> crescent reveal/rotation -> surface tint crossfade -> settle.
- * Reduced motion must retain instant state clarity while removing long spatial travel/rotation.
- * Persist theme preference and keep accessible labels/state truthful.

Menu control

- * Do not keep a generic hamburger in a blank circle. Use a kinetic three-line control with subtle line-length/position response and an intentional open/close transition.
- * Keep the symbol immediately understandable as navigation. Avoid decorative morph chaos.
- * Minimum touch target and visible focus treatment remain mandatory.

Back control

- * Replace the oversized outlined circle. Use a compact premium control with optical alignment, directional hover travel, soft compression on press, and restrained glossy elevation.
- * Desktop and mobile may use different sizes, but the icon family must remain consistent.

7. 3D WebGL Routing Globe - Front-End Preview Specification

The globe is an eye-candy operational visual, not a replacement for authoritative workflow data. It must remain isolated in the preview layer.

- * Use Three.js directly or Globe.gl backed by Three.js/WebGL when available.
- * Show sanitized/mock origin-destination routes, glowing nodes, route arcs, active pulses, and selected-route emphasis.
- * Allow pointer drag, controlled zoom, pause/reset, and optional auto-rotation.
- * Cap device-pixel ratio and pause animation when hidden/offscreen to avoid unnecessary GPU use.
- * Feature-detect WebGL2 and provide an attractive non-WebGL fallback rather than a blank panel.
- * Respect prefers-reduced-motion: disable auto-rotation and persistent route pulses while keeping a usable static globe/map state.
- * Dispose WebGL resources correctly when the surface is torn down.
- * Do not use CDN dependencies in the final standalone preview; bundle or otherwise keep the artifact self-contained.

Appendix A. Full Claude Code Execution Prompt

This is the exact prompt to use together with this PDF. It is intentionally detailed so the next agent cannot silently downgrade the redesign into a minor reskin.

```
# Claude Code Continuation Prompt - HAU-USC Logistics v0.4.1 Front-End Review and Glossy
Command-Center Redesign

## HOW TO USE

Provide Claude Code with this prompt AND the companion visual reference PDF:

`HAU_USC_Logistics_v0.4.1_Glossy_Command_Center_Reference_Pack.pdf`

Recommended repository location for the PDF after download:

`docs/design/references/HAU_USC_Logistics_v0.4.1_Glossy_Command_Center_Reference_Pack.pdf`

The PDF contains the owner-provided control screenshots, logistics visual references, web
research index, design synthesis, and this same execution prompt.

---

## INTENT

`DOCUMENT_OR_ARTIFACT`

Secondary intents:

- `SOFTWARE_FEATURE` - isolated front-end preview only
- `REVIEW`
- `WRITING`
- `ARCHITECTURE` - front-end composition only, not system architecture

## MODE

`execute`

Review the exact current owner-named v0.4.1 design preview, recover and take over Codex's
latest work without discarding it, preserve the current state as a backup, then build the
next substantially improved front-end visual candidate.

This is a front-end-only design program.

Do not turn it into a full-stack implementation.

---

# 1. VERSIONING AND SOURCE-OF-TRUTH RULE

The owner calls the current design checkpoint v0.4.1.

Treat that as a design-preview version, not the production software release number.

Do not confuse it with the product's v0.7.x release program.

The remote design branch previously recorded an Impeccable v3 checkpoint, but Codex may have
newer local v0.4.1 work that has not been pushed. Therefore:

LOCAL VERIFIED GIT STATE WINS FOR CURRENT DESIGN WORK.

Before editing, recover the exact local design state.

Do not restart from a remote preview simply because it is easier.

---

# 2. TARGET

Repository:

`invicta-ctrl/hau-usc-logistics-management-system`

Expected isolated design branch/worktree family:

`design/impeccable-whole-site-preview`

Resolve the actual local branch, worktree, HEAD, upstream, and uncommitted state.

Do not switch or write the production/release checkout.

---

# 3. REQUIRED ENTRY SEQUENCE

Use the smallest authoritative read set:

1. `AGENTS.md`
```

2. `.codex/CURRENT.md`
3. `.codex/PHASE\_AND\_CONTEXT\_POLICY.md`
4. the design-specific current/handoff/resume files that actually exist
5. the exact Codex continuation/handoff describing v0.4.1 if present
6. `PRODUCT.md`
7. `DESIGN.md`
8. the current v0.4.1 front-end source and generated preview
9. the companion visual reference PDF
10. only directly relevant current route/surface files needed to preserve workflow coverage

Do not broad-scan the repository.

Do not assume chat history is required to continue.

4. TAKE OVER CODEX WORK SAFELY

Before any edit, run a read-only recovery handshake.

Report:

```
```text
DESIGN WORKTREE ROOT:
DESIGN BRANCH:
HEAD:
UPSTREAM:
GIT STATUS --SHORT:
AHEAD/BEHIND:
CURRENT V0.4.1 SOURCE PATH:
CURRENT V0.4.1 EXPORT PATH:
CURRENT DESIGN HANDOFF:
UNCOMMITTED CODEX WORK:
```
```

Run targeted commands such as:

```
```bash
git status --short
git status --branch
git diff --stat
git diff --name-only
git diff --check
git ls-files --others --exclude-standard
```
```

If staged changes exist, inspect the staged diff too.

If Codex left local v0.4.1 changes

Preserve them.

Read the complete relevant diff and continue from it.

Do not reset, clean, stash away, overwrite, or recreate the same work from an older checkpoint.

If the worktree is clean

Use the latest verified v0.4.1/design checkpoint as the baseline.

If unrelated unknown work exists

Stop and identify it precisely before editing.

Never destroy unknown work.

5. BACKUP BEFORE REDESIGN

The current v0.4.1 preview is now a protected comparison baseline.

Before substantial changes:

1. hash the current generated preview;
2. create a byte-identical backup;
3. preserve the existing modular source;
4. duplicate the source into the next visual candidate directory;
5. record hashes and paths in the continuation file.

If the repository already has a versioned backup convention, use it rather than creating a competing structure.

Do not modify the backup after creation.

6. HARD SCOPE BOUNDARY - FRONT END ONLY

Allowed

- HTML
- CSS
- client-side JavaScript
- front-end component source
- isolated preview package/dependencies
- local mock data
- local mock telemetry
- WebGL/WebGPU visual preview code
- Three.js / Globe.gl only inside the isolated front-end preview if appropriate
- browser-side animations
- responsive layouts
- glass/gloss effects
- dark/light themes
- data visualization
- local screenshots
- visual regression evidence
- design documentation
- Hallmark
- Impeccable
- front-end-only convenience features
- commits/pushes on the isolated design branch

Forbidden

Do not change:

- Worker business logic
- backend services
- APIs/contracts
- D1
- R2
- migrations
- Google Sheets
- Google Drive
- email/provider integrations
- auth backend
- production permissions
- deployment configuration
- Cloudflare bindings
- secrets
- staging
- production
- DNS/domains
- the product release branch

If a visual feature would eventually need backend support, implement it with mock/local preview data and document the dependency as future integration work.

7. OWNER DESIGN OVERRIDE - FOLLOW THIS DIRECTION TO THE LETTER

The next version must be a ****substantial visual evolution****, not another small revision.

The target aesthetic is:

****modern eye-candy logistics command center + premium dark UI + glossy glass surfaces + 3D routing visualization + neon telemetry + purposeful real-time micro-animation****

The owner explicitly wants a bold, glossy, cinematic logistics interface.

Earlier anti-glassmorphism / anti-neon restraint is superseded for this design-preview iteration where it conflicts with this instruction.

However, usability, workflow truth, accessibility, responsiveness, and information clarity still remain mandatory.

8. DESIGN DNA - DARK COMMAND CENTER

The authenticated main hub should feel like an active logistics command center.

Use:

- deep charcoal / warm near-black / oxblood-tinted foundations;
- translucent dark glass surfaces;
- glossy edge highlights;
- layered depth;
- selective blurred backdrops;
- HAU-USC maroon/oxblood as institutional identity;
- muted gold as a premium brand accent;
- controlled cyan / electric blue / emerald telemetry accents;
- soft red / amber for warnings;
- off-white high-contrast text;
- luminous status nodes;
- slim technical labels;
- sleek operational telemetry;
- spatial composition rather than a wall of equal cards.

Do not create a rainbow dashboard.

Do not make every element glow.

Use glow only for live data, selected state, route activity, critical attention, or a deliberate focal point.

9. LIGHT MODE

Light mode must remain premium and visually related to dark mode.

Use:

- clean white / soft cool-white ground;
- translucent frosted panels;
- dark charcoal/navy-like structural text;
- HAU-USC maroon/oxblood anchors;
- muted gold highlights;
- restrained blue/emerald telemetry;
- glossy white specular edges;
- soft layered shadows;
- clear figure/ground separation.

Do not create beige-on-beige blandness.

Light mode should feel like a bright executive logistics console, not an office database.

10. FIX THE MOON ICON EXACTLY

The current generic moon treatment is rejected.

Use the moon reference in the companion PDF as the visual authority.

Required moon shape

- filled crescent silhouette;
- bold and immediately recognizable;
- not an outline-only crescent;
- not a thin line icon;
- not an emoji;
- centered optically inside the active circular plate;
- dark crescent against a glossy light/white active thumb in the dark-theme state;
- preserve the reference's strong graphic silhouette.

Prefer a custom inline SVG path or SVG mask so the shape is exact and crisp.

Do not rely on a generic icon library if it cannot match the reference.

11. PREMIUM DAY/NIGHT TOGGLE

Use the owner-provided toggle as the base interaction pattern.

Required:

```
```text
LIGHT MODE
active sun plate on the left
moon visible on the right
```

```
press
-> thumb compresses slightly
-> active plate slides
-> sun rays contract/rotate
-> moon reveals/rotates
-> theme layers crossfade
-> highlight travels across the glossy capsule
```

```
DARK MODE
active moon plate on the right
sun remains visible on the left
```
```

The control should feel like a premium physical switch made of glass/metal, not a default settings toggle.

Target timings:

```
```text
press feedback: 90-140ms
thumb travel: 220-300ms
icon choreography: 220-360ms
theme crossfade: 280-420ms
```
```

Use transform and opacity.

No bounce easing.

No width/height layout animation.

Persist preference.

Use system preference only when no user choice exists.

Support keyboard.

Expose truthful accessible state and action labels.

Under reduced motion, keep the state change but remove long travel/rotation choreography.

12. GLOSSY / GLASSMORPHISM SYSTEM

Glass is now intentional and allowed.

Use it deliberately.

Create a documented glass token system, for example:

```
```text
glass-base
glass-raised
glass-overlay
glass-border
glass-specular
glass-shadow
glass-blur
glass-saturation
glow-blue
glow-gold
glow-green
glow-alert
```
```

A good glass surface should have:

- controlled transparency;
- backdrop blur when supported;
- a visible but subtle edge;
- inner/outer highlight separation;
- readable content contrast;
- dark-mode tint that preserves depth;
- a solid fallback when `backdrop-filter` is unavailable.

Do not make every container the same glass card.

Use glass for floating command surfaces, telemetry panels, overlays, drawers, filters, quick actions, and selected data summaries.

Use flatter dense surfaces where tables need maximum legibility.

13. 3D WEBGL INTERACTIVE GLOBE ROUTING - REQUIRED SIGNATURE FEATURE

The next preview must include a real interactive 3D globe/routing visualization.

This is front-end preview data only.

Do not imply that mock routes are production truth.

Label the visualization appropriately as preview/demo telemetry if needed.

Preferred implementation

Use an isolated preview dependency such as:

- Three.js; or
- Globe.gl backed by Three.js/WebGL.

Do not add the dependency to production application runtime unless the current preview architecture already isolates it safely.

Bundle the dependency into the preview/export so the shareable artifact does not require a live CDN.

Globe requirements

- real WebGL rendering when WebGL2 is available;
- draggable rotation;
- wheel/pinch zoom where appropriate;
- slow controlled auto-rotation while idle;
- glowing route arcs;
- animated travel pulses along active arcs;
- glowing origin/destination/status nodes;
- hover/focus labels;
- selected route highlight;
- subtle atmospheric rim/light;
- day/night or dark-space visual treatment;

- HAU gold + cyan/blue/emerald route palette;
- route legend;
- ability to pause/reset the view;
- responsive composition.

Integration with current workflow

Do not invent a new backend domain.

The globe is a **visual command-center feature** that must connect conceptually to existing preview data such as:

- active events;
- request logistics;
- suppliers;
- incoming/outgoing procurement;
- external deliveries;
- operational locations;
- mock route telemetry.

Clicking/selecting a visual node may open an existing local preview detail/drawer rather than a new product module.

Truthfulness

If coordinates/routes are fictional for the preview, use sanitized mock labels and clearly mark them as demonstration data.

Do not use real student/provider/private location data.

14. WEBGL PERFORMANCE AND FALLBACK

The globe must be eye-candy, not a battery drain.

Required safeguards:

- feature-detect WebGL2;
- progressive fallback when unsupported;
- cap effective device pixel ratio where necessary;
- pause animation when document/tab is hidden;
- pause or reduce work when globe is offscreen;
- avoid unnecessary allocation per frame;
- dispose renderer, geometries, materials, textures, and listeners when destroyed;
- keep expensive post-processing limited;
- use renderer animation-loop best practices;
- verify responsive performance on realistic desktop and mobile hardware assumptions.

Under `prefers-reduced-motion: reduce`:

- disable idle auto-rotation;
- remove continuous route travel pulses;
- replace pulsing nodes with static highlighted nodes;
- keep interaction and route visibility usable.

Fallback must still show a premium static/2D routing view.

15. EXTREME BUT PURPOSEFUL MOTION - REQUIRED

The owner wants substantially more animation than previous versions.

Use a coordinated motion system, not random effects.

Motion categories

A. Command-center entrance

On first surface entry:

1. ambient background resolves;
2. command bar fades/slides in;
3. globe fades/scales into place;
4. route arcs light up;
5. telemetry glass panels stagger in;
6. primary attention state resolves;
7. secondary content becomes interactive.

This may be dramatic, but keep it under roughly 1.2-1.8 seconds total and allow immediate interaction.

B. Page/view transitions

Use View Transitions API when available as progressive enhancement.

Fallback with transform/opacity.

C. Glass hover response

For pointer devices only:

- subtle 3D tilt;
- specular highlight follows pointer;
- shadow/depth shifts;
- glow intensifies only where meaningful.

Disable or simplify on touch and reduced-motion modes.

D. Live telemetry

- numbers animate on meaningful state entry;
- charts draw/reveal once;
- status nodes pulse only for genuinely "live" mock state;
- route arcs carry moving pulses;
- progress changes animate between states;
- attention indicators breathe subtly.

Do not continuously recount metrics.

E. Navigation

- nav active indicator glides;
- sidebar open/close is kinetic;
- labels transition smoothly;
- mobile navigation uses premium sliding/scale state feedback;
- back control has directional travel.

F. Drawers/dialogs/detail panes

- depth-aware enter/exit;
- opacity + translate + subtle scale;
- focus remains correct;
- background layer shifts rather than simply disappearing.

G. Success/confirmation

Use a short refined acknowledgement animation, not confetti everywhere.

16. EXTREME ANIMATION RULES

Extreme does NOT mean distracting.

Every animation must communicate at least one:

```
```text
navigation
state
hierarchy
continuity
cause/effect

progress
attention
live activity
completion
spatial relationship
```
```

If it communicates none, remove it.

No bounce/elastic easing.

No auto-playing full-screen parallax on every page.

No motion that blocks clicking.

No repeated intro on every tiny state change.

No flashing.

No large rapid zoom effects.

17. GLOSSY SIGNATURE CONTROLS

Redesign these as signature controls rather than default icons:

Menu button

- kinetic three-line menu;
- lines shift/morph into a clear close state when drawer is open;
- glossy/raised response;
- 180-260ms;
- correct focus and hit target.

Back control

- smaller and more refined than the rejected large outlined circle;
- glossy compact plate;
- arrow moves 2-4px in travel direction on hover/press;

- use depth and specular response;
- different compact sizing for mobile if needed.

Search / command bar

Make search one of the primary visual anchors.

Use:

- translucent glossy command surface;
- keyboard shortcut hint;
- command suggestions;
- smooth focus expansion;
- local preview-only quick navigation.

Notifications

Use a tasteful live-status treatment with local mock data, not a generic red badge alone.

18. REAL-TIME TELEMETRY LANGUAGE

Adopt the visual language seen in premium logistics references:

- route latency;
- activity pulse;
- on-time rate;
- requests needing action;
- active inventory movement;
- ready release count;
- overdue custody count;
- event readiness;
- live system/session status;
- route/status nodes;
- compact trend visuals.

These values remain sanitized mock preview data unless the current preview already has safe local mock fixtures.

Do not imply a live backend connection.

19. CURRENT WORKFLOW COVERAGE MUST BE PRESERVED

Do not remove existing representative flows.

Retain and improve:

Public / pre-auth

- portal entry
- Staff Sign In
- Create Staff Account
- verification
- application
- status/tracking
- Request Center
- Request receipt/tracking
- Lending Center
- Lending receipt/tracking
- privacy / acceptable-use

Authenticated shell

- sidebar
- collapsed sidebar
- topbar
- search
- notifications
- account menu
- workspace/scope context
- theme toggle
- mobile navigation
- tablet shell

Role workspaces

- Administrator
- Director
- Food
- Inventory
- Materials
- System Owner where already represented

Operations

- Request review/detail
- Lending review/detail
- Release Desk
- Restocking/Receiving

- Procurement/Canvassing/Event Deliverables
- Inventory
- Inventory detail/history
- Events/sub-events
- activity/history

Administration

- Accounts & Access
- Staff Directory
- Reference Administration
- Link Registry
- Announcements / Brand & Media
- My Profile
- system/environment status where already represented

Do not invent a Reports surface if the authoritative repository still does not contain one.

20. ADD FEATURES; DO NOT REMOVE

The owner allows a few front-end-only additions.

Good additions:

- `Network View` / globe visualization mode;
- command palette/search overlay;
- live-status strip;
- operational focus mode;
- richer preview-only notification center;
- route/status legend;
- local quick-action dock;
- context-preserving loading states;
- visual activity pulse;
- timeline scrub/preview where applicable;
- hover telemetry on charts/globe;
- panel pin/collapse state saved locally.

Do not add features just to fill space.

Each new feature must improve an existing workflow or help scan operational state.

21. LOADING STATES

Replace generic spinners as the primary loading language.

Use:

- skeleton structure;
- glossy linear progress;
- context-preserving placeholders;
- route-loading tracer;
- chart skeleton;
- staged reveal;
- short status copy.

Do not fake authoritative percentage progress.

Preserve layout so content does not jump.

22. HALLMARK - MAXIMIZE IT

Verify Hallmark is available before claiming use.

Use actual available equivalents of:

```
```text
hallmark study <reference>
hallmark audit <current v0.4.1>
hallmark redesign <target>
```
```

Study the companion PDF and the referenced web pages.

Use Hallmark specifically to extract:

- macrostructure;
- type pairing;
- color anchors;
- composition;
- signature controls;
- dark/light mood;
- spatial hierarchy;
- anti-AI fingerprint.

Hallmark's redesign pass must produce at least one major macrostructure change.

Do not allow a Hallmark run that only recolors the same dashboard.

23. IMPECCABLE - MAXIMIZE IT

Verify the installed commands.

Use the applicable equivalents of:

```
```text
/impeccable critique
/impeccable shape
/impeccable bolder
/impeccable colorize
/impeccable typeset
/impeccable layout
/impeccable animate
/impeccable delight
/impeccable overdrive
/impeccable adapt
/impeccable harden
/impeccable optimize
/impeccable audit
/impeccable polish
```
```

This is one of the rare cases where a **controlled** `/impeccable overdrive` pass is authorized for the globe/gloss/motion signature feature.

Keep overdrive isolated to non-critical visual layers and review its output before accepting it.

For every command used, record:

```
```text
COMMAND
TARGET
FINDING
IMPLEMENTED CHANGE
VERIFICATION
```
```

Do not claim use without actually invoking the skill.

24. REQUIRED EXTERNAL DESIGN STUDY

Study the companion PDF and, when network access is available, review these sources:

```
```text
https://dribbble.com/search/shipping-ui-ux
https://dribbble.com/search/shipping-dashboard
https://dribbble.com/search/logistics-dashboard
https://dribbble.com/shots/26972948-ShipNex-Logistics-Website-UI-UX-Design
https://dribbble.com/shots/24841635-Dashboard-for-a-Logistics-Product-Pathport
https://dribbble.com/shots/27302894-Fleety-TMS-Dashboard-Dark-Mode
https://dribbble.com/shots/19973594-Cargo-Delivery-Dashboard-Design
https://tabnav.com/blog/best-website-design-examples
https://bluezooweb.com/best-websites-for-web-design-inspiration-brilliant-examples-to-boost-your-creativity/
https://github.com/nutlope/hallmark
https://github.com/pbakaus/impeccable
https://lawsofux.com/
https://www.interaction-design.org/literature/topics/visual-hierarchy
https://m3.material.io/
https://web.dev/articles/prefers-reduced-motion
https://threejs.org/docs/pages/WebGLRenderer.html
https://globe.gl/
```
```

Extract design DNA.

Do not pixel-clone any design.

Do not copy logos or proprietary imagery into the HAU-USC preview.

25. REFERENCE-SPECIFIC ADAPTATION

From the owner-provided global-freight ship hero

Adapt:

- dramatic single visual focal point;
- cinematic image/3D centerpiece;
- floating telemetry card;
- strong headline hierarchy;
- route/location strip;

- deep oceanic dark backdrop.

Do not turn the internal app into a marketing landing page.

From the owner-provided black/gold truck logistics site

Adapt:

- cinematic dark mood;
- high-contrast photography/visual depth;
- gold used as trust/accent color;
- large assertive typography;
- layered editorial sections;
- dramatic light falloff.

Use as mood/composition reference, not as page-copy template.

From the owner-provided dark laptop dashboard

Adapt:

- clear sidebar hierarchy;
- compact dense orders table;
- rounded dark data surfaces;
- restrained electric accent;
- top command/search bar;
- metric-to-table balance.

From the owner-provided purple dark dashboard

Adapt:

- subtle neon telemetry;
- gradient emphasis used selectively;
- technical dark panels;
- strong selected nav state;
- charts/data visualizations that feel alive.

Do not copy the purple brand palette wholesale.

HAU-USC maroon/gold remains the identity anchor.

26. SUBSTANTIAL REDESIGN GATE

The new candidate must not look like a minor patch.

A valid candidate must include at least:

- 8 major front-end changes;
- 4 compositional/macrolayout changes;
- 3 signature glossy/motion features;
- the WebGL globe;
- the corrected celestial toggle;
- upgraded menu/back controls;
- upgraded loading language;
- stronger dark command-center overview;
- a clearly evolved light mode;
- preserved workflow coverage.

If a before/after screenshot looks like "the same dashboard with more glow," keep redesigning.

27. BEFORE / AFTER VISUAL DELTA TEST

Capture identical comparison views from v0.4.1 and the new candidate:

```
```text
Overview - light - 1440
Overview - dark - 1440
Overview - dark - globe active - 1440
Request Center - dark - 1440
Inventory - dark - 1440
Release/Lending - dark - 1440
Public portal - light - 1440
Overview - light - 390
Overview - dark - 390
Theme toggle close-up
Menu/back controls close-up
```
```

Ask:

> If all text and logos were blurred, would the new version still be obviously different and more premium?

If not, the visual delta gate FAILS.

Continue iterating.

28. RESPONSIVE TARGETS

Verify at:

```
```text
320
375
390
414
768
1024
1440
```
```

The globe and glass effects must adapt rather than overflow.

Mobile must not be a squeezed desktop.

On mobile:

- globe becomes a bounded interactive hero/visual surface;
- supporting telemetry stacks or becomes swipeable only if accessible;
- command controls remain reachable;
- menu/back/theme controls remain premium;
- tables use priority rows + details rather than horizontal squeeze;
- sticky primary actions are allowed;
- no page-level horizontal overflow.

29. ACCESSIBILITY

Eye-candy does not override accessibility.

Verify:

- WCAG contrast;
- focus visibility;
- keyboard operation;
- modal/drawer focus trap;
- focus restoration;
- theme-toggle accessible state;
- touch targets;
- semantic headings;
- labels;
- state announcements;
- 200% zoom;
- reduced-motion mode;
- no color-only status;
- no flashing.

Glass surfaces must maintain readable contrast against changing backgrounds.

30. PERFORMANCE

The preview must still feel responsive.

Required checks:

- no runaway animation loops;
- no hidden-tab GPU churn;
- no obvious layout thrashing;
- no continuous forced reflow from pointer effects;
- no giant uncompressed image payload where avoidable;
- WebGL resources disposed correctly;
- visual effects lazy/conditional where useful;
- responsive script errors: zero;
- preview console errors: zero;
- no external network calls at runtime unless explicitly required for local research tooling, never for the exported preview.

Aim for smooth interaction rather than maximizing effect count.

31. BUILD / EXPORT REQUIREMENTS

Keep modular source authoritative.

Generate a standalone shareable front-end preview artifact for owner review.

The exact filename should follow the current design-version convention discovered in the worktree.

If the next owner-reviewed candidate is legitimately v0.4.2, a reasonable export is:

```
`output/design/HAU_USC_Logistics_Glossy_Command_Center_v0.4.2_Preview.html`
```


Do not invent this name if Codex already established a different v0.4.x convention.

Bundle required local assets.

The exported preview should not require credentials or live backend connectivity.

32. VERIFICATION

At minimum run and record:

1. Git recovery proof
2. v0.4.1 backup hash proof
3. source duplication/preservation proof
4. preview build/export
5. local navigation smoke across all representative surfaces
6. theme persistence
7. exact moon icon visual check
8. celestial toggle animation
9. menu animation
10. back animation
11. globe render
12. globe interaction
13. globe fallback
14. reduced-motion globe behavior
15. glass fallback
16. loading states
17. keyboard
18. focus restoration
19. contrast
20. 200% zoom
21. responsive matrix
22. no external runtime requests
23. no console errors
24. Hallmark audit/redesign evidence
25. Impeccable detector/audit evidence
26. complete logical diff review
27. `git diff --check`
28. production/release/backend untouched proof
29. screenshot comparison matrix
30. visual delta gate

Do not rerun unrelated backend/release test suites merely for ceremony.

33. CHECKPOINT / HANDOFF FOR CODEX CONTINUITY

Claude must leave the design resumable by Codex again.

Maintain concise design continuity files, using the repository's existing naming convention where possible.

If no v0.4.x design continuation exists, create design-specific records such as:

```
```text
.codex/V0_4_2_FRONTEND_CURRENT.md
.codex/V0_4_2_FRONTEND_HANDOFF.md
.codex/V0_4_2_FRONTEND_RESUME_PROMPT.md
```
```

Do not replace the project-wide `.codex/CURRENT.md` with design-only state.

Record:

- branch/worktree;
- starting SHA;
- current SHA;
- v0.4.1 backup;
- current source;
- generated export;
- Hallmark commands;
- Impeccable commands;
- globe implementation;
- controls implementation;
- motion system;
- verification;
- screenshots;
- open risks;
- next action;
- do-not-repeat evidence.

If Claude usage is running low:

1. stop expanding scope;
2. make current code internally coherent;
3. update continuity;
4. run focused checks;
5. commit;
6. push design branch if authorized and clean;
7. stop.

Do not leave important state only in Claude's chat.

34. COMMIT / PUSH POLICY

Use only the isolated design branch.

Do not push to main or release branches.

Do not force-push.

Do not merge.

Suggested checkpoints, adapted to actual recovered state:

```text

design: preserve v0.4.1 and start glossy command center

design: add webgl routing and signature glossy controls

design: complete glossy animated logistics preview

```

Do not create duplicate commits for work Codex already committed.

35. ACCEPTANCE CRITERIA

Do not declare completion until all are true:

1. Codex's current v0.4.1 work was recovered and preserved.
2. v0.4.1 has a verified backup/comparison artifact.
3. The task stayed front-end only.
4. No workflow was removed.
5. The redesign is substantially different at first glance.
6. Dark mode looks like a premium logistics command center.
7. Light mode is equally intentional.
8. Gloss/glass is visible but readable.
9. HAU-USC identity remains recognizable.
10. The moon is the owner-provided filled crescent style, not a generic outline.
11. The day/night toggle is a signature animated control.
12. Menu/back controls are redesigned and animated.
13. A real WebGL globe is present when supported.
14. Globe routes/nodes animate purposefully.
15. Globe has a functional fallback.
16. Motion is extreme enough to be visually impressive but remains purposeful.
17. Reduced motion is respected.
18. Telemetry feels live without falsely claiming a live backend.
19. Loading states are custom and glossy.
20. At least 8 major front-end changes exist.
21. At least 4 compositional changes exist.
22. All representative surfaces remain accessible.
23. Responsive targets pass.
24. Contrast passes.
25. 200% zoom passes.
26. Runtime console errors are zero.
27. Exported preview uses no live production calls.
28. Hallmark was actually used if available.
29. Impeccable was actually used if available.
30. Before/after screenshots exist.
31. Visual delta test passes.
32. Continuity files allow Codex to resume without chat.
33. Design branch is committed/pushed only after verification.
34. Nothing is merged or deployed.

36. STOP CONDITIONS

Stop rather than improvise if:

- local Codex work cannot be safely classified;
- preserving it would require destructive Git actions;
- a backend change becomes necessary;
- the release branch would need a write;
- real private data would be needed;
- the 3D effect requires external live services at runtime;
- a route/surface would have to be invented contrary to repository truth;
- Hallmark/Impeccable proposes destructive unrelated rewrites;
- performance/accessibility cannot be brought to an acceptable state without reducing the effect.

When a visual effect causes a usability or performance failure, reduce or replace the effect rather than weakening the verification gate.

37. FINAL HANDOFF FORMAT

Report:

```text

PROGRAM:  
STATUS:  
OWNER-NAMED BASELINE:  
DESIGN BRANCH:  
DESIGN WORKTREE:  
STARTING SHA:  
FINAL SHA:  
REMOTE SHA:

CODEX WORK RECOVERED:  
CODEX WORK PRESERVED:  
V0.4.1 BACKUP:  
V0.4.1 BACKUP SHA:

FRONT-END ONLY CONFIRMED:  
BACKEND FILE CHANGES:  
RELEASE BRANCH WRITE:  
EXTERNAL SYSTEM WRITES:

NEW SOURCE:  
NEW SHAREABLE HTML:  
SCREENSHOTS:

DESIGN DIRECTION:  
MAJOR FRONT-END CHANGES:  
COMPOSITIONAL CHANGES:  
WORKFLOWS PRESERVED:  
FEATURES ADDED:

MOON ICON FIX:  
DAY/NIGHT TOGGLE:  
MENU CONTROL:  
BACK CONTROL:  
GLASS SYSTEM:  
WEBGL GLOBE:  
ROUTE/NODE ANIMATION:  
TELEMETRY:  
LOADING SYSTEM:  
LIGHT MODE:  
DARK MODE:

HALLMARK USAGE:  
IMPECCABLE USAGE:  
WEB REFERENCES STUDIED:

ACCESSIBILITY:  
CONTRAST:  
RESPONSIVE:  
REDUCED MOTION:  
200% ZOOM:  
PERFORMANCE:  
NETWORK REQUESTS:  
CONSOLE ERRORS:  
GIT DIFF CHECK:

VISUAL DELTA GATE:  
BEFORE/AFTER EVIDENCE:  
KNOWN LIMITATIONS:  
DO NOT REPEAT:  
NEXT ACTION:  
CODEX RESUME FILE:  
````

If unfinished because Claude reaches its usage limit, end with:

````text  
CLAUDE GLOSSY COMMAND-CENTER CHECKPOINT SAVED.  
Continue in Codex from the recorded resume file.  
Do not reconstruct state from chat.  
````

Do not merge or deploy.

Appendix B. Source Register and Use Rules

Owner-provided images in this PDF are direct conversation inputs and should be treated as design references. External websites and Dribbble pages are research references only. Do not copy third-party artwork or proprietary layouts pixel-for-pixel. Use them to extract composition, interaction, typography, hierarchy, motion, and logistics-specific UI patterns.

The Claude task must remain on the isolated design worktree/branch, preserve Codex work, create backups before destructive visual refactors, and stop before PR/merge/deploy unless separately authorized.