

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

making the code executable by the computer.

25. The correct answer is c) It is closer to the binary machine language of the computer. Assembly language is considered a low-level language because it is closely related to the binary machine language of the computer. It provides a level of abstraction higher than machine language but lower than high-level languages.

26. The correct answer is a) Improved readability due to symbolic instructions. Writing a program in assembly language offers improved readability compared to machine language. Assembly language instructions are represented by mnemonic codes, which are easier to understand and remember than binary codes.

27. The correct answer is a) It requires a deep understanding of the internal architecture of the processor. The major disadvantage of assembly language is that it is machine-dependent. Programmers need to have detailed knowledge of the specific processor's internal architecture to write effective assembly language code.

28. The correct answer is c) It is specific to the internal architecture of a particular processor model. Assembly language is machine-dependent because it is designed to work with the specific internal architecture of a particular processor model. Programs written in assembly language for one processor may not work on a different processor with a different architecture.

29. The correct answer is b) It is more difficult and time-consuming than machine language. While assembly language provides symbolic instructions and is easier to understand than machine language, it is still more difficult and time-consuming to write programs in assembly language compared to higher-level languages.

30. The correct answer is b) It translates assembly language code into machine language. An assembler is responsible for translating assembly language code into machine language code. It converts mnemonic instructions and operands into their corresponding binary representation.

31. The correct answer is c) It produces errors or does not work

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

correctly due to architectural differences. Assembly language programs are specific to the internal architecture of a processor. If the architecture of the new processor is different from the one for which the program was written, the program may produce errors or behave incorrectly.

32. The correct answer is d) It provides direct access to hardware and low-level programming control. Assembly language is a low-level language that provides direct access to hardware components and allows for fine-grained control over the computer system.

33. The correct answer is c) The operation code indicating the function to be performed. In assembly language, mnemonic codes are used as operation codes to represent specific functions to be performed, such as MOV (move), ADD (addition), SUB (subtraction), or CMP (comparison).

34. The correct answer is b) Lower level of abstraction. Assembly language provides a lower level of abstraction compared to high-level languages. It allows direct manipulation of hardware

components and provides more control over the system.

35. The correct answer is b) High-level languages offer improved readability and ease of use. High-level languages, such as C, Java, or Python, provide a higher level of abstraction, improved readability, and easier programming compared to assembly language.

36. The correct answer is d) Arithmetic and data manipulation operations. Assembly language commonly involves arithmetic operations, such as addition, subtraction, multiplication, and division, as well as data manipulation operations, such as moving data between registers or memory locations.

37. The correct answer is d) It represents the data or memory location involved in an operation. In assembly language, an operand specifies the data or memory location involved in an operation. It can be a register, a memory address, or a constant value.

38. The correct answer is b) Assembly language programs are more portable across different systems. While assembly language is

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

still machine-dependent, it is relatively more portable compared to machine language. Assembly language code can be adapted to different systems with the same processor architecture by making minor modifications.

39. The correct answer is a) MOV 5, R1. MOV is an example of an assembly language instruction that stands for "move." In this specific instruction, it moves the value 5 into register R1.

40. The correct answer is c) Assembler. An assembler is the component responsible for translating assembly language code into machine language code. It converts mnemonic instructions and operands into their corresponding binary representation. Assembly language provides a bridge between machine language and high-level languages, offering more readability and convenience than machine language while still allowing low-level control over the hardware.

41. The correct answer is c) Third generation language (3GL). High-level languages are commonly referred to as third generation languages due to their development

following the first and second generation languages.

42. The correct answer is c) To make programming easier and less error-prone. The primary goal behind the development of high-level languages was to create programming languages that are more user-friendly, readable, and reduce the chances of errors compared to low-level languages.

43. The correct answer is c) Assembly language. Assembly language is a low-level language and not considered a high-level language. Examples of high-level languages include C, COBOL, BASIC, Pascal, etc.

44. The correct answer is c) Third generation languages. High-level languages, such as C, COBOL, BASIC, etc., have instructions that resemble English language constructs, making it easier for programmers to understand and write programs.

45. The correct answer is a) Procedural. Most third generation languages are procedural in nature, where programmers specify a sequence of steps or procedures for



SUNRISE CLASSES

the computer to follow in order to execute a program.

46. The correct answer is b) The program must be converted to machine language. Before a program written in a high-level language can be executed, it needs to be translated or compiled into machine language, which the computer can understand and execute.

47. The correct answer is a) Compiler. A compiler is responsible for translating a high-level language program into machine language. It analyzes the entire program and produces an executable file that can be directly executed by the computer.

48. The correct answer is c) Programs in high-level languages are more readable. Compared to assembly and machine languages, programs written in high-level languages are generally more readable and understandable, as they use English-like syntax and higher-level abstractions.

49. The correct answer is c) Easy debugging. One of the advantages of high-level programming languages is that errors or bugs in

programs can be easily detected and fixed. The higher-level abstractions and error-handling mechanisms in high-level languages make the debugging process more straightforward.

50. The correct answer is c) High development costs of machine and assembly language programs. The development of high-level languages was motivated by the high costs, complexity, and time required to write programs in machine and assembly languages. High-level languages aimed to make programming more efficient and cost-effective.

High-level languages have significantly contributed to the ease, efficiency, and portability of programming. They provide improved readability, facilitate easy debugging, and offer a more user-friendly approach compared to low-level languages.

51. The correct answer is d) They provide a higher level of abstraction and require less coding. Fourth Generation Languages (4GL) are designed to provide a higher level of abstraction, allowing developers to write code at a more conceptual level and requiring less detailed coding compared to lower-level languages.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

52. The correct answer is d) SQL.

SQL (Structured Query Language) is an example of a Fourth Generation Language (4GL) that is commonly used for database management and querying.

53. The correct answer is d) They allow for faster development and higher productivity. One of the main advantages of using Fourth Generation Languages (4GL) is their ability to speed up development and increase productivity by providing high-level abstractions and pre-built functions for common tasks.

54. The correct answer is d) Database querying and report generation. Fourth Generation Languages (4GL) are commonly used for tasks related to data manipulation and database operations, such as querying databases and generating reports.

55. The correct answer is a) They use English-like statements. Fourth Generation Languages (4GL) often use English-like statements, making them more readable and easier to understand compared to low-level languages that use binary code or

assembly language with mnemonic codes.

56. The correct answer is c) They require extensive hardware knowledge. Fourth Generation Languages (4GL) are designed to provide a higher level of abstraction and simplify programming tasks, so they do not typically require extensive hardware knowledge or low-level hardware control.

57. The correct answer is b) Interpreter. Fourth Generation Language (4GL) code is typically executed by an interpreter, which translates and executes the code on the fly, rather than being compiled into machine-executable instructions like in lower-level languages.

58. The correct answer is c) Simplified and rapid application development. The primary focus of Fourth Generation Languages (4GL) is to simplify and accelerate application development by providing high-level abstractions, pre-built functions, and tools for rapid development.

59. The correct answer is c) Business process automation. Fourth Generation Languages (4GL) are

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

commonly used for tasks related to business process automation, such as creating workflows, managing data, and automating repetitive tasks.

60. The correct answer is c) High-level, providing a more user-friendly approach. Fourth Generation Languages (4GL) offer a high level of abstraction, providing a more user-friendly approach to programming compared to low-level languages. They allow developers to work with concepts and structures closer to natural language, making programming easier and more intuitive.

Fourth Generation Languages (4GL) have significantly contributed to simplifying application development, enhancing productivity, and enabling efficient data manipulation. They provide a higher level of abstraction, allowing developers to focus on problem-solving rather than low-level implementation details.

61. The correct answer is d) They are based on solving problems using constraints. Fifth Generation Languages (5GL) are programming languages that are based on solving problems using constraints provided to the program, rather than

following a specific algorithm written by a programmer.

62. The correct answer is d) Prolog. Prolog is an example of a Fifth Generation Language (5GL) that is commonly used for logic programming and artificial intelligence applications.

63. The correct answer is c) Constraint-based problem solving. The main focus of Fifth Generation Languages (5GL) is constraint-based problem solving, where the programmer specifies the constraints and the program finds solutions that satisfy those constraints.

64. The correct answer is d) They are based on constraints rather than algorithms. Fifth Generation Languages (5GL) are distinct from lower-level languages in that they are based on solving problems using constraints provided to the program, rather than following explicit algorithms.

65. The correct answer is d) Solving complex problems in artificial intelligence. Fifth Generation Languages (5GL) are commonly used for solving complex problems in artificial intelligence research and

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

applications, where constraint-based problem solving is often required.

66. The correct answer is a) They use English-like statements. Fifth Generation Languages (5GL) often use English-like statements, making them more readable and easier to understand compared to lower-level languages that use binary code or assembly language with mnemonic codes.

67. The correct answer is b) Interpreter. Fifth Generation Language (5GL) code is typically executed by an interpreter, which translates and executes the code on the fly, rather than being compiled into machine-executable instructions like in lower-level languages.

68. The correct answer is c) Solving complex problems using constraints. The primary focus of Fifth Generation Languages (5GL) is solving complex problems using constraints provided to the program. They are designed to simplify and streamline constraint-based problem solving tasks.

69. The correct answer is d) Business process automation. Fifth

Generation Languages (5GL) are commonly used for tasks related to business process automation, where constraints and rules are defined to automate and optimize various processes.

70. The correct answer is c) High-level, providing a more user-friendly approach. Fifth Generation Languages (5GL) offer a high level of abstraction, providing a more user-friendly approach to programming compared to low-level languages. They allow developers to work with concepts and structures closer to natural language, making programming easier and more intuitive.

Fifth Generation Languages (5GL) have played a significant role in artificial intelligence research and problem-solving domains, enabling programmers to express complex problems and constraints in a more natural and efficient manner.

71. The correct answer is d) Sequential languages vs. parallel languages. While high-level languages vs. low-level languages, procedural languages vs. object-oriented languages, and compiled languages vs. interpreted languages are commonly used classifications, sequential languages vs. parallel

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

languages are not typically used to classify programming languages.

72. The correct answer is b) Being easy to understand and write for humans. High-level languages are designed to be user-friendly and easier to understand and write compared to low-level languages. They provide a higher level of abstraction, allowing programmers to focus more on problem-solving rather than dealing with low-level details.

73. The correct answer is b) Sequential languages vs. parallel languages. This classification refers to how instructions are organized and executed in a program. Sequential languages follow a linear execution flow, while parallel languages allow for concurrent execution of multiple tasks or processes.

74. The correct answer is d) Compiled languages. Compiled languages require a compiler to translate the human-readable code into machine-executable instructions. The compiler analyzes the entire code and produces an executable file that can be directly executed by the computer.

75. The correct answer is c) High-level languages vs. low-level languages. The distinction between high-level and low-level languages considers the level of abstraction provided by the language. High-level languages are more abstract and provide easier ways to work with complex concepts, while low-level languages are closer to the hardware and require more detailed instructions.

76. The correct answer is c) Encapsulating data and behavior into objects. Object-oriented languages emphasize the concept of objects, which encapsulate data and behavior together. They support concepts such as inheritance, polymorphism, and encapsulation, making it easier to model real-world entities and their interactions.

77. The correct answer is c) Imperative languages vs. declarative languages. Imperative languages focus on specifying the step-by-step instructions to solve a problem, while declarative languages focus on specifying what needs to be achieved, without prescribing the exact steps to achieve it.

78. The correct answer is c) Specifying what needs to be



SUNRISE CLASSES

achieved, rather than how.

Declarative languages allow programmers to specify the desired outcome or goal, and the language's runtime system takes care of determining how to achieve that outcome. This provides a higher level of abstraction and often leads to more concise and maintainable code.

79. The correct answer is b) High-level languages vs. low-level languages. This classification considers the level of abstraction provided by the language. High-level languages provide a higher level of abstraction, allowing programmers to work with concepts closer to natural language, while low-level languages are closer to the hardware and require more detailed instructions.

80. The correct answer is c) Parallel languages. Parallel languages are designed to facilitate concurrent execution of multiple tasks or processes. They provide constructs and mechanisms for managing parallelism and distributing work across multiple processors or cores.

Understanding the classification of programming languages helps us categorize and identify the

characteristics and capabilities of different languages, enabling us to choose the most appropriate language for a particular task or problem domain.

81. The correct answer is a) To translate the program into machine code. The primary purpose of compiling a program is to translate the human-readable source code into machine-readable code, typically in the form of object code or bytecode, which can be executed by the computer's processor.

82. The correct answer is a) Compiling. The compiling stage involves translating the source code into machine code. The compiler analyzes the source code, checks for syntax errors, and generates object code or bytecode as output.

83. The correct answer is a) Combines object code files and libraries to create an executable file. The linker is responsible for combining object code files generated during the compiling stage and linking them with required libraries to create an executable file. It resolves references to external functions or variables and generates a final executable.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

84. The correct answer is c) It prepares the program for execution by allocating memory. Loading is the stage where the operating system or runtime environment loads the executable file into memory, allocates memory space for the program's code and data, and prepares it for execution.

85. The correct answer is a) It contains the names and memory addresses of variables and functions. The symbol table is a data structure used by the linker to store information about the names and memory addresses of variables, functions, and other symbols defined or referenced in the program. It allows the linker to resolve references to symbols across different object code files.

86. The correct answer is b) The linker. During the linking stage, unresolved symbols, which are references to functions or variables defined in other object code files or libraries, are resolved by the linker. It looks for the definitions of those symbols and updates the references accordingly.

87. The correct answer is c) Loader. The loader is responsible for allocating memory for a program's

executable code, data, and libraries. It loads the program into memory, resolves external references, sets up the program's execution environment, and transfers control to the program's entry point.

88. The correct answer is b) Linking. The linking stage is responsible for identifying and resolving external references between different object code files. It combines the object code files generated during the compiling stage and resolves references to functions or variables defined in other files.

89. The correct answer is c) It allows multiple programs to share the same copy of a library in memory. Dynamic linking is a process where the linking of libraries is performed at runtime rather than during the compilation stage. It allows multiple programs to share the same copy of a library in memory, reducing memory usage and improving efficiency.

90. The correct answer is c) It prepares the program for execution by allocating memory and resolving external references. The loader prepares the program for execution by allocating memory for the program's code, data, and libraries.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

It also resolves external references, sets up the program's execution environment, and transfers control to the program's entry point.

Understanding the process of compiling, linking, and loading a program helps us comprehend how source code is translated into machine code and how different components are combined to create an executable program. It is crucial knowledge for programmers to ensure the successful execution of their programs.

91. The correct answer is a) Compiler. A compiler is responsible for translating the entire source code written in a high-level programming language into machine code. It performs lexical analysis, syntax analysis, semantic analysis, and code generation to produce the executable machine code.

92. The correct answer is b) Assembler. An assembler is a software tool that converts assembly language code, which is a low-level symbolic representation of machine instructions, into machine code. It replaces mnemonic instructions and symbolic operands with their binary equivalents.

93. The correct answer is a) Compilation. Compilation refers to the process of translating high-level source code into machine code. It involves the use of a compiler, which performs various analyses and transformations to generate the final executable code.

94. The correct answer is c) To allocate memory and prepare the program for execution. A loader is responsible for allocating memory space for the program's code and data, resolving external references, setting up the program's execution environment, and transferring control to the program's entry point. It prepares the program for execution.

95. The correct answer is d) Linker. The linker resolves external references between different object code files by combining them and ensuring that all references to functions or variables are properly linked. It generates a single executable file by linking together the necessary object code files and libraries.

96. The correct answer is c) Loader. A loader is responsible for allocating memory for a program's code and data during the loading process. It

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

sets up the necessary memory space, copies the program's instructions and data into memory, and prepares the program for execution.

97. The correct answer is d) Linker. The linker combines multiple object code files and libraries to create a single executable file. It resolves references between different modules, performs address relocation, and generates the final executable file.

98. The correct answer is c) Interpreter. An interpreter translates and executes the source code line by line as it is encountered. It does not produce a separate machine code file, but rather interprets and executes the source code directly.

99. The correct answer is d) They execute the source code directly, without generating intermediate machine code. Interpreters execute the source code directly without producing intermediate machine code. They interpret and execute each line of the source code on the fly.

100. The correct answer is d). The linker is responsible for resolving

symbols and addresses in the final executable file. It ensures that all symbols referenced in the program are properly linked and their addresses are correctly resolved.

101. The correct answer is d) The translator, which can be a compiler or an interpreter, converts a high-level source program into machine code or an intermediate representation that can be executed by the machine.

102. The correct answer is c) The linker is responsible for combining multiple object programs or libraries, resolving symbolic references between them, and producing a single executable program that can be executed by the machine.

103. The correct answer is c) Relocation is the process of adjusting the code and data in a program to reflect the assigned addresses. This allows the program to be loaded at different memory locations.

104. The correct answer is d) The loader is responsible for loading an executable program's instructions and data from secondary memory (such as disk storage) into primary

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

memory (RAM) and preparing them for execution.

105. The correct answer is c)

Relocation is the process of adjusting the code and data in a program to reflect the assigned addresses, ensuring that the program can execute correctly regardless of its memory location.

106. The correct answer is c) Linking is the process of resolving symbolic references between object programs or libraries. It allows different modules or object files to refer to each other's functions or variables.

107. The correct answer is d) The loader is responsible for placing the executable program's instructions and data from secondary memory into primary memory (RAM) for execution by the processor.

108. The correct answer is a) The compiler, during the compilation process, assigns addresses to various parts of the program, such as variables and functions, based on the rules defined by the programming language and the target machine architecture.

109. The correct answer is d) The main goal of relocation is to adjust the code and data in a program to reflect the assigned addresses, ensuring that the program can execute correctly regardless of its memory location.

110. The correct answer is a) The purpose of the translator, whether it is a compiler or an interpreter, is to translate high-level code written in a programming language into machine code or an intermediate representation that can be executed by the machine.



SUNRISE CLASSES

7

Basic Concept of Operating System

1. What is an operating system?
 - a) A collection of hardware components
 - b) A programming language
 - c) Software that manages computer hardware and software resources
 - d) A graphical user interface
2. Which of the following is not an operating system?
 - a) Windows
 - b) Linux
 - c) Microsoft Office
 - d) macOS
3. What is the purpose of an operating system?
 - a) To provide a user interface for interacting with the computer
 - b) To manage and allocate computer resources
 - c) To prevent unauthorized access to the system
 - d) To create and edit documents
4. Which of the following is not a type of operating system?
 - a) Single-user operating system
 - b) Multi-user operating system
 - c) Real-time operating system
 - d) Web-based operating system
5. Which scheduling algorithm is used in most operating systems to determine the execution order of processes?
 - a) Round-robin scheduling
 - b) First-come, first-served (FCFS) scheduling
 - c) Shortest Job Next (SJN) scheduling
 - d) Priority-based scheduling
6. What is virtual memory in an operating system?
 - a) Memory that is physically installed in the computer
 - b) Memory used for storing virtual machines
 - c) A technique that allows the execution of processes that are not completely in memory
 - d) Memory used exclusively for system processes
7. What is the role of the file system in an operating system?
 - a) To manage the physical components of the computer
 - b) To provide a user interface for interacting with files and directories
 - c) To manage and organize files on storage devices

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

d) To regulate network connections

8. Which of the following is an example of a multi-user operating system?

- a) Windows XP
- b) Ubuntu Server
- c) Android
- d) macOS High Sierra

9. What is the purpose of device drivers in an operating system?

- a) To provide a graphical user interface for the operating system
- b) To manage and control peripheral devices connected to the computer
- c) To execute user programs on the computer
- d) To allocate system resources to different processes

10. Which of the following is an example of a real-time operating system?

- a) Windows 10
- b) iOS
- c) Android
- d) QNX

11. What is the primary function of an operating system?

- a) Managing computer hardware
- b) Providing a user interface
- c) Running applications
- d) Managing computer resources

12. Which of the following is a function of an operating system related to memory management?

- a) Ensuring data security
- b) Managing file systems
- c) Allocating and deallocating memory for processes
- d) Managing network connections

13. What is the role of the file management function in an operating system?

- a) Controlling peripheral devices
- b) Managing system backups
- c) Managing and organizing files and directories
- d) Managing system performance

14. Which of the following is a function of an operating system related to process management?

- a) Allocating disk space
- b) Providing network connectivity
- c) Managing and scheduling processes
- d) Managing system security

15. What is the purpose of device driver management in an operating system?

- a) Managing system power
- b) Managing input/output devices
- c) Managing user accounts
- d) Managing file permissions

16. Which function of an operating system is responsible for managing and controlling peripheral devices?

- a) File management

SUNRISE CLASSES ISS

SUNRISE CLASSES

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

- b) Process management
 - c) Device driver management
 - d) Memory management
17. What is the function of an operating system related to security and access control?
- a) Managing system resources
 - b) Managing system backups
 - c) Providing a user interface
 - d) Ensuring system integrity and protecting against unauthorized access
18. What is the purpose of the scheduling function in an operating system?
- a) Managing system resources
 - b) Providing a graphical user interface
 - c) Managing network connectivity
 - d) Managing the execution order of processes
19. Which function of an operating system is responsible for managing and coordinating input/output operations?
- a) Memory management
 - b) File management
 - c) Process management
 - d) I/O management
20. What is the role of the virtualization function in an operating system?
- a) Providing network connectivity
 - b) Managing system security
 - c) Simulating multiple virtual environments
 - d) Managing user authentication
21. Which of the following is a component of an operating system responsible for managing memory resources?
- a) Kernel
 - b) File system
 - c) Device drivers
 - d) Memory manager
22. What is the role of the kernel in an operating system?
- a) Managing input/output devices
 - b) Managing file systems
 - c) Providing a user interface
 - d) Core component responsible for managing system resources
23. Which component of an operating system is responsible for managing and controlling hardware devices?
- a) Kernel
 - b) Shell
 - c) File system
 - d) Device drivers
24. What is the purpose of the shell in an operating system?
- a) Managing memory resources
 - b) Controlling user access and permissions
 - c) Providing a command-line or graphical user interface
 - d) Managing file systems

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

25. Which component of an operating system is responsible for managing file storage and organization?

- a) Shell
- b) Kernel
- c) File system
- d) Device drivers

26. What is the role of device drivers in an operating system?

- a) Managing file systems
- b) Managing input/output devices
- c) Providing user interfaces
- d) Controlling system security

27. Which component of an operating system is responsible for managing and scheduling processes?

- a) Kernel
- b) Shell
- c) Process manager
- d) Device drivers

28. What is the function of the user interface component in an operating system?

- a) Managing file systems
- b) Controlling system resources
- c) Interacting with users and providing a means to execute commands or operations
- d) Managing hardware devices

29. Which component of an operating system is responsible for handling user requests and managing system resources?

- a) Shell
- b) Kernel
- c) Process manager
- d) Device drivers

30. What is the purpose of the file system component in an operating system?

- a) Managing memory resources
- b) Managing input/output devices
- c) Providing a user interface
- d) Managing file storage and organization

31. Which operating system is considered the first commercially successful microcomputer operating system?

- a) MS-DOS
- b) UNIX
- c) Windows
- d) Mac OS

32. Which operating system was developed by Microsoft and served as the primary operating system for IBM-compatible personal computers?

- a) MS-DOS
- b) UNIX
- c) Windows
- d) Mac OS

33. Which operating system was developed at Bell Labs in the 1970s and became widely used in academic and research environments?

- a) MS-DOS
- b) UNIX

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

- c) Windows
- d) Mac OS

34. Which operating system was the first to introduce a graphical user interface (GUI) for personal computers?

- a) MS-DOS
- b) UNIX
- c) Windows
- d) Mac OS

35. Which operating system was developed by Apple Inc. and introduced in 1984?

- a) MS-DOS
- b) UNIX
- c) Windows
- d) Mac OS

36. Which operating system, released in 1995, marked a significant shift for Microsoft by providing a more user-friendly interface and enhanced multimedia capabilities?

- a) MS-DOS
- b) UNIX
- c) Windows 95
- d) Mac OS

37. Which operating system, introduced by Apple Inc. in 2001, had a Unix-based architecture and was designed for both desktop and mobile devices?

- a) MS-DOS
- b) UNIX
- c) Windows XP

- d) Mac OS X

38. Which operating system, released by Microsoft in 2001, brought improved stability, performance, and a redesigned user interface?

- a) MS-DOS
- b) UNIX
- c) Windows XP
- d) Mac OS X

39. Which operating system, released by Microsoft in 2009, aimed to address the shortcomings of Windows Vista and introduced several performance and security enhancements?

- a) MS-DOS
- b) UNIX
- c) Windows 7
- d) Mac OS X

40. Which operating system, released by Microsoft in 2015, introduced a range of new features and a unified platform for various devices including PCs, tablets, and smartphones?

- a) MS-DOS
- b) UNIX
- c) Windows 10
- d) Mac OS X

41. Which operating system was developed for the first generation of computers, such as UNIVAC and ENIAC?

- a) Manchester Mark 1
- b) Fortran Monitor System

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

c) GM-NAA I/O

d) General Motors Operating System

42. Which operating system introduced the concept of batch processing, where multiple jobs are executed without user intervention?

- a) Manchester Mark 1
- b) Fortran Monitor System
- c) GM-NAA I/O
- d) General Motors Operating System

43. Which operating system, developed in the second generation, provided improved support for programming languages and introduced the concept of timesharing?

- a) IBM OS/360
- b) MULTICS
- c) CTSS
- d) UNIVAC EXEC I

44. Which operating system was designed for the IBM System/360 mainframe computers and became one of the most widely used operating systems of its time?

- a) IBM OS/360
- b) MULTICS
- c) CTSS
- d) UNIVAC EXEC I

45. Which operating system, developed in the third generation, introduced the concept of virtual memory and brought improvements

in multitasking and file management?

- a) UNIX
- b) CP/M
- c) VMS
- d) MVS

46. Which operating system, developed by Bell Labs, became popular among universities, research institutions, and later influenced the development of various Unix-like systems?

- a) UNIX
- b) CP/M
- c) VMS
- d) MVS

47. Which operating system, developed in the fourth generation, introduced a user-friendly graphical user interface (GUI) and became a dominant operating system for personal computers?

- a) MS-DOS
- b) Windows
- c) Mac OS
- d) Linux

48. Which operating system, developed by Apple Inc., became known for its innovative design, ease of use, and integration with Apple's hardware?

- a) MS-DOS
- b) Windows
- c) Mac OS
- d) Linux

SUNRISE CLASSES ISS

SUNRISE CLASSES

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

49. Which operating system was developed by Microsoft as a successor to MS-DOS and became the foundation for the Windows operating system family?

- a) Windows 95
- b) Windows XP
- c) Windows 98
- d) Windows NT

50. Which operating system was the first to introduce a multitasking graphical user interface (GUI) and revolutionized the personal computer industry?

- a) Mac OS
- b) Windows 3.1
- c) UNIX
- d) MS-DOS

51. What is the primary characteristic of a batch processing operating system?

- a) Real-time processing
- b) Interactive processing
- c) Sequential processing
- d) Parallel processing

52. In a batch processing operating system, how are jobs typically executed?

- a) In real-time as they arrive
- b) Interactively based on user inputs
- c) Sequentially without user intervention
- d) In parallel across multiple processors

53. Which component of a batch processing operating system is responsible for scheduling and managing the execution of jobs?

- a) Kernel
- b) File system
- c) Compiler
- d) Job scheduler

54. What is the role of a job scheduler in a batch processing operating system?

- a) Allocating memory resources to jobs
- b) Managing file systems and directories
- c) Handling user interactions and inputs
- d) Determining the order and priority of job execution

55. Which operating system is considered one of the earliest examples of a batch processing system?

- a) MS-DOS
- b) UNIX
- c) IBM OS/360
- d) Windows

56. In a batch processing system, what typically happens when one job completes its execution?

- a) The system waits for user input to start the next job
- b) The next job is automatically selected and executed
- c) The system pauses until the user manually starts the next job