



SUNRISE CLASSES

and the modem for internet connectivity?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Modem Interface Unit

199. Which unit of a computer system is responsible for managing the interaction between the CPU and the scanner for scanning documents and images?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Scanner Controller

200. Which unit of a computer system is responsible for managing the interaction between the CPU and the biometric devices for authentication purposes?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Biometric Interface Unit

201. Which unit of a computer system is responsible for managing the interaction between the CPU and the secondary storage devices such as hard drives and solid-state drives?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Storage Controller

202. Which unit of a computer system is responsible for managing the interaction between the CPU and the Bluetooth devices for wireless connectivity?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Bluetooth Interface Unit

203. Which unit of a computer system is responsible for managing the interaction between the CPU and the USB devices for data transfer?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) USB Controller

204. Which unit of a computer system is responsible for managing the interaction between the CPU and the RAID arrays for data redundancy and performance improvement?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) RAID Controller

205. Which unit of a computer system is responsible for managing the interaction between the CPU and the barcode readers for scanning product codes?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Barcode Interface Unit

206. Which unit of a computer system is responsible for managing the interaction between the CPU and the GPS devices for location tracking?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

c) Control Unit

d) GPS Interface Unit

207. Which unit of a computer system is responsible for managing the interaction between the CPU and the virtual reality (VR) devices for immersive experiences?

a) Central Processing Unit (CPU)

b) Random Access Memory (RAM)

c) Control Unit

d) VR Interface Unit

208. Which unit of a computer system is responsible for managing the interaction between the CPU and the smart card readers for secure authentication?

a) Central Processing Unit (CPU)

b) Random Access Memory (RAM)

c) Control Unit

d) Smart Card Interface Unit

209. Which unit of a computer system is responsible for managing the interaction between the CPU and the digital cameras for capturing photos and videos?

a) Central Processing Unit (CPU)

b) Random Access Memory (RAM)

c) Control Unit

d) Camera Controller

210. Which unit of a computer system is responsible for managing the interaction between the CPU and the data acquisition devices for collecting data from sensors and instruments?

a) Central Processing Unit (CPU)

b) Random Access Memory (RAM)

c) Control Unit

d) Data Acquisition Interface Unit

211. Which unit of a computer system is responsible for managing the interaction between the CPU and the power supply for regulating and distributing electrical power?

a) Central Processing Unit (CPU)

b) Random Access Memory (RAM)

c) Control Unit

d) Power Management Unit

212. Which unit of a computer system is responsible for managing the interaction between the CPU and the bi-directional parallel port for connecting external devices?

a) Central Processing Unit (CPU)

b) Random Access Memory (RAM)

c) Control Unit

d) Parallel Port Controller

213. Which unit of a computer system is responsible for managing the interaction between the CPU and the Wi-Fi devices for wireless networking?

a) Central Processing Unit (CPU)

b) Random Access Memory (RAM)

c) Control Unit

d) Wi-Fi Interface Unit

214. Which unit of a computer system is responsible for managing the interaction between the CPU and the firewire devices for high-speed data transfer?

a) Central Processing Unit (CPU)

b) Random Access Memory (RAM)

c) Control Unit

d) Firewire Controller

215. Which unit of a computer system is responsible for managing

SUNRISE CLASSES ISS

SUNRISE CLASSES



SUNRISE CLASSES

the interaction between the CPU and the network switch for network connectivity?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Network Switch Controller

216. Which unit of a computer system is responsible for managing the interaction between the CPU and the data projector for displaying visual content?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Projector Interface Unit

217. Which unit of a computer system is responsible for managing the interaction between the CPU and the USB hub for connecting multiple USB devices?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) USB Hub Controller

218. Which unit of a computer system is responsible for managing the interaction between the CPU and the analog-to-digital converter for converting analog signals to digital format?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) ADC Interface Unit

219. Which unit of a computer system is responsible for managing the interaction between the CPU

and the HDMI port for high-definition multimedia connectivity?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) HDMI Controller

220. Which unit of a computer system is responsible for managing the interaction between the CPU and the touchpad for cursor control?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Touchpad Interface Unit

221. Which unit of a computer system is responsible for managing the interaction between the CPU and the magnetic stripe reader for reading data from magnetic cards?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Magnetic Stripe Interface Unit

222. Which unit of a computer system is responsible for managing the interaction between the CPU and the infrared port for wireless communication?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Infrared Interface Unit

223. Which unit of a computer system is responsible for managing the interaction between the CPU and the microSD card slot for external storage?

- a) Central Processing Unit (CPU)

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

- b) Random Access Memory (RAM)
c) Control Unit

d) MicroSD Interface Unit

224. Which unit of a computer system is responsible for managing the interaction between the CPU and the NFC (Near Field Communication) devices for contactless communication?

- a) Central Processing Unit (CPU)
b) Random Access Memory (RAM)
c) Control Unit
d) NFC interface Unit

225. Which unit of a computer system is responsible for managing the interaction between the CPU and the temperature sensor for monitoring the system's temperature?

- a) Central Processing Unit (CPU)
b) Random Access Memory (RAM)
c) Control Unit
d) Temperature Sensor Interface Unit

226. Which unit of a computer system is responsible for managing the interaction between the CPU and the fingerprint scanner for biometric authentication?

- a) Central Processing Unit (CPU)
b) Random Access Memory (RAM)
c) Control Unit
d) Fingerprint Scanner Interface Unit

227. Which unit of a computer system is responsible for managing the interaction between the CPU and the memory card reader for

reading different types of memory cards?

- a) Central Processing Unit (CPU)
b) Random Access Memory (RAM)
c) Control Unit
d) Memory Card Interface Unit

228. Which unit of a computer system is responsible for managing the interaction between the CPU and the Ethernet port for wired network connectivity?

- a) Central Processing Unit (CPU)
b) Random Access Memory (RAM)
c) Control Unit
d) Ethernet Controller

229. Which unit of a computer system is responsible for managing the interaction between the CPU and the battery for power supply to portable devices?

- a) Central Processing Unit (CPU)
b) Random Access Memory (RAM)
c) Control Unit
d) Battery Controller

230. Which unit of a computer system is responsible for managing the interaction between the CPU and the backup battery for retaining data during power outages?

- a) Central Processing Unit (CPU)
b) Random Access Memory (RAM)
c) Control Unit
d) Backup Battery Interface Unit

231. Which unit of a computer system is responsible for managing the interaction between the CPU and the graphics card for rendering and displaying visuals?

- a) Central Processing Unit (CPU)

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

- b) Random Access Memory (RAM)
- c) Control Unit

- d) Graphics Processing Unit (GPU)

232. Which unit of a computer system is responsible for managing the interaction between the CPU and the joystick for gaming and input control?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Joystick Interface Unit

233. Which unit of a computer system is responsible for managing the interaction between the CPU and the microphone for audio input?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Microphone Interface Unit

234. Which unit of a computer system is responsible for managing the interaction between the CPU and the webcam for video input?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Webcam Interface Unit

235. Which unit of a computer system is responsible for managing the interaction between the CPU and the optical mouse for cursor control?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Optical Mouse Interface Unit

236. Which unit of a computer system is responsible for managing the interaction between the CPU and the gamepad for gaming and input control?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Gamepad Interface Unit

237. Which unit of a computer system is responsible for managing the interaction between the CPU and the scanner for document and image scanning?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Scanner Interface Unit

238. Which unit of a computer system is responsible for managing the interaction between the CPU and the speakers for audio output?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Speaker Interface Unit

239. Which unit of a computer system is responsible for managing the interaction between the CPU and the touch-sensitive display for input and output?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Touchscreen Interface Unit

240. Which unit of a computer system is responsible for managing the interaction between the CPU

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

and the data storage devices for data backup and retrieval?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Storage Interface Unit

241. Which unit of a computer system is responsible for managing the interaction between the CPU and the touch-sensitive trackpad for cursor control?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Trackpad Interface Unit

242. Which unit of a computer system is responsible for managing the interaction between the CPU and the barcode printer for printing barcode labels?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Barcode Printer Interface Unit

243. Which unit of a computer system is responsible for managing the interaction between the CPU and the video capture card for capturing and recording video content?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Video Capture Card Interface Unit

244. Which unit of a computer system is responsible for managing the interaction between the CPU and the touch-sensitive stylus for precise input and drawing?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Stylus Interface Unit

245. Which unit of a computer system is responsible for managing the interaction between the CPU and the network interface card for connecting to a network?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Network Interface Controller

246. Which unit of a computer system is responsible for managing the interaction between the CPU and the printer for printing documents and images?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Printer Interface Unit

247. Which unit of a computer system is responsible for managing the interaction between the CPU and the CD/DVD drive for reading and writing optical discs?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Optical Drive Interface Unit

248. Which unit of a computer system is responsible for managing the interaction between the CPU and the touch-sensitive smartboard for interactive presentations?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

d) Smartboard Interface Unit

249. Which unit of a computer system is responsible for managing the interaction between the CPU and the digital-to-analog converter for converting digital signals to analog format?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) DAC Interface Unit

250. Which unit of a computer system is responsible for managing the interaction between the CPU and the modem for connecting to the internet?

- a) Central Processing Unit (CPU)
- b) Random Access Memory (RAM)
- c) Control Unit
- d) Modem Interface Unit



SUNRISE CLASSES

Explanation

1. The correct answer is a) Central Processing Unit (CPU)

- The CPU is responsible for executing instructions and performing calculations.

2. The correct answer is b) Random Access Memory (RAM)

- RAM is responsible for storing data and instructions that the CPU can access quickly.

3. The correct answer is c) Control Unit

- The control unit is responsible for controlling and coordinating the activities of all other units.

4. The correct answer is c) Secondary Storage Unit

- Secondary storage units (e.g., hard drives) are responsible for storing data and programs permanently.

5. The correct answer is a) Input/Output (I/O) Unit

- The I/O unit is responsible for converting data into a form suitable for processing by the computer.

6. The correct answer is c) Input/Output (I/O) Unit

- The I/O unit is responsible for receiving input from external devices and sending output to them.

7. The correct answer is a) Arithmetic Logic Unit (ALU)

- The ALU is responsible for performing logical and arithmetic operations.

8. The correct answer is a) Control Unit

- The control unit is responsible for controlling the flow of data between the CPU, memory, and external devices.

9. The correct answer is b) Arithmetic Logic Unit (ALU)

- RAM is responsible for storing data and programs that are not currently being used by the CPU.

10. The correct answer is c) Arithmetic Logic Unit (ALU)

- The ALU performs arithmetic and logical operations on data.

11. The correct answer is c) Secondary Storage Unit

- Secondary storage units (e.g., hard drives) store instructions and data permanently even when the computer is turned off.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

12. The correct answer is a) Control Unit

- The control unit manages the flow of data between the CPU, memory, and other devices.

13. The correct answer is b) Random Access Memory (RAM)

- RAM provides temporary storage for data and instructions actively used by the CPU.

14. The correct answer is c) Arithmetic Logic Unit (ALU)

- The ALU performs mathematical calculations and logical operations.

15. The correct answer is c) Input/Output (I/O) Unit

- The I/O unit receives input from users and sends output to display devices.

16. The correct answer is d) Operating System

- The operating system is responsible for controlling the overall operation of the computer, managing resources, and running applications.

17. The correct answer is d) Secondary Storage Unit

- Secondary storage units (e.g., hard drives) store large amounts of data and programs in a non-volatile manner.

18. The correct answer is c) Arithmetic Logic Unit (ALU)

- The ALU is responsible for performing logical operations and making decisions based on instructions.

19. The correct answer is d) Motherboard

- The motherboard manages the physical connections between the computer's components.

20. The correct answer is d) Secondary Storage Unit

- Secondary storage units (e.g., hard drives) store data and programs that are not currently being used by the CPU but can be accessed when needed.

21. The correct answer is c) Control Unit

- The control unit is responsible for executing and coordinating instructions for performing specific tasks.

22. The correct answer is b) Random Access Memory (RAM)

- RAM is responsible for temporarily storing data and instructions that the CPU needs to access frequently.

23. The correct answer is d) Operating System

- The operating system manages and controls the overall operation of the computer.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

24. The correct answer is c)
Secondary Storage Unit

- Secondary storage units (e.g., hard drives) provide long-term storage for data and programs even when the computer is turned off.

25. The correct answer is d) Digital-to-Analog Converter (DAC)

- A Digital-to-Analog Converter (DAC) is responsible for converting digital signals into analog signals for output to external devices.

26. The correct answer is d)
Input/Output (I/O) Controller

- The I/O controller manages the input and output operations between the computer and external devices.

27. The correct answer is d)
Arithmetic Logic Unit (ALU)

- The ALU performs mathematical calculations and logical operations on data.

28. The correct answer is b) Random Access Memory (RAM)

- RAM stores frequently accessed data and instructions to improve system performance.

29. The correct answer is d)
Input/Output (I/O) Controller

- The I/O controller coordinates the flow of data between the CPU, memory, and input/output devices.

30. The correct answer is d) Read-Only Memory (ROM)

- Read-Only Memory (ROM) permanently stores the computer's firmware and BIOS.

31. The correct answer is c) Control Unit

- The control unit coordinates the execution of instructions and manages the flow of data.

32. The correct answer is

- RAM temporarily stores the results of calculations performed by the CPU.

33. The correct answer is d)
Operating System

- The operating system manages and controls the interaction between the computer hardware and software.

34. The correct answer is d)
Secondary Storage Unit

- Secondary storage units provide non-volatile storage for data and programs.

35. The correct answer is d) Analog-to-Digital Converter (ADC)

- An Analog-to-Digital Converter (ADC) is responsible for converting analog signals from external devices into digital signals for processing.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

36. The correct answer is d)
Input/Output (I/O) Controller

- The I/O controller manages the input and output operations between the computer and peripheral devices.

37. The correct answer is d)
Arithmetic Logic Unit (ALU)

- The ALU performs arithmetic calculations and logical operations.

38. The correct answer is b) Random Access Memory (RAM)

- RAM stores frequently accessed instructions and data to speed up processing.

39. The correct answer is d)
Input/Output (I/O) Controller

- The I/O controller manages the communication between the CPU, memory, and peripheral devices.

40. The correct answer is d) Read-Only Memory (ROM)

- Read-Only Memory (ROM) stores permanent firmware and system settings.

41. The correct answer is c) Control Unit

- The control unit is responsible for fetching instructions from memory and decoding them for execution. It manages the instruction cycle of the CPU.

42. The correct answer is b) Random Access Memory (RAM)

- RAM is responsible for temporarily storing data that is being processed by the CPU. It provides quick access to data and is used as a workspace for active processes.

43. The correct answer is d)
Secondary Storage Unit

- Secondary storage units (e.g., hard drives) are responsible for managing the storage and retrieval of data on external storage devices. They store data in a non-volatile manner.

44. The correct answer is a) Central Processing Unit (CPU)

- The CPU is responsible for executing program instructions and performing calculations. It is often considered the "brain" of the computer.

45. The correct answer is d)
Arithmetic Logic Unit (ALU)

- The ALU, part of the CPU, is responsible for temporarily storing the operands and intermediate results of arithmetic and logical operations during processing.

46. The correct answer is d)
Operating System

- The operating system is responsible for managing the allocation and deallocation of

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

memory resources among various processes and tasks.

47. The correct answer is d) Digital-to-Analog Converter (DAC)

- A Digital-to-Analog Converter (DAC) is responsible for converting digital signals from the CPU into analog signals for output to external devices such as speakers or monitors.

48. The correct answer is d) Motherboard

- The motherboard is responsible for managing the communication between the CPU, memory, and other internal components. It houses various connectors and buses for data transfer.

49. The correct answer is d) Secondary Storage Unit

- Secondary storage units (e.g., hard drives) are responsible for storing the operating system, applications, and user data in a non-volatile manner.

50. The correct answer is d) Operating System

- The operating system is responsible for coordinating the execution of instructions and managing the resources of the computer, including CPU, memory, and peripherals.

51. The correct answer is d) Operating System

- The operating system is responsible for managing the allocation of system resources, scheduling tasks, and controlling peripheral devices.

52. d) Input/Output (I/O) Interface

- The I/O interface is responsible for converting electrical signals from external devices into binary data that can be processed by the CPU and vice versa.

53. The correct answer is d) Arithmetic Logic Unit (ALU)

- The ALU is responsible for executing the arithmetic and logical instructions provided by the control unit.

54. The correct answer is b) Random Access Memory (RAM)

- RAM is responsible for storing the instructions and data that are currently being executed or accessed by the CPU during active processing.

55. The correct answer is d) Motherboard

- The motherboard is responsible for controlling the overall operation and coordination of the computer system, including its various components.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

56. The correct answer is d) Input Buffer

- An input buffer is responsible for temporarily storing the input data received from external devices before it is processed by the CPU.

57. The correct answer is d) Digital-to-Analog Converter (DAC)

- A Digital-to-Analog Converter (DAC) is responsible for converting digital signals from the CPU into analog signals for output to external devices.

58. The correct answer is d) Motherboard

- The motherboard manages the physical connections and communication between the CPU, memory, and other components of the computer.

59. The correct answer is d) Secondary Storage Unit

- Secondary storage units (e.g., hard drives) are responsible for storing the operating system and system files in a non-volatile manner.

60. The correct answer is d) Input/Output (I/O) Controller

- The I/O controller is responsible for managing the input and output operations between the CPU and peripheral devices, including data transfer and communication.

61. The correct answer is d) Bus Interface Unit

- The Bus Interface Unit (BIU) is responsible for managing the communication between the CPU and the other components, including memory and peripheral devices, by controlling the computer's buses and addressing system.

62. The correct answer is d) Input/Output (I/O) Interface

- The Input/Output (I/O) Interface is responsible for converting digital signals from external devices into binary data that can be processed by the CPU and vice versa. It facilitates data exchange between the CPU and external devices.

63. The correct answer is b) Random Access Memory (RAM)

- RAM is responsible for temporarily storing the results of completed calculations performed by the CPU during processing. It provides quick access to this data for further operations.

64. The correct answer is d) Memory Management Unit (MMU)

- The Memory Management Unit (MMU) is responsible for managing the physical and logical addresses of data in memory. It ensures efficient memory allocation and retrieval.



SUNRISE CLASSES

65. The correct answer is d) Cache Memory

- Cache memory is responsible for storing frequently accessed data to improve system performance. It acts as a high-speed buffer between the CPU and main memory (RAM).

66. The correct answer is a) Central Processing Unit (CPU)

- The CPU, specifically the Execution Unit within the CPU, is responsible for executing the instructions provided by the control unit. It performs the actual computation and data manipulation.

67. The correct answer is b) Random Access Memory (RAM)

- RAM is responsible for storing data and instructions that are currently being processed by the CPU. It serves as the primary working memory.

68. The correct answer is d) Input/Output (I/O) Controller

- The I/O controller is responsible for managing the interaction between the computer and external devices through input and output operations. It controls data transfer between the CPU and peripherals.

69. The correct answer is d) Secondary Storage Unit

- Secondary storage units (e.g., hard drives) are responsible for

providing long-term storage for data and programs, even when the computer is turned off.

70. The correct answer is d) Power Supply Unit (PSU)

- The Power Supply Unit (PSU) is responsible for controlling the power supply and managing the flow of electricity within the computer, ensuring that components receive the necessary power.

71. The correct answer is d) Modem

- A modem (short for modulator-demodulator) is responsible for converting binary data from the CPU into signals that can be transmitted over communication channels, such as telephone lines.

72. The correct answer is d) Buffer

- A buffer is responsible for providing a temporary storage space for data that is being transferred between the CPU and external devices. It helps smooth out data transfer rates.

73. The correct answer is d) Clock Generator

- The Clock Generator is responsible for controlling the timing and sequencing of operations within the computer system, including the synchronization of CPU operations.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

74. The correct answer is d) Bootstrap Loader

- The Bootstrap Loader is responsible for storing the initial instructions that are executed when the computer is powered on. It initiates the booting process and loads the operating system.

75. The correct answer is d) Memory Controller

- The Memory Controller is responsible for managing the flow of data between the CPU and memory, ensuring efficient data transfer and access.

76. The correct answer is a) Central Processing Unit (CPU)

- The CPU, particularly the Execution Unit and Program Counter within the CPU, is responsible for interpreting and executing instructions stored in memory.

77. The correct answer is d) Input Queue

- An input queue is responsible for storing data that is waiting to be processed by the CPU. It organizes and manages the order of data processing.

78. The correct answer is d) Digital-to-Analog Converter (DAC)

- A Digital-to-Analog Converter (DAC) is responsible for converting digital signals from the CPU into

analog signals specifically for output to audio devices, such as speakers.

79. The correct answer is d) Disk Controller

- The Disk Controller is responsible for managing the transfer of data between the CPU and external storage devices, such as hard drives and SSDs.

80. The correct answer is d) Operating System

- The Operating System is responsible for coordinating the execution of instructions and managing the overall operation of the computer system, including resource allocation, task scheduling, and peripheral device control.

81. The correct answer is d) Memory Management Unit (MMU)

- The Memory Management Unit (MMU) is responsible for managing the addressing and retrieval of data from primary storage, such as RAM. It translates logical addresses used by the CPU into physical addresses in memory.

82. The correct answer is c) Control Unit

- The Control Unit is responsible for coordinating and controlling the execution of instructions within the CPU. It fetches and decodes instructions, directing the operations of other CPU components.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

83. The correct answer is d)
Accumulator

- The Accumulator is a special register in the CPU that is responsible for temporarily storing intermediate results and operands during arithmetic and logical operations.

84. The correct answer is d)
Memory Controller

- The Memory Controller is responsible for controlling the interaction between the CPU and the main memory (RAM). It manages data transfer and access between the CPU and RAM.

85. The correct answer is d) Cache Memory

- Cache memory is responsible for storing frequently accessed data from the main memory to improve processing speed. It acts as a high-speed buffer between the CPU and RAM.

86. The correct answer is d)
Instruction Decoder

- The Instruction Decoder is responsible for receiving and interpreting instructions from the control unit. It decodes instructions so that the CPU can execute them.

87. The correct answer is d) Input Buffer

- An input buffer is responsible for providing a temporary storage

location for input data from external devices before it is processed by the CPU.

88. The correct answer is d) Analog-to-Digital Converter (ADC)

- An Analog-to-Digital Converter (ADC) is responsible for converting analog signals from external devices into digital signals that can be processed by the CPU.

89. The correct answer is d)
Input/Output (I/O) Controller

- The Input/Output (I/O) Controller is responsible for managing the flow of data between the CPU and peripheral devices, including input and output operations.

90. The correct answer is d)
Secondary Storage Unit

- Secondary storage units (e.g., hard drives) are responsible for storing the operating system, applications, and user files in a non-volatile manner.

91. The correct answer is d)
Arithmetic Logic Unit (ALU)

- The Arithmetic Logic Unit (ALU) is responsible for executing arithmetic and logical operations on data. It performs mathematical calculations and decision-making processes.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

92. The correct answer is d)
Memory Management Unit (MMU)

- The Memory Management Unit (MMU) is responsible for managing the allocation and deallocation of memory resources, ensuring efficient memory usage.

93. The correct answer is c) Control Unit

- The Control Unit is responsible for controlling the sequence and timing of instructions within the CPU, including instruction fetching and execution.

94. The correct answer is d) Register File

- A Register File is responsible for temporarily storing the instructions and data that are currently being processed by the CPU. Registers are used for fast access to data.

95. The correct answer is d)
Graphics Processing Unit (GPU)

- The Graphics Processing Unit (GPU) is responsible for converting digital signals from the CPU into analog signals for output to a display device, such as a monitor.

96. The correct answer is d)
Input/Output (I/O) Controller

- The Input/Output (I/O) Controller is responsible for managing the flow of data between the CPU and external storage

devices, such as hard drives and SSDs.

97. The correct answer is d)
Memory Controller

- The Memory Controller is responsible for managing the flow of instructions and data between the CPU and main memory (RAM). It ensures efficient data access.

98. The correct answer is d) Analog-to-Digital Converter (ADC)

- An Analog-to-Digital Converter (ADC) is responsible for converting analog signals from external devices into digital signals that can be processed by the CPU.

99. The correct answer is d) Cache Memory

- Cache memory is responsible for storing frequently accessed data to reduce the average time required for data access, improving overall system performance.

100. The correct answer is d)
Input/Output (I/O) Interface

- The Input/Output (I/O) Interface is responsible for managing the interaction between the computer and external devices, facilitating data exchange between the CPU and peripherals.

101. The correct answer is a) Central Processing Unit (CPU)

- The Central Processing Unit (CPU) is responsible for executing

SUNRISE CLASSES ISS

SUNRISE CLASSES

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

the instructions stored in the memory. It fetches instructions from memory, decodes them, and then executes them.

102. The correct answer is d)

Input/Output (I/O) Controller

- The Input/Output (I/O) Controller is responsible for coordinating the transfer of data between the CPU and external devices including input and output operations.

103. The correct answer is c)

Control Unit

- The Control Unit is responsible for decoding instructions and generating control signals for the CPU. It interprets instructions and directs the operations of other CPU components.

104. The correct answer is d)

Memory Buffer

- A Memory Buffer is responsible for temporarily storing data that is being transferred between the CPU and main memory (RAM). It helps facilitate efficient data transfer.

105. The correct answer is d)

Input/Output (I/O) Interface

- The Input/Output (I/O) Interface is responsible for managing the interaction between the CPU and input/output devices, facilitating data exchange between the CPU and peripherals.

106. The correct answer is d)

Secondary Storage Unit

- Secondary storage units, such as hard drives or SSDs, are responsible for storing the operating system and application software in a non-volatile manner.

107. The correct answer is d)

Operating System

- The Operating System is responsible for managing the allocation and deallocation of resources for processes and programs running on the computer.

108. The correct answer is d) Digital-to-Analog Converter (DAC)

- A Digital-to-Analog Converter (DAC) is responsible for converting digital signals from the CPU into analog signals for output to audio devices, such as speakers or headphones.

109. The correct answer is d) Power Supply Unit (PSU)

- The Power Supply Unit (PSU) is responsible for controlling the power supply and regulating the voltage and current within the computer, ensuring stable operation.

110. The correct answer is d) Disk Controller

- A Disk Controller is responsible for managing the storage and

SUNRISE CLASSES ISS

SUNRISE CLASSES

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

retrieval of data from secondary storage devices, such as hard drives or SSDs.

111. The correct answer is d)
Program Counter

- The Program Counter is responsible for storing the address of the next instruction to be fetched from memory. It keeps track of the current execution point in the program.

112. The correct answer is d)
Instruction Pipeline

- Instruction pipelining involves the management of instruction execution in a pipelined processor, optimizing instruction throughput by overlapping execution stages.

113. The correct answer is d)
Analog-to-Digital Converter (ADC)

- An Analog-to-Digital Converter (ADC) is responsible for converting analog signals from external devices into digital signals that can be processed by the CPU.

114. The correct answer is d)
Memory Management Unit (MMU)

- The Memory Management Unit (MMU) is responsible for managing the allocation and deallocation of memory resources, ensuring efficient memory usage.

115. The correct answer is d) Data Register

- A Data Register is responsible for temporarily storing data during the execution of instructions within the CPU. It is used for quick access to data.

116. The correct answer is d)
Storage Controller

- A Storage Controller is responsible for managing the flow of data between the CPU and secondary storage devices, such as hard drives or SSDs.

117. The correct answer is d)
Graphics Processing Unit (GPU)

- The Graphics Processing Unit (GPU) is responsible for converting digital signals from the CPU into analog signals for output to display devices, such as monitors.

118. The correct answer is d)
Instruction Cache

- An Instruction Cache is responsible for storing frequently accessed instructions to improve processing speed in modern CPUs.

119. The correct answer is d) Input Controller

- An Input Controller is responsible for managing the interaction between the CPU and input devices, facilitating data input from devices like keyboards or mice.

120. The correct answer is d)
Output Controller

SUNRISE CLASSES ISS

SUNRISE CLASSES

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

An Output Controller is responsible for managing the flow of data between the CPU and output devices, ensuring data output to devices like displays or printers.

121. The correct answer is d) Memory Controller

- A Memory Controller is responsible for coordinating the transfer of data between the CPU and main memory (RAM) to ensure efficient data access.

122. The correct answer is d) Arithmetic Logic Unit (ALU)

- The Arithmetic Logic Unit (ALU) is responsible for executing arithmetic and logical operations on data. It performs mathematical calculations and logical comparisons.

123. The correct answer is d) Input/Output (I/O) Interface

- The Input/Output (I/O) Interface is responsible for managing the interaction between the CPU and external devices, facilitating data exchange between the CPU and peripherals.

124. The correct answer is d) Cache Memory

- Cache memory is responsible for storing frequently accessed instructions and data to improve

processing speed by providing faster access to frequently used data.

125. The correct answer is d) Instruction Fetch Unit

- The Instruction Fetch Unit is responsible for controlling the sequence and timing of instructions within the CPU, including fetching instructions from memory.

126. The correct answer is d) Instruction Decoder

- The Instruction Decoder is responsible for decoding instructions and generating control signals for the CPU, ensuring that the CPU executes instructions correctly.

127. The correct answer is d) Analog-to-Digital Converter (ADC)

- An Analog-to-Digital Converter (ADC) is responsible for converting analog signals from external devices into digital signals that can be processed by the CPU.

128. The correct answer is d) Input/Output (I/O) Controller

- The Input/Output (I/O) Controller is responsible for managing the flow of data between the CPU and peripheral devices, including input and output operations.

129. The correct answer is d) Secondary Storage Unit

SUNRISE CLASSES ISS

SUNRISE CLASSES