

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

Secondary storage units, such as hard drives or SSDs, are responsible for storing the operating system, applications, and user files in a non-volatile manner.

130. The correct answer is d) Accumulator

- An Accumulator is a special register in the CPU responsible for temporarily storing intermediate results and operands during arithmetic and logical operations.

131. The correct answer is d) Memory Management Unit (MMU)

- The Memory Management Unit (MMU) is responsible for managing the translation of virtual addresses to physical addresses. It plays a critical role in virtual memory systems, allowing programs to use virtual addresses while the MMU handles the mapping to physical memory locations.

132. The correct answer is d) Input/Output (I/O) Controller

- The Input/Output (I/O) Controller is responsible for controlling the flow of instructions and data between the CPU and input/output devices. It manages data transfer and communication between the CPU and peripherals.

133. The correct answer is d) Memory Buffer

- A Memory Buffer is responsible for temporarily storing data during

its transfer between the CPU and main memory (RAM). Buffers help optimize data transfer rates and ensure efficient communication.

134. The correct answer is d) Digital-to-Analog Converter (DAC)

- A Digital-to-Analog Converter (DAC) is responsible for converting digital signals from the CPU into analog signals, which can be sent to audio devices like speakers or headphones for sound output.

135. The correct answer is d) Operating System

- The Operating System is responsible for managing the allocation and deallocation of resources for processes and programs. It oversees the execution of programs and ensures efficient resource utilization.

136. The correct answer is d) Disk Controller

- A Disk Controller is responsible for managing the storage and retrieval of data from secondary storage devices, such as hard drives or SSDs. It controls data access to and from these storage media.

137. The correct answer is d) Program Counter

- The Program Counter is responsible for keeping track of the address of the next instruction to be fetched from memory. It plays a

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

central role in program execution in a von Neumann architecture computer.

138. The correct answer is d)

Output Controller

- An Output Controller is responsible for managing the interaction between the CPU and output devices, ensuring data is sent to devices such as displays or printers for output.

139. The correct answer is d)

Analog-to-Digital Converter (ADC)

- An Analog-to-Digital Converter (ADC) is responsible for converting analog signals from external devices, such as sensors or microphones, into digital signals that can be processed by the CPU.

140. The correct answer is d) Power Supply Unit (PSU)

- The Power Supply Unit (PSU) is responsible for controlling the power supply and regulating voltage and current within the computer. It ensures stable and reliable power delivery to all components.

141. The correct answer is d)

System Unit

- The term "System Unit" typically refers to the main enclosure or chassis of a computer that houses components like the CPU, RAM, motherboard, and storage devices.

It does not directly manage the activities of other units.

142. The correct answer is d) Cache Memory

- Cache memory is responsible for storing frequently accessed instructions and data to improve processing speed by providing faster access to frequently used data.

143. The correct answer is d)

Instruction Decoder

- The Instruction Decoder is responsible for converting binary instructions fetched from memory into electrical signals that can be processed by the CPU.

144. The correct answer is d)

Instruction Control Unit

- The term "Instruction Control Unit" is not a standard unit in computer architecture. The Control Unit typically handles instruction execution control.

145. The correct answer is d) Optical Drive Controller

- An Optical Drive Controller is responsible for managing the storage and retrieval of data from optical storage devices, such as CD/DVD drives or Blu-ray drives.

146. The correct answer is d)

Graphics Processing Unit (GPU)

- The Graphics Processing Unit (GPU) is responsible for converting

SUNRISE CLASSES ISS

SUNRISE CLASSES

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

digital signals from the CPU into analog signals for output to display devices, such as monitors.

147. The correct answer is d) Bus Interface Unit

- The Bus Interface Unit (BIU) is responsible for managing the interaction between the CPU and external devices through buses. It facilitates data transfer between the CPU and peripherals.

148. The correct answer is d) Read-Only Memory (ROM)

- Read-Only Memory (ROM) is responsible for storing the operating system and firmware in non-volatile memory. It retains data even when the computer is powered off.

149. The correct answer is d) Input Controller

- An Input Controller is responsible for managing the flow of data between the CPU and input devices, such as keyboards, mice, or touchscreens.

150. The correct answer is d) Output Controller

- An Output Controller is responsible for managing the flow of data between the CPU and output devices, ensuring data output to devices like displays, printers, or speakers.

151. The correct answer is d) Floating-Point Unit (FPU)

- The Floating-Point Unit (FPU) is responsible for performing complex mathematical calculations and floating-point operations, particularly useful for scientific and engineering applications.

152. The correct answer is d) Cache Memory

- Cache memory is responsible for storing frequently accessed data and instructions to improve processing speed by providing fast access to frequently used data.

153. The correct answer is d) Input/Output (I/O) Controller

- The Input/Output (I/O) Controller is responsible for coordinating the transfer of data between the CPU and input/output devices, managing data flow between the CPU and peripherals.

154. The correct answer is d) Memory Management Unit (MMU)

- The Memory Management Unit (MMU) is responsible for managing the allocation and deallocation of memory resources, ensuring efficient memory usage.

155. The correct answer is d) Data Register

- A Data Register is responsible for temporarily storing data during the execution of instructions within

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

the CPU, facilitating quick access to data.

156. The correct answer is d)

Storage Controller

- A Storage Controller is responsible for managing the flow of data between the CPU and secondary storage devices, such as hard drives or SSDs.

157. The correct answer is d)

Graphics Processing Unit (GPU)

The Graphics Processing Unit (GPU) is responsible for converting digital signals from the CPU into analog signals for output to display devices, such as monitors.

158. The correct answer is d)

Instruction Cache

- An Instruction Cache is responsible for storing frequently accessed instructions and data to improve processing speed, especially in modern CPUs.

159. The correct answer is d) Input Controller

- An Input Controller is responsible for managing the interaction between the CPU and input devices, facilitating data input from devices like keyboards or mice.

160. The correct answer is d)

Output Controller

- An Output Controller is responsible for managing the flow

of data between the CPU and output devices, ensuring data output to devices like displays, printers, or speakers.

Certainly, here are the explanations for the additional questions:

161. The correct answer is d)

Scheduler

- The Scheduler is responsible for managing the allocation and deallocation of CPU resources to different processes in a multitasking operating system. It determines which processes get CPU time and in what order, helping to ensure efficient utilization of the CPU.

162. The correct answer is d) Digital-to-Analog Converter (DAC)

- A Digital-to-Analog Converter (DAC) is responsible for converting digital signals from the CPU into analog signals for output to audio devices like speakers or headphones.

163. The correct answer is d) Bus Interface Unit

- The Bus Interface Unit (BIU) is responsible for managing the interaction between the CPU and the system bus, facilitating data transfer between the CPU and other components through the system bus.

164. The correct answer is d) Cache Memory

SUNRISE CLASSES ISS

SUNRISE CLASSES

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

Cache Memory is responsible for storing frequently used data and instructions to reduce access time from the main memory (RAM) and improve the CPU's processing speed.

165. The correct answer is d) Memory Controller

- A Memory Controller is responsible for managing the flow of instructions and data between the CPU and the main memory (RAM) and ensuring data is transferred accurately and efficiently.

166. The correct answer is d) Analog-to-Digital Converter (ADC)

- An Analog-to-Digital Converter (ADC) is responsible for converting analog signals from external devices, like sensors or microphones, into digital signals that can be processed by the CPU.

167. The correct answer is d) Instruction Execution Unit

- The Instruction Execution Unit is responsible for managing the execution of instructions stored in memory. It interprets and carries out the instructions, performing arithmetic and logical operations.

168. The correct answer is d) Output Interface Unit

- An Output Interface Unit is responsible for managing the

interaction between the CPU and output devices such as printers and monitors, ensuring data is sent to these devices for output.

169. The correct answer is d)

Storage Controller

- A Storage Controller is responsible for managing the flow of data between the CPU and storage devices like hard drives and SSDs, controlling data access to and from these storage media.

170. The correct answer is d) Input Interface Unit

- An Input Interface Unit is responsible for managing the interaction between the CPU and input devices like keyboards and mice, facilitating data input from these devices.

171. The correct answer is d) I/O Controller

- An I/O Controller is responsible for managing the interaction between the CPU and external devices such as USB drives and network adapters, enabling data transfer and communication with these peripherals.

172. The correct answer is d) Disk Controller

- A Disk Controller is responsible for managing the storage and retrieval of data from magnetic storage devices like hard drives.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

173. The correct answer is d) Audio Interface Unit

- An Audio Interface Unit is responsible for converting analog signals from a microphone or other audio input devices into digital signals that can be processed by the CPU.

174. The correct answer is d) Graphics Interface Unit

- A Graphics Interface Unit is responsible for managing the interaction between the CPU and graphics devices such as graphics cards and monitors, facilitating the rendering and display of graphical content.

175. The correct answer is d) Program Counter

- The Program Counter is responsible for temporarily storing the address of the next instruction to be executed in the CPU's instruction sequence.

176. The correct answer is d) Communication Interface Unit

- A Communication Interface Unit is responsible for managing the interaction between the CPU and communication devices like network cards and modems, facilitating data communication over networks.

177. The correct answer is d) Instruction Decoder

- The Instruction Decoder is responsible for decoding the instructions fetched from memory and generating control signals for the CPU to execute those instructions.

178. The correct answer is d) Peripheral Interface Unit

- A Peripheral Interface Unit is responsible for managing the interaction between the CPU and peripheral devices such as printers and scanners, ensuring data transfer and communication with these devices.

179. The correct answer is d) Operating System

- The Operating System is responsible for managing the allocation and deallocation of resources for multiple running processes, including CPU resources, to ensure efficient and fair resource utilization.

180. The correct answer is d) Power Supply Unit (PSU)

- The Power Supply Unit (PSU) is responsible for managing the power supply and distributing power to various components of the computer, ensuring they receive the required voltage and current.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

181. The correct answer is d)
Memory Address Decoder

- A Memory Address Decoder is responsible for decoding the memory address of data to be fetched or stored in memory, helping to locate data in the memory subsystem.

182. The correct answer is d)
Graphics Memory Controller

- A Graphics Memory Controller is responsible for managing the flow of data between the CPU and the dedicated graphics memory used by the graphics card for rendering graphical content.

183. The correct answer is d) Input-Output Controller

- An Input-Output Controller is responsible for managing the interaction between the CPU and input/output devices, handling data transfer and communication with peripherals.

184. The correct answer is d)
Arithmetic Logic Unit (ALU)

- The Arithmetic Logic Unit (ALU) is responsible for managing the execution of arithmetic and logic operations, performing mathematical calculations and logical comparisons.

185. The correct answer is d) Clock Generator

- A Clock Generator is responsible for managing the interaction between the CPU and the system clock, ensuring synchronized timing for various components of the computer.

186. The correct answer is d)
Storage Interface Unit

- A Storage Interface Unit is responsible for managing the interaction between the CPU and external storage devices such as USB drives and memory cards, facilitating data transfer to and from these devices.

187. The correct answer is d)
Network Interface Controller

-The Network Interface Controller (NIC) is responsible for managing the interaction between the CPU and the network interface card. It facilitates data communication between the computer and the network, allowing the computer to send and receive data over a network connection, such as Ethernet.

188. The correct answer is d) Printer Interface Unit

-The Printer Interface Unit is responsible for managing the interaction between the CPU and external devices like printers and scanners. It ensures that data is correctly sent to these devices for printing or scanning tasks. This unit facilitates communication between

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

the computer and peripheral devices, allowing for data transfer and control.

189. The correct answer is d) Operating System

-The Operating System (OS) is responsible for managing the allocation and deallocation of resources for multiple running processes. This includes managing CPU resources, memory allocation, and various hardware resources. The OS ensures that processes are scheduled to run efficiently and fairly, making the best use of available resources.

190. The correct answer is d) Memory Bus Controller

-The Memory Bus Controller is responsible for managing the flow of instructions and data between the CPU and the main memory (RAM). It controls the data transfer between these two crucial components, ensuring that data is read from or written to memory accurately and efficiently. The memory bus controller plays a vital role in memory access and data retrieval operations within a computer system. These units are integral parts of a computer system, each serving a specific function to enable the computer to perform various tasks and interact with external devices and networks effectively.

191. The correct answer is d) Sound Interface Unit.

-This unit is responsible for managing communication between the CPU and the sound card, allowing the computer to process and produce audio.

192. The correct answer is d) Display Controller.

- This unit handles the communication between the CPU and display devices, enabling the computer to render and output visuals on screens.

193. The correct answer is d) Network Interface Unit.

-This unit facilitates communication between the CPU and network devices, enabling data transmission over networks.

194. The correct answer is d) Optical Drive Controller.

-This unit controls communication between the CPU and optical drives like CD/DVD drives, allowing data reading and writing operations.

195. The correct answer is d) Touch Interface Unit.

-This unit facilitates communication between the CPU and touch screen devices, enabling touch-based input and output.

196. The correct answer is d) Printer Controller.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

-This unit handles communication between the CPU and printers, allowing the computer to send print jobs and control printing functions.

197. The correct answer is d) Video Capture Interface Unit.
This unit manages communication between the CPU and video capture devices like webcams and camcorders, facilitating video capture and recording.

198. The correct answer is d) Modem Interface Unit.
-This unit oversees communication between the CPU and modems, enabling internet connectivity and data transfer over telephone or cable lines.

199. The correct answer is d) Scanner Controller.
- This unit controls communication between the CPU and scanners, allowing the computer to scan and digitize documents and images.

200. The correct answer is d) Biometric Interface Unit.
-This unit facilitates communication between the CPU and biometric devices, enabling biometric authentication methods like fingerprint or facial recognition.

201. The correct answer is d) Storage Controller.

-This unit handles communication between the CPU and secondary storage devices, allowing data to be read from and written to storage media like hard drives and SSDs.

202. The correct answer is d) Bluetooth Interface Unit.
- This unit enables communication between the CPU and Bluetooth devices, facilitating wireless connectivity and data exchange.

203. The correct answer is d) USB Controller.
-This unit controls communication between the CPU and USB devices, allowing data transfer between the computer and USB peripherals.

204. The correct answer is d) RAID Controller.
-This unit facilitates communication between the CPU and RAID (Redundant Array of Independent Disks) arrays, managing data redundancy and improving storage performance.

205. The correct answer is d) Barcode Interface Unit.
-This unit enables communication between the CPU and barcode readers, allowing the computer to scan and process product codes.

206. The correct answer is d) GPS Interface Unit.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

- This unit handles communication between the CPU and GPS devices, facilitating location tracking and navigation.

207. The correct answer is d) VR Interface Unit.

- This unit enables communication between the CPU and VR devices, providing the necessary interface for immersive virtual reality experiences.

208. The correct answer is d) Smart Card Interface Unit.

- This unit facilitates communication between the CPU and smart card readers, allowing for secure authentication using smart cards.

209. The correct answer is d) Camera Controller.

- This unit controls communication between the CPU and digital cameras, enabling the capture of photos and videos.

210. The correct answer is d) Data Acquisition Interface Unit.

- This unit handles communication between the CPU and data acquisition devices, collecting data from various sensors and instruments.

211. The correct answer is d) Power Management Unit.

- This unit oversees communication between the CPU and the power

supply, ensuring the proper regulation and distribution of electrical power within the computer.

212. The correct answer is d) Parallel Port Controller.

- This unit facilitates communication between the CPU and devices connected through a bi-directional parallel port, allowing data transfer and control.

213. The correct answer is d) Wi-Fi Interface Unit.

- This unit enables communication between the CPU and Wi-Fi devices, facilitating wireless network connectivity.

214. The correct answer is d) Firewire Controller.

- This unit controls communication between the CPU and Firewire (IEEE 1394) devices, enabling high-speed data transfer.

215. The correct answer is d) Network Switch Controller.

- This unit handles communication between the CPU and network switches, facilitating network connectivity and data routing.

216. The correct answer is d) Projector Interface Unit.

- This unit enables communication between the CPU and data projectors, allowing the computer

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

to display visual content on projection screens.

217. The correct answer is d) USB Hub Controller.

- This unit facilitates communication between the CPU and USB hubs, allowing multiple USB devices to be connected to the computer.

218. The correct answer is d) ADC Interface Unit.

- This unit handles communication between the CPU and analog-to-digital converters, converting analog signals from sensors or devices into digital data.

219. The correct answer is d) HDMI Controller.

- This unit facilitates communication between the CPU and HDMI (High-Definition Multimedia Interface) ports, enabling high-quality multimedia connectivity.

220. The correct answer is d) Touchpad Interface Unit.

- This unit enables communication between the CPU and touchpad input devices, allowing users to control the cursor on the screen using touch gestures.

221. The correct answer is d) Magnetic Stripe Interface Unit.

- This unit facilitates communication between the CPU and magnetic stripe readers, allowing the computer to read data from

magnetic cards, such as credit cards and ID cards.

222 The correct answer is d) Infrared Interface Unit.

-This unit handles communication between the CPU and infrared ports, enabling wireless data transfer and communication using infrared signals.

223. The correct answer is d) MicroSD Interface Unit.

- This unit facilitates communication between the CPU and microSD card slots, allowing the computer to access external storage through microSD cards.

224. The correct answer is d) NFC Interface Unit.

-This unit enables communication between the CPU and NFC devices, facilitating contactless data exchange and communication.

225. The correct answer is d) Temperature Sensor Interface Unit.

- This unit handles communication between the CPU and temperature sensors, allowing the computer to monitor and respond to changes in temperature for system health and safety.

226. The correct answer is d)

Fingerprint Scanner Interface Unit.

- This unit facilitates communication between the CPU and fingerprint

SUNRISE CLASSES ISS

SUNRISE CLASSES

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

scanners, enabling biometric authentication based on fingerprints.

The GPU manages the rendering and display of visuals on the computer's screen.

227. The correct answer is d) Memory Card Interface Unit.
- This unit controls communication between the CPU and memory card readers, allowing the computer to read various types of memory cards, such as SD cards and CF cards.

232. The correct answer is d) Joystick Interface Unit.
- This unit enables communication between the CPU and joysticks, allowing users to control input for gaming and other applications.

228. The correct answer is d) Ethernet Controller.
- This unit facilitates communication between the CPU and Ethernet ports, enabling wired network connectivity for the computer.

233. The correct answer is d) Microphone Interface Unit.
- This unit facilitates communication between the CPU and microphones, enabling audio input and recording.

229. The correct answer is d) Battery Controller.
- This unit oversees communication between the CPU and batteries, providing power to portable devices like laptops and smartphones.

234. The correct answer is d) Webcam Interface Unit.
- This unit controls communication between the CPU and webcams, allowing video input and recording.

230. The correct answer is d) Backup Battery Interface Unit.
- This unit handles communication between the CPU and backup batteries, ensuring data retention and system stability during power outages.

235. The correct answer is d) Optical Mouse Interface Unit.
- This unit enables communication between the CPU and optical mice, allowing users to control the cursor on the screen.

231. The correct answer is d) Graphics Processing Unit (GPU).
- While the question suggests "Control Unit," the correct answer for this function is typically the GPU.

236. The correct answer is d) Gamepad Interface Unit.
- This unit facilitates communication between the CPU and gamepads, enabling input control for gaming and other interactive applications.

237. The correct answer is d) Scanner Interface Unit.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

- This unit controls communication between the CPU and scanners, allowing document and image scanning.

238. The correct answer is d) Speaker Interface Unit.

- This unit facilitates communication between the CPU and speakers, allowing audio output from the computer.

239. The correct answer is d) Touchscreen Interface Unit.

- This unit enables communication between the CPU and touch-sensitive displays, allowing touch-based input and output.

240. The correct answer is d) Storage Interface Unit.

- This unit handles communication between the CPU and data storage devices, facilitating data backup and retrieval operations.

241. The correct answer is d) Trackpad Interface Unit.

- This unit facilitates communication between the CPU and the touch-sensitive trackpad, allowing users to control the cursor on the screen using gestures and touches.

242. The correct answer is d) Barcode Printer Interface Unit.

- This unit controls communication between the CPU and the barcode printer, enabling the computer to

send data to the printer for the printing of barcode labels.

243 The correct answer is d) Video Capture Card Interface Unit.

- This unit handles communication between the CPU and the video capture card, allowing the computer to capture and record video content from external sources.

244. The correct answer is d) Stylus Interface Unit.

- This unit facilitates communication between the CPU and the touch-sensitive stylus, enabling precise input and drawing capabilities on touch-sensitive displays.

245. The correct answer is d) Network Interface Controller.

- This unit oversees communication between the CPU and the network interface card (NIC), enabling the computer to connect to and communicate on a network.

246 The correct answer is d) Printer Interface Unit.

- This unit controls communication between the CPU and the printer, allowing the computer to send data to the printer for document and image printing.

247. The correct answer is d) Optical Drive Interface Unit.

- This unit facilitates communication between the CPU and the CD/DVD

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

drive, enabling the computer to read and write data to optical discs like CDs and DVDs.

248. The correct answer is d)

Smartboard Interface Unit.

-This unit handles communication between the CPU and the touch-sensitive smartboard, allowing interactive presentations and input on the smartboard's surface.

249. The correct answer is d) DAC Interface Unit.

-This unit facilitates communication between the CPU and the digital-to-analog converter, allowing digital signals to be converted into analog format for various applications, such as audio playback.

250. The correct answer is d)

Modem Interface Unit.

- This unit oversees communication between the CPU and the modem, enabling the computer to establish a connection to the internet via dial-up or broadband services.

SUNRISE CLASSES ISS

SUNRISE CLASSES



SUNRISE CLASSES

4

Number Systems and Binary Arithmetic

1. Which number system is commonly used by computers to store and process data?
 - a) Binary
 - b) Decimal
 - c) Hexadecimal
 - d) Octal
2. The binary number system uses digits:
 - a) 0 and 1
 - b) 0 to 9
 - c) A to F
 - d) 1 to 8
3. What is the decimal equivalent of the binary number 10101?
 - a) 21
 - b) 19
 - c) 25
 - d) 17
4. Which number system is used to represent color values in computer graphics?
 - a) Hexadecimal
 - b) Binary
 - c) Decimal
 - d) Octal
5. How many bits are required to represent a single hexadecimal digit?
 - a) 2 bits
 - b) 3 bits
 - c) 4 bits
 - d) 8 bits
6. What is the octal equivalent of the binary number 110110?
 - a) 56
 - b) 66
 - c) 46
 - d) 36
7. Which number system is used by computers to represent negative numbers?
 - a) Two's complement
 - b) Signed magnitude
 - c) Excess-3
 - d) Binary-coded decimal
8. What is the decimal equivalent of the hexadecimal number A3?
 - a) 101
 - b) 163
 - c) 83
 - d) 130

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

9. How many unique values can be represented by a 16-bit binary number?

- a) 64
- b) 256
- c) 512
- d) 65536

10. What is the binary equivalent of the decimal number 25?

- a) 11001
- b) 11100
- c) 10010
- d) 10101

11. How many digits are there in the decimal number system?

- a) 8
- b) 9
- c) 10
- d) 12

12. What is the place value of the digit "3" in the number 536.21?

- a) Ones
- b) Tens
- c) Hundreds
- d) Thousandths

13. What is the successor of the number 999 in the decimal number system?

- a) 1000
- b) 1001
- c) 9999
- d) 10000

14. Which of the following is the largest decimal number that can be represented using 4 digits?

- a) 999
- b) 9999
- c) 99999
- d) 999999

15. What is the result of adding 0.75 and 1.25 in the decimal number system?

- a) 1
- b) 1.5
- c) 2
- d) 2.5

16. What is the place value of the digit "7" in the number 4,761.23?

- a) Tens
- b) Hundreds
- c) Thousands
- d) Ten thousands

17. What is the decimal equivalent of the fraction $\frac{3}{5}$?

- a) 0.2
- b) 0.4
- c) 0.6
- d) 0.8

18. What is the result of multiplying 12.5 by 4 in the decimal number system?

- a) 40
- b) 45
- c) 48
- d) 50

19. What is the place value of the digit "6" in the number 72,506.14?

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

- a) Thousands
b) Ten thousands
c) Hundred thousands
d) Millions
30. What is the decimal equivalent of the fraction $\frac{7}{8}$?
a) 0.25
b) 0.5
c) 0.625
d) 0.875
21. What is the value of the digit "5" in the number 753.41?
a) 5
b) 50
c) 500
d) 0.5
22. What is the place value of the digit "9" in the number 4,975.32?
a) Ones
b) Tens
c) Hundreds
d) Thousands
23. What is the successor of the number 8,632 in the decimal number system?
a) 8,631
b) 8,633
c) 8,641
d) 8,700
24. Which of the following numbers is the largest?
a) 9,999.99
b) 99,999.9
c) 999.999
d) 999.99
25. What is the result of adding 3.5 and 7.25?
a) 10.75
b) 10.15
c) 14.75
d) 10.5
26. What is the place value of the digit "6" in the number 623.704?
a) Hundreds
b) Tens
c) Thousands
d) Ten-thousandths
27. What is the decimal equivalent of the fraction $\frac{1}{4}$?
a) 0.25
b) 0.5
c) 0.75
d) 0.4
28. What is the result of multiplying 5.75 by 2?
a) 5.5
b) 10.25
c) 11.5
d) 11.75
29. What is the place value of the digit "3" in the number 45,673.218?
a) Thousands
b) Ten-thousands
c) Hundred-thousands
d) Millions
30. What is the decimal equivalent of the fraction $\frac{3}{7}$?
a) 0.42
b) 0.43
c) 0.428
d) 0.429

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

31. What is the decimal value of the binary number 1010?

- a) 2
- b) 4
- c) 8
- d) 10

32. What is the binary representation of the decimal number 11?

- a) 101
- b) 110
- c) 111
- d) 1001

33. What is the successor of the binary number 1101 in the binary number system?

- a) 1100
- b) 1110
- c) 1111
- d) 10000

34. Which of the following is the largest binary number that can be represented using 4 digits?

- a) 111
- b) 1001
- c) 1111
- d) 10000

35. What is the result of adding the binary numbers 1101 and 1010?

- a) 1011
- b) 10000
- c) 10111

d) 11111

36. What is the binary representation of the decimal number 5?

- a) 100
- b) 101
- c) 110
- d) 111

37. What is the decimal value of the binary number 1001?

- a) 5
- b) 8
- c) 9
- d) 10

38. What is the result of multiplying the binary numbers 101 and 11?

- a) 1011
- b) 1101
- c) 1110
- d) 10001

39. What is the binary representation of the decimal number 15?

- a) 1010
- b) 1100
- c) 1111
- d) 10001

40. What is the decimal value of the binary number 11011?

- a) 13
- b) 19
- c) 27

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

- d) 35
41. What is the decimal value of the binary number 11001?
- a) 16
b) 18
c) 24
d) 25
42. What is the binary representation of the decimal number 13?
- a) 1011
b) 1101
c) 1110
d) 10011
43. What is the successor of the binary number 101011 in the binary number system?
- a) 101100
b) 1011000
c) 1011001
d) 1011010
44. Which of the following is the largest binary number that can be represented using 6 digits?
- a) 111111
b) 1000001
c) 1000010
d) 1111111
45. What is the result of subtracting the binary numbers 10110 and 1101?
- a) 1001
b) 111
c) 10011
d) 11001
46. What is the binary representation of the decimal number 27?
- a) 11011
b) 11100
c) 11101
d) 11110
47. What is the decimal value of the binary number 1001001?
- a) 35
b) 41
c) 57
d) 73
48. What is the result of dividing the binary number 101010 by 10 (in binary)?
- a) 10101
b) 1010
c) 1101
d) 10011
49. What is the binary representation of the decimal number 42?
- a) 101010
b) 101011
c) 110010
d) 110011

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

50. What is the decimal value of the binary number 1001111?

- a) 47
- b) 63
- c) 79
- d) 95

51. How many digits are used in the binary number system?

- a) 8
- b) 10
- c) 16
- d) 2

52. What is the value of the rightmost digit in a binary number called?

- a) Least Significant Bit (LSB)
- b) Most Significant Bit (MSB)
- c) Middle Significant Bit (MSB)
- d) Rightmost Significant Bit (RSB)

53. What is the decimal value of the binary number 1010?

- a) 2
- b) 4
- c) 8
- d) 10

54. Which binary number represents the decimal number 9?

- a) 1001
- b) 1100
- c) 1011
- d) 1110

55. What is the binary representation of the decimal number 15?

- a) 1110
- b) 1111
- c) 10101
- d) 100111

56. What is the result of adding the binary numbers 1011 and 110?

- a) 111
- b) 1000
- c) 1001
- d) 1101

57. What is the result of subtracting the binary number 1010 from 1111?

- a) 1
- b) 101
- c) 1001
- d) 1110

58. What is the binary representation of the decimal number 25?

- a) 10001
- b) 11001
- c) 11111
- d) 101101

59. What is the decimal value of the binary number 110110?

- a) 25
- b) 38
- c) 42
- d) 54