

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

106. The _____ is essentially used to search for patterns in target string.

- a) Like Predicate
- b) Null Predicate
- c) In Predicate
- d) Out Predicate

107. A _____ indicates an absent value that may exist but be unknown or that may not exist at all.

- a) Empty tuple
- b) New value
- c) Null value
- d) Old value

108. If the attribute phone number is included in the relation all the values need not be entered into the phone number column. This type of entry is given as _____

- a) -
- b) -
- c) Null
- d) Empty space

109. The predicate in a where clause can involve Boolean operations such as and. The result of true and unknown is _____ false and unknown is _____ while unknown and unknown is _____

- a) Unknown, unknown, false
- b) True, false, unknown
- c) True, unknown, unknown
- d) Unknown, false, unknown

110. SELECT name

FROM instructor

WHERE salary IS NOT NULL;

Selects

- a) Tuples with null value
- b) Tuples with no null values
- c) Tuples with any salary
- d) All of the mentioned

111. In an employee table to include the attributes whose value always have some value which of the following constraint must be used?

- a) Null
- b) Not null
- c) Unique
- d) Distinct

112. Using the _____ clause retains only one copy of such identical tuples.

- a) Null
- b) Unique
- c) Not null
- d) Distinct

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

113. CREATE TABLE employee (id INTEGER, name VARCHAR(20), salary NOT NULL);

INSERT INTO employee VALUES (1005, Rach, 0);

INSERT INTO employee VALUES (1007, Ross,);

INSERT INTO employee VALUES (1002, Joey, 335);

Some of these insert statements will produce an error. Identify the statement.

- a) Insert into employee values (1005, Rach, 0);
- b) Insert into employee values (1002, Joey, 335);
- c) Insert into employee values (1007, Ross,);
- d) None of the mentioned

114. The primary key must be

- a) Unique
- b) Not null
- c) Both Unique and Not null
- d) Either Unique or Not null

115. You attempt to query the database with this command:

```
SELECT nvl (100 / quantity, NONE)
FROM inventory;
```

Why does this statement cause an error when QUANTITY values are null?

- a) The expression attempts to divide by a null value
- b) The data types in the conversion function are incompatible
- c) The character string none should be enclosed in single quotes (' ')
- d) A null value used in an expression cannot be converted to an actual value

116. The result of ____ unknown is unknown.

- a) Xor
- b) Or
- c) And
- d) Not

117. In a relational database, what is the purpose of the SQL "JOIN"

- a) To delete rows from a table
- b) To insert data into a table
- c) To combine rows from multiple tables based on related columns
- d) To modify the structure of a table

118. Which of the following is not a type of DBMS architecture?

- a) Hierarchical

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

b) Network

c) Relational

d) Dynamic

119. In a relational database, what is a primary key used for?

a) Storing large data objects

b) Linking two tables

c) Uniquely identifying each row in a table

d) Generating reports

120. Which SQL command is used to retrieve data from a database?

a) UPDATE

b) DELETE

c) SELECT

d) INSERT

121. What is the purpose of the SQL command "JOIN" in a query?

a) To insert data into a table

b) To delete data from a table

c) To combine rows from two or more tables based on a related column

d) To create a new table

122. Which type of relationship exists between two tables when one record in the first table corresponds to multiple records in the second table?

a) One-to-One

b) Many-to-Many

c) One-to-Many

d) None of the above

123. What is ACID in the context of a DBMS?

a) A type of database language

b) A way to rank database performance

c) A set of properties that ensure reliable processing of database transactions

d) A type of database backup

124. Which SQL command is used to add new rows to a table?

a) UPDATE

b) DELETE

c) INSERT

d) SELECT

125. In a relational database, what is a foreign key used for?

a) Creating indexes

b) Establishing relationships between tables

c) Sorting data

d) Calculating aggregate functions

126. What is normalization in the context of a relational database?

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

- a) A process of increasing redundancy in data
- b) A process of organizing data to reduce redundancy and improve data integrity
- c) A process of deleting data
- d) A process of encrypting data
127. Which SQL clause is used to filter the results of a query?
- a) GROUP BY
- b) HAVING
- c) WHERE
- d) ORDER BY
128. What does CRUD stand for in the context of database operations?
- a) Create, Retrieve, Update, Delete
- b) Create, Read, Update, Display
- c) Current, Read, Update, Delete
- d) Control, Report, Undo, Delete
129. Which type of SQL constraint ensures that values in a column are unique across all rows in a table?
- a) PRIMARY KEY
- b) FOREIGN KEY
- c) UNIQUE
- d) CHECK
130. What does SQL stand for?
- a) Standard Query Language
- b) Structured Query Language
- c) System Query Language
- d) Simple Query Language
131. Which type of DBMS stores data in a tabular format with rows and columns?
- a) Relational DBMS
- b) NoSQL DBMS
- c) Hierarchical DBMS
- d) Object-Oriented DBMS
132. What is the purpose of the SQL "GROUP BY" clause?
- a) To specify the order of rows in a result set
- b) To filter rows based on a condition
- c) To group rows that have the same values in specified columns
- d) To join two or more tables
133. Which SQL command is used to modify existing data in a database?
- a) UPDATE
- b) DELETE
- c) INSERT
- d) ALTER
134. Which of the following is not a common type of NoSQL database?
- a) Document-oriented

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

- b) Key-value
c) Relational
d) Column-family
135. What is a stored procedure in a database?
- a) A type of data encryption
b) A predefined set of SQL statements that can be executed as a single unit
c) A type of database index
d) A data visualization tool
136. In a relational database, what is an index used for?
- a) Storing large data objects
b) Ensuring data integrity
c) Speeding up data retrieval by providing a fast access path to rows in a table
d) Generating reports
137. What is the purpose of the SQL "ORDER BY" clause?
- a) To specify the order of columns in a table
b) To filter rows based on a condition
c) To sort the result set by one or more columns
d) To group rows by a specified column
138. Which SQL command is used to remove data from a table?
- a) UPDATE
b) DELETE
c) INSERT
d) SELECT
139. What is a database schema?
- a) A type of database backup
b) A graphical representation of database tables
c) A collection of database objects, including tables, views, and indexes
d) A database management tool
140. What does the term "ACID" stand for in the context of database transactions?
- a) Atomicity, Consistency, Isolation, Durability
b) Accuracy, Control, Isolation, Data
c) Analysis, Commitment, Integrity, Design
d) All Columns Indexed, Data Stored
141. Which type of database is most suitable for handling unstructured or semi-structured data, such as social media posts or sensor data?
- a) Relational Database
b) Document-Oriented Database

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

- c) Column-Family Database
d) Graph Database
142. In a relational database, what is a view?
- a) A virtual table that is based on the result of a SELECT query
b) A way to physically store data
c) A type of primary key
d) A database trigger
143. What is a database transaction?
- a) A way to query a database
b) A sequence of SQL statements executed as a single unit of work
c) A database schema
d) A type of database backup
144. Which SQL command is used to create a new database table?
- a) CREATE
b) UPDATE
c) ALTER
d) INSERT
145. What is the purpose of the SQL "HAVING" clause?
- a) To filter rows based on a condition
b) To group rows by a specified column
- c) To specify the order of rows in a result set
d) To filter rows based on an aggregate function
146. What is the primary role of a DBA (Database Administrator)?
- a) Writing SQL queries
b) Designing user interfaces
c) Managing and maintaining the database system
d) Programming in Java
147. What is the purpose of a database index in a DBMS?
- a) To encrypt sensitive data
b) To define the database schema
c) To provide a fast access path to data
d) To create backup copies of the database
148. In a relational database, what does the term "referential integrity" refer to?
- a) The use of foreign keys
b) The process of data normalization
c) The use of encryption for data security
d) The process of creating database triggers



SUNRISE CLASSES

149. Which SQL command is used to delete an entire table structure from a database?

- a) REMOVE TABLE
- b) DELETE TABLE
- c) DROP TABLE
- d) ERASE TABLE

150. What type of database management system is MongoDB?

- a) Relational DBMS
- b) Object-Oriented DBMS
- c) Document-Oriented DBMS
- d) Key-Value DBMS

151. What is the purpose of the SQL "ALTER TABLE" command in a DBMS?

- a) To delete rows from a table
- b) To add new columns to a table
- c) To create a new table
- d) To retrieve data from a table

152. In a relational database, what is the role of a foreign key constraint?

- a) To ensure data consistency within a column
- b) To enforce data encryption
- c) To establish relationships between tables
- d) To create an index on a primary key

153. Which type of DBMS is optimized for handling data that is organized into tables with rows and columns?

- a) NoSQL DBMS
- b) Hierarchical DBMS
- c) Relational DBMS
- d) Column Family DBMS

154. What is the purpose of the SQL "UNION" operator in a query?

- a) To combine the results of two or more SELECT statements into a single result set
- b) To create a new table
- c) To delete rows from a table
- d) To filter rows based on a condition

155. Which of the following is a characteristic of a NoSQL database?

- a) Strict adherence to a fixed schema
- b) High normalization of data
- c) Support for flexible schema design
- d) Relational data model

156. What is the purpose of the SQL "ROLLBACK" statement in a DBMS?

- a) To commit a transaction
- b) To permanently delete data from a table

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

c) To undo changes made during a transaction and restore the database to its previous state

d) To create a new database

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

Explanation

1. The correct answer is b)

Explanation: DBMS is abbreviated as Database Management System. Database Management System stores the data and allows authorized users to manipulate and modify the data.

2. The correct answer is c)

Explanation: It is defined as an organized collection of data or information for easy access, updating, and management in a computer.

3. The correct answer is d)

Explanation: DBMS is nothing but a storehouse wherein the authorized user can create a database to store, modify or retrieve the organized data in the table. It can be modified or retrieved by users who have access to DBMS only.

4. The correct answer is b)

Explanation: Charles Bachman along with his team invented the first DBMS known as Integrated Data Store (IDS).

5. The correct answer is d)

Explanation: The reason for creating the database management system was to store large data and these data can be of any form image, text, audio, or video files, etc. DBMS allows the users to store and access the data of any format.

6. The correct answer is c)

Explanation: The data is stored in a table format intended to manage the storage of data and manipulate stored data to generate information.

7. The correct answer is d)

Explanation: Different types are:

- 1) Centralized
- 2) Distributed
- 3) Relational
- 4) NoSQL
- 5) Cloud
- 6) Object-oriented
- 7) Hierarchical
- 8) Network

8. The correct answer is d)

Explanation: MySQL, Microsoft Access, IBM DB2 are database management systems while Google

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

is a search engine. MySQL is a Linux-based database management system, Microsoft Access is a tool that is a part of Microsoft Office used to store data, IBM DB2 is a database management system developed by IBM. Google's Bigtable is the database that runs Google's Internet search, Google Maps, YouTube, Gmail, and other products.

9. The correct answer is c)

Explanation: Single-user Access only" is not a feature of DBMS. DBMS allows multiple users to access and manipulate the database concurrently. It provides mechanisms to handle concurrent access and ensure data consistency and integrity among multiple users.

The important features of a database management system are:

- Minimum Duplication and Redundancy of Data
- High Level of Security
- Multiple-user Access
- Support ACID Property

10. The correct answer is b)

Explanation: The important features are:

- 1) Provides backup for the data stored by the user and the user can

retrieve the data whenever required.

- 2) Provides User-interface to access the data.

- 3) Only authorized users can access the stored data.

- 4) Data is stored in one central location but multiple authorized users can access the data.

11. The correct answer is d)

Explanation: It allows authorized users to update, store, manipulate, or access data. Since data is stored in table format it is easy to access the data and perform the required functions. It also removes duplicate and redundant data.

12. The correct answer is d)

Explanation: The purpose of creating DBMS was to store the data. The data stored in the database management system can be accessed by multiple users if the access is provided. The data stored will be accurate and complete hence providing data integrity.

13. The correct answer is d)

Explanation: The components of DBMS are as follows:

- 1) Hardware: Like a hard drive, monitor, etc.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

2) Software: Provides a user interface

3) Data Manager: Manages operations of DBMS.

4) Data: The collection of information on the DB is known as data.

5) Data Languages: Languages like DDL, DML, DAL, and DCL allow to perform operations like creating, modifying, storing, or retrieving data.

14. The correct answer is c)

Explanation: In the actual world, an entity is a distinct "thing" or "object" from all other objects. For example: Each employee of an organization is an entity.

15. The correct answer is c)

Explanation: Information about data is known as Metadata. Metadata describes the data in detail by providing additional information like type, length of the data, etc. Metadata helps the user to understand the data.

16. The correct answer is c)

Explanation: It consists of a collection of tables i.e., the data is organized in tabular format. The columns of the relation are known as Fields and rows of the relation are

known as fields. Constraints in a relation are known as Keys.

17. The correct answer is a)

Explanation: Consider 2 relations r_1 and r_2 . r_1 may include among its attributes the primary key of relation r_2 . This attribute is called a foreign key from r_1 , referencing r_2 . The relation r_1 is also called the referencing relation of the foreign key dependency, and r_2 is called the referenced relation of the foreign key.

18. The correct answer is b)

Explanation: Since all the data are stored in form of memory in the disk, a high speed, and large-capacity disk is required for the operation of the database management system.

19. The correct answer is c)

Explanation: A database management system is an application that acts as an interface between the user and the database. The user interacts with the application to access data.

20. The correct answer is d)

Explanation: A query is a request for data or information. Relational Schema is the design and structure of the relation. DDL consists of commands that help in modifying.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

DML performs the change in the values of the relation.

21. The correct answer is c)

Explanation: Foreign key creates a relationship between two relations. Super key is the superset of all the keys in a relation. A candidate key is used to identify tuples in a relation.

22. The correct answer is a)

Explanation: Delete command is used to delete the existing record from the table. The drop table deletes the whole structure of the relation. Purge removes the table which cannot be obtained again.

23. The correct answer is d)

Explanation: Every weak entity must be linked to an identifying entity; in other words, the existence of the weak entity set is contingent on the presence of the identifying entity set. The weak entity set that the identifying entity set identifies is said to be owned by the identifying entity set. Owner entity set is another name for it.

24. The correct answer is a)

Explanation: To delete the entries from the table Delete from table command should be used.

25. The correct answer is c)

Explanation: Non-Procedural Languages are Domain relational calculus and Tuple relational calculus. Relational algebra is a procedural language that takes input in the form of relation and output generated is also a relation.

26. The correct answer is b)

Explanation: Left outer join returns all the rows from the table that is on the left side and matching rows on the right side of the join. Inner join returns all rows when there is at least one match in BOTH tables. Natural join returns the common columns from the tables being joined. A right outer join returns all the rows from the table that is on the right side and matching rows on the left side of the join.

27. The correct answer is a)

Explanation: If and only if, for each of its non-trivial multivalued dependencies $X \twoheadrightarrow Y$, a table is in 4NF. X is a superkey—that is, X is either a candidate key or a superset thereof.

28. The correct answer is d)

Explanation: Schemas represent the logical configuration of the DBMS. Catalogs consist of metadata of the objects and system settings used.

29. The correct answer is c)

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

Explanation: The term cardinality refers to the uniqueness of data values included in a single column (attribute) of a table in SQL (Structured Query Language).

30. The correct answer is b)

Explanation: Along with security, as the name suggests the db_accessadmin role also handles access. db_sysadmin refers to the system administrator. db_securityadmin as the name suggests it involves granting or declining permission to access the data ensuring security.

31. The correct answer is a)

Explanation: Any property that does not occur in the group by clause must only appear in an aggregate function if it also appears in the select clause; otherwise, the query is considered incorrect.

32. The correct answer is d)

Explanation: In an object-oriented database management system, the data is stored in the form of objects. In a relational DBMS, the data is stored in the form of tables. Hierarchy is obtained by Parent-Child Relationship. Parent-Child Relationship Type is basically a 1:N relationship.

33. The correct answer is b)

Explanation: In SQL, after grouping data using the GROUP BY clause, the HAVING clause is used to filter the groups based on specific conditions. It allows the use of aggregate functions and selects only the groups that satisfy the given criteria.

34. The correct answer is a)

Explanation: Backup utility is used to create a copy of the db as a backup. Loading utility is used to load existing file. File organization is used to relocate the files and create new access path. Processing is not an utility.

35. The correct answer is a)

Explanation: Using the two relationships mother and father gives us a record of a child's mother, even if we don't know who the father is; if the ternary connection parent is used, a null value is necessary. In this scenario, binary relationship sets are preferred.

36. The correct answer is c)

Explanation: Pointers are used to access data with great speed and accuracy. Consistency is maintained using locks.

37. The correct answer is a)

Explanation: For updating the value in ASCII text format, a regular text file is used.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

38. The correct answer is c)

Explanation: In the command the P gives condition to delete a particular tuple.

39. The correct answer is a)

Explanation: The 'create table... as' statement is similar to the 'create view... as' statement in that both are defined with queries. The main distinction is that table contents are set when the table is built, whereas view contents always reflect the current query result.

40. The correct answer is d)

Explanation: To update the view in sql all the conditions must be satisfied.

41. The correct answer is c)

Explanation: A view can be thought of as a virtual table that gets its data from one or more table columns.

42. The correct answer is b)

Explanation: Concatenation in DBMS is used to join two or more table fields of the same table or different tables. Example inst sec and student sec.

43. The correct answer is d)

Explanation: DDLs are used to define schema and table characters and consist of commands that help in

modifying. DML performs the change in the values of the relation.

44. The correct answer is a)

Explanation: ntile(n) returns the number of the bucket in which each tuple is stored, with bucket numbers beginning with 1.

45. The correct answer is c)

Explanation: A schema is a description of a system's structure in a formal language supported by the database management system, and it refers to data organization as a blueprint for how a db is built.

46. The correct answer is c)

Explanation: The encryption key is used to encrypt the message. Even if the message is intercepted by an enemy, the enemy will be unable to decrypt and interpret the message because he lacks the key.

47. The correct answer is c)

Explanation: Slice procedure takes one dimension from a cube and turns it into a new sub-cube. Dice takes two or more dimensions from a cube and creates a new sub-cube from them.

48. The correct answer is b)

Explanation: Because most 3NF tables are free of insertion, update, and deletion anomalies, an RDBMS

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

table is sometimes regarded as "normalized" if it is in the Third Normal Form.

49. The correct answer is b)

Explanation: RAID level 0 refers to data stripping. RAID level 1 refers to disk mirroring with block striping. RAID level 2 refers to bit-level striping and RAID level 3 refers to byte-level striping with dedicated parity.

50. The correct answer is b)

Explanation: A nonprocedural query language is the tuple relational calculus. It specifies the needed information but does not provide a detailed strategy for obtaining it.

51. The correct answer is a)

Explanation: Network model has data stored in a hierarchical network flow. In a relational DBMS, the data is stored in the form of tables. Hierarchy is obtained by Parent-Child Relationship

52. The correct answer is c)

Explanation: To perform operations on objects, the REVOKE statement is used to revoke rights from a single user or role, or from all users.

53. The correct answer is c)

Explanation: A data model in which the data is structured into a tree-like

structure is known as a hierarchical model. The structure allows information to be represented using parent-child relationships.

54. The correct answer is d)

Explanation: Every block has a copy on disc, however, the copy on the disc may be an earlier version of the block than the version in the buffer.

55. The correct answer is a)

Explanation: One of the main features of a database management system is minimum data duplication and redundancy. Hence, is always consistent and so there is no duplication.

56. The correct answer is d)

Explanation: Instance is an instance of time, the relation is also known as table consists of data with similar characteristics, Domain is the collection of values that an attribute can contain and schema is a representation.

57. The correct answer is a)

Explanation: Fields are the column of the relation or tables. Records are each row in a relation. Keys are the constraints in a relation.

58. The correct answer is c)

Explanation: Column has only one set of values. Keys are constraints



SUNRISE CLASSES

and row is one whole set of attributes. Entry is just a piece of data.

59. The correct answer is b)

Explanation: Tuple is one entry of the relation with several attributes which are fields.

60. The correct answer is b)

Explanation: Attribute is a specific domain in the relation which has entries of all tuples.

61. The correct answer is a)

Explanation: The values of the attribute should be present in the domain. Domain is a set of values permitted.

62. The correct answer is d)

Explanation: Instance is an instance of time and schema is a representation.

63. The correct answer is b)

Explanation: The relation course has a set of attributes course_id, sec_id, semester.

64. The correct answer is c)

Explanation: Here the relations are connected by the common attributes.

65. The correct answer is b)

Explanation: None.

66. The correct answer is a)

Explanation: The values only count. The order of the tuples does not matter.

67. The correct answer is c)

Explanation: Super key is the superset of all the keys in a relation.

68. The correct answer is b)

Explanation: Here the id is the only attribute which can be taken as a key. Other attributes are not uniquely identified.

69. The correct answer is a)

Explanation: The subset of a set cannot be the same set. Candidate key is a set from a super key which cannot be the whole of the super set.

70. The correct answer is b)

Explanation: Key is the constraint which specifies uniqueness.

71. The correct answer is c)

Explanation: The attributes name, street and department can repeat for some tuples. But the id attribute has to be unique. So it forms a primary key.

72. The correct answer is d)

Explanation: Street is the only attribute which can occur more than once.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

73. The correct answer is b)

Explanation: The primary key has to be referred in the other relation to form a foreign key in that relation.

74. The correct answer is c)

Explanation: None.

75. The correct answer is c)

Explanation: None.

76. The correct answer is a)

Explanation: A relation, say r_1 , may include among its attributes the primary key of another relation, say r_2 . This attribute is called a foreign key from r_1 , referencing r_2 . The relation r_1 is also called the referencing relation of the foreign key dependency, and r_2 is called the referenced relation of the foreign key.

77. The correct answer is a)

Explanation: Query language is a method through which the database entries can be accessed.

78. The correct answer is d)

Explanation: The attributes name, dept and tot_cred can have same values unlike ID.

79. The correct answer is c)

Explanation: Domain and Tuple relational calculus are non-procedural language. Query

language is a method through which database entries can be accessed.

80. The correct answer is b)

Explanation: Join finds the common tuple in the relations and combines it.

81. The correct answer is b)

Explanation: Cartesian product is the multiplication of all the values in the attributes.

82. The correct answer is a)

Explanation: Union just combines all the values of relations of same attributes.

83. The correct answer is c)

Explanation: Select is used to view the tuples of the relation with or without some constraints.

84. The correct answer is b)

Explanation: The union operator gives the result which is the union of two queries and difference is the one where query which is not a part of second query.

85. The correct answer is a)

Explanation: None.

86. The correct answer is b)

Explanation: None.

87. The correct answer is b)

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

Explanation: Data Definition language is the language which performs all the operation in defining structure of relation.

88. The correct answer is a)

Explanation: DML performs the change in the values of the relation.

89. The correct answer is b)

Explanation: Data Definition language is the language which performs all the operation in defining structure of relation.

90. The correct answer is a)

Explanation: Select operation just shows the required fields of the relation. So it forms a DML.

91. The correct answer is c)

Explanation: Varchar changes its length accordingly whereas char has a specific length which has to be filled by either letters or spaces.

92. The correct answer is a)

Explanation: Varchar changes its length accordingly whereas char has a specific length which has to be filled by either letters or spaces.

93. The correct answer is d)

Explanation: Drop table deletes the whole structure of the relation .purge removes the table which cannot be obtained again.

94. The correct answer is b)

Explanation: Delete command removes the entries in the table.

95. The correct answer is b)

Explanation: The values are manipulated. So it is a DML.

96. The correct answer is a)

Explanation: Integrity constraint has to be maintained in the entries of the relation.

97. The correct answer is b)

Explanation: Union operator combines the relations.

98. The correct answer is b)

Explanation: Intersection operator ignores unique tuples and takes only common ones.

99. The correct answer is d)

Explanation: None.

100. The correct answer is a)

Explanation: Union all will combine all the tuples including duplicates.

101. The correct answer is d)

Explanation: Except keyword is used to ignore the values.

102. The correct answer is c)

Explanation: The % wildcard matches zero or more characters, while the _ wildcard matches exactly

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

one character. Together, they offer flexibility and precision in pattern matching within the like predicate.

103. The correct answer is b)

Explanation: None.

104. The correct answer is c)

Explanation: Having is used to provide additional aggregate filtration to the query.

105. The correct answer is b)

Explanation: It is optional to give the inner keyword with the join as it is default.

106. The correct answer is a)

Explanation: Like predicate matches the string in the given pattern.

107. The correct answer is c)

Explanation: None.

108. The correct answer is c)

Explanation: Null is used to represent the absence of a value.

109. The correct answer is d)

Explanation: None.

110. The correct answer is b)

Explanation: Not null constraint removes the tuples of null values.

111. The correct answer is b)

Explanation: Not null constraint removes the tuples of null values.

112. The correct answer is d)

Explanation: Unique is a constraint.

113. The correct answer is c)

Explanation: Not null constraint is specified which means some value (can include 0 also) should be given.

114. The correct answer is c)

Explanation: Primary key must satisfy unique and not null condition for sure.

115. The correct answer is a)

Explanation: The expression attempts to divide by a null value is erroneous in sql.

116. The correct answer is d)

Explanation: Since unknown does not hold any value the value cannot have a reverse value.

117. The correct answer is c) To combine rows from multiple tables based on related columns

Explanation: In a relational database, the SQL "JOIN" operation is used to combine rows from two or more tables based on related columns. It allows you to create a result set that includes data from multiple tables by matching values in specified columns. This operation is

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

fundamental for retrieving data from multiple related tables and is a key feature in relational database management systems (RDBMS). SQL joins are typically used to establish relationships between tables and retrieve meaningful information from a database by combining data from different sources.

118. The correct answer is d) Dynamic

Explanation: While hierarchical, network, and relational are common types of DBMS architectures, "Dynamic" is not a recognized type of DBMS architecture.

119. The correct answer is c) Uniquely identifying each row in a table

Explanation: A primary key is used to ensure that each row in a table is uniquely identifiable. It enforces data integrity by preventing duplicate values in the key column.

120. The correct answer is c) SELECT

Explanation: The SQL command "SELECT" is used to retrieve data from a database. It allows you to specify the columns you want to retrieve and the conditions for retrieving data.

121. The correct answer is c) To combine rows from two or more tables based on a related column

Explanation: The SQL "JOIN" command is used to combine rows from multiple tables based on a related column. It allows you to create a result set that combines data from different tables.

122. The correct answer is c) One-to-Many

Explanation: A one-to-many relationship exists when one record in the first table can be associated with multiple records in the second table. It is a common type of relationship in relational databases.

123. The correct answer is c) A set of properties that ensure reliable processing of database transactions

Explanation: ACID stands for Atomicity, Consistency, Isolation, and Durability. These properties ensure that database transactions are processed reliably and maintain data integrity.

124. The correct answer is c) INSERT

Explanation: The SQL "INSERT" command is used to add new rows (records) to a table in a database. It allows you to specify the values to be inserted into each column.