

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

125. The correct answer is b) Establishing relationships between tables

Explanation: A foreign key is used to establish relationships between tables in a relational database. It links a column in one table to the primary key column of another table.

126. The correct answer is b) A process of organizing data to reduce redundancy and improve data integrity

Explanation: Normalization is the process of organizing data in a relational database to minimize redundancy and improve data integrity by eliminating data anomalies.

127. The correct answer is c) WHERE

Explanation: The SQL "WHERE" clause is used to filter the results of a query by specifying a condition that rows must meet to be included in the result set.

128. The correct answer is a) Create, Retrieve, Update, Delete

Explanation: CRUD stands for Create, Retrieve (Read), Update, and Delete. These are the fundamental database operations used to manage data.

129. The correct answer is c) UNIQUE

Explanation: The "UNIQUE" constraint ensures that values in a column are unique across all rows in a table, preventing duplicate values.

130. The correct answer is b) Structured Query Language

Explanation: SQL stands for "Structured Query Language." It is a standard language used for managing and querying relational databases.

131. The correct answer is a) Relational DBMS

Explanation: A relational DBMS stores data in tables with rows and columns, making it suitable for structured data.

132. The correct answer is c) To group rows that have the same values in specified columns

Explanation: The SQL "GROUP BY" clause is used to group rows in the result set based on specified columns, often used with aggregate functions like SUM or COUNT.

133. The correct answer is a) UPDATE

Explanation: The SQL "UPDATE" command is used to modify existing data in a database table by changing the values of specific columns.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

134. The correct answer is c) Relational

Explanation: NoSQL databases include document-oriented, key-value, and column-family databases, but they do not include relational databases.

135. The correct answer is b) A predefined set of SQL statements that can be executed as a single unit

Explanation: A stored procedure is a predefined set of SQL statements that can be executed as a single unit. They are often used for data manipulation and business logic.

136. The correct answer is c) Speeding up data retrieval by providing a fast access path to rows in a table

Explanation: An index in a relational database is used to speed up data retrieval by providing a fast access path to rows in a table, similar to an index in a book.

137. The correct answer is c) To sort the result set by one or more columns

Explanation: The SQL "ORDER BY" clause is used to sort the result set of a query by one or more columns in ascending or descending order. It allows you to control the order in

which the rows are displayed in the result.

138. The correct answer is b) DELETE

Explanation: The SQL "DELETE" command is used to remove data (rows) from a table in a database based on a specified condition.

139. The correct answer is c) A collection of database objects, including tables, views, and indexes

Explanation: A database schema is a logical container or structure that holds a collection of database objects, such as tables, views, indexes, and procedures. It provides a way to organize and manage database objects.

140. The correct answer is a) Atomicity, Consistency, Isolation, Durability**

Explanation: In the context of database transactions, "ACID" stands for Atomicity, Consistency, Isolation, and Durability. These properties ensure that database transactions are processed reliably and maintain data integrity.

141. The correct answer is b) Document-Oriented Database

Explanation: Document-oriented databases are most suitable for handling unstructured or semi-structured data because they allow

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

for flexible schema design and can store data in a format similar to JSON documents.

142. The correct answer is a) A virtual table that is based on the result of a SELECT query

Explanation: A view in a relational database is a virtual table that is based on the result of a SELECT query. Views provide a way to simplify complex queries and present data in a structured manner.

143. The correct answer is b) A sequence of SQL statements executed as a single unit of work

Explanation: A database transaction is a sequence of SQL statements that are executed as a single unit of work. Transactions ensure that database operations are completed successfully or rolled back in case of errors.

144. The correct answer is a) CREATE

Explanation: The SQL "CREATE" command is used to create a new database table. It allows you to specify the table structure, including column names and data types.

145. The correct answer is d) To filter rows based on an aggregate function

Explanation: The SQL "HAVING" clause is used to filter rows in the result set based on conditions

involving aggregate functions (e.g., SUM, COUNT). It is typically used with the "GROUP BY" clause.

146. The correct answer is c) Managing and maintaining the database system

Explanation: The primary role of a Database Administrator (DBA) is to manage and maintain the database system. This includes tasks such as ensuring data security, optimizing database performance, and handling backups and recovery.

147. The correct answer is c) To provide a fast access path to data

Explanation: A database index in a DBMS is used to provide a fast access path to data within a table. It acts like the index of a book, allowing the database management system to quickly locate and retrieve specific rows of data without scanning the entire table.

148. The correct answer is a) The use of foreign keys

Explanation: Referential integrity in a relational database refers to the use of foreign keys to maintain the consistency and integrity of data relationships. It ensures that values in a foreign key column correspond to values in a primary key column of another table.



SUNRISE CLASSES

149. The correct answer is c) DROP TABLE

Explanation: The SQL "DROP TABLE" command is used to delete the entire table structure, including all data and the table definition, from a database.

150. The correct answer is c) Document-Oriented DBMS

Explanation: MongoDB is a document-oriented database management system (DBMS). It stores data in flexible, JSON-like documents, making it suitable for semi-structured and unstructured data.

151. The correct answer is b) To add new columns to a table

Explanation: The SQL "ALTER TABLE" command in a DBMS is used to modify an existing table, including adding new columns to it.

152. The correct answer is c) To establish relationships between tables

Explanation: A foreign key constraint in a relational database is used to establish relationships between tables by ensuring that values in a foreign key column match values in a primary key column of another table.

153. The correct answer is c) Relational DBMS

Explanation: A relational DBMS is optimized for handling data organized into tables with rows and columns. It uses a structured approach to data storage and retrieval.

154. The correct answer is a) To combine the results of two or more SELECT statements into a single result set

Explanation: The SQL "UNION" operator is used to combine the results of two or more SELECT statements into a single result set, removing duplicate rows by default.

155. The correct answer is c) Support for flexible schema design

Explanation: NoSQL databases typically support flexible schema design, allowing for dynamic changes in data structure and accommodating semi-structured and unstructured data.

156. The correct answer is c) To undo changes made during a transaction and restore the database to its previous state

Explanation: The SQL "ROLLBACK" statement in a DBMS is used to undo changes made during a transaction and restore the

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

database to its previous consistent state. It is essential for maintaining data integrity and transactional consistency.

SUNRISE CLASSES ISS

SUNRISE CLASSES

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT




SUNRISE CLASSES

10

Computers flow chart and algorithm

1. The symbol denotes _____



- a) I/O
- b) Flow
- c) Terminal
- d) Decision

View Answer

2. In computer science, algorithm refers to a pictorial representation of a flowchart.

- a) True
- b) False

3. The process of drawing a flowchart for an algorithm is called _____

- a) Performance
- b) Evaluation
- c) Algorithmic Representation
- d) Flowcharting

4. Actual instructions in flowcharting are represented in _____

- a) Circles
- b) Boxes
- c) Arrows
- d) Lines

5. The following box denotes?



- a) Decision
- b) Initiation
- c) Initialization
- d) I/O

6. A box that can represent two different conditions.

- a) Rectangle
- b) Diamond
- c) Circle
- d) Parallelogram

7. There should be certain set standards on the amount of details that should be provided in a flowchart.

- a) True
- b) False

8. A detailed flowchart is called _____

- a) Stack
- b) Macro
- c) Micro
- d) Union

9. Which of the following is not an advantage of a flowchart?

- a) Better communication



SUNRISE CLASSES

- b) Efficient coding
- c) Systematic testing
- d) Improper documentation

10. A flowchart that outlines the main segments of a program.

- a) Queue
- b) Macro
- c) Micro
- d) Union

11. A _____ is diagram that depicts the flow of a program.

- a) Algorithm
- b) Hash Table
- c) Graph
- d) Flowchart

12. Terminals are represented by diagonals in a flowchart.

- a) True
- b) False

13. The operation represented by parallelograms.

- a) Input/Output
- b) Assignment
- c) Comparison
- d) Conditions

14. Which of the following is not a flowchart structure?


- a) Process
- b) Sequence
- c) Repetition
- d) Case

15. The action performed by a _____ structure must eventually cause the loop to

terminate.


- a) sequence
- b) case
- c) repetition
- d) process

16. The following symbol denotes:




- a) Module
- b) Terminal
- c) Process
- d) i/o operation

17. What type of structure is this?



- a) sequence
- b) case
- c) repetition
- d) process

18. What type of a structure is this?



- a) sequence
- b) case
- c) repetition
- d) process



SUNRISE CLASSES

19. A _____ is a connector showing the relationship between the representative shapes.

- a) line
- b) arrow
- c) Process
- d) box

20. What does a flowchart symbol with two parallel lines represent?

- a) A process or action
- b) A decision point
- c) A start or end point
- d) A connector between flowchart sections

21. The word _____ comes from the name of a Persian mathematician Abu Ja'far Mohammed ibn-i Musa al Khowarizmi.

- a) Flowchart
- b) Flow
- c) Algorithm
- d) Syntax

22. In computer science, algorithm refers to a special method usable by a computer for the solution to a problem.

- a) True
- b) False

23. This characteristic often draws the line between what is feasible and what is impossible.

- a) Performance

b) System Evaluation

- c) Modularity
- d) Reliability

24. The time that depends on the input: an already sorted sequence that is easier to sort.

- a) Process
- b) Evaluation
- c) Running
- d) Input

25. Which of the following is incorrect?

Algorithms can be represented:

- a) as pseudo codes
- b) as syntax
- c) as programs
- d) as flowcharts

26. When an algorithm is written in the form of a programming language, it becomes a _____

- a) Flowchart
- b) Program
- c) Pseudo code
- d) Syntax

27. Which of the following best describes the term "algorithm" in computer science?

- a) A type of computer hardware
- b) A step-by-step procedure to solve a problem
- c) A programming language
- d) A type of computer network

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

28. A system wherein items are added from one end and removed from the other end.

- a) Stack
 - b) Queue
 - c) Linked List
 - d) Array
- View Answer

Answer: b

Explanation: In a queue, the items are inserted from the rear end and deleted from the front end.

29. Another name for 1-D arrays.

- a) Linear arrays
- b) Lists
- c) Horizontal array
- d) Vertical array

30. A data structure that follows the FIFO principle.

- a) Queue
- b) LL
- c) Stack
- d) Union

31. Programming based on stepwise refinement process.

- a) Structural
- b) C programming
- c) Procedural
- d) Fine

32. What is the primary characteristic of structural programming?

a) It emphasizes using only a single programming language.

b) It focuses on breaking down a program into smaller, manageable functions or modules.

c) It encourages the use of complex and nested control structures.

d) It relies on object-oriented principles for program design.

33. A _____ is a directed graph that describes the flow of execution control of the program.

- a) Flowchart
- b) Flow graph
- c) Complexity curve
- d) Algorithm

34. A program should be _____

- a) Secure
- b) Sequential
- c) Ordered
- d) Simple

35. The following is the syntax for:

Take Computer Fundamentals Mock Tests - Chapterwise!

Start the Test Now: Chapter 1, 2, 3, 4, 5, 6, 7, 8, 9, 10

_____ (condition)

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

- action
- a) Else
- b) Elif
- c) If
- d) Switch
36. Which of the following is a loop statement?
- a) IF
- b) ELSE
- c) WHILE
- d) DO
37. What is the correct syntax of for statement?
- a)
for(initialization;condition;update)
- b)
for(initialization,condition,update)
- c)
for(condition;initialization;update)
- d) for(initialization;condition;)
38. Semicolon is used after :
- a) Function definition
- b) Function call
- c) for loop
- d) while loop
39. The number of values a function can return at a time?
- a) 1
- b) 0
- c) 2
- d) more than 2
40. Which of the following isn't a loop statement?
- a) for
- b) elif
- c) while
- d) do-while
41. Maintenance and review add to the useful life of the system but can consume large amounts of _____
- a) Documents
- b) Soft wares
- c) Devices
- d) Resources
42. Which of the following is NOT a key activity in system maintenance?
- a) Bug fixing
- b) Enhancing system features
- c) Writing the initial system code
- d) Monitoring system performance
43. This is not a part of the signing on the procedure.
- a) Identification
- b) Verification
- c) Execution
- d) Authorization



SUNRISE CLASSES

44. A _____ is a noted set of activities that are executed on the software in order to confirm its behavior to certain set of inputs.

- a) Process
- b) Document
- c) Use case
- d) Test case

45. A type of testing that is conducted at the software interface.

- a) gray box
- b) black box
- c) red box
- d) white box

46. A simple notation for the representation of control flow.

- a) System flow
- b) Flow graph
- c) Flow program
- d) System program

47. A software metric that provides a quantitative measure of the logical complexity of a program.

- a) Cyclomatic complexity
- b) Index matrix
- c) Quantitative complexity
- d) System complexity

48. An expression for the calculation of cyclomatic complexity.

- a) $V(G) = E - N + 2$
- b) $V(G) = E + N + 2$
- c) $V(G) = E - N - 2$
- d) $V(G) = E + N - 2$

49. The probability of failure-free operation of a software application in a specified environment for a specified time.

- a) Software Reliability
- b) Software Quality
- c) Software availability
- d) Software Safety

50. SCM stands for _____

- a) Software configuration monitoring
- b) System configuration management
- c) Software configuration management
- d) System configuration monitoring

51. Examination of the program step by step is called _____

- a) Controlling
- b) Tracing
- c) Stepping
- d) Testing

52. Which of the following is a common debugging technique used to locate the source of a bug in code?

- a) Writing more code to work around the issue
- b) Ignoring the bug and hoping it won't cause problems
- c) Using print statements to display variable values

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

d) Deleting the entire code and starting from scratch

53. A freeware GNU Debugger is _____

- a) GDB
- b) GNB
- c) FDB
- d) FNB

54. Which of the following is written for getting help in GDB?

- a) he
- b) h
- c) assist
- d) assistant

55. h command gives _____

- a) A list of all the commands starting from h
- b) Describes all the commands
- c) Displays a short description of the command
- d) Displays all the programs

56. _____ creates an inferior process that runs your program.

- a) run
- b) exit
- c) execute
- d) e

57. Which of the following does not affects the execution of the program?

- a) Arguments
- b) Environment

c) Control

d) I/o

58. 'set args ' without arguments can _____

- a) initialize all the arguments
- b) remove all the arguments
- c) no change
- d) show all the arguments

59. Which is not involved in debugging?

- a) Identifying
- b) Isolating
- c) Test
- d) Fixing

60. run > outfile command is used to _____

- a) direct output to the file outfile
- b) jump to a file outfile
- c) enter a file outfile
- d) edit a file outfile

61. The field that covers a variety of computer networks, both public and private, that are used in everyday jobs.

- a) Artificial Intelligence
- b) ML
- c) Network Security
- d) IT

62. What is a common method of authentication used in network security to verify a user's identity?

- a) MAC address filtering
- b) Password authentication

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

- c) IP address masking
- d) DNS resolution

63. Which is not an objective of network security?

- a) Identification
- b) Authentication
- c) Access control
- d) Lock

64. Which of these is a part of network Identification?

- a) UserID
- b) Password
- c) OTP
- d) fingerprint

65. The process of verifying the identity of a user.

- a) Authentication
- b) Identification
- c) Validation
- d) Verification

66. A concern of authentication that deals with user rights.

- a) General access
- b) Functional authentication
- c) Functional authorization
- d) Auto verification

67. CHAP stands for?

- a) Challenge Handshake authentication protocol
- b) Challenge Hardware authentication protocol
- c) Circuit Hardware authentication

protocol

- d) Circuit Handshake authentication protocol

68. Security features that control that can access resources in the OS.

- a) Authentication
- b) Identification
- c) Validation
- d) Access control

View Answer

69. An algorithm in encryption is called _____

- a) Algorithm
- b) Procedure
- c) Cipher
- d) Module

70. The information that gets transformed in encryption is _____

- a) Plain text
- b) Parallel text
- c) Encrypted text
- d) Decrypted text



SUNRISE CLASSES

Explanation

1. The correct answer is c)
Explanation: The symbol denotes a terminal. It is used for indication of start and stop nodes of a program.

2. The correct answer is b)
Explanation: The statement is false. The correct statement would be: In computer science, flowchart refers to a pictorial representation of an algorithm.

3. The correct answer is d)
Explanation: It is called as flowcharting. A flowchart is nothing but a pictorial representation of an algorithm.

4. The correct answer is b)
Explanation: The actual instructions are written in boxes. Boxes are connected by using arrows to indicate the exact flow of a flowchart and the order in which they are to be executed.

5. The correct answer is a)
Explanation: A diamond shape box denotes the decision making statements. It jumps to a truth value or a false value.

6. The correct answer is b)
Explanation: A diamond shape box denotes either a truth value or a

false value. It jumps onto two different statements following it via flow lines.

7. The correct answer is b)
Explanation: The statement is false. There should be no set standards on the amount of details that should be provided in a flowchart.

8. The correct answer is c)
Explanation: A detailed flowchart or a flowchart with more details is called as micro flowchart. It represents all the components of the algorithm that is followed.

9. The correct answer is d)
Explanation: Flowcharts provide a proper documentation. It also provides systematic debugging.

10. The correct answer is b)
Explanation: The answer is Macro Flowchart. A macro flowchart outlines the important components of a program. It therefore shows fewer details.

11. The correct answer is d)
Explanation: A flowchart is a diagram that helps us determine the flow of the program. Other options are irrelevant.



SUNRISE CLASSES

12. The correct answer is b)

Explanation: The statement is false. Terminals are represented by rounded rectangles. They indicate the starting or ending point in a flowchart.

13. The correct answer is a)

Explanation: The input/output operations are represented by parallelograms. They generally are used to display messages during input and output part of a program.

14. The correct answer is a)

Explanation: There are basically four flowcharting structures:

- Decision
- Repetition
- Case
- Sequence.

15. The correct answer is c)

Explanation: The action performed by a repetition structure must eventually cause the loop to terminate. Otherwise, an infinite loop is created.

16. The correct answer is a)

Explanation: This symbol is that of a module. The terminal is denoted by a rounded rectangle. I/O operation by a parallelogram and process by a rectangle.

17. The correct answer is c)

Explanation: This is a repetition structure. The action performed by

a repetition structure must eventually cause the loop to terminate. Otherwise, an infinite loop is created.

18. The correct answer is b)

Explanation: This is a case structure. Certain cases are given along with a default case in the case structure.

19. The correct answer is b)

Explanation: Arrows are the connectors that show the relationship between different shapes. They also show the flow of the program.

20. The correct answer is d) A connector between flowchart sections

Explanation: A symbol with two parallel lines in a flowchart is typically used to represent a connector between different sections or parts of the flowchart. It helps in showing how different parts of the process are related.

21. The correct answer is c)

Explanation: The word algorithm comes from the name of a Persian mathematician Abu Ja'far Mohammed ibn-i Musa al Khowarizmi.

22. The correct answer is a)

Explanation: The statement is true. This word algorithm refers to a special method usable by a

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

computer for the solution to a problem. The statement of the problem specifies in general terms the desired input/output relationship.

23. The correct answer is a)
Explanation: Algorithms help us to understand scalability. Performance often draws the line between what is feasible and what is impossible.

24. The correct answer is c)
Explanation: The running time depends on the input: an already sorted sequence is easier to sort. The running time is given by the size of the input, since short sequences are easier to sort than the longer ones. Generally, we seek upper bounds on the running time, because it is reliable.

25. The correct answer is b)
Explanation: Representation of algorithms:
-As programs
-As flowcharts
-As pseudo codes.

26. The correct answer is b)
Explanation: An algorithm becomes a program when it is written in the form of a programming language. Thus, any program is an algorithm.

27. The correct answer is Answer: b)
Explanation:

- Algorithms are step-by-step procedures or sets of instructions that describe how to solve a specific problem or perform a particular task. They are fundamental in computer science and are used to solve various computational and real-world problems.

• Option "a" is incorrect because an algorithm is not a type of computer hardware; it is a software concept.

- Option "c" is incorrect because an algorithm is not a programming language. Programming languages are used to implement algorithms.

- Option "d" is incorrect because an algorithm is not a type of computer network. Computer networks are infrastructure for communication between computers.

Understanding algorithms is crucial in computer science, as they form the basis for writing efficient and effective computer programs to perform a wide range of tasks.

28. The correct answer is b)
Explanation: In a queue, the items



SUNRISE CLASSES

are inserted from the rear end and deleted from the front end.

29. The correct answer is a)

Explanation: Linear arrays are the 1-Dimensional arrays wherein only one row is present and the items are inserted.

30. The correct answer is a)

Explanation: The answer is Queue. A Queue follows the FIFO principle. FIFO stands for First In First Out.

31. The correct answer is a)

Explanation: Structured programming is based on the stepwise refinement process-a method of problem decomposition common to all engineering disciplines and the physical, chemical, and biological sciences.

32. The correct answer is b) It focuses on breaking down a program into smaller, manageable functions or modules.

Explanation: Structural programming emphasizes breaking down a program into smaller, self-contained functions or modules, making it easier to understand and maintain.

33. The correct answer is a)

Explanation: A flowchart is a directed graph. It simply describes

the flow of execution control of the program.

34. The correct answer is b)

Explanation: It is natural to write a program as a sequence of program structures such as sequences, choices and loops.

35. The correct answer is c)

Explanation: The if statement follows that syntax. If is a choice statement. Else is also a choice statement.

36. The correct answer is c)

Explanation: WHILE is a loop statement.

Syntax : while(condition)
action.

37. The correct answer is a)

Explanation: The correct syntax is :
for(initialization;condition;update)

For is another loop statement.

38. The correct answer is b)

Explanation: Semicolon is used after function call otherwise it leads to compile-time errors. It shouldn't be used after definitions. It should also not be used after loops.

39. The correct answer is a)

Explanation: A function can return only one value at a time.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

Syntax : return (x,12);

40. The correct answer is b)

Explanation: The answer is elif. Elif isn't a loop statement. It is a part of a choice statement.

41. The correct answer is d)

Explanation: They consume a large amount of resources. They can benefit from the methods and project management techniques though which are applied to the systems development.

42. The correct answer is c) Writing the initial system code

Explanation: System maintenance involves activities performed after the initial development of the system. Writing the initial system code is part of system development, not maintenance. Maintenance activities typically include bug fixing, enhancing features, and monitoring system performance to keep it in good working order.

43. The correct answer is c)

Explanation: Signing on is a part of special system design considerations. It does not involve a step of execution. It involves identification, verification and authorization.

44. The correct answer is d)

Explanation: A test case is basically

a documented set of activities that are carried out on the software in order to confirm its functionality to certain given inputs. Each test case would in turn have steps to address how we can check a particular test condition is satisfied or not.

45. The correct answer is b)

Explanation: Black box testing is conducted at the software interface. White box testing is predicted on close examination of procedural details.

46. The correct answer is b)

Explanation: The flow graph depicts logical control flow. Each circle in a flow graph is called a flow graph node, represents one or more procedural statements.

47. The correct answer is a)

Explanation: The number of regions of the flow graph corresponds to the cyclomatic complexity. All other options are invalid.

48. The correct answer is a)

Explanation: The option $V(G) = E - N + 2$ denotes the correct expression. Here, E is the number of flow graph edges. N is the number of flow graph nodes.

49. The correct answer is a)

Explanation: The answer is software reliability. It is estimated using historical and development data.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

50. The correct answer is c)

Explanation: Software configuration management (SCM), also called change management, is a set of activities designed to manage change by identifying the work products that are likely to change.

51. The correct answer is c)

Explanation: Debuggers perform the task of step by step examination of the code which is called stepping. They also perform tracing.

52. The correct answer is c) Using print statements to display variable values

Explanation:- Using print statements to display variable values is a common debugging technique. By inserting print statements in the code to print the values of variables at different points in the program, developers can gain insights into the program's behavior and identify where issues or bugs may be occurring.

53. The correct answer is a)

Explanation: GDB is a free GNU debugger which runs on most of the Unix-like platforms. It works for multiple programming languages. GNU is free software.

54. The correct answer is b)

Explanation: In this h stands for help. h or help both commands can

be used. Help lists all the commands.

55. The correct answer is c)

Explanation: h command displays a short description of the command. If simply help is written it gives a list of all the commands.

56. The correct answer is a)

Explanation: run or r command creates an inferior process that runs your program. If there are no errors the program will finish and results will be displayed accordingly.

57. The correct answer is c)

Explanation: Execution is affected by :

- > arguments
- > environment
- > Working directory
- > standard I/O.

58. The correct answer is b)

Explanation: set args command can remove all the arguments.

Syntax: set args arg1 arg2 ...

If the arguments are not given it deletes all the arguments.

59. The correct answer is c)

Explanation: Testing is a different process and is different from debugging. Debugging involves identifying, isolating and fixation of the problems or errors.

60. The correct answer is a)

Explanation: run > outfile directs the

SUNRISE CLASSES ISS

SUNRISE CLASSES

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

output to the file outfile. Certain commands like 'cd dir' are used to change the working directory.

61. The correct answer is c)

Explanation: Network security covers a variety of computer networks, both private and public. Everyday jobs like conducting transactions and communications among business and government agencies etc.

62. The correct answer is b)

Explanation: Password authentication is a common method of verifying a user's identity in network security. Users must provide a valid username and password to gain access to a network or system. This process ensures that only authorized users can access the network resources. Other methods of authentication may include biometrics, two-factor authentication (2FA), or smart cards, but password authentication is one of the most widely used methods.

63. The correct answer is d)

Explanation: The Identification, Authentication and Access control are the objectives of network security. There is no such thing called lock.

64. The correct answer is a)

Explanation: The answer is UserID. UserID is a part of identification. UserID can be a combination of username, user student number etc.

65. The correct answer is a)

Explanation: It is called an authentication. It is typically based on passwords, smart card, fingerprint, etc.

66. The correct answer is c)

Explanation: Functional authorization is concerned with individual user rights. Authorization is the function of specifying access rights to resources related to information security.

67. The correct answer is a)

Explanation: CHAP stands for Challenge Handshake authentication protocol. Features of CHAP: plaintext, memorized token. Protocol uses Telnet, HTTP.

68. The correct answer is d)

Explanation: Access control refers to the security features. Applications call access control to provide resources.

69. The correct answer is c)

Explanation: An algorithm used in encryption is referred to as a cipher. cipher is an algorithm for performing encryption or decryption.