

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

146. The correct answer is a)
Explanation: None.

147. The correct answer is b)
Explanation: None.

148. The correct answer is a)
Explanation: None.

149. The correct answer is a)
Explanation: None.

150. The correct answer is c)
Explanation: None.

151. The correct answer is c)
Explanation: None.

152. The correct answer is b)
Explanation: None.

153. The correct answer is d)
Explanation: None.

154. The correct answer is b)
Explanation: None.

155. The correct answer is b)
Explanation: None.

156. The correct answer is b)
Explanation: None.

157. The correct answer is d)
Explanation: None.

158. The correct answer is a)
Explanation: None.

159. The correct answer is c)
Explanation: None.

160. The correct answer is a)
Explanation: None.

161. The correct answer is d)
Explanation: None.

162. The correct answer is a)
Explanation: None.

163. The correct answer is d)
Explanation: None.

164. The correct answer is c)
Explanation: None.

165. The correct answer is b)
Explanation: None.

166. The correct answer is a)
Explanation: None.

167. The correct answer is c)
Explanation: None.

168. The correct answer is b)
Explanation: None.

169. The correct answer is a)
Explanation: None.

170. The correct answer is a)
Explanation: None.

171. The correct answer is d)
Explanation: None.

172. The correct answer is c)
Explanation: None.

173. The correct answer is a)
Explanation: None.

174. The correct answer is c)
Explanation: None.

175. The correct answer is b)
Explanation: None.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

176. The correct answer is b)

Explanation: None.

177. The correct answer is d)

Explanation: None.

178. The correct answer is a)

Explanation: None.

179. The correct answer is c)

Explanation: None.

180. The correct answer is b)

Explanation: None.

181. The correct answer is a)

Explanation: None.

182. The correct answer is b)

Explanation: None.

183. The correct answer is b)

Explanation: None.

184. The correct answer is a)

Explanation: None.

185. The correct answer is a)

Explanation: None.

186. The correct answer is a)

Explanation: The excess arguments will simply be ignored.

187. The correct answer is b)

Explanation: Zero flag is not considered when used with left justification because adding zeros after a number changes its value.

188. The correct answer is a)

Explanation: Its format can be given as "`%m`", where m specifies the

number of decimal digits when no precision modifier is specified, printf prints six decimal positions.

189. The correct answer is c)

Explanation: The above given code uses "`\<word>`" to display the word within double inverted commas on standard output screen.

190. The correct answer is a)

Explanation: 0 in the above code is flags. The number is left-padded with zeros(0) instead of spaces.

191. The correct answer is b)

Explanation: In the given code each argument is printed on a new line due to control character `\n`. Width mentioned in the above code is 1,3,5 hence the character is printed on a new line after being padded with blank spaces.

192. The correct answer is b)

Explanation: The minimum field width and precision specifiers are usually constants. They can also be provided by arguments to printf(). This is done by using * modifier as shown in the given code.

193. The correct answer is c)

Explanation: The output for the code must be 7 characters including white spaces.

194. The correct answer is a)

Explanation: The complete string "Too Good" is printed. This is

SUNRISE CLASSES ISS

SUNRISE CLASSES

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

because if data needs more space than specified, then printf overrides the width specified by the user.

195. The correct answer is c)

Explanation: The control character \t is used to provide gap between the words. %5d – the width of the string is set to 5, characters are printed after being padded with blank spaces. %x, %#x is additional specifiers for octal and hexadecimal values.

196. The correct answer is b)

Explanation: i stores the number of read data from the stream. It is useful for detecting an error in data input.

197. The correct answer is c)

Explanation: When the scanf() function completes reading all the data values, it returns number of values that are successfully read.

198. The correct answer is a)

Explanation: scanf() returns the number of values that are successfully read. In the above statement, only integer value is read successfully.

199. The correct answer is b)

Explanation: Using an incorrect specifier for the datatype being read will generate a run-time error.

200. The correct answer is a)

Explanation: The syntax of the

scanf() can be given

as, scanf("control string", arg1, arg2, arg3, ..., argn);

201. The correct answer is a)

Explanation: The control string specifies the type and format of the data that has to be obtained from the keyboard and store in the memory locations pointed by the arguments arg1, arg2, ..., argn.

202. The correct answer is c)

Explanation: G is a type specifier used to take an input of floating point numbers in the shorter of exponential format.

203. The correct answer is c)

Explanation: scanf() is a predefined function in "stdio.h" header file. printf and scanf() carry out input and output functions in C. These functions statements are present in the header file stdio.h.

204. The correct answer is b)

Explanation: In the above statement the control string specifies the size of string to be 7 (i.e. only 7 characters can be entered in a string).

205. The correct answer is a)

Explanation: The symbol ^ when used before a escape sequence, does not read from the console.

206. The correct answer is d)

Explanation: The fputs() is used to

SUNRISE CLASSES ISS

SUNRISE CLASSES



SUNRISE CLASSES

write a line to a file. fputs() syntax can be written as

```
int fputs(const char *str, FILE
*stream);
```

207. The correct answer is a)

Explanation: gets() reads the next input line into the array s, terminating newline is replaced with '\0'. It returns s, or NULL if end of file or error occurs.

208. The correct answer is c)

Explanation: The current file position is returned by ftell() function for stream, or -1L on error.

209. The correct answer is a)

Explanation: fgetpos() records the current position in stream in *s, for subsequent use by fsetpos(). The type fpos_t is suitable for recording such values.

210. The correct answer is c)

Explanation: ferror() is declared under <errno.h>. ferror() returns non-zero if the error indicator for stream is set.

211. The correct answer is a)

Explanation: setvbuf() and setbuf() controls buffering for the stream. If buff is NULL, buffering is turned off for the stream.

212. The correct answer is b)

Explanation: The functions vprintf(), vfprintf(), and vsprintf() are similar to the corresponding printf()

functions except that the variable argument list is replaced by arg.

213. The correct answer is b)

Explanation: The fgets() function reads one less than the number of characters indicated by the size from the given stream and it is stored in the string str. The fgets() terminates as soon as it encounters either a newline character, EOF, or other error.

214. The correct answer is a)

Explanation: ungetc() pushes c back onto stream, where it will be returned on the next read. Only one character of pushback per stream is Guaranteed.

215. The correct answer is c)

Explanation: getc() is equivalent to fgetc() except that if it is a macro, it may evaluate more than once.

216. The correct answer is d)

Explanation: None.

217. The correct answer is c)

Explanation: None.

218. The correct answer is d)

Explanation: None.

219. The correct answer is a)

Explanation: None.

220. The correct answer is c)

Explanation: None.

@ISS COACHING DELHI SUNRISE CLASSES

SERVICE, TRUST & RESULT



SUNRISE CLASSES

221. The correct answer is a)

Explanation: None.

222. The correct answer is d)

Explanation: None.

223. The correct answer is a)

Explanation: None.

224. The correct answer is b)

Explanation: Frontend development primarily focuses on creating the user interface (UI) and enhancing the user experience (UX) of a web application. It involves designing and building the visual elements that users interact with in their web browsers.

225. The correct answer is b)

Explanation: JavaScript, HTML, and CSS are the core technologies used in frontend development. HTML is used for structuring web content, CSS for styling, and JavaScript for adding interactivity to web pages.

226. The correct answer is b)

Explanation: HTML stands for Hyper Text Markup Language. It is the standard markup language used to create the structure and content of web pages.

227. The correct answer is c)

Explanation: JavaScript is used to add interactivity and dynamic behavior to web pages. It allows

developers to create features like form validation, animations, and real-time updates.

228. The correct answer is c)

Explanation: CSS (Cascading Style Sheets) is used to style and format web page elements, including fonts, colors, layouts, and positioning. It defines the visual presentation of a web page.

229. The correct answer is c)

Explanation: The backend of a web application is responsible for processing server-side logic and data. It handles tasks like database interactions, authentication, and business logic.

230. The correct answer is c)

Explanation: Common backend programming languages include Python, Ruby, and PHP, among others. These languages are used to build the server-side logic of web applications.

231. The correct answer is a)

Explanation: MongoDB is a popular NoSQL database management system commonly used in backend development. It's known for its flexibility in handling unstructured data.