

(Unofficial)

RPI Beamer Presentation Template

And an optional subtitle

Inwon Kang StackOverflow – Department of Computer Science

December 7, 2025





What is this?

A template for beamer presentations. I made this template following RPI's official powerpoint template and logos **rpiHomeStrategicCommunications**.

Why did I do this?

I couldn't find an existing one and I didn't want to copy over citations manually.

- This project uses the `fontspec` package, which is not supported by the default compiler backend on Overleaf.
- You can change this by following the two steps:




Figure: Open the menu tab




Figure: Set compiler to XeLaTeX

- Use of `minipage` is encouraged.
 - Why? because I designed the template with it in mind. The `columns` env probably works for the most part as well, but it might not.
- I tried to use relative values for margins and header/sizes where I could. It should scale well with different page sizes.
- Just use `ref` for references. it's pretty annoying to get `cleveref` to work with beamer **`cleveref_beamer`**, and it doesn't look like there will be a nice way any time soon **`<empty citation>`**



- You already saw the table of contents.
- By default, it is in one column. If you want to divide it to multiple columns, you can use `minipage` or `columns` **samcarter_is_at_topanswers.xyzAnswerBeamerVertical2013**
- To make use of this, you need to use sections, which should be placed outside of the frame **campaAnswerAtbeginsectionReturns2022**.
- Use `AtBeginSection` to automatically show the table of contents at the beginning of each section.





Simple example of using lists.

- Item 1.

- Item 2.

1. Enumerate 1

2. Enumerate 2

I think this looks pretty similar to how the powerpoint one looks.



Here is an example of a figure.




Figure: A subfigure




Figure: Another subfigure

Figure: Example of a figure side by side.



Next slide shows how to use an image in full screen. I got this from [here](#)

A



Col 1	Col 2	Col 3
a	b	c
d	e	f

Table: An example table

Findings

- This is indeed a table.
- Use minipage to put two things side by side, just like the images.
- You can also use columns, but it's not necessary **scharerAnswerMinipageColumns2011**.



First Block

- First item of first block.
- Second item of first block.
- Notice that the next block matches the height of this one.
- I am also changing the indentation of bullets so it looks better in the boxes.

Second Block

- First item of second block.
 - first sub item of second block.

Third Block

This one doesn't have a list and doesn't match the height!





$$\mathcal{L}_{\text{CE}} = \sum_{c=1}^C \log \frac{\exp(x_{n,c})}{\sum_{i=1}^C \exp(x_{n,i})} \quad (1)$$

- Equation ?? shows the cross-entropy loss.
- You can also use inline equations like this: $x_{n,c}$.



Definition

This is a definition.

- It can be used to define something.
- It can also be used to define something else.
- If you don't like the colors, you can change `block title` and `block body` of `setbeamercolor` in the `.sty` file.



- It should be the same as using your regular bibtex.
- To showcase, let's cite some resources **anglimAnswerImageFull2010**, **fiandrinoAnswerDesignCustom2013**, **kormyloAnswerMakeTikz2017** that helped me put this together.
- You can add `[allowframebreaks]` to the frame to automatically continue the reference list in the text page if you have too many.
- You can use `\tcite` (short for `textcite`) shorthand to use it in *text* mode, i.e. **anglimAnswerImageFull2010**.
- You can use `\fcite` (short for `footcite`) to add a citation with a footnote on the bottom of the slide.
 - Note that if you are using `\columns` or `\minipage`, the footnote will by default appear in the bottom of the *environment*, not the slide.
 - You can manually escape this by using just `\cite` or `\tcite` in text and adding a `\bfcite` (blank footcite) outside of these environments.
 - e.g. `\bfcite{fiandrinoAnswerDesignCustom2013}`.

fiandrinoAnswerDesignCustom2013





- The default behavior is to use the shorttitle (the stuff defined in [] after \title)
- You can change this by specifying an option when importing the template (like \usetheme[<OPTION_HERE>]{rpi}). Valid options are:
 - footertitlemode=onlysection
 - footertitlemode=sectionandsubsection
 - footertitlemode=onlysubsection
- OR you can override it by using \overridefootertitle{<YOUR_TITLE_HERE>}. This will override the title for the rest of the presentation, until you call \clearoverridefootertitle.





