

전체 데이터베이스 관계도

public 테이블 26개와 관리형 auth.users. 실선 화살표는 FK의 자식에서 부모를 참조한다.




회원·일정·찜

AI·직접 일정 JSONB 저장과 관계형 여행 기록은 별도 구조로 병존한다.




장소·커뮤니티

장소 기준 데이터와 후기·사진·댓글·좋아요 관계를 PK/FK로 관리한다.



로컬 체험·호스트·신청

체험 장소·호스트의 복합 FK, 회차·신청·신청당 데모 결제를 연결한다.



관광 원본·수집·활동 기록

이 영역의 테이블 사이에는 직접 FK가 없다. 콘텐츠 ID·JSON·서버 해시를 코드에서 연결한다.

travel_site_activity
PK event_key : text
kind : text
place_key : text
place : jsonb
occurred_at : timestamp with time zone

travel_search_log
PK search_id : bigint
browser_id : character varying(43)
query_text : character varying(1000)
conditions_json : jsonb
matched_count : integer
returned_count : integer
returned_places : jsonb
searched_at : timestamp with time zone
legacy_source_id : text

travel_tour_sync_state
PK id : integer
run_id : uuid
lease_until : timestamp with time zone
started_at : timestamp with time zone
last_success_started_at : timestamp with time zone
last_completed_at : timestamp with time zone
since_day : text
next_page : integer
page_size : integer
total_count : integer
processed_count : integer
changed_count : integer
status : text
last_error : text

travel_tour_source
PK content_id : text
modified_time : text
is_active : boolean
payload_hash : text
payload : jsonb
synced_at : timestamp with time zone

데이터 사전과 무결성 설계

실제 운영 메타데이터를 기준으로 테이블·열·타입·NULL 허용·제약 조건을 수록한다. 계정/사용자 행 데이터는 포함하지 않는다. 26개 공개 테이블 모두 RLS 활성화를 확인했으며, 각 정책의 전체 보안 감사 완료를 뜻하지 않는다.

구조 선택의 근거

여행 일정은 일차별 장소·시간·메모를 한 문서로 가져오는 사용 패턴에 맞춰 travel_itineraries.payload JSONB에 저장한다. 회원과 일정 ID를 복합 PK로 묶어 소유권을 관리한다. 커뮤니티와 로컬 체험은 작성자·장소·회차·신청의 정합성이 중요하므로 관계형 FK를 적용한다.

물리 관계와 논리 관계

comm_place_tour_detail.content_id와 관광 원본 content_id는 실제 FK가 없다. comm_place.ext_key의 원천 식별자와 코드 매핑으로 연결한다. 활동 기록은 event_key 및 JSON의 장소 스냅샷을 사용하므로 auth.users/comm_place FK를 임의로 추가해 설명하지 않는다.

개인정보와 공개 경계

신청자 이름·이메일·전화번호와 동의 버전·시각은 lc_applications에 있다. 일반 공개 조회와 호스트 소유권 검사, 토큰/RLS를 함께 적용해야 한다. 결제 테이블은 DEMO_ONLY 계약이며 실제 PG·정산 시스템이 아니다. 회원 비밀번호는 Auth가 관리하고 public 테이블에 평문으로 저장하지 않는다.

운영과 기술 부채

관계형 mytrip_plan/mytrip_place와 JSONB 일정이 병존한다. 중복 저장 경로는 향후 통합 대상이며 동일 구조로 오인하지 않는다. 실제 상태 CHECK 제약은 아래 데이터 사전을 따른다. 가상의 승인·완료 상태를 문서에 추가하지 않는다.

뷰 4개

travel_saved_tour_catalog, community_posts, community_comments, community_place_reviews

comm_comment

RLS 활성화 / 컬럼 7개

열 / 타입	NULL
comment_id / bigint	불가
post_id / bigint	불가
user_id / uuid	불가
parent_id / bigint	허용
content / character varying(1000)	불가
created_at / timestamp with time zone	불가
like_count / integer	불가

CHECK ((length(btrim((content)::text)) > 0))

FOREIGN KEY (parent_id) REFERENCES comm_comment(comment_id) ON DELETE CASCADE

PRIMARY KEY (comment_id)

FOREIGN KEY (post_id) REFERENCES comm_post(post_id) ON DELETE CASCADE

FOREIGN KEY (user_id) REFERENCES travel_profiles(user_id) ON DELETE CASCADE

comm_comment_like

RLS 활성화 / 컬럼 2개

열 / 타입	NULL
comment_id / bigint	불가
user_id / uuid	불가

FOREIGN KEY (comment_id) REFERENCES comm_comment(comment_id) ON DELETE CASCADE

PRIMARY KEY (comment_id, user_id)

FOREIGN KEY (user_id) REFERENCES travel_profiles(user_id) ON DELETE CASCADE

comm_place

RLS 활성화 / 컬럼 8개

열 / 타입	NULL
place_id / bigint	불가
name / character varying(200)	불가
address / character varying(300)	허용
region / character varying(20)	허용
lat / double precision	허용
lng / double precision	허용
ext_key / character varying(100)	허용
created_at / timestamp with time zone	불가

UNIQUE (ext_key)

CHECK (((lat >= ('-90'::integer)::double precision) AND (lat <= (90)::double precision)))

CHECK (((lng >= ('-180'::integer)::double precision) AND (lng <= (180)::double precision)))

PRIMARY KEY (place_id)

comm_place_tour_detail

RLS 활성화 / 컬럼 4개

열 / 타입	NULL
place_id / bigint	불가
content_id / character varying(30)	불가
payload / jsonb	불가
synced_at / timestamp with time zone	불가

PRIMARY KEY (place_id)

FOREIGN KEY (place_id) REFERENCES comm_place(place_id) ON DELETE CASCADE

comm_post

RLS 활성화 / 컬럼 11개

열 / 타입	NULL
post_id / bigint	불가
user_id / uuid	불가
category / text	불가
sub_category / text	허용
title / character varying(100)	불가
content / text	불가
region / character varying(20)	허용
rating / integer	허용
created_at / timestamp with time zone	불가
view_count / integer	불가
like_count / integer	불가

CHECK ((category = ANY (ARRAY['리뷰'::text, '질문'::text, '소통'::text])))

CHECK (((length(btrim(content)) > 0) AND (octet_length(content) <= 3900)))

PRIMARY KEY (post_id)

CHECK (((rating >= 1) AND (rating <= 5)))

CHECK ((sub_category = ANY (ARRAY['여행 리뷰'::text, '장소 리뷰'::text])))

CHECK ((length(btrim((title)::text)) > 0))

FOREIGN KEY (user_id) REFERENCES travel_profiles(user_id) ON DELETE CASCADE

comm_post_image

RLS 활성화 / 컬럼 4개

열 / 타입	NULL
img_id / bigint	불가
post_id / bigint	불가
image_url / character varying(300)	불가
sort_no / integer	불가

PRIMARY KEY (img_id)

FOREIGN KEY (post_id) REFERENCES comm_post(post_id) ON DELETE CASCADE

comm_post_like

RLS 활성화 / 컬럼 2개

열 / 타입	NULL
post_id / bigint	불가
user_id / uuid	불가

PRIMARY KEY (post_id, user_id)

FOREIGN KEY (post_id) REFERENCES comm_post(post_id) ON DELETE CASCADE

FOREIGN KEY (user_id) REFERENCES travel_profiles(user_id) ON DELETE CASCADE

comm_post_place

RLS 활성화 / 컬럼 4개

열 / 타입	NULL
pp_id / bigint	불가
post_id / bigint	불가
place_id / bigint	불가
rating / integer	허용

PRIMARY KEY (pp_id)

FOREIGN KEY (place_id) REFERENCES comm_place(place_id)

FOREIGN KEY (post_id) REFERENCES comm_post(post_id) ON DELETE CASCADE

UNIQUE (post_id, place_id)

CHECK (((rating >= 1) AND (rating <= 5)))

lc_application_payments

RLS 활성화 / 컬럼 8개

열 / 타입	NULL
payment_id / bigint	불가

열 / 타입	NULL
application_id / bigint	불가
payment_method / text	불가
amount / bigint	불가
status / text	불가
demo_reference / text	불가
created_at / timestamp with time zone	불가
expires_at / timestamp with time zone	불가

CHECK ((amount >= 0))

FOREIGN KEY (application_id) REFERENCES lc_applications(application_id) ON DELETE RESTRICT

UNIQUE (application_id)

CHECK ((demo_reference ~ '^DEMO-[A-F0-9]{32}$'::text))

UNIQUE (demo_reference)

CHECK ((payment_method = 'DEMO_VIRTUAL_ACCOUNT'::text))

PRIMARY KEY (payment_id)

CHECK ((status = 'DEMO_ONLY'::text))

lc_applications

RLS 활성화 / 컬럼 15개

열 / 타입	NULL
application_id / bigint	불가
receipt_code / text	불가
auth_user_id / uuid	허용
session_id / bigint	불가
applicant_name / text	불가
applicant_email / text	불가
applicant_phone / text	허용
contact_language / text	불가
attendee_count / integer	불가
note / text	허용
privacy_notice_version / text	불가
privacy_consented_at / timestamp with time zone	불가
status / text	불가
created_at / timestamp with time zone	불가
expires_at / timestamp with time zone	불가

CHECK (((char_length(btrim(applicant_email)) >= 3) AND (char_length(btrim(applicant_email)) <= 254)))

CHECK (((char_length(btrim(applicant_name)) >= 1) AND (char_length(btrim(applicant_name)) <= 80)))

CHECK (((applicant_phone IS NULL) OR (char_length(applicant_phone) <= 40)))

CHECK ((attendee_count >= 1))

FOREIGN KEY (auth_user_id) REFERENCES auth.users(id) ON DELETE SET NULL

CHECK ((contact_language = ANY (ARRAY['ko'::text, 'en'::text, 'ja'::text])))

CHECK ((expires_at > created_at))

CHECK (((note IS NULL) OR (char_length(note) <= 1000)))

PRIMARY KEY (application_id)

CHECK (((char_length(privacy_notice_version) >= 1) AND (char_length(privacy_notice_version) <= 40)))

UNIQUE (receipt_code)

FOREIGN KEY (session_id) REFERENCES lc_sessions(session_id) ON DELETE RESTRICT

CHECK ((status = 'PENDING'::text))

lc_experience_steps

RLS 활성화 / 컬럼 10개

열 / 타입	NULL
step_id / bigint	불가
experience_id / bigint	불가
step_order / smallint	불가
elapsed_min / integer	불가
duration_min / integer	불가
title / text	불가
description / text	허용
created_at / timestamp with time zone	불가
updated_at / timestamp with time zone	불가
translations / jsonb	불가

CHECK (((elapsed_min + duration_min) <= 1440))

CHECK ((char_length(description) <= 4000))

CHECK (((duration_min >= 1) AND (duration_min <= 1440)))

CHECK (((elapsed_min >= 0) AND (elapsed_min <= 1439)))

FOREIGN KEY (experience_id) REFERENCES lc_experiences(experience_id) ON DELETE RESTRICT

UNIQUE (experience_id, step_order)

PRIMARY KEY (step_id)

CHECK (((step_order >= 1) AND (step_order <= 100)))

CHECK (((char_length(btrim(title)) >= 1) AND (char_length(btrim(title)) <= 200)))

CHECK (((jsonb_typeof(translations) = 'object'::text) AND (((translations - 'en'::text) - 'ja'::text) = '{}'::jsonb) AND ((NOT (translations ? 'en'::text)) OR ((jsonb_typeof((translations -> 'en'::text)) = 'object'::text) AND (COALESCE(((translations -> 'en'::text) ->> 'review_status'::text), 'DRAFT'::text) = ANY (ARRAY['DRAFT'::text, 'REVIEWED'::text])))) AND ((NOT (translations ? 'ja'::text)) OR ((jsonb_typeof((translations -> 'ja'::text)) = 'object'::text) AND (COALESCE(((translations -> 'ja'::text) ->> 'review_status'::text), 'DRAFT'::text) = ANY (ARRAY['DRAFT'::text, 'REVIEWED'::text]))))))

lc_experiences

RLS 활성화 / 컬럼 20개

열 / 타입	NULL
experience_id / bigint	불가
host_id / bigint	불가
template_id / bigint	불가
title / text	불가
description / text	허용
region_code / text	허용
status / text	불가
created_at / timestamp with time zone	불가
detail_description / text	허용
inclusions / text[]	불가
preparation_items / text[]	불가
precautions / text[]	불가
hero_image_url / text	허용
hero_image_alt / text	허용
venue_place_id / bigint	허용
updated_at / timestamp with time zone	불가
is_demo / boolean	불가
demo_code / text	허용
translations / jsonb	불가
available_languages / text[]	불가

CHECK (((available_languages <@ ARRAY['ko'::text, 'en'::text, 'ja'::text]) AND (array_position(available_languages, NULL::text) IS NULL)))

CHECK ((demo_code ~ '^DEMO-[A-Z0-9-]{2,48}$'::text))

UNIQUE (demo_code)

CHECK (((demo_code IS NULL) OR is_demo))

CHECK ((char_length(detail_description) <= 20000))

CHECK (((char_length(btrim(hero_image_alt)) >= 1) AND (char_length(btrim(hero_image_alt)) <= 300)))

CHECK (((char_length(hero_image_url) <= 2000) AND ((hero_image_url ~ '^https://[^[:space:]]+$'::text) OR (hero_image_url ~ '^/images/local-eum/[A-Za-z0-9_-]+[.](png|jpe?g|webp|avif)$'::text))))

FOREIGN KEY (host_id) REFERENCES lc_hosts(host_id) ON DELETE RESTRICT

CHECK (((hero_image_url IS NULL) OR (hero_image_alt IS NOT NULL)))

CHECK (lc_private.lc_valid_detail_list(inclusions))

PRIMARY KEY (experience_id)

CHECK (lc_private.lc_valid_detail_list(precautions))

CHECK (lc_private.lc_valid_detail_list(preparation_items))

CHECK ((status = ANY (ARRAY['DRAFT'::text, 'PUBLISHED'::text, 'CANCELLED'::text])))

FOREIGN KEY (template_id) REFERENCES lc_program_templates(template_id) ON DELETE RESTRICT

CHECK (((char_length(btrim(title)) >= 1) AND (char_length(btrim(title)) <= 120)))

CHECK (((jsonb_typeof(translations) = 'object'::text) AND (((translations - 'en'::text) - 'ja'::text) = '{}'::jsonb) AND ((NOT (translations ? 'en'::text)) OR ((jsonb_typeof((translations -> 'en'::text)) = 'object'::text) AND (COALESCE(((translations -> 'en'::text) ->> 'review_status'::text), '

DRAFT'::text) = ANY (ARRAY['DRAFT'::text, 'REVIEWED'::text]))))) AND ((NOT (translations ? 'ja'::text)) OR ((jsonb_typeof((translations -> 'ja'::text)) = 'object'::text) AND (COALESCE(((translations -> 'ja'::text) ->> 'review_status'::text), 'DRAFT'::text) = ANY (ARRAY['DRAFT'::text, 'REVIEWED'::text])))))))

FOREIGN KEY (venue_place_id, host_id) REFERENCES lc_places(place_id, owner_host_id) ON DELETE RESTRICT

lc_hosts

RLS 활성화 / 컬럼 11개

열 / 타입	NULL
host_id / bigint	불가
auth_user_id / uuid	허용
display_name / text	불가
bio / text	허용
page_slug / text	허용
approval_status / text	불가
is_public / boolean	불가
created_at / timestamp with time zone	불가
host_studio_title / text	불가
host_studio_description / text	불가
translations / jsonb	불가

CHECK ((approval_status = ANY (ARRAY['PENDING'::text, 'APPROVED'::text, 'SUSPENDED'::text])))

CHECK (((approval_status <> 'APPROVED'::text) OR (auth_user_id IS NOT NULL)))

FOREIGN KEY (auth_user_id) REFERENCES auth.users(id) ON DELETE RESTRICT

UNIQUE (auth_user_id)

CHECK (((char_length(btrim(display_name)) >= 1) AND (char_length(btrim(display_name)) <= 80)))

CHECK (((char_length(btrim(host_studio_description)) >= 1) AND (char_length(btrim(host_studio_description)) <= 240)))

CHECK (((char_length(btrim(host_studio_title)) >= 1) AND (char_length(btrim(host_studio_title)) <= 80)))

CHECK ((page_slug ~ '^[a-z0-9]+(?:-[a-z0-9]+)*$'::text))

UNIQUE (page_slug)

PRIMARY KEY (host_id)

CHECK (((NOT is_public) OR (approval_status = 'APPROVED'::text)))

CHECK (((jsonb_typeof(translations) = 'object'::text) AND (((translations - 'en'::text) - 'ja'::text) = '{}'::jsonb) AND ((NOT (translations ? 'en'::text)) OR ((jsonb_typeof((translations -> 'en'::text)) = 'object'::text) AND (COALESCE(((translations -> 'en'::text) ->> 'review_status'::text), 'DRAFT'::text) = ANY (ARRAY['DRAFT'::text, 'REVIEWED'::text])))) AND ((NOT (translations ? 'ja'::text)) OR ((jsonb_typeof((translations -> 'ja'::text)) = 'object'::text) AND (COALESCE(((translations -> 'ja'::text) ->> 'review_status'::text), 'DRAFT'::text) = ANY (ARRAY['DRAFT'::text, 'REVIEWED'::text])))))))

lc_places

RLS 활성화 / 컬럼 18개

열 / 타입	NULL
place_id / bigint	불가

열 / 타입	NULL
owner_host_id / bigint	불가
place_name / text	불가
road_address / text	허용
address_detail / text	허용
latitude / numeric(10,7)	허용
longitude / numeric(10,7)	허용
directions / text	허용
map_provider / text	불가
provider_place_id / text	허용
map_url / text	허용
coordinate_source / text	허용
source_reference / text	허용
is_confirmed / boolean	불가
confirmed_at / timestamp with time zone	허용
created_at / timestamp with time zone	불가
updated_at / timestamp with time zone	불가
seed_code / text	허용

CHECK ((char_length(address_detail) <= 200))

CHECK ((((NOT is_confirmed) AND (confirmed_at IS NULL)) OR (is_confirmed AND (confirmed_at IS NOT NULL) AND (road_address IS NOT NULL))))

CHECK (((latitude IS NULL) = (longitude IS NULL)))

CHECK (((latitude IS NULL) OR ((coordinate_source IS NOT NULL) AND (source_reference IS NOT NULL))))

CHECK ((coordinate_source = ANY (ARRAY['JUSO'::text, 'HOST_PROVIDED'::text, 'LICENSED'::text])))

CHECK ((char_length(directions) <= 4000))

UNIQUE (place_id, owner_host_id)

CHECK (((latitude >= ('-90'::integer)::numeric) AND (latitude <= (90)::numeric)))

CHECK (((longitude >= ('-180'::integer)::numeric) AND (longitude <= (180)::numeric)))

CHECK ((map_provider = ANY (ARRAY['KAKAO'::text, 'NAVER'::text])))

CHECK (((char_length(map_url) <= 2000) AND (map_url ~ '^https://(map[.]kakao[.]com|place[.]map[.]kakao[.]com|map[.]naver[.]com|naver[.]me)(/|$)'::text)))

FOREIGN KEY (owner_host_id) REFERENCES lc_hosts(host_id) ON DELETE RESTRICT

PRIMARY KEY (place_id)

CHECK (((char_length(btrim(place_name)) >= 1) AND (char_length(btrim(place_name)) <= 200)))

CHECK (((char_length(btrim(provider_place_id)) >= 1) AND (char_length(btrim(provider_place_id)) <= 200)))

CHECK (((char_length(btrim(road_address)) >= 1) AND (char_length(btrim(road_address)) <= 500)))

CHECK ((seed_code ~ '^LE-DEMO-[A-Z0-9-]+$'::text))

UNIQUE (seed_code)

CHECK (((char_length(btrim(source_reference)) >= 1) AND (char_length(btrim(source_reference)) <= 1000)))

lc_program_templates

RLS 활성화 / 컬럼 8개

열 / 타입	NULL
template_id / bigint	불가
title / text	불가
description / text	허용
duration_min / integer	불가
default_fee_amount / integer	불가
is_active / boolean	불가
created_at / timestamp with time zone	불가
seed_code / text	허용

CHECK ((default_fee_amount >= 0))

CHECK (((duration_min >= 1) AND (duration_min <= 1440)))

PRIMARY KEY (template_id)

CHECK ((seed_code ~ '^LE-DEMO-[A-Z0-9-]+$'::text))

UNIQUE (seed_code)

CHECK (((char_length(btrim(title)) >= 1) AND (char_length(btrim(title)) <= 120)))

lc_sessions

RLS 활성화 / 컬럼 14개

열 / 타입	NULL
session_id / bigint	불가
experience_id / bigint	불가
starts_at / timestamp with time zone	불가
ends_at / timestamp with time zone	불가
meeting_place / text	불가
recruit_deadline / timestamp with time zone	허용
min_people / integer	불가
capacity / integer	불가
fee_amount / integer	불가
status / text	불가
created_at / timestamp with time zone	불가
updated_at / timestamp with time zone	불가
meeting_place_id / bigint	허용
seed_code / text	허용

CHECK ((capacity >= min_people))

CHECK (((recruit_deadline IS NULL) OR (recruit_deadline <= starts_at)))

FOREIGN KEY (experience_id) REFERENCES lc_experiences(experience_id) ON DELETE RESTRICT

CHECK ((fee_amount >= 0))

CHECK (((char_length(btrim(meeting_place)) >= 1) AND (char_length(btrim(meeting_place)) <= 200)))

FOREIGN KEY (meeting_place_id) REFERENCES lc_places(place_id) ON DELETE RESTRICT

CHECK ((min_people >= 1))

PRIMARY KEY (session_id)

CHECK ((seed_code ~ '^LE-DEMO-[A-Z0-9-]+$'::text))

UNIQUE (seed_code)

CHECK ((status = ANY (ARRAY['DRAFT'::text, 'RECRUITING'::text, 'CANCELLED'::text])))

CHECK ((ends_at > starts_at))

lc_user_roles

RLS 활성화 / 컬럼 4개

열 / 타입	NULL
user_id / uuid	불가
role / text	불가
assigned_at / timestamp with time zone	불가
assigned_by / uuid	허용

FOREIGN KEY (assigned_by) REFERENCES auth.users(id) ON DELETE SET NULL

PRIMARY KEY (user_id, role)

CHECK ((role = ANY (ARRAY['HOST'::text, 'ADMIN'::text])))

FOREIGN KEY (user_id) REFERENCES auth.users(id) ON DELETE CASCADE

mytrip_place

RLS 활성화 / 컬럼 5개

열 / 타입	NULL
tp_id / bigint	불가
trip_id / bigint	불가
place_id / bigint	불가
day_no / integer	불가
memo / character varying(200)	허용

CHECK ((day_no >= 1))

PRIMARY KEY (tp_id)

FOREIGN KEY (place_id) REFERENCES comm_place(place_id)

FOREIGN KEY (trip_id) REFERENCES mytrip_plan(trip_id) ON DELETE CASCADE

UNIQUE (trip_id, place_id)

mytrip_plan

RLS 활성화 / 컬럼 7개

열 / 타입	NULL
trip_id / bigint	불가
user_id / uuid	불가
title / character varying(100)	불가
region / character varying(20)	불가
start_date / date	불가
end_date / date	불가
created_at / timestamp with time zone	불가

CHECK ((end_date >= start_date))

PRIMARY KEY (trip_id)

FOREIGN KEY (user_id) REFERENCES travel_profiles(user_id) ON DELETE CASCADE

mytrip_wish

RLS 활성화 / 컬럼 4개

열 / 타입	NULL
wish_id / bigint	불가
user_id / uuid	불가
place_id / bigint	불가
created_at / timestamp with time zone	불가

PRIMARY KEY (wish_id)

FOREIGN KEY (place_id) REFERENCES comm_place(place_id)

FOREIGN KEY (user_id) REFERENCES travel_profiles(user_id) ON DELETE CASCADE

UNIQUE (user_id, place_id)

travel_itineraries

RLS 활성화 / 컬럼 6개

열 / 타입	NULL
user_id / uuid	불가
client_id / character varying(120)	불가
payload / jsonb	불가
is_current / boolean	불가
created_at / timestamp with time zone	불가
updated_at / timestamp with time zone	불가

PRIMARY KEY (user_id, client_id)

FOREIGN KEY (user_id) REFERENCES auth.users(id) ON DELETE CASCADE

CHECK (((length(btrim((client_id)::text)) >= 1) AND (length(btrim((client_id)::text)) <= 120)))

CHECK ((COALESCE(((jsonb_typeof(payload) = 'object'::text) AND (jsonb_typeof((payload -> 'days'::text)) = 'array'::text) AND ((jsonb_array_length((payload -> 'days'::text)) >= 1) AND (jsonb_array_length((payload -> 'days'::text)) <= 5))), false) AND (octet_length((payload)::text) <= 262144)))

travel_profiles

RLS 활성화 / 컬럼 2개

열 / 타입	NULL
user_id / uuid	불가
user_name / text	불가

PRIMARY KEY (user_id)

FOREIGN KEY (user_id) REFERENCES auth.users(id) ON DELETE CASCADE

CHECK (((char_length(user_name) >= 1) AND (char_length(user_name) <= 100)))

travel_search_log

RLS 활성화 / 컬럼 9개

열 / 타입	NULL
search_id / bigint	불가
browser_id / character varying(43)	불가
query_text / character varying(1000)	불가
conditions_json / jsonb	불가
matched_count / integer	불가
returned_count / integer	불가
returned_places / jsonb	불가
searched_at / timestamp with time zone	불가
legacy_source_id / text	허용

CHECK (((returned_count >= 0) AND (returned_count <= matched_count)))

CHECK ((jsonb_array_length(returned_places) = returned_count))

UNIQUE (legacy_source_id)

CHECK ((matched_count >= 0))

PRIMARY KEY (search_id)

travel_site_activity

RLS 활성화 / 컬럼 5개

열 / 타입	NULL
event_key / text	불가
kind / text	불가
place_key / text	허용

열 / 타입	NULL
place / jsonb	허용
occurred_at / timestamp with time zone	불가

CHECK ((((kind = 'search'::text) AND (place_key IS NULL)) OR ((kind = ANY (ARRAY['result'::text, 'view'::text])) AND (place_key IS NOT NULL) AND (place IS NOT NULL))))

CHECK ((kind = ANY (ARRAY['search'::text, 'result'::text, 'view'::text])))

PRIMARY KEY (event_key)

travel_tour_source

RLS 활성화 / 컬럼 6개

열 / 타입	NULL
content_id / text	불가
modified_time / text	불가
is_active / boolean	불가
payload_hash / text	불가
payload / jsonb	불가
synced_at / timestamp with time zone	불가

PRIMARY KEY (content_id)

travel_tour_sync_state

RLS 활성화 / 컬럼 14개

열 / 타입	NULL
id / integer	불가
run_id / uuid	허용
lease_until / timestamp with time zone	허용
started_at / timestamp with time zone	허용
last_success_started_at / timestamp with time zone	허용
last_completed_at / timestamp with time zone	허용
since_day / text	허용
next_page / integer	불가
page_size / integer	불가
total_count / integer	불가
processed_count / integer	불가
changed_count / integer	불가
status / text	불가
last_error / text	허용

travel_tour_sync_state 제약 조건

CHECK ((id = 1))

PRIMARY KEY (id)

스키마 검증과 변경 관리

정합성 확인: 회원별 일정·찜의 중복 키, 체험과 장소의 복합 소유권, 신청당 결제 데모 1행 제약을 검증한다. 기존 FK가 없는 콘텐츠 ID 및 활동 JSON은 코드 매핑의 오류·누락을 별도로 검사한다.

접근 권한 확인: RLS 활성화 여부에 더해 비로그인·일반 회원·타인 계정·소유 호스트·관리자별 SELECT/INSERT/UPDATE/DELETE 기대 결과를 검사한다. 본 설계서의 메타데이터 조회만으로 모든 정책의 적정성을 보증하지 않는다.

개인정보 운영: 신청 연락처를 공개 목록이나 발표 화면에 포함하지 않는다. 보관 기간·삭제 요청·동의 버전 관리와 백업 접근 권한은 실제 운영 정책에 맞춰 확정하고 시험한다.

변경 절차: 마이그레이션을 버전 관리하고 개발 환경에서 제약·RPC·RLS 회귀 검사를 수행한 뒤 반영한다. 데이터 백업과 복구 절차, 수집 중단 커서와 실행 잠금의 정상 해제도 확인한다.

성능과 기술 부채: 실제 트래픽의 실행 계획·지연·오류를 측정해 조회 경로와 인덱스를 개선한다. 관계형 여행 기록과 JSONB 일정의 병존은 향후 저장 모델 통합 과제로 추적한다. 확인하지 않은 처리량이나 응답시간 SLA를 완료 수치로 제시하지 않는다.