Waterjet quote package

8 drawings, grouped by material and setup: the three **steel** jobs first, then the **6061 joining plates**, then the front fins and the gantry end plates. **Every drawing is a separate DXF** and the file name is printed on its page.

What is in it

File	Part	Material	Overall	Holes
`1-back-plate.dxf`	Y REAR PLATE - QTY 1	STOCK 1211 mm (47.677 in) x 302 mm (11.890 in) x 6.19 mm (0.244 in) steel	1211 × 302 mm	24 × ø9 mm (0.354 in) · **2 cut-out**
`2-side-plates.dxf`	Y OUTBOARD / SIDE PLATE - QTY 2	STOCK 1000 mm (39.370 in) x 302 mm (11.890 in) x 3.39 mm (0.133 in) steel	1000 × 302 mm	35 × ø9 mm (0.354 in)
`3-sole-plates.dxf`	NUT SOLE PLATES - QTY 3	MATERIAL 6.35 mm (0.250 in) 1/4in HR A36 STEEL - SHOP TO SUPPLY	486 × 86 mm	24 × ø6 mm (0.236 in)
`4-inside-joiners.dxf`	INSIDE JOINING STRIP - QTY 3	STOCK 1000 mm (39.370 in) x 50 mm (1.969 in) x 3 mm (0.118 in) 6061	1000 × 50 mm	14 × ø9 mm (0.354 in)
`5-x-back-joiner.dxf`	X BACK JOINING PLATE - QTY 1	STOCK 1000 mm (39.370 in) x 120 mm (4.724 in) x 6.42 mm (0.253 in) 6061	1000 × 120 mm	28 × ø9 mm (0.354 in)
`6-front-fins.dxf`	Y FRONT FIN - QTY 2	STOCK 302 mm (11.890 in) x 302 mm (11.890 in) x 10 mm (0.394 in) 6061	301 × 301.625 mm	8 × ø4.2 mm (0.165 in) · 20 × ø9 mm (0.354 in)
`7-x-end-plate-left.dxf`	X GANTRY END PLATE, LEFT-HAND - QTY 1 + 1 DOUBLER	STOCK 300 mm (11.811 in) x 200 mm (7.874 in) x 12.19 mm (0.480 in) 6061	245 × 200 mm	4 × ø4.2 mm (0.165 in) · 16 × ø5.2 mm (0.205 in) · 4 × ø6 mm (0.236 in) · 2 × ø6.8 mm (0.268 in) · 4 × ø9 mm (0.354 in) · 1 × ø35 mm (1.378 in)
`8-x-end-plate-right.dxf`	X GANTRY END PLATE, RIGHT-HAND WITH THE TONGUE - QTY 1 + 1 DOUBLER	STOCK 300 mm (11.811 in) x 200 mm (7.874 in) x 12.19 mm (0.480 in) 6061	300 × 200 mm	8 × ø4.2 mm (0.165 in) · 16 × ø5.2 mm (0.205 in) · 4 × ø6 mm (0.236 in) · 2 × ø6.8 mm (0.268 in) · 4 × ø9 mm (0.354 in) · 1 × ø35 mm (1.378 in)

How to read the drawings

- **Units are millimetres** and the origin is the lower-left corner of every drawing. Inch equivalents are printed alongside for reference only — work to the millimetre figures.
- **R12 DXF, lines, circles and arcs only.** No polylines, no splines, no blocks. Outlines are closed.
- **Layers:** OUTLINE is the cut profile, HOLES are the holes, NOTES and PARTS are text and are not to be cut.
- **Where a drawing says STOCK, the material is supplied** and the outline drawn IS that piece — the job is the holes, and any excess falls outside them. Where it says MATERIAL, the shop supplies the plate and the outline is the part to cut.
- **Holes called out as edge-bored are not drawn.** They run into a part's end face rather than through it, and are drilled here.
- **Where two parts share one piece**, both are drawn in position on it with the kerf allowed between them.

What would help on the quote

- Price **per drawing**, and separately the material where you are supplying it.
- Say if any hole is **below your minimum for the thickness** — a pilot that gets opened out here is fine, and so is a scribed mark, so tell us which you would rather cut.
- Note any outline you would rather nest differently. Nesting is yours to choose; the drawings do not assume one.


Y REAR PLATE - QTY 1

STOCK 1211 mm (47.677 in) x 302 mm (11.890 in) x 6.19 mm (0.244 in) steel

UNITS mm - ORIGIN LOWER LEFT

Holes 24 × ø9 mm (0.354 in) · **2 cut-out**

Drawn at 1:5 from the DXF itself · 1-back-plate.dxf




Y OUTBOARD / SIDE PLATE - QTY 2

STOCK 1000 mm (39.370 in) x 302 mm (11.890 in) x 3.39 mm (0.133 in) steel

UNITS mm - ORIGIN LOWER LEFT

Holes 35 × ø9 mm (0.354 in)

Drawn at 1:5 from the DXF itself · 2-side-plates.dxf




NUT SOLE PLATES - QTY 3

MATERIAL 6.35 mm (0.250 in) 1/4in HR A36 STEEL - SHOP TO SUPPLY

PROFILE TO CUT, NO STOCK OUTLINE - FILLETS R6 - UNITS mm

Holes 24 × ø6 mm (0.236 in)

Drawn at 1:2 from the DXF itself · 3-sole-plates.dxf




INSIDE JOINING STRIP - QTY 3

STOCK 1000 mm (39.370 in) x 50 mm (1.969 in) x 3 mm (0.118 in) 6061

UNITS mm - ORIGIN LOWER LEFT

Holes 14 × ø9 mm (0.354 in)

Drawn at 1:5 from the DXF itself · 4-inside-joiners.dxf




X BACK JOINING PLATE - QTY 1

STOCK 1000 mm (39.370 in) x 120 mm (4.724 in) x 6.42 mm (0.253 in) 6061

UNITS mm - ORIGIN LOWER LEFT

Holes 28 × ø9 mm (0.354 in)

Drawn at 1:5 from the DXF itself · 5-x-back-joiner.dxf




Y FRONT FIN - QTY 2

STOCK 302 mm (11.890 in) x 302 mm (11.890 in) x 10 mm (0.394 in) 6061

UNITS mm - ORIGIN LOWER LEFT

Holes 8 × ø4.2 mm (0.165 in) · 20 × ø9 mm (0.354 in)

Drawn at 1:2 from the DXF itself · 6-front-fins.dxf


301.625 mm (11.875 in)
301 mm (11.850 in)

X GANTRY END PLATE, LEFT-HAND - QTY 1 + 1 DOUBLER

STOCK 300 mm (11.811 in) x 200 mm (7.874 in) x 12.19 mm (0.480 in) 6061


UNITS mm - ORIGIN LOWER LEFT - BOTH PARTS OFF ONE PIECE

8 EDGE-BORED HOLE(S) ARE NOT DRAWN - they run into an end face and are drilled here

Holes 4 × ø4.2 mm (0.165 in) · 16 × ø5.2 mm (0.205 in) · 4 × ø6 mm (0.236 in) · 2 × ø6.8 mm (0.268 in) · 4 × ø9 mm (0.354 in) · 1 × ø35 mm (1.378 in)

Drawn at 1:1.5 from the DXF itself · 7-x-end-plate-left.dxf

DOUBLER 154 x 45 - TURNED, ITS 154 ALONG THIS SHEET'S X



X GANTRY END PLATE, LEFT-HAND - 245 LONG

X GANTRY END PLATE, RIGHT-HAND WITH THE TONGUE - QTY 1 + 1 DOUBLER

STOCK 300 mm (11.811 in) x 200 mm (7.874 in) x 12.19 mm (0.480 in) 6061


UNITS mm - ORIGIN LOWER LEFT - BOTH PARTS OFF ONE PIECE

8 EDGE-BORED HOLE(S) ARE NOT DRAWN - they run into an end face and are drilled here

Holes 8 × ø4.2 mm (0.165 in) · 16 × ø5.2 mm (0.205 in) · 4 × ø6 mm (0.236 in) · 2 × ø6.8 mm (0.268 in) · 4 × ø9 mm (0.354 in) · 1 × ø35 mm (1.378 in)

Drawn at 1:1.5 from the DXF itself · 8-x-end-plate-right.dxf

DOUBLER 154 x 45 - TURNED, ITS 154 ALONG THIS SHEET'S X



X GANTRY END PLATE, RIGHT-HAND WITH THE TONGUE - 300 LONG