# Waterjet quote - steel plates

Three drawings, all **steel**: the rear plate, the two side plates, and the three nut sole plates. The rear and side plate material is **supplied**; the sole plates are cut from **1/4in HR A36 the shop supplies**. **Every drawing is a separate DXF** and the file name is printed on its page.

## What is in it

| File | Part | Material | Overall | Holes |
|---|---|---|---|---|
| `1-back-plate.dxf` | Y REAR PLATE - QTY 1 | STOCK 1211 mm (47.677 in) x 302 mm (11.890 in) x 6.19 mm (0.244 in) steel | 1211 × 302 mm | 24 × ø9 mm (0.354 in) · **2 cut-out** |
| `2-side-plates.dxf` | Y OUTBOARD / SIDE PLATE - QTY 2 | STOCK 1000 mm (39.370 in) x 302 mm (11.890 in) x 3.45 mm (0.136 in) steel | 1000 × 302 mm | 35 × ø9 mm (0.354 in) |
| `3-sole-plates.dxf` | NUT SOLE PLATES - QTY 3 | MATERIAL 6.35 mm (0.250 in) 1/4in HR A36 STEEL - SHOP TO SUPPLY | 486 × 86 mm | 24 × ø6 mm (0.236 in) |

## How to read the drawings

- **Units are millimetres** and the origin is the lower-left corner of every drawing, marked with a **red dot**. Inch equivalents are printed alongside for reference only — work to the millimetre figures.
- **Hole offsets from that origin are printed on each page** — the **X** values across the top, the **Y** values down the left side, each on a leader from its own tick. They are there to read the drawing by; the **DXF is the authority** and the offsets are taken from it.
- **R12 DXF, lines, circles and arcs only.** No polylines, no splines, no blocks. Outlines are closed.
- **Layers:** OUTLINE is the cut profile, HOLES are the holes, NOTES and PARTS are text and are not to be cut.
- **Where a drawing says STOCK, the material is supplied** and the outline drawn IS that piece — the job is the holes, and any excess falls outside them. Where it says MATERIAL, the shop supplies the plate and the outline is the part to cut.
- **Holes called out as edge-bored are not drawn.** They run into a part's end face rather than through it, and are drilled here.
- **Where two parts share one piece**, both are drawn in position on it with the kerf allowed between them.

## What would help on the quote

- Price **per drawing**, and separately the material where you are supplying it.
- Say if any hole is **below your minimum for the thickness** — a pilot that gets opened out here is fine, and so is a scribed mark, so tell us which you would rather cut.
- Note any outline you would rather nest differently. Nesting is yours to choose; the drawings do not assume one.

# Y REAR PLATE - QTY 1


STOCK 1211 mm (47.677 in) x 302 mm (11.890 in) x 6.19 mm (0.244 in) steel

UNITS mm - ORIGIN LOWER LEFT

**Holes** 24 × ø9 mm (0.354 in) · **2 cut-out**

**Cut-outs** X 0 to 60.5, Y 97 to 182.5 · X 1143.89 to 1204.39, Y 97 to 182.5

Drawn at 1:5 from the DXF itself · 1-back-plate.dxf · offsets are HOLE CENTRES from the red 0,0 dot - X across the top, Y down the left side




# Y OUTBOARD / SIDE PLATE - QTY 2

STOCK 1000 mm (39.370 in) x 302 mm (11.890 in) x 3.45 mm (0.136 in) steel

UNITS mm - ORIGIN LOWER LEFT

**Holes** 35 × ø9 mm (0.354 in)

Drawn at 1:5 from the DXF itself · 2-side-plates.dxf · offsets are HOLE CENTRES from the red 0,0 dot - X across the top, Y down the left side



# NUT SOLE PLATES - QTY 3

MATERIAL 6.35 mm (0.250 in) 1/4in HR A36 STEEL - SHOP TO SUPPLY

PROFILE TO CUT, NO STOCK OUTLINE - FILLETS R6 - UNITS mm

**Holes** 24 × ø6 mm (0.236 in)

Drawn at 1:2 from the DXF itself · 3-sole-plates.dxf · offsets are HOLE CENTRES from the red 0,0 dot - X across the top, Y down the left side

