Systematic Evaluation of Control Mechanisms for Factor-Based Portfolio Management

Ioan Hedea

Preprint prepared in a NeurIPS-style conference template.

Abstract

Portfolio management systems often separate alpha generation from risk control, but the question of which control mechanism works best remains underexplored. This paper systematically compares 13 control approaches over a finance-first alpha engine built from factor, GARCH, and HMM sleeves, using frozen-bundle evaluation across 77 traded tickers and 13 years of daily data from April 2013 through March 2026. The compared methods include no control beyond the factor book, fixed exposure, simple rules, ensemble rules, contextual bandits, supervised control, CVaR-aware robust optimization, and Q-learning RL. Results show that CVaR-aware robust optimization has the strongest point estimates among the tested controllers, achieving mean Sharpe 0.81 versus 0.40 for the factor-only baseline, 0.42 for LinUCB, 0.41 for regime-aware rules, and 0.34 for RL; the best single run reaches 20.68% annualized return with 0.91 Sharpe. Simple regime-aware rules emerge as the strongest practical baseline, while the learning-based approaches remain mixed. The supported conclusion is therefore not that learning is the preferred control layer, but that systematic controller comparison is the right research question and that, in this frozen bundle, uncertainty-aware robust optimization is the most defensible control mechanism.

Keywords: portfolio management, factor investing, control mechanisms, robust optimization, contextual bandits, reinforcement learning, backtesting

1 Introduction

Many quantitative trading systems are modular long before they are learned. Cross-sectional factors, volatility estimates, regime filters, and constrained allocators already encode a large amount of domain structure before any control policy is added. The practical question, then, is not only how to forecast returns, but how much control complexity is justified once a finance-first alpha engine is already working. Fixed allocation, simple rules, contextual bandits, supervised controllers, robust optimization, and RL are all plausible answers to that question.

The present manuscript reflects a deliberate architecture revision. Earlier project versions were framed around whether RL worked as a controller. The March 29, 2026 frozen-bundle evaluation broadened that question into a direct comparison of control mechanisms. The resulting architecture keeps the proven alpha core, factor anchoring, and constrained allocator, but evaluates a wider set of downstream controllers under one shared data, timing, and cost protocol.

The revised implementation contributes five practical elements to the study.

1. A modular code architecture that cleanly separates data, alpha, control, backtesting, and visualization concerns.
2. A factor-anchored alpha layer limited to components that survived pruning: cross-sectional factors, GARCH volatility forecasts, and a two-state HMM regime sleeve.

3. A constrained optimization layer between alpha and control that turns signals into a capped, turnover-aware, and group-aware target book.
4. A control-method comparison spanning fixed exposure, rule-based control, contextual bandits, supervised control, CVaR-aware robust optimization, and RL comparators.
5. A frozen-bundle research workflow with ablations, control-comparison tables, rolling windows, significance tests, reward sweeps, and regime-conditioned diagnostics.

1.1 Research Questions

The current paper is organized around three revised research questions.

1. **RQ1: Control-method comparison.** Given a strong finance-first alpha engine, which controller adds the most value?
2. **RQ2: Competitive simple control.** Can simple rules provide competitive downside control without excessive Sharpe degradation?
3. **RQ3: Learning versus optimization.** Do learning-based methods outperform optimization-based control on top of the same alpha engine?

From a research perspective, this framing matters because it narrows the gap between a teaching prototype and a system that can be discussed in the language of quantitative portfolio construction. The objective is not to claim that the pipeline is production-ready. Rather, it is to assemble a well-motivated stack in which each modeling choice has a clear financial role and where performance can be decomposed into alpha generation, portfolio construction, and control.

The central defended statement is therefore not that a specific learning method wins. It is that a finance-first alpha engine should be paired with a systematic controller comparison under explicit timing and cost assumptions. The finished frozen bundle shows that robust optimization currently provides the strongest control outcome, that simple regime-aware rules are already competitive, and that the learning-based methods in this study do not beat the best optimization-based approach.

2 Related Literature and Design Motivation

The report is not meant to claim novelty in any individual modeling choice. Instead, it builds a coherent pipeline from well-established ingredients.

Factor investing. The cross-sectional component is aligned with the idea that common risk factors help explain returns [10]. Momentum is motivated by the medium-horizon continuation evidence of Jegadeesh and Titman [15], while quality and low-volatility proxies are included to stabilize the cross-section.

Volatility and regimes. Conditional heteroskedasticity motivates the GARCH sleeve [3, 8], while the market-regime component uses a two-state hidden Markov model in the spirit of Hamilton [13].

Rule-based, bandit, and optimization-based control. A key part of the revised paper is that RL is no longer the only sophisticated controller under study. Volatility targeting, drawdown-based deleveraging, regime rules, contextual bandits, supervised controllers, and CVaR-aware robust allocation are all treated as serious alternatives because these are the kinds of methods one would compare before concluding that sequential RL is necessary.

Reinforcement learning. RL is used as a controller rather than a raw alpha generator. This follows the practical observation that in finance, RL is often most useful for allocation, inventory, and execution

decisions rather than for replacing domain-specific signal construction [1, 23]. This role assignment is also motivated by the low signal-to-noise ratio and limited effective sample size typical of financial data, which make end-to-end policy learning especially brittle.

2.1 Recent Work on RL for Portfolio Management

Recent work on RL in portfolio management and trading can be organized into four overlapping strands.

End-to-end policy learning. Early and influential work uses RL to learn trading or allocation policies directly from price histories and realized rewards [5, 6, 16, 19, 21, 24]. The appeal of this approach is conceptual elegance: the same learner is asked to extract signal, size positions, and adapt sequentially. The difficulty is that financial returns are noisy, nonstationary, and data-poor relative to many other machine-learning domains. As a result, end-to-end RL systems can be sample-inefficient, regime-sensitive, and hard to interpret when they fail [12, 14, 17].

Neural return forecasting with a separate optimizer. A second line of work uses deep or other machine-learning models to estimate returns, factors, or pricing kernels, then hands those forecasts to a conventional optimizer [4, 11, 12]. This preserves more structure in the allocation step than end-to-end RL, and often performs well empirically, but it still concentrates modeling risk in a data-hungry prediction layer.

RL for execution and risk control. A third strand applies RL to narrower sequential tasks such as execution and dynamic risk management rather than to raw alpha discovery [2, 7, 18, 20]. This decomposition is closest to the present paper. The core idea is that RL may be most useful where the problem is inherently sequential and control-like, while alpha generation remains anchored to domain models or explicit financial structure.

Benchmarking and reproducibility. More recent platform and survey work has emphasized that RL in finance still suffers from weak evaluation discipline, narrow datasets, and inconsistent reporting [14, 22]. That critique directly motivates the frozen-bundle methodology used here.

Bandits and robust portfolio optimization. The revised study also touches a literature that sits between static rules and fully sequential RL. Contextual bandits offer a lighter exploration–exploitation framework for discrete allocation decisions, while CVaR-aware robust optimization provides a formal risk-sensitive alternative to learning when downside control is the primary objective. This broader framing is important because the central question is no longer whether RL wins, but which controller complexity is empirically justified.

Table 1 positions the present approach relative to these broader families. The contribution is not a new RL algorithm. It is a methodological proposal: if strong finance-first alpha already exists, the main research question should be a disciplined comparison of control mechanisms, with RL judged against simple rules and end-to-end learned alternatives rather than against passive exposure alone.

Table 1: Taxonomy of portfolio-management architectures.

Approach	Alpha source	Control logic	Interp.	Representative references
Classical factors	Hand-crafted financial signals	Fixed allocator or simple overlay rules	High	Fama–French style factor investing [10]
Rule-based overlays	Finance-first alpha models	Vol-targeting, deleveraging, and exposure rules	High	Simple portfolio-risk overlays in practice [1]
End-to-end RL	Learned from market histories	RL policy directly selects positions or weights	Low to medium	Direct trading and portfolio RL [5, 16, 19, 24]
Neural forecasting + optimizer	Neural or ML return forecasts	Separate optimizer translates forecasts into holdings	Medium	Asset-pricing and return-forecast models [4, 11, 12]
This paper	**Finance-first alpha models**	**Comparison of rule-based, bandit, supervised, robust, and RL control**	**High**	**Frozen-bundle control-method evaluation**

2.2 Contribution Type

The contribution is not novelty in any single alpha ingredient. The paper does not claim a new factor model, a new GARCH variant, or a new RL algorithm. Its contribution lies instead in three places. First, it proposes a clear role assignment between alpha and control: financially grounded models produce the alpha book, while controllers decide how aggressively to express it. Second, it implements that role assignment in a modular architecture with an explicit constrained allocator between alpha and control. Third, it pairs the architecture with a frozen-bundle evaluation workflow designed to test that claim via ablations, timing-discipline checks, robustness slices, significance tests, and regime-conditioned behavior summaries. The contribution is therefore chiefly methodological: the paper proposes and tests a disciplined way to evaluate portfolio control mechanisms on top of a finance-first alpha engine.

3 System Architecture

The pipeline is organized as a linear sequence of stages, illustrated in Figure 1. Upstream stages produce signals and risk features, the allocator turns those signals into a target book, and the control layer decides how much of that book to express before the backtest engine records realized outcomes.



Figure 1: High-level architecture of the revised quantitative trading pipeline. The alpha layer is intentionally finance-first, the allocator builds a capped and turnover-aware target book, and the control comparison focuses on how much of that book to express rather than on a second stock-selection problem. The compared control families span simple rules, contextual bandits, supervised control, robust optimization, and RL.

3.1 Software Structure

Table 2 summarizes the package decomposition that supports the frozen-bundle workflow. The separation is intentional: alpha construction, control comparison, backtesting, and plotting are kept in distinct modules so that the reported artifact bundle can be regenerated and audited component by component.

Table 2: Module-level decomposition of the `quant_stack` package.

Module	Responsibility
`config.py`	Universe definition, global constants, and external series identifiers
`data.py`	Market price/volume ingestion, macro series (FRED / BLS fallback), and SEC company facts
`alpha.py`	Cross-sectional factors, GARCH volatility, HMM regime, and adaptive or fixed signal combination
`rl.py`	Portfolio controller, state construction, and end-to-end PPO benchmark interfaces
`pipeline.py`	Walk-forward backtest orchestration and online RL update loop
`evaluation.py`	Control-method comparison, ablation, rolling-window robustness, significance tests, and artifact export
`plots.py`	Equity-curve, drawdown, controller-behavior, robustness, and reward-ablation figures
`main.py`	CLI entry point and compatibility wrapper

4 Data and Feature Construction

4.1 Universe

The revised frozen bundle uses the expanded universe rather than the smaller development basket. It contains 77 traded tickers spread across technology, financials, healthcare, consumer staples, energy, industrials,

materials, real estate, utilities, communications, consumer discretionary, and diversifier exposures such as GLD, TLT, and VNQ. SPY serves as the passive equity benchmark throughout.

4.2 Data Sources

Daily prices and volumes are sourced via `yfinance`. When a `FRED_API_KEY` is available, macro data are drawn directly from FRED; in its absence, the system falls back to BLS and U.S. Treasury Fiscal Data. SEC company facts are incorporated when `SEC_USER_AGENT` is set, enabling a light fundamentals layer without requiring a proprietary data subscription.

4.3 Macro Regime Inputs

When available, the macro sleeve includes the 10-year yield, 2-year yield, federal funds rate, unemployment rate, and term spread. The updated research design also incorporates stress-sensitive FRED series including the VIX, the ICE BofA high-yield option-adjusted spread, and a dollar-index proxy. These variables do not form a standalone alpha book. Instead, they help create a macro regime belief that is blended with the HMM regime estimate and provide additional context for risk-off states.

4.4 Information-Timing Contract

One of the most important research upgrades in the current version is that the pipeline makes its feature-availability assumptions explicit. Macro inputs are shifted forward by a configurable number of trading days before they are allowed into the backtest. This is still weaker than a true real-time vintage database, because it does not model revisions, but it is materially stronger than using the final macro history with no delay assumption at all.

Fundamental inputs are handled more conservatively. The SEC quality signal is still a static cross-sectional research prior rather than a fully point-in-time fundamentals panel. For that reason the research engine supports a strict timing mode in which the SEC quality sleeve is disabled and macro inputs are forced to use the largest configured lag. The point of this design is not to pretend that point-in-time fundamentals are already solved, but rather to make the timing caveat measurable and visible in the evaluation workflow.

5 Methodology

5.1 Problem Formulation

Let $r_{t+1} \in \mathbb{R}^N$ denote next-period asset returns for a universe of N tradable assets. At time t, the system observes a feature state $x_t \in \mathcal{X}$ constructed from cross-sectional factor values, volatility forecasts, regime beliefs, macro inputs, recent portfolio returns, and allocation summaries. The alpha layer maps these features into an expected-return score vector $\alpha_t \in \mathbb{R}^N$ and a confidence vector $c_t \in \mathbb{R}^N$.

The control layer then chooses a portfolio allocation w_t and a cash allocation. The one-step objective is not written as a pure return-maximization problem. Instead, it is implicitly multi-objective: maximize long-run wealth while limiting drawdown, volatility, and unnecessary turnover. This is the reason the project separates alpha estimation from control: the two tasks operate on different time scales and carry different inductive biases. Importantly, the learned controller does not forecast r_{t+1} directly; it maps a state summarizing alpha opportunity, current allocation, and recent portfolio outcomes into exposure and overlay decisions.

5.2 Cross-Sectional Factor Model

The factor sleeve combines four z-scored components: momentum, a value proxy, a quality proxy, and a low-volatility tilt. Letting m_i, v_i, q_i, and ℓ_i denote the standardized scores for asset i, the composite factor score is

$$f_i = 0.30m_i + 0.25v_i + 0.25q_i + 0.20\ell_i.$$

This choice reflects a balanced, multi-style factor book rather than a single directional bet. In the revised architecture, this factor book is the dominant alpha source, with the other retained sleeves acting mainly as stabilizers or confidence modifiers rather than as separate return engines.

5.3 Volatility and Regime Models

Each name receives a GARCH(1,1) forecast

$$\sigma_t^2 = \omega + \alpha_1 \epsilon_{t-1}^2 + \beta_1 \sigma_{t-1}^2,$$

where $\omega > 0$, $\alpha_1 \geq 0$, and $\beta_1 \geq 0$ are the intercept, ARCH, and GARCH coefficients respectively. This conditional variance estimate is used for confidence scaling and risk awareness. Separately, a two-state HMM produces a bull-versus-bear regime belief. The final regime signal is

$$\text{RegimeBelief}_t = 0.75 \cdot \text{HMMBelief}_t + 0.25 \cdot \text{MacroBelief}_t.$$

5.4 Adaptive Alpha Combination

Let $s_{i,t}^{(k)}$ denote the signal from source k for asset i at time t. The expected return score is formed as

$$\alpha_{i,t} = \sum_k w_t^{(k)} s_{i,t}^{(k)},$$

where the source weights $w_t^{(k)}$ adapt over time based on recent realized signal quality. In the implementation, this is proxied by recent Spearman information coefficients between source scores and realized returns.

This adaptive weighting is important because the retained sleeves are not equally informative across all market states. In the revised architecture, however, adaptive weighting is explicitly treated as an ablation rather than as an article of faith. Fixed weights remain a strong baseline precisely because the root-level bundle suggests that adaptive combination does not obviously add value in the current sample.

5.5 Constrained Allocator

The controller is not handed raw scores and asked to build a book from scratch. Instead, the revised architecture inserts a constrained intermediate allocator between the alpha layer and the control layer. The factor-anchored target book is

$$w_t^{\text{target}} = 0.90\, w_t^{\text{factor}} + 0.10\, w_t^{\text{stabilizer}},$$

where the stabilizer is a long-only minimum-variance-style portfolio estimated from a Ledoit–Wolf shrinkage covariance matrix.

The allocator solves a small regularized problem of the form

$$\min_w \quad \lambda_{\text{risk}} w^\top \Sigma_t w - \lambda_\alpha \alpha_t^\top w + \lambda_{\text{anchor}} \|w - w_t^{\text{target}}\|_2^2 + \lambda_{\text{turn}} \|w - w_{t-1}\|_2^2$$

subject to $w_i \geq 0$, $\sum_i w_i = 1$, per-asset caps, and group concentration limits. This intermediate layer is not only an architectural convenience; it reflects the practical fact that many real portfolio systems mediate between forecast signals and final positions through a constrained allocator.

5.6 Control Methods

The completed frozen bundle compares five families of control methods built on the same finance-first alpha engine and constrained allocator.

1. **Alpha and fixed-rule baselines.** The suite includes `factor_only`, a fixed 95% allocator, volatility targeting, drawdown-based deleveraging, regime-aware rules, and simple rule ensembles.
2. **Contextual bandits.** Three lightweight bandit controllers are evaluated: LinUCB, Thompson sampling, and an ε-greedy linear controller.
3. **Supervised control.** An expanding-window classifier predicts the most attractive exposure bucket from the same compact state summary.
4. **Robust optimization.** A CVaR-aware robust allocator augments the constrained optimizer with downside-sensitive risk control and is the main non-learning advanced comparator.
5. **RL comparators.** Tabular portfolio Q-learning remains as a direct learned-controller baseline, and end-to-end PPO is retained as a monolithic comparator outside the main control-comparison suite.

5.7 Portfolio RL

The revised portfolio RL state is deliberately minimal. It is constructed from the current alpha-score cross-section, the current portfolio-weight summary, and recent portfolio returns. This pruned state replaces the richer regime, uncertainty, volatility, and hedge-specific state variables used in the older architecture.

If the RL agent chooses invested fraction b_t and active overlay size τ_t, the final invested portfolio is approximately

$$w_t = b_t \left[(1 - \tau_t) w_t^{\text{target}} + \tau_t w_t^{\text{satellite}} \right].$$

The satellite sleeve is not a fully independent book; it tilts the factor target toward the strongest alpha names. This keeps the full pipeline close to the working factor engine while still letting RL modulate aggressiveness.

5.8 Reward Design

The revised architecture uses a Sortino-style reward by default. In compact form,

$$R_t^{\text{portfolio}} = \frac{r_t - \hat{\mu}_t}{\hat{\sigma}_t^{\text{down}} + \varepsilon},$$

where $\hat{\mu}_t$ is a running mean and $\hat{\sigma}_t^{\text{down}}$ is a running downside-deviation estimate. The agent is therefore rewarded for improving return relative to downside risk rather than for taking more total variance in absolute terms.

The research runner also supports reward-function ablations over differential-Sharpe, raw-return, Sortino, and mean-variance formulations. This matters because reward design is one of the least observable but most important degrees of freedom in RL-for-finance systems. Because reward specification changes the controller's operating point, it should be treated as a methodological degree of freedom rather than as a neutral implementation detail.

5.9 No-Trade Band and Transaction Costs

To reduce turnover drag, a rebalance band suppresses small changes in target weights. When only part of the portfolio is changed, the active weights are rescaled to preserve the desired capital budget.

The backtest includes a three-part execution-cost approximation. For each rebalance, the strategy pays a fixed basis-point fee on turnover, an additional penalty proportional to turnover times realized volatility, and a size penalty linked to the largest one-name weight change. In symbols,

$$\mathrm{TC}_t = c_0 \cdot \mathrm{turnover}_t + c_1 \cdot \mathrm{turnover}_t \cdot \hat{\sigma}_t + c_2 \cdot \max_i |\Delta w_{i,t}|.$$

This is not a full execution simulator, but it pushes the daily allocator away from unrealistic churn and makes the rebalance band economically meaningful rather than purely cosmetic.

6 Experimental Design

The revised frozen bundle used in the paper contains 3,269 daily observations from April 1, 2013 through March 27, 2026. The completed root-level bundle contains 78 runs spanning legacy ablations, 13 control-method candidates across three train fractions, a strict-timing check, six rolling windows, four cost settings, three rebalance-band settings, three macro-lag settings, four reward settings, and five blocked time-series CV folds. The manuscript is tied to the resulting root-level artifacts, especially `research_summary.json`, `research_control_comparison.csv`, and the companion CSV and PNG outputs. This does not eliminate prior exploratory iteration, but it does make the reported bundle explicit and reproducible.

Within that archived suite, action ladders, optimizer settings, reward choices, and comparison baselines are held fixed across ablations, split-fraction tests, rolling-window robustness slices, and significance calculations. The control comparison itself uses train fractions $\{0.4, 0.5, 0.6\}$ and evaluates factor-only, fixed allocation, rule-based control, contextual bandits, supervised control, CVaR-aware robust optimization, and RL under the same cost and timing discipline.

At each date, the revised pipeline executes the following sequence. First, factor, GARCH, HMM, macro, and optional SEC features are generated from the available data. These are combined into expected-return scores via either the adaptive or fixed combiner. The constrained allocator produces the target book. The chosen controller then decides how much of that book to express via invested fraction and active overlay size. Transaction costs and cash carry are applied to arrive at the realized portfolio return, which is finally used to update the RL value table when the controller is learned.

6.1 Benchmark Logic

The benchmark set is chosen to isolate different sources of value. SPY measures whether the pipeline adds value relative to standard passive equity exposure. The factor-only benchmark isolates the pure alpha layer without any controller overlay. Because the archived bundle already uses a broad 77-ticker universe, this factor benchmark is also informative about what the diversified opportunity set can do without learned control. Comparing the full pipeline against the factor-only benchmark is particularly important because it reveals whether learning is adding value as a controller or merely acting as a drag on a strong signal engine.

The newer comparison baselines sharpen that logic further. The volatility targeting baseline asks whether most of the observed improvement can be matched by simple inverse-vol scaling. The drawdown-based deleveraging baseline asks whether a threshold rule can replicate the control layer's protection effect. The end-to-end PPO baseline addresses the paper's most distinctive architectural question: if one hands the same state information to a monolithic policy, does it outperform a hybrid design in which finance-specific modules

produce the target book and RL only controls how aggressively to express it? These baselines are deliberately strong because they represent the kinds of simple overlays a practitioner would try before accepting the complexity of RL.

7 Evaluation Metrics

The reporting suite includes annualized return, annualized volatility, Sharpe ratio, Sortino ratio, maximum drawdown, Calmar ratio, and return-distribution diagnostics including a daily 5% Value-at-Risk estimate.

If $\{r_t\}_{t=1}^{T}$ denotes daily portfolio returns and r_f is the annual risk-free rate, then the annualized Sharpe ratio is

$$\text{Sharpe} = \frac{252\,\bar{r} - r_f}{\sqrt{252}\,\hat{\sigma}(r) + \varepsilon}.$$

The Sortino ratio replaces total volatility with downside volatility, while the Calmar ratio scales annualized return by the magnitude of maximum drawdown. Each metric emphasizes a different aspect of the return distribution, which matters in this project because the controller is explicitly designed to reshape risk, not merely to maximize mean return. Table 3 focuses on the primary comparison metrics used in the main strategy table: return, volatility, Sharpe, maximum drawdown, and Calmar. Sortino and Value-at-Risk are retained as secondary diagnostics in the text, reward-ablation evidence, and archived research artifacts.

8 Results

This section first reports the new control-comparison headline, then uses the legacy ablation and full-pipeline diagnostics as secondary evidence about which sources of complexity were worth keeping. The key change relative to earlier drafts is that the paper no longer treats RL as the protagonist. The main question is which controller is strongest on top of the same finance-first alpha engine.

8.1 Main Result: Control Comparison

The main result is the completed 13-method control-comparison suite. Table 3 reports mean annualized performance across the three train/test split settings used in the frozen bundle.

As an external calibration point, SPY averages 14.0% annualized return, 18.8% volatility, 0.56 Sharpe, and -30.6% maximum drawdown across the same three control-comparison splits. It is not shown as a row in Table 3 because SPY is a passive benchmark rather than a controller applied to the shared alpha engine. In that numerical sense, CVaR-robust is the only controller in the study that is genuinely close to or above SPY on both return and Sharpe.

The main answer to **RQ1** is clear: CVaR-aware robust optimization is the strongest control mechanism in the completed suite. Its mean Sharpe of 0.81 is well above the factor-only baseline at 0.40 and far above the learning-based controllers. The best single run in the control-comparison suite, `D_cvar_robust_tf0.50`, reaches 20.68% annualized return with 0.91 Sharpe.

The main answer to **RQ2** is also positive. Simple rules can provide competitive risk control. In particular, regime-aware rules reach Sharpe 0.415 with maximum drawdown -16.1%, improving on the factor-only baseline's 0.402 Sharpe and -19.8% drawdown. Fixed allocation is similarly competitive, while vol-targeting offers the best drawdown control among the simple rules at the cost of lower return.

The main answer to **RQ3** is negative for the learning-based methods. LinUCB is the best learner at Sharpe 0.424, slightly ahead of the factor-only baseline and the better simple rules, but still far below the robust

Table 3: Control-comparison summary across train/test split settings. All methods share the same finance-first alpha engine and constrained allocator. Annualized figures.

Controller	Return	Vol.	Sharpe	Max DD	Calmar
Factor-only baseline	9.2%	13.4%	0.40	−19.8%	0.46
A1: Fixed	9.0%	12.7%	0.40	−18.6%	0.48
A2: Vol-target	6.9%	10.0%	0.34	−13.3%	0.51
A3: DD-Delever	6.6%	11.7%	0.25	−18.4%	0.36
A4: Regime rules	8.8%	11.9%	0.41	−16.1%	0.54
A5: Ensemble (mean)	7.4%	11.5%	0.32	−15.3%	0.48
A5: Ensemble (min)	6.6%	10.1%	0.30	−12.7%	0.51
B1: LinUCB	9.0%	12.3%	0.42	−18.0%	0.50
B2: Thompson	7.9%	12.3%	0.33	−18.6%	0.42
B3: Eps-greedy	8.4%	12.3%	0.37	−18.0%	0.46
C: Supervised	8.9%	12.5%	0.40	−19.2%	0.45
D: CVaR-robust	**17.6%**	**17.3%**	**0.81**	**−26.4%**	**0.68**
RL: Q-learning	7.9%	12.1%	0.34	−18.3%	0.42

optimizer at 0.81. The supervised controller reaches 0.395 Sharpe, and tabular Q-learning reaches 0.342. In this finished bundle, the learning-based methods do not beat the optimization-based approach.

One important qualification is statistical rather than economic. The archived pairwise bootstrap table currently covers the legacy full pipeline versus baselines, not the new controller-to-controller comparisons. The appropriate claim in this section is therefore that CVaR-aware robust optimization is the point-estimate leader, not yet a statistically settled winner over regime-aware rules or LinUCB.

That point-estimate lead also comes with an important downside caveat: CVaR-robust has the worst mean maximum drawdown in Table 3 at −26.4%. This is not internally inconsistent, because the objective is CVaR-aware rather than maximum-drawdown-minimizing: it penalizes tail losses in the return distribution while still running at a materially higher average risk budget to earn much higher return. In the current bundle it improves Sharpe and Calmar, but not the single worst realized peak-to-trough path event. If maximum drawdown is the primary mandate, regime-aware rules and volatility targeting remain the more conservative choices.

Implication for the revised RQs. **RQ1**: answered in favor of CVaR-aware robust optimization. **RQ2**: answered positively, with regime-aware rules providing a strong practical baseline. **RQ3**: answered negatively for learning-based control; the best learner remains well below the best optimization-based method.

8.2 Legacy Ablation and Complexity Pruning

The control-comparison headline does not make the legacy ablation evidence irrelevant. On the contrary, the ablation table explains why the architecture was revised in the first place. It asks whether the old RL-heavy stack was actually earning its complexity before the broader controller comparison was run. The factor-only row in Table 4 is therefore the benchmark from the legacy ablation suite, not the control-comparison baseline from Table 3. The two tables summarize different archived suites: Table 3 compares controllers over the revised control-comparison design, whereas Table 4 summarizes older pruning runs whose purpose was to decide which stack components to keep.

The ablation story remains sharply negative for the old learned stack. Averaged across split settings, the factor-only benchmark reaches mean Sharpe 0.82, whereas the legacy full pipeline reaches only 0.29. Fixed alpha combination is stronger than adaptive combination, and every additional learned layer beyond the factor



Figure 2: Overview of the finished control-comparison bundle. The panels show the full ranking by mean Sharpe, return-versus-drawdown trade-offs, the best representative in each controller family, and split-to-split Sharpe stability for selected methods. The main visual message is that CVaR-aware robust optimization is the strongest point-estimate controller in the new study, while simple rules remain competitive and RL is not the leading method.

core lowers average Sharpe materially. This is exactly the pruning result that motivated the shift from an RL-centric paper to a control-method comparison paper.

Implication for RQ3. The old RL-heavy complexity is not justified. The factor core is the credible source of alpha, and the original full pipeline is best interpreted as a negative control that motivated the revised study.

8.3 Legacy Full-Pipeline Reference and Significance

The old full pipeline is retained as a secondary reference because it anchors the transition from the earlier project narrative to the new one. In the refreshed root-level confidence-interval artifact, its point estimates are 9.0% annualized return, 0.423 Sharpe, 0.459 Calmar, and -19.6% maximum drawdown.

The bootstrap significance summary in Table 6 shows that this legacy full pipeline is significantly worse than the factor-only benchmark on Sharpe and annualized return, significantly worse than vol-targeting on both dimensions, and materially weaker than drawdown-deleveraging on annualized return. It is not statistically distinguishable from SPY or end-to-end PPO on Sharpe in the completed bundle.

The Jobson–Korkie summary tells the same story more narrowly: the legacy full pipeline is significantly worse than the factor benchmark on Sharpe at the 5% level, while differences versus SPY, PPO, and the stronger rule baselines are not statistically decisive. So even as a legacy reference, the old RL branch does not recover the central economic claim.



Figure 3: Split-by-split stability across the 13 control methods. The left panel shows Sharpe by train fraction; the right panel shows absolute maximum drawdown. The figure highlights both the breadth of the CVaR-robust point-estimate lead and the fact that it does not dominate every downside metric, especially realized maximum drawdown.

8.4 Reward Sensitivity and Robustness of the Legacy Branch

Reward design affects where the retained full-pipeline controller lands on the risk-return frontier, but only within a relatively narrow band. Across the reward-function ablation, the Sortino reward is best for the legacy branch, reaching about 9.1% annualized return and 0.44 Sharpe, while the broader ranking versus factor-only, rules, and robust optimization is unchanged.

The rolling-window and time-series cross-validation diagnostics remain useful, but they should now be read as diagnostics for the retained legacy branch, not as the main source of the paper's contribution. The rolling-window summary shows median full-pipeline Sharpe 0.59, median Calmar 1.09, and median maximum drawdown -8.9%. The corresponding benchmark-beat fractions remain weak: the legacy full pipeline beats SPY on Sharpe in only 17% of windows and beats the factor benchmark on Calmar in only 17% of windows. The blocked time-series CV summary is similarly modest, with Sharpe 0.41 ± 0.57 and Calmar 0.72 ± 0.51 across five folds.

Implication for the overall claim. The legacy branch still does not show a structural edge. Its main value in the revised paper is as a transparent negative result that motivated the broader controller comparison.

9 Discussion

The experimental results support three conclusions of methodological importance.

First, the control-mechanism comparison has a strongest point-estimate winner. CVaR-aware robust

Table 4: Ablation summary across train/test split settings in the legacy pruning suite. These rows come from a different archived evaluation context than Table 3 and should not be compared numerically line by line.

Component	Return	Vol.	Sharpe	Max DD	Calmar
Factor-only benchmark	20.2%	19.8%	0.82	−27.6%	0.74
Alpha stack (fixed weights)	9.9%	13.4%	0.45	−19.4%	0.51
Alpha stack (adaptive)	9.2%	13.4%	0.40	−19.6%	0.46
Portfolio RL (fixed alpha)	7.8%	12.1%	0.32	−17.5%	0.44
Full pipeline (fixed alpha)	7.9%	12.2%	0.33	−18.1%	0.43
Full pipeline	7.3%	12.0%	0.29	−17.4%	0.42

Table 5: Rolling-window robustness summary for the full pipeline.

Statistic	Value
Rolling windows	6
Median full-pipeline Sharpe	0.59
Median full-pipeline Calmar	1.07
Median full-pipeline Max DD	−8.9%
Frac. windows full beats factor-only benchmark on drawdown	67%
Frac. windows full beats factor-only benchmark on Calmar	17%
Frac. windows full beats SPY on Sharpe	17%
Frac. windows full beats SPY on Calmar	17%

optimization leads the finished suite by a wide margin, reaching mean Sharpe 0.81 versus 0.40 for the factor-only baseline and 0.42 for the best learner, LinUCB. In other words, once the factor, GARCH, and HMM alpha engine is fixed, the biggest incremental value comes from explicit downside-aware optimization rather than from additional sequential-learning complexity. This does not mean it dominates every risk lens: it also has the deepest mean maximum drawdown in the control-comparison table, which is a reminder that CVaR control and realized pathwise drawdown are not the same objective.

Second, simple rules are stronger than a complexity-first story would suggest. Regime-aware rules reach 0.415 mean Sharpe with better maximum drawdown than the factor-only baseline, while fixed exposure and volatility targeting provide clean, interpretable trade-offs between participation and protection. This is a useful empirical result in its own right: the paper does not need learned control to justify itself, because a disciplined comparison already shows that simple rules can be credible, competitive baselines.

Third, the learning-based methods are mixed rather than dominant. LinUCB is the best learner and does slightly improve on the factor-only baseline, but the bandits, supervised controller, and Q-learning RL all remain well below the robust optimizer on risk-adjusted performance. That negative result is not an embarrassment; it is part of the methodological contribution. The point of the revised paper is to delimit where learning helps and where simpler or more structured controllers remain stronger.

What did not work is therefore just as informative as what did. The old RL-heavy stack still collapses in the legacy ablation table. Drawdown-based deleveraging is weaker than the better simple rules. Ensemble rules are more stable than exciting. The learning methods adapt, but they do not earn a clear performance premium in this daily U.S.-equity setting. These failures are precisely what turn the project from a prototype report into a more credible control-method study.



Figure 4: Legacy pruning story from the retained ablation suite. The left panel orders the old architecture variants by mean Sharpe; the right panel shows the pruning path in return-versus-drawdown space. Its role in the revised paper is diagnostic: it explains why the study moved away from defending the old RL stack and toward a broader control-method comparison.

Table 6: Block-bootstrap significance for the legacy full pipeline versus selected baselines (Sharpe deltas).

Comparison	Delta Sharpe	95% CI	p-value
Full – SPY	-0.16	[-0.91, 0.51]	0.615
Full – Factor-only benchmark	-0.58	[-1.14, -0.15]	0.005
Full – Vol-target	-0.47	[-0.98, -0.03]	0.035
Full – DD-Delever	-0.50	[-1.04, 0.06]	0.070
Full – E2E RL (PPO)	-0.14	[-1.19, 0.81]	0.820

9.1 When Practitioners Should Use Which Control Style

The archived evidence suggests three practical regimes of use. If the main objective is to maximize risk-adjusted performance on top of an already strong factor engine, the current bundle points toward CVaR-aware robust optimization. It is the only method that is clearly stronger across mean Sharpe, return, and Calmar in the completed comparison.

If simplicity, interpretability, and implementation speed matter more than squeezing out every last point estimate, regime-aware rules are the strongest practical baseline. They improve drawdown materially, remain easy to explain, and do not require the extra tuning burden associated with bandits or RL.

The learning-based methods are still useful as research instruments, but not as the default recommendation from this bundle. LinUCB suggests that lightweight adaptation can be competitive, and the supervised controller is not far behind, yet neither closes the gap to robust optimization. The practical contribution is therefore not "always use learning." It is to compare structured rules, learning, and robust optimization over a shared alpha engine before accepting additional controller complexity.

Table 7: Reward-function ablation for the full pipeline on the revised bundle.

Reward	Return	Sharpe	Max DD	Calmar
Differential Sharpe	9.3%	0.45	−17.0%	0.55
Return	9.5%	0.48	−17.2%	0.55
Sortino	9.5%	0.48	−17.0%	0.56
Mean-Variance	9.2%	0.45	−17.8%	0.52



Figure 5: Rolling-window robustness for the retained legacy full pipeline. The pattern remains mixed: drawdown improves more often than Sharpe, and the windows should be interpreted as internal robustness slices from one historical sample rather than independent replications.

10 Threats to Validity and Future Work

The implementation remains research code, and several caveats apply. Macro inputs are shifted by a configurable lag, but they are not full vintage series with revision-aware histories. SEC enrichment can be used as a static cross-sectional prior, but it still does not constitute a true point-in-time fundamentals database. Transaction costs are more realistic than before, yet they remain stylized rather than venue-specific. The robustness engine still depends on one underlying historical sample even when it slices that sample in multiple ways.

Several additional threats deserve explicit acknowledgement. First, the design has been iterated by observing backtest behavior, which raises the possibility of researcher degrees of freedom even when each individual change is motivated. Second, the traded universe is broader than in the earlier prototype but still narrow relative to institutional equity universes, so the results may depend partly on the selected names. Third, daily data are appropriate for a medium- horizon allocation study but cannot validate intraday execution claims. Finally, the project deliberately leans on free or public data sources, which improves accessibility but necessarily limits point-in-time fidelity and market microstructure realism.

A further caveat is benchmark fairness: although the rule-based and PPO baselines are designed to be strong and informative, their exact specification still influences comparative conclusions. Because the evaluation suite reports many metrics and comparator strategies, some apparent wins and losses should also be interpreted with the usual caution around multiple comparisons. External validity is also limited:

conclusions drawn from a daily U.S.-equity allocation setting may not transfer unchanged to other asset classes, frequencies, or market microstructure regimes.

The currently reported robustness summary is still based on only six rolling windows, five blocked time-series CV folds, and one underlying historical sample. The workshop interpretation should therefore be that the robustness engine is now part of the methodology, not that robustness has been exhaustively established across many independent market environments. A further limitation of the current artifact bundle is that the pairwise uncertainty analysis is strongest for the legacy full pipeline versus baselines; the paper does not yet report equally thorough bootstrap comparisons among the new winner `D_cvar_robust` and the strongest alternative controllers such as regime-aware rules and LinUCB.

Natural next steps follow directly from this new result. The highest-value extensions are pairwise significance tests across the new controller families, broader universes and asset classes, stricter point-in-time data treatment, more systematic benchmark tuning, and deeper learned-controller baselines such as modern deep RL used purely as control-layer comparators. If protection overlays re-enter the stack later, they should do so as separately validated extensions rather than as assumed core architecture.

11 Conclusion

This paper reframes the project from an RL question into a broader empirical comparison of control mechanisms for factor-based portfolio management. The shared finance-first alpha engine remains modular and interpretable; the main scientific question is which controller adds the most value once that engine is already in place.

The completed frozen bundle gives a clear answer. CVaR-aware robust optimization is the strongest point-estimate controller in the study, simple regime-aware rules are the best practical baseline, and the learning-based methods do not beat the optimization-based approach. Equally importantly, the paper leaves behind a frozen-bundle evaluation protocol that can support future controller comparisons under a consistent empirical standard. In the reported sample, the evidence supports uncertainty-aware robust optimization as the strongest point-estimate control layer and rejects the stronger claim that additional learning complexity is necessary for daily portfolio rebalancing.

A Implementation Snapshot

A.1 Revised-Study Snapshot

The revised frozen bundle reported in the paper corresponds to the simplified finance-first stack summarized in Table 8. The most important change relative to the earlier project versions is that the paper now evaluates a family of controllers on top of the same allocator rather than trying to defend one learned controller in isolation.

Table 8: Active study design in the revised frozen bundle.

Layer	Active design
Alpha layer	Factor, GARCH, and HMM sleeves only
Combiner	Adaptive IC-weighted combiner with fixed-weight ablation
Allocator	Long-only, capped, turnover-penalized, factor-anchored target book
Controller candidates	Factor-only baseline, simple rules, ensembles, contextual bandits, supervised control, CVaR-aware robust optimization, and Q-learning RL
Execution	No-trade band plus three-part transaction-cost model
Legacy reference branch	RL-heavy full pipeline, PPO comparator, and pruning ablations retained as negative-reference evidence

A.2 Research Artifacts

For the revised root-level run discussed in the paper, the research runner writes the artifacts below into the repository root alongside the paper outputs:

1. `research_metrics.csv`: tabular output for ablation and robustness runs;
2. `research_control_comparison.csv`: split-aggregated controller comparison across the 13 evaluated methods;
3. `research_ablation_summary.csv`: split-aggregated ablation summaries;
4. `research_robustness_summary.csv`: rolling-window medians and benchmark beat fractions;
5. `research_regime_summary.csv`: regime-conditioned action, turnover, and return summaries;
6. `research_rolling_references.csv`: rolling benchmark metrics for SPY and the factor-only benchmark;
7. `research_bootstrap_cis.csv`: block-bootstrap confidence intervals for key strategy metrics;
8. `research_bootstrap_significance.csv`: pairwise bootstrap deltas and p-value summaries versus benchmark strategies;
9. `research_jobson_korkie.csv`: parametric Sharpe-ratio comparison tests;
10. `research_ts_cv.csv`: blocked time-series cross-validation summaries;
11. `research_summary.json`: serialized configuration and best-per-suite summaries; and
12. `pipeline_research_eval.png`: compact paper-facing summary figure;
13. `pipeline_rolling_windows.png`: rolling-window robustness figure; and
14. `pipeline_reward_ablation.png`: reward-ablation figure.

Together with the feature-availability contract embedded in each backtest run, these artifacts make it easier to compare results across alternative timing, cost, and control assumptions without manually reconstructing the experimental context after the fact.

A.3 Supplementary Diagnostic Figures

These figures are diagnostic and illustrative; the primary evidentiary claims of the paper rest on Tables 3–6 and Figures 2, 3, 4, and 5. The appendix intentionally focuses on figures produced directly by the revised root-level bundle and omits older dashboards that are not tied to the reported evidence.



Figure 6: Supplementary reward-ablation figure for the revised bundle. Reward choice changes the controller's operating point modestly, but the broader ranking versus the factor-only benchmark and the strongest rule-based overlays is unchanged.

References

[1] R. Almgren and N. Chriss. Optimal execution of portfolio transactions. *Journal of Risk*, 3(2):5–39, 2000.

[2] H. Buehler, L. Gonon, J. Teichmann, and B. Wood. Deep hedging. *Quantitative Finance*, 19(8):1271–1291, 2019.

[3] T. Bollerslev. Generalized autoregressive conditional heteroskedasticity. *Journal of Econometrics*, 31(3):307–327, 1986.

[4] L. Chen, M. Pelger, and J. Zhu. Deep learning in asset pricing. *SSRN Working Paper 3350138*, revised 2021.

[5] Y. Cong, B. Deng, X. Bao, and H. Dai. AlphaPortfolio: Direct construction through deep reinforcement learning and interpretable representation learning. *Proceedings of the AAAI Conference on Artificial Intelligence*, 35(6):4831–4839, 2021.

[6] Y. Deng, F. Bao, Y. Kong, Z. Ren, and Q. Dai. Deep direct reinforcement learning for financial signal representation and trading. *IEEE Transactions on Neural Networks and Learning Systems*, 28(3):653–664, 2017.

[7] Y. Du, P. N. Kolm, A. Ritter, and T. Wang. Deep reinforcement learning for option replication and hedging. *The Journal of Financial Data Science*, 2(4):44–59, 2020.

[8] R. F. Engle. Autoregressive conditional heteroscedasticity with estimates of the variance of United Kingdom inflation. *Econometrica*, 50(4):987–1007, 1982.

[9] R. F. Engle and C. W. J. Granger. Co-integration and error correction: representation, estimation, and testing. *Econometrica*, 55(2):251–276, 1987.

[10] E. F. Fama and K. R. French. Common risk factors in the returns on stocks and bonds. *Journal of Financial Economics*, 33(1):3–56, 1993.

[11] S. Giglio, D. Xiu, and D. Zhang. Machine learning in asset pricing. *Annual Review of Financial Economics*, 14:337–368, 2022.

[12] S. Gu, B. Kelly, and D. Xiu. Empirical asset pricing via machine learning. *Review of Financial Studies*, 33(5):2223–2273, 2020.

[13] J. D. Hamilton. A new approach to the economic analysis of nonstationary time series and the business cycle. *Econometrica*, 57(2):357–384, 1989.

[14] J. Jander, H. H. Li, M. Schmid, and T. Pohl. Reinforcement learning in finance: From current practice to standards and benchmarks. *SSRN Working Paper 5703882*, 2025.

[15] N. Jegadeesh and S. Titman. Returns to buying winners and selling losers: implications for stock market efficiency. *Journal of Finance*, 48(1):65–91, 1993.

[16] Z. Jiang, D. Xu, and J. Liang. A deep reinforcement learning framework for the financial portfolio management problem. *arXiv preprint arXiv:1706.10059*, 2017.

[17] P. N. Kolm and G. Ritter. Modern perspectives on reinforcement learning in finance. *SSRN Working Paper 3449401*, 2019.

[18] P. N. Kolm and G. Ritter. Dynamic replication and hedging: A reinforcement learning approach. *The Journal of Financial Data Science*, 1(4):159–171, 2019.

[19] J. Moody and M. Saffell. Learning to trade via direct reinforcement. *IEEE Transactions on Neural Networks*, 12(4):875–889, 2001.

[20] Y. Nevmyvaka, Y. Feng, and M. Kearns. Reinforcement learning for optimized trade execution. In *Proceedings of the 23rd International Conference on Machine Learning*, pages 673–680, 2006.

[21] D. Pacheco Aznar. Portfolio management: A deep distributional reinforcement learning approach. *SSRN Working Paper 4522084*, 2023.

[22] S. Sun, M. Qin, W. Zhang, H. Xia, C. Zong, J. Ying, Y. Xie, L. Zhao, X. Wang, and B. An. TradeMaster: A holistic quantitative trading platform empowered by reinforcement learning. In *Advances in Neural Information Processing Systems 36: Datasets and Benchmarks Track*, 2023.

[23] R. S. Sutton and A. G. Barto. *Reinforcement Learning: An Introduction*. MIT Press, Cambridge, MA, second edition, 2018.

[24] Z. Zhang, S. Zohren, and S. Roberts. Deep reinforcement learning for trading. *The Journal of Financial Data Science*, 2(2):25–40, 2020.