Introduction to .NET

Florin Olariu

"Alexandru Ioan Cuza", University of Iași

Department of Computer Science

Agenda

- Unit testing shortcut to expert level
- Entity Framework Core part1


Unit testing - shortcut to expert level

Unit testing - shortcut to expert level

- Why unit testing?
 - Benefits of unit tests
- What is a unit test?
- Unit test life cycle
- What makes a good unit test?
- Best practices

```
"Always code as if the guy who ends up maintaining your code will be a violent psychopath who knows where you live."

| Suffix | [10, 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188', 188'
```




- Benefits of unit testing
 - ► Find defects early
 - Prevent regressions
 - Provide living documentation (source code)
 - Automate testing efforts

- Benefits
 - Find defects early
 - Prevent regressions
 - Provide living documentation (source code)
 - Automate testing efforts

Requires tests to be as complete as possible and to be run as early and often as

Definition 1

- Definition 1
- "A unit test is a piece of code (usually a method) that invoke another piece of code and checks the correctness of some assumptions afterwards."
 - "The art of unit testing"




Definition 2

Definition 2

Essentially, a unit test is a method that instantiates a small portion of our application and verifies its behavior **independently from other parts**.

Unit test representation



Unit test example

Unit Test [TestMethod public void TestGetNameOfNumber() Marks unit test //Arrange var converter = new Converter(); //Act string result = converter.GetNameOfNumber(1); //Assert Assert.AreEqual("One", result); Asserts result

Easy to write

- Easy to write
- Readable

- Easy to write
- Readable
- Reliable

- Easy to write
- Readable
- Reliable
- Fast

A test should be:

- A test should be:
 - Isolated


- A test should be:
 - Isolated
 - ► Test Only One Condition at a Time

- A test should be:
 - Isolated
 - ► Test Only One Condition at a Time
 - Repeatable


- A test should be:
 - Isolated
 - ► Test Only One Condition at a Time
 - Repeatable
 - ► Thorough
 - Mock external references

Unit test life cycle

Unit test life cycle



Unit test life cycle



```
public class ClassicTest

[SetUp]
public void SetUp()
{...}

[Test]
public void FirstTest()
{...}

[Test]
public void SecondTest()
{...}

...
[TearDown]
public void TearDown()
{...}
}
```

Entity Framework Core - part1

Entity Framework Core - part1

- Introduction in Entity Framework
- Entity Framework code first
 - Conventions
 - Attributes
 - Fluent API
 - Creating models with Entity Framework code first/Creating Context class with Entity Framework - from scratch sample
 - Transactions
 - Manipulating data(Inserting entities, Updating entities, Deleting entities, querying entities)

- What is Entity Framework?
- Short history
- Pros/Cons in using EF Core

- What is Entity Framework?
- Short history
- Pros/Cons in using EF Core

- What is Entity Framework?
- Short history
- 'It'is an ORM => object relational mapping tool from Microsoft.

- What is Entity Framework?
- Short history
- Pros/Cons in using EF Core

- Wh Was first released as part of
 Short history
- Pros/ConsNETCFramework 3.5 with Service Pack 1 back in late 2008.

- What is The wersion included with
- Short history
- Pros/Cons in us Visual Studio 2015 is Entity Framework 6.1.3 (EF6).

- What is Entity Framework?
- Short history

It is mature, stable, and supports the "old" EDMX design-time way

- What is Entity Framework?
- Short history
- Pros/Cons in using EF Core

- What is Entity Framework?
- Short history
- Pros/Cons in using EF Core

Pros	Cons

- What is Entity Framework?
- Short history
- Pros/Cons in using EF Core

Pros	Cons
Is available for .NET Core => can be used for Mac, Linux or Windows	

- What is Entity Framework?
- Short history
- Pros/Cons in using EF Core

Pros	Cons
Is available for .NET Core => can be used for Mac, Linux or Windows	
Supports modern cloud-based, non- relational databases(Azure Table Storage, Redis)	

- What is Entity Framework?
- Short history
- Pros/Cons in using EF Core

Pros	Cons
Is available for .NET Core => can be used for Mac, Linux or Windows	Does not support the old EDMX design time
Supports modern cloud-based, non- relational databases(Azure Table Storage, Redis)	

- What is Entity Framework?
- Short history
- Pros/Cons in using EF Core

Pros	Cons
Is available for .NET Core => can be used for Mac, Linux or Windows	Does not support the old EDMX design time
Supports modern cloud-based, non- relational databases(Azure Table Storage, Redis)	Does not support yet complex inheritance models

- What is Entity Framework?
- Short history
- Pros/Cons in using EF Core

Pros	Cons
Is available for .NET Core => can be used for Mac, Linux or Windows	Does not support the old EDMX design time
Supports modern cloud-based, non- relational databases(Azure Table Storage, Redis)	Does not support yet complex inheritance models

Tip: Use EF6 for Windows platform applications until EF Core becomes more stable and implements more features. Use EF Core for cross-platform development.

Entity Framework code first

If a connection string exists with the same name as the class derived from DbContext, then it is loaded and used to connect to the database automatically.

- If a connection string exists with the same name as the class derived from DbContext, then it is loaded and used to connect to the database automatically.
- The name of a table is assumed to match the name of a DbSet <T> property in the DbContext class, for example, Customers.

- If a connection string exists with the same name as the class derived from DbContext, then it is loaded and used to connect to the database automatically.
- The name of a table is assumed to match the name of a DbSet <T> property in the DbContext class, for example, Customers.
- The names of the columns are assumed to match the names of properties in the class, for example, CustomerID.

- If a connection string exists with the same name as the class derived from DbContext, then it is loaded and used to connect to the database automatically.
- The name of a table is assumed to match the name of a DbSet <T> property in the DbContext class, for example, Customers.
- ► The names of the columns are assumed to match the names of properties in the class, for example, CustomerID.
- ▶ The string .NET type is assumed to be an nvarchar type in the database.

- If a connection string exists with the same name as the class derived from DbContext, then it is loaded and used to connect to the database automatically.
- The name of a table is assumed to match the name of a DbSet <T> property in the DbContext class, for example, Customers.
- ► The names of the columns are assumed to match the names of properties in the class, for example, CustomerID.
- ▶ The string .NET type is assumed to be an nvarchar type in the database.
- ► The int .NET type is assumed to be an int type in the database.

- If a connection string exists with the same name as the class derived from DbContext, then it is loaded and used to connect to the database automatically.
- The name of a table is assumed to match the name of a DbSet <T> property in the DbContext class, for example, Customers.
- The names of the columns are assumed to match the names of properties in the class, for example, CustomerID.
- ▶ The string .NET type is assumed to be an nvarchar type in the database.
- ► The int .NET type is assumed to be an int type in the database.
- A property that is named ID or the name of the class has ID as the suffix, it is assumed to be a primary key. If this property is any integer type or the Guid type, then it is also assumed to be an IDENTITY

With attributes we can specify different aspects database oriented: Not Null field, dimensions for nvarchar, custom types

With attributes we can specify different aspects database oriented: Not Null field, dimensions for nvarchar, custom types

```
[Required]
  [StringLength(40)]
  public string CustomerName { get; set; }
or:
```

With attributes we can specify different aspects database oriented: Not Null field, dimensions for nvarchar, custom types

```
[Required]
  [StringLength(40)]
  public string CustomerName { get; set; }
or:
  [Column( TypeName = "money")]
  public decimal? UnitPrice { get; set; }
```

- It can be used:
 - Combined with attributes

- It can be used:
 - Combined with attributes
 - ► As a replacement for attributes

- It can be used:
 - Combined with attributes
 - As a replacement for attributes

```
[Required]
[StringLength( 40)]
public string CompanyName { get; set; }
```

They could be deleted and replaced with this Fluent API statement in the Context class OnModelBuilding method:

```
modelBuilder.Entity<Customer>()
.Property(customer=>customer.CompanyName)
.IsRequired()
.HasMaxLength(40);
```

Entity Framework code first - models and context class

Creating models with Entity Framework code first/Creating Context class with Entity Framework - from scratch sample - Demo

Transactions maintain the integrity of your database by applying locks to prevent reads and writes while a sequence of operations is occurring.

- Transactions maintain the integrity of your database by applying locks to prevent reads and writes while a sequence of operations is occurring.
- Transactions should be ACID.

- Transactions maintain the integrity of your database by applying locks to prevent reads and writes while a sequence of operations is occurring.
- Transactions should be ACID.
 - ► A: is for atomic

- Transactions maintain the integrity of your database by applying locks to prevent reads and writes while a sequence of operations is occurring.
- Transactions should be ACID.
 - ► A: is for atomic
 - **C**: is for consistent

- Transactions maintain the integrity of your database by applying locks to prevent reads and writes while a sequence of operations is occurring.
- Transactions should be ACID.
 - ► A: is for atomic
 - **C:** is for consistent
 - ▶ I: is for isolated

- Transactions maintain the integrity of your database by applying locks to prevent reads and writes while a sequence of operations is occurring.
- Transactions should be ACID.
 - ► A: is for atomic
 - **C:** is for consistent
 - ▶ I: is for isolated
 - ▶ D: is for durable

Entity Framework code first manipulating data

Entity Framework code first manipulating data

- Inserting entities
- Updating entities
- Deleting entities
- Querying entities

- Inserting entities
- Updating entities
- Deleting entities
- Querying entities

Inserting entities Up(var newProduct = new Product) ProductName = "Bob's Burger", UnitPrice = 500M// mark product as added in change tracking db.Products.Add(newProduct); // save tracked changes to database db.SaveChanges(); foreach (var item in query) WriteLine(\$"{item.ProductID}: {item.ProductName} costs {item.UnitPrice:\$#, ##0.00}");

- Inserting entities
- Updating entities
- Deleting entities
- Querying entities

- Inserting entities
- Updating entities
- Deleting entities

```
Product updateProduct = db.Products.Find(78);
updateProduct.UnitPrice += 20M;
db.SaveChanges();
foreach (var item in query)
{
    WriteLine($"{item.ProductID}: {item.ProductName} costs
{item.UnitPrice:$#,##0.00}");
}
```

- Inserting entities
- Updating entities
- Deleting entities
- Querying entities

- Inserting entities
- Updating entities
- Deleting entities
- Qu

```
Product deleteProduct = db.Products.Find(78);
db.Delete(deleteProduct);
db.SaveChanges();
```

- Inserting entities
- Updating entities
- Deleting entities
- Querying entities

{item.UnitPrice:\$#, ##0.00}");

Inserting entities

Indexting entities

IQueryable<Product> query = db.Products
 .Where(product => product.UnitPrice > price)
 .OrderByDescending(product => product.UnitPrice);

foreach (Product item in query)

WriteLine(\$"{item.ProductID}: {item.ProductName} costs

What's next ...

Entity Framework Core - part 2

One more thing...

Read the story from notes!!!!!

One more thing...

Read the story from notes!!!!!

Early one morning, a programmer asked the great master:

"I am ready to write some unit tests. What code coverage should I aim for?"

The great master replied:

"Don't worry about coverage, just write some good tests."

The programmer smiled, bowed, and left.

• • •

Questions

Do you have any other questions?

Thanks! See you next time! ©