AVERV

Developer Report

Security Audit

30 August 2020

Report created by AVERV Team

Scan of www.phptravels.net

Scan details

Scan information	
Start time	30/08/2020, 14:42:46
Start url	https://www.phptravels.net/
Host	www.phptravels.net
Scan time	223 minutes, 45 seconds
Profile	Full Scan
Server information	cloudflare
Responsive	True
Server OS	Unknown

Threat level

Acunetix Threat Level 2

One or more medium-severity type vulnerabilities have been discovered by the scanner. You should investigate each of these vulnerabilities to ensure they will not escalate to more severe problems.

Alerts distribution

Total alerts found	147
🔴 High	0
🟠 Medium	120
🔵 Low	6
🟢 Informational	21

Alerts summary

⚠ HTML form without CSRF protection

Classification	
CVSS2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352

Affected items	Variation
/412	1
/admin/	2
/API-s	1
/ar/API-s	1
/availability/cache/clear	1
/availability/display/nocars	1
/availability/filter/current	1
/Become-Supplier	1
/blog/Fiercely-Independent-Cultures	1
/blog/Flavio-Al-Velavevodetto-in-Testaccio	1
/blog/Gluten-Dining-Food-Shopping-in-Rome	1
/blog/Graphic-Tour-Sri-Lanka	1
/blog/Hotel-Review-DOM-Hotel-In-Rome	1
/blog/It-Wasn-t-Supposed-to-Rain	1
/blog/Kinda-2-000-Years-After-His-Death	1
/blog/Masra-Matruh-Egypt	1
/blog/Mordi-e-Vai-in-the-Testaccio-Market	1
/blog/Paradise-Search-Villa-Extramoros	1
/blog/Peace-Train-A-Long-Time-Coming	1
/blog/South-Africa-A-Terminal-Tyre	1

/blog/The-Art-Of-Fashion	1
/blog/The-Tiber-River-s-Last-Eel-Fishermen	1
/blog/Things-To-Do-This-Weekend	1
/blog/Trapizzino-Rome-s-OG-Street-Food	1
/blog/Virgin-Gorda-beaches-and-lobste	1
/blog/Where-to-Eat-in-Rome-During-Holidays	1
/Booking-Tips	1
/buttontype.cgi	2
/Cartrawler	1
/contact-us	3
/country/loaded	1
/ct_lang_	1
/day	1
/de/Terms-of-Use	1
/default/eyeCatchers/	2
/FAQ	1
/group_status	1
/How-to-Book	1
/Ivisa	1
/licence/4618001/v2/localization.en.13.19cc87cea5ee24ed0f84fe3027fc0c74.js	2
/licence/g	1
/login	6
/login/	2
/login/ar	2
/login/de	3
/login/en	2
/login/es	2
/login/fa	2
/login/fr	2
/login/ru	2
/login/tr	2
/login/vi	2
/map/display	1
/map/locations/none	1
/modal/changePrice/render	1
/modal/customerReviews/render	1
/My-Account	1
/notfound	1
/Our-Partners	1
/Privacy-Policy	1
/Register	4
/register/	1
/register/ar	2

/register/de	1
/register/en	1
/register/es	1
/register/fa	1
/register/fr	1
/register/ru	1
/register/tr	1
/register/vi	1
/requestData/update/all	1
/supplier-register/	1
/supplier/	2
/Terms-of-Use	1
/theme.css	2
/themes/JJJ51QQQ/assets/bootstrap/css/bootstrap.min.css	2
/themes/JJJ51QQQ/assets/include/slider/slider.js	2
/themes/JJJ51QQQ/assets/js/plugins/infobox.js	2
/tunnel.cgi	2
/v2/metrics/	2
/v2/open_chat.cgi	1
/visa/	1
/visa/booking	2

⚠ Vulnerable Javascript library

Classification		
CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined	
CVSS3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None	
CWE	CWE-16	
Affected items		Variation
/themes/JJJ51QQQ/assets/js/jquery-2.2.4.min.js		1

[/themes/PPP0QQQ/assets/js/jquery-2.2.4.min.js](#)	1

ⓘ Login page password-guessing attack

Classification	
CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected items	Variation
[/login](#)	1

ⓘ Possible sensitive directories

Classification	
CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-200	
Affected items		Variation
[/backups/](#)		1
[/install/](#)		1
[/install/includes/](#)		1

ⓘ **Possible sensitive files**

Classification	
CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200

Affected items		Variation
[/install/install.sql](#)		1

ⓘ **Session Cookie scoped to parent domain**

Classification	
CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16

Affected items		Variation

Web Server	1

ⓘ **Content Security Policy (CSP) not implemented**

Classification		
CVSS2		Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE		CWE-16
Affected items		Variation
Web Server		1

ⓘ **Password type input with auto-complete enabled**

Classification		
CVSS2		Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3		Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE		CWE-200
Affected items		Variation
Web Server		17

ⓘ **Reverse proxy detected**

Classification

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined	
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None	
CWE	CWE-16	
Affected items		Variation
Web Server		1

ⓘ Subresource Integrity (SRI) not implemented

Classification		
CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined	
CWE	CWE-16	
Affected items		Variation
/blog/Fiercely-Independent-Cultures		1
/contact-us		1

Alerts details

⚠ HTML form without CSRF protection

Severity	**Medium**
Reported by module	/Crawler/12-Crawler_Form_NO_CSRF.js

Description

This alert requires manual confirmation

Cross-Site Request Forgery (CSRF, or XSRF) is a vulnerability wherein an attacker tricks a victim into making a request the victim did not intend to make. Therefore, with CSRF, an attacker abuses the trust a web application has with a victim's browser.

Acunetix found an HTML form with no apparent anti-CSRF protection implemented. Consult the 'Attack details' section for more information about the affected HTML form.

Impact

An attacker could use CSRF to trick a victim into accessing a website hosted by the attacker, or clicking a URL containing malicious or unauthorized requests.

CSRF is a type of 'confused deputy' attack which leverages the authentication and authorization of the victim when the forged request is being sent to the web server. Therefore, if a CSRF vulnerability could affect highly privileged users such as administrators full application compromise may be possible.

Recommendation

Verify if this form requires anti-CSRF protection and implement CSRF countermeasures if necessary.

The recommended and the most widely used technique for preventing CSRF attacks is know as an anti-CSRF token, also sometimes referred to as a synchronizer token. The characteristics of a well designed anti-CSRF system involve the following attributes.

- The anti-CSRF token should be unique for each user session
- The session should automatically expire after a suitable amount of time
- The anti-CSRF token should be a cryptographically random value of significant length
- The anti-CSRF token should be cryptographically secure, that is, generated by a strong Pseudo-Random Number Generator (PRNG) algorithm
- The anti-CSRF token is added as a hidden field for forms, or within URLs (only necessary if GET requests cause state changes, that is, GET requests are not idempotent)
- The server should reject the requested action if the anti-CSRF token fails validation

When a user submits a form or makes some other authenticated request that requires a Cookie, the anti-CSRF token should be included in the request. Then, the web application will then verify the existence and correctness of this token before processing the request. If the token is missing or incorrect, the request can be rejected.

References

What is Cross Site Reference Forgery (CSRF)? (https://www.acunetix.com/websitesecurity/csrf-attacks/)
Cross-Site Request Forgery (CSRF) Prevention Cheatsheet (https://www.owasp.org/index.php/Cross-Site_Request_Forgery_(CSRF)_Prevention_Cheat_Sheet)
The Cross-Site Request Forgery (CSRF/XSRF) FAQ (https://www.cgisecurity.com/csrf-faq.html)
Cross-site Request Forgery (https://en.wikipedia.org/wiki/Cross-site_request_forgery)

Affected items

/412

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /412 HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/API-s

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /API-s HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/Become-Supplier

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /Become-Supplier HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/Booking-Tips

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /Booking-Tips HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/Cartrawler

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /Cartrawler HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/FAQ

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

```
GET /FAQ HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/How-to-Book

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /How-to-Book HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/Ivisa

Details

Form name: <empty>
Form action: https://www.phptravels.net/visa/booking
Form method: POST

Form inputs:

- from_country [hidden]
- to_country [hidden]
- first_name [text]
- last_name [text]
- email [text]
- confirmemail [email]
- phone [text]
- date [unknown]
- <empty> [checkbox]
- notes [textarea]
- <empty> [submit]

Request headers

```
GET /Ivisa HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/My-Account

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /My-Account HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/Our-Partners

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

```
GET /Our-Partners HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/Privacy-Policy

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /Privacy-Policy HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/Register

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- firstname [text]
- lastname [text]
- phone [text]
- email [text]
- password [password]
- confirmpassword [password]
- <empty> [submit]
- <empty> [hidden]

Request headers

```
POST /Register HTTP/1.1
Content-Type: application/x-www-form-urlencoded
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Content-Length: 139
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive

confirmpassword=g00dPa%24%24w0rD&email=sample%40email.tst&firstname=vDSSsjdW&lastname=vD
SSsjdW&password=g00dPa%24%24w0rD&phone=555-666-0606
```

/Register

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
POST /Register HTTP/1.1
Content-Type: application/x-www-form-urlencoded
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Content-Length: 139
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive

confirmpassword=g00dPa%24%24w0rD&email=sample%40email.tst&firstname=vDSSsjdW&lastname=vD
SSsjdW&password=g00dPa%24%24w0rD&phone=555-666-0606
```

/Register

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- firstname [text]
- lastname [text]
- phone [text]
- email [text]
- password [password]
- confirmpassword [password]
- <empty> [submit]
- <empty> [hidden]

Request headers

```
GET /Register HTTP/1.1
Referer: https://www.phptravels.net/
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
Connection: Keep-alive
```

/Register

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- firstname [text]
- lastname [text]
- phone [text]
- email [text]
- password [password]
- confirmpassword [password]
- <empty> [submit]
- <empty> [hidden]

Request headers

```
GET /Register HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/Terms-of-Use

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /Terms-of-Use HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/admin/

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- email [text]
- password [password]
- remember [checkbox]
- <empty> [submit]

Request headers

```
GET /admin/ HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/admin/

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

- email [email]
- <empty> [button]
- <empty> [button]

Request headers

```
GET /admin/ HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/ar/API-s

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /ar/API-s HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/availability/cache/clear

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /availability/cache/clear HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/availability/display/nocars

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

```
GET /availability/display/nocars HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/availability/filter/current

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /availability/filter/current HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/blog/Fiercely-Independent-Cultures

Details

Form name: <empty>
Form action: https://www.phptravels.net/blog/search
Form method: GET

Form inputs:

- s [text]
- <empty> [submit]

Request headers

```
GET /blog/Fiercely-Independent-Cultures HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/blog/Flavio-Al-Velavevodetto-in-Testaccio

Details

Form name: <empty>
Form action: https://www.phptravels.net/blog/search
Form method: GET

Form inputs:

- s [text]
- <empty> [submit]

Request headers

```
GET /blog/Flavio-Al-Velavevodetto-in-Testaccio HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/blog/Gluten-Dining-Food-Shopping-in-Rome

Details

Form name: <empty>
Form action: https://www.phptravels.net/blog/search
Form method: GET

Form inputs:

- s [text]
- <empty> [submit]

Request headers

```
GET /blog/Gluten-Dining-Food-Shopping-in-Rome HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/blog/Graphic-Tour-Sri-Lanka

Details

Form name: <empty>
Form action: https://www.phptravels.net/blog/search
Form method: GET

Form inputs:

- s [text]
- <empty> [submit]

Request headers

```
GET /blog/Graphic-Tour-Sri-Lanka HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/blog/Hotel-Review-DOM-Hotel-In-Rome

Details

Form name: <empty>
Form action: https://www.phptravels.net/blog/search
Form method: GET

Form inputs:

- s [text]
- <empty> [submit]

Request headers

```
GET /blog/Hotel-Review-DOM-Hotel-In-Rome HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/blog/It-Wasn-t-Supposed-to-Rain

Details

Form name: <empty>
Form action: https://www.phptravels.net/blog/search
Form method: GET

Form inputs:

- s [text]
- <empty> [submit]

Request headers

```
GET /blog/It-Wasn-t-Supposed-to-Rain HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/blog/Kinda-2-000-Years-After-His-Death

Details

Form name: <empty>
Form action: https://www.phptravels.net/blog/search
Form method: GET

Form inputs:

- s [text]
- <empty> [submit]

Request headers

```
GET /blog/Kinda-2-000-Years-After-His-Death HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/blog/Masra-Matruh-Egypt

Details

Form name: <empty>
Form action: https://www.phptravels.net/blog/search
Form method: GET

Form inputs:

- s [text]
- <empty> [submit]

Request headers

```
GET /blog/Masra-Matruh-Egypt HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/blog/Mordi-e-Vai-in-the-Testaccio-Market

Details

Form name: <empty>
Form action: https://www.phptravels.net/blog/search
Form method: GET

Form inputs:

- s [text]
- <empty> [submit]

Request headers

```
GET /blog/Mordi-e-Vai-in-the-Testaccio-Market HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/blog/Paradise-Search-Villa-Extramoros

Details

Form name: <empty>
Form action: https://www.phptravels.net/blog/search
Form method: GET

Form inputs:

- s [text]
- <empty> [submit]

Request headers

```
GET /blog/Paradise-Search-Villa-Extramoros HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/blog/Peace-Train-A-Long-Time-Coming

Details

Form name: <empty>
Form action: https://www.phptravels.net/blog/search
Form method: GET

Form inputs:

- s [text]
- <empty> [submit]

Request headers

```
GET /blog/Peace-Train-A-Long-Time-Coming HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/blog/South-Africa-A-Terminal-Tyre

Details

Form name: <empty>
Form action: https://www.phptravels.net/blog/search
Form method: GET

Form inputs:

- s [text]
- <empty> [submit]

Request headers

```
GET /blog/South-Africa-A-Terminal-Tyre HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/blog/The-Art-Of-Fashion

Details

Form name: <empty>
Form action: https://www.phptravels.net/blog/search
Form method: GET

Form inputs:

- s [text]
- <empty> [submit]

Request headers

```
GET /blog/The-Art-Of-Fashion HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/blog/The-Tiber-River-s-Last-Eel-Fishermen

Details

Form name: <empty>
Form action: https://www.phptravels.net/blog/search
Form method: GET

Form inputs:

- s [text]
- <empty> [submit]

Request headers

```
GET /blog/The-Tiber-River-s-Last-Eel-Fishermen HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/blog/Things-To-Do-This-Weekend

Details

Form name: <empty>
Form action: https://www.phptravels.net/blog/search
Form method: GET

Form inputs:

- s [text]
- <empty> [submit]

Request headers

```
GET /blog/Things-To-Do-This-Weekend HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/blog/Trapizzino-Rome-s-OG-Street-Food

Details

Form name: <empty>
Form action: https://www.phptravels.net/blog/search
Form method: GET

Form inputs:

- s [text]
- <empty> [submit]

Request headers

```
GET /blog/Trapizzino-Rome-s-OG-Street-Food HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/blog/Virgin-Gorda-beaches-and-lobste

Details

Form name: <empty>
Form action: https://www.phptravels.net/blog/search
Form method: GET

Form inputs:

- s [text]
- <empty> [submit]

Request headers

```
GET /blog/Virgin-Gorda-beaches-and-lobste HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/blog/Where-to-Eat-in-Rome-During-Holidays

Details

Form name: <empty>
Form action: https://www.phptravels.net/blog/search
Form method: GET

Form inputs:

- s [text]
- <empty> [submit]

Request headers

```
GET /blog/Where-to-Eat-in-Rome-During-Holidays HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/buttontype.cgi

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /buttontype.cgi HTTP/1.1
Referer: https://www.phptravels.net/
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
Connection: Keep-alive
```

/buttontype.cgi

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /buttontype.cgi HTTP/1.1
Referer: https://www.phptravels.net/
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
Connection: Keep-alive
```

/contact-us

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- contact_name [text]
- contact_email [email]
- contact_subject [text]
- contact_message [textarea]
- submit_contact [submit]

Request headers

```
GET /contact-us HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/contact-us

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- contact_name [text]
- contact_email [email]
- contact_subject [text]
- contact_message [textarea]
- submit_contact [submit]

Request headers

```
POST /contact-us HTTP/1.1
Content-Type: application/x-www-form-urlencoded
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Content-Length: 130
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive

contact_email=sample%40email.tst&contact_message=20&contact_name=vDSSsjdW&contact_subjec
t=sample%40email.tst&submit_contact=Submit
```

/contact-us

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- contact_name [text]
- contact_email [email]
- contact_subject [text]
- contact_message [textarea]
- submit_contact [submit]

Request headers

```
POST /contact-us HTTP/1.1
Content-Type: application/x-www-form-urlencoded
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Content-Length: 155
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive

contact_email=sample%40email.tst&contact_message=20&contact_name=vDSSsjdW&contact_subjec
t=sample%40email.tst&g-recaptcha-response=555&submit_contact=Submit
```

/country/loaded

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /country/loaded HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/ct_lang_

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /ct_lang_ HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/day

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /day HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/de/Terms-of-Use

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /de/Terms-of-Use HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/default/eyeCatchers/

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /default/eyeCatchers/ HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/default/eyeCatchers/

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

```
GET /default/eyeCatchers/ HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/group_status

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /group_status HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/licence/4618001/v2/localization.en.13.19cc87cea5ee24ed0f84fe3027fc0c74.js

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /licence/4618001/v2/localization.en.13.19cc87cea5ee24ed0f84fe3027fc0c74.js HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/licence/4618001/v2/localization.en.13.19cc87cea5ee24ed0f84fe3027fc0c74.js

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /licence/4618001/v2/localization.en.13.19cc87cea5ee24ed0f84fe3027fc0c74.js HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/licence/g

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /licence/g HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- username [email]
- password [password]
- <empty> [hidden]
- remember [checkbox]
- <empty> [submit]

Request headers

```
POST /login HTTP/1.1
Content-Type: application/x-www-form-urlencoded
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Content-Length: 47
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive

password=g00dPa%24%24w0rD&remember=1&username=1
```

/login

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- email [text]
- <empty> [button]

Request headers

```
POST /login HTTP/1.1
Content-Type: application/x-www-form-urlencoded
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Content-Length: 47
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive

password=g00dPa%24%24w0rD&remember=1&username=1
```

/login

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
POST /login HTTP/1.1
Content-Type: application/x-www-form-urlencoded
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Content-Length: 47
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive

password=g00dPa%24%24w0rD&remember=1&username=1
```

/login

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- username [email]
- password [password]
- <empty> [hidden]
- remember [checkbox]
- <empty> [submit]

Request headers

```
POST /login HTTP/1.1
Content-Type: application/x-www-form-urlencoded
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Content-Length: 37
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive

password=g00dPa%24%24w0rD&&username=1
```

/login

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- username [email]
- password [password]
- <empty> [hidden]
- remember [checkbox]
- <empty> [submit]

Request headers

```
POST /login HTTP/1.1
Content-Type: application/x-www-form-urlencoded
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Content-Length: 24
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive

email=sample%40email.tst
```

/login

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- username [email]
- password [password]
- <empty> [hidden]
- remember [checkbox]
- <empty> [submit]

Request headers

```
GET /login HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- username [email]
- password [password]
- <empty> [hidden]
- remember [checkbox]
- <empty> [submit]

Request headers

```
GET /login/ HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- email [text]
- <empty> [button]

Request headers

```
GET /login/ HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/ar

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- username [email]
- password [password]
- <empty> [hidden]
- remember [checkbox]
- <empty> [submit]

```
GET /login/ar HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/ar

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- email [text]
- <empty> [button]

Request headers

```
GET /login/ar HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/de

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- username [email]
- password [password]
- <empty> [hidden]
- remember [checkbox]
- <empty> [submit]

Request headers

```
GET /login/de HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/de

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- email [text]
- <empty> [button]

Request headers

```
GET /login/de HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/de

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /login/de HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/en

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- username [email]
- password [password]
- <empty> [hidden]
- remember [checkbox]
- <empty> [submit]

Request headers

```
GET /login/en HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/en

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- email [text]
- <empty> [button]

Request headers

```
GET /login/en HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/es

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- username [email]
- password [password]
- <empty> [hidden]
- remember [checkbox]
- <empty> [submit]

Request headers

```
GET /login/es HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/es

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- email [text]
- <empty> [button]

Request headers

```
GET /login/es HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/fa

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- username [email]
- password [password]
- <empty> [hidden]
- remember [checkbox]
- <empty> [submit]

Request headers

```
GET /login/fa HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/fa

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- email [text]
- <empty> [button]

Request headers

```
GET /login/fa HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/fr

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- username [email]
- password [password]
- <empty> [hidden]
- remember [checkbox]
- <empty> [submit]

Request headers

```
GET /login/fr HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/fr

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- email [text]
- <empty> [button]

Request headers

```
GET /login/fr HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/ru

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- username [email]
- password [password]
- <empty> [hidden]
- remember [checkbox]
- <empty> [submit]

Request headers

```
GET /login/ru HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/ru

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- email [text]
- <empty> [button]

Request headers

```
GET /login/ru HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/tr

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- username [email]
- password [password]
- <empty> [hidden]
- remember [checkbox]
- <empty> [submit]

Request headers

```
GET /login/tr HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/tr

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- email [text]
- <empty> [button]

Request headers

```
GET /login/tr HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/vi

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- username [email]
- password [password]
- <empty> [hidden]
- remember [checkbox]
- <empty> [submit]

Request headers

```
GET /login/vi HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/login/vi

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- email [text]
- <empty> [button]

Request headers

```
GET /login/vi HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/map/display

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /map/display HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/map/locations/none

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /map/locations/none HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/modal/changePrice/render

Details
Form name: <empty> Form action: https://www.phptravels.net/ Form method: POST Form inputs: • <empty> [submit]

Request headers
GET /modal/changePrice/render HTTP/1.1 Referer: https://www.phptravels.net/ Cookie: __cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a e092339e57057031 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 Accept-Encoding: gzip,deflate Host: www.phptravels.net User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/73.0.3683.103 Safari/537.36 Connection: Keep-alive

/modal/customerReviews/render

Details
Form name: <empty> Form action: https://www.phptravels.net/ Form method: POST Form inputs: • <empty> [submit]

Request headers
GET /modal/customerReviews/render HTTP/1.1 Referer: https://www.phptravels.net/ Cookie: __cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a e092339e57057031;cookyGotItButton=hide Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 Accept-Encoding: gzip,deflate Host: www.phptravels.net User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/73.0.3683.103 Safari/537.36 Connection: Keep-alive

/notfound

Details
Form name: <empty> Form action: https://www.phptravels.net/ Form method: POST Form inputs: • <empty> [submit]

Request headers

```
GET /notfound HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/register/

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- firstname [text]
- lastname [text]
- phone [text]
- email [text]
- password [password]
- confirmpassword [password]
- <empty> [submit]
- <empty> [hidden]

Request headers

```
GET /register/ HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/register/ar

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- firstname [text]
- lastname [text]
- phone [text]
- email [text]
- password [password]
- confirmpassword [password]
- <empty> [submit]
- <empty> [hidden]

Request headers

```
GET /register/ar HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/register/ar

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /register/ar HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/register/de

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- firstname [text]
- lastname [text]
- phone [text]
- email [text]
- password [password]
- confirmpassword [password]
- <empty> [submit]
- <empty> [hidden]

Request headers

```
GET /register/de HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/register/en

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- firstname [text]
- lastname [text]
- phone [text]
- email [text]
- password [password]
- confirmpassword [password]
- <empty> [submit]
- <empty> [hidden]

Request headers

```
GET /register/en HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/register/es

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- firstname [text]
- lastname [text]
- phone [text]
- email [text]
- password [password]
- confirmpassword [password]
- <empty> [submit]
- <empty> [hidden]

Request headers

```
GET /register/es HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/register/fa

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- firstname [text]
- lastname [text]
- phone [text]
- email [text]
- password [password]
- confirmpassword [password]
- <empty> [submit]
- <empty> [hidden]

Request headers

```
GET /register/fa HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/register/fr

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- firstname [text]
- lastname [text]
- phone [text]
- email [text]
- password [password]
- confirmpassword [password]
- <empty> [submit]
- <empty> [hidden]

Request headers

```
GET /register/fr HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/register/ru

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- firstname [text]
- lastname [text]
- phone [text]
- email [text]
- password [password]
- confirmpassword [password]
- <empty> [submit]
- <empty> [hidden]

Request headers

```
GET /register/ru HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/register/tr

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- firstname [text]
- lastname [text]
- phone [text]
- email [text]
- password [password]
- confirmpassword [password]
- <empty> [submit]
- <empty> [hidden]

Request headers

```
GET /register/tr HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/register/vi

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- firstname [text]
- lastname [text]
- phone [text]
- email [text]
- password [password]
- confirmpassword [password]
- <empty> [submit]
- <empty> [hidden]

Request headers

```
GET /register/vi HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/requestData/update/all

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /requestData/update/all HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/supplier-register/

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- itemname [text]
- fname [text]
- lname [text]
- email [email]
- mobile [text]
- country [select]
- state [text]
- city [text]
- address1 [text]
- address2 [text]
- addaccount [hidden]
- type [hidden]
- applyfor [hidden]
- <empty> [submit]

Request headers

```
GET /supplier-register/ HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/supplier/

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form inputs:

- email [text]
- password [password]
- remember [checkbox]
- <empty> [submit]

```
GET /supplier/ HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/supplier/

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

- email [email]
- <empty> [button]
- <empty> [button]

Request headers

```
GET /supplier/ HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/theme.css

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /theme.css HTTP/1.1
Host: www.phptravels.net
Pragma: no-cache
Cache-Control: no-cache
X-Resource-Type: stylesheet
x-wvs-id: Acunetix-Deepscan/7
Referer: https://www.phptravels.net/Cartrawler
Accept-Encoding: gzip,deflate
Cookie: __cfduid=d658c8ff723ee676715eb6fd14ec40bf71598800093;
ci_session=2ea6c28aa07a27b687c982612438c0301452049b
Connection: keep-alive
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
```

/theme.css

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /theme.css HTTP/1.1
Host: www.phptravels.net
Pragma: no-cache
Cache-Control: no-cache
X-Resource-Type: stylesheet
x-wvs-id: Acunetix-Deepscan/7
Referer: https://www.phptravels.net/Cartrawler
Accept-Encoding: gzip,deflate
Cookie: __cfduid=d658c8ff723ee676715eb6fd14ec40bf71598800093;
ci_session=2ea6c28aa07a27b687c982612438c0301452049b
Connection: keep-alive
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
```

/themes/JJJ51QQQ/assets/bootstrap/css/bootstrap.min.css

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /themes/JJJ51QQQ/assets/bootstrap/css/bootstrap.min.css HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/themes/JJJ51QQQ/assets/bootstrap/css/bootstrap.min.css

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /themes/JJJ51QQQ/assets/bootstrap/css/bootstrap.min.css HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/themes/JJJ51QQQ/assets/include/slider/slider.js

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /themes/JJJ51QQQ/assets/include/slider/slider.js HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/themes/JJJ51QQQ/assets/include/slider/slider.js

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

```
GET /themes/JJJ51QQQ/assets/include/slider/slider.js HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/themes/JJJ51QQQ/assets/js/plugins/infobox.js

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /themes/JJJ51QQQ/assets/js/plugins/infobox.js HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/themes/JJJ51QQQ/assets/js/plugins/infobox.js

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /themes/JJJ51QQQ/assets/js/plugins/infobox.js HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/tunnel.cgi

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /tunnel.cgi HTTP/1.1
Referer: https://www.phptravels.net/
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
Connection: Keep-alive
```

/tunnel.cgi

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /tunnel.cgi HTTP/1.1
Referer: https://www.phptravels.net/
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
Connection: Keep-alive
```

/v2/metrics/

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /v2/metrics/ HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/v2/metrics/

Details

Form name: <empty>
Form action: <empty>
Form method: GET

Form inputs:

Request headers

```
GET /v2/metrics/ HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/v2/open_chat.cgi

Details

Form name: <empty>
Form action: https://www.phptravels.net/
Form method: POST

Form inputs:

- <empty> [submit]

Request headers

```
GET /v2/open_chat.cgi HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/visa/

Details

Form name: <empty>
Form action: https://www.phptravels.net/visa/booking
Form method: POST

Form inputs:

- from_country [hidden]
- to_country [hidden]
- first_name [text]
- last_name [text]
- email [text]
- confirmemail [email]
- phone [text]
- date [unknown]
- <empty> [checkbox]
- notes [textarea]
- <empty> [submit]

Request headers

```
GET /visa/ HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/visa/booking

Details

Form name: <empty>
Form action: https://www.phptravels.net/visa/booking
Form method: POST

Form inputs:

- from_country [hidden]
- to_country [hidden]
- first_name [text]
- last_name [text]
- email [text]
- confirmemail [email]
- phone [text]
- date [unknown]
- <empty> [checkbox]
- notes [textarea]
- <empty> [submit]

Request headers

```
GET /visa/booking HTTP/1.1
Referer: https://www.phptravels.net/
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
Connection: Keep-alive
```

/visa/booking

Details

Form name: <empty>
Form action: https://www.phptravels.net/visa/booking
Form method: POST

Form inputs:

- from_country [hidden]
- to_country [hidden]
- first_name [text]
- last_name [text]
- email [text]
- confirmemail [email]
- phone [text]
- date [unknown]
- <empty> [checkbox]
- notes [textarea]
- <empty> [submit]

Request headers

```
GET /visa/booking HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

⚠ Vulnerable Javascript library

Severity	**Medium**
Reported by module	/Scripts/PerFile/Javascript_Libraries_Audit.script

Description

You are using a vulnerable Javascript library. One or more vulnerabilities were reported for this version of the Javascript library. Consult Attack details and Web References for more information about the affected library and the vulnerabilities that were reported.

Impact

Consult References for more information.

Recommendation

Upgrade to the latest version.

Affected items

/themes/JJJ51QQQ/assets/js/jquery-2.2.4.min.js

Details

Detected Javascript library **jquery** version **2.2.4**.
The version was detected from **filename**.

References:

- https://github.com/jquery/jquery/issues/2432

Request headers

```
GET /themes/JJJ51QQQ/assets/js/jquery-2.2.4.min.js HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/themes/PPP0QQQ/assets/js/jquery-2.2.4.min.js

Details

Detected Javascript library **jquery** version **2.2.4**.
The version was detected from **filename**.

References:

- https://github.com/jquery/jquery/issues/2432

Request headers

```
GET /themes/PPP0QQQ/assets/js/jquery-2.2.4.min.js HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

ⓘ Login page password-guessing attack

Severity	**Low**
Reported by module	/Scripts/PerScheme/Html_Authentication_Audit.script

Description

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

Impact

An attacker may attempt to discover a weak password by systematically trying every possible combination of letters, numbers, and symbols until it discovers the one correct combination that works.

Recommendation

It's recommended to implement some type of account lockout after a defined number of incorrect password attempts.

References

Blocking Brute Force Attacks (https://www.owasp.org/index.php/Blocking_Brute_Force_Attacks)

Affected items

/login
Details
The scanner tested 10 invalid credentials and no account lockout was detected.
Request headers

```
POST /login HTTP/1.1
Content-Type: application/x-www-form-urlencoded
Referer: https://www.phptravels.net/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Content-Length: 46
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive

password=wNtlxMd4&remember=1&username=UEUMj6Jm
```

ⓘ Possible sensitive directories

Severity	**Low**
Reported by module	/Scripts/PerFolder/Possible_Sensitive_Directories.script

Description

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

Impact

This directory may expose sensitive information that could help a malicious user to prepare more advanced attacks.

Recommendation

Restrict access to this directory or remove it from the website.

References

Web Server Security and Database Server Security (https://www.acunetix.com/websitesecurity/webserver-security/)

Affected items

/backups/
Details

Request headers
| ```
GET /backups/ HTTP/1.1
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
``` |

/install/
Details

Request headers

```
GET /install/ HTTP/1.1
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/install/includes/

Details

Request headers

```
GET /install/includes/ HTTP/1.1
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

ⓘ Possible sensitive files

Severity	**Low**
Reported by module	/Scripts/PerFolder/Possible_Sensitive_Files.script

Description

A possible sensitive file has been found. This file is not directly linked from the website. This check looks for common sensitive resources like password files, configuration files, log files, include files, statistics data, database dumps. Each one of these files could help an attacker to learn more about his target.

Impact

This file may expose sensitive information that could help a malicious user to prepare more advanced attacks.

Recommendation

Restrict access to this file or remove it from the website.

References

Web Server Security and Database Server Security (https://www.acunetix.com/websitesecurity/webserver-security/)

Affected items

/install/install.sql

Details

```
GET /install/install.sql HTTP/1.1
Accept: acunetix/wvs
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

ⓘ Session Cookie scoped to parent domain

Severity	**Low**
Reported by module	/RPA/Cookie_On_Parent_Domain.js

Description

This session cookie is scoped to the parent domain instead of a sub-domain. If a cookie is scoped to a parent domain, then this cookie will be accessible by the parent domain and also by any other sub-domains of the parent domain. This could lead to security problems.

Impact

None

Recommendation

If possible, the session cookie should be scoped strictly to a sub-domain.

Affected items

Web Server
Verified vulnerability
Details
Set-Cookie: __cfduid=d81fa7ede92eab93b079cea737a2ba6a11598798570; expires=Tue, 29-Sep-20 14:42:50 GMT; path=/; domain=.phptravels.net; HttpOnly; SameSite=Lax; Secure
Request headers

```
GET / HTTP/1.1
Referer: https://www.phptravels.net/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

ⓘ Content Security Policy (CSP) not implemented

Severity	**Informational**

Reported by module	/httpdata/CSP_not_implemented.js

Description

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks.

Content Security Policy (CSP) can be implemented by adding a **Content-Security-Policy** header. The value of this header is a string containing the policy directives describing your Content Security Policy. To implement CSP, you should define lists of allowed origins for the all of the types of resources that your site utilizes. For example, if you have a simple site that needs to load scripts, stylesheets, and images hosted locally, as well as from the jQuery library from their CDN, the CSP header could look like the following:

```
Content-Security-Policy:
    default-src 'self';
    script-src 'self' https://code.jquery.com;
```

It was detected that your web application doesn't implement Content Security Policy (CSP) as the CSP header is missing from the response. It's recommended to implement Content Security Policy (CSP) into your web application.

Impact

CSP can be used to prevent and/or mitigate attacks that involve content/code injection, such as cross-site scripting/XSS attacks, attacks that require embedding a malicious resource, attacks that involve malicious use of iframes, such as clickjacking attacks, and others.

Recommendation

It's recommended to implement Content Security Policy (CSP) into your web application. Configuring Content Security Policy involves adding the **Content-Security-Policy** HTTP header to a web page and giving it values to control resources the user agent is allowed to load for that page.

References

Content Security Policy (CSP) (https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP)
Implementing Content Security Policy (https://hacks.mozilla.org/2016/02/implementing-content-security-policy/)

Affected items

Web Server
Details
Request headers

```
GET / HTTP/1.1
Referer: https://www.phptravels.net/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

ⓘ **Password type input with auto-complete enabled**

Severity	**Informational**
Reported by module	/Crawler/12-Crawler_Password_Input_Autocomplete.js

Description

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved.Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

Impact

Possible sensitive information disclosure.

Recommendation

The password auto-complete should be disabled in sensitive applications.
To disable auto-complete, you may use a code similar to:

```
<INPUT TYPE="password" AUTOCOMPLETE="off">
```

Affected items

Web Server

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form input:

- password [password]

Request headers

```
POST /Register HTTP/1.1
Content-Type: application/x-www-form-urlencoded
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Content-Length: 139
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive

confirmpassword=g00dPa%24%24w0rD&email=sample%40email.tst&firstname=vDSSsjdW&lastname=vD
SSsjdW&password=g00dPa%24%24w0rD&phone=555-666-0606
```

Web Server

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form input:

- password [password]

Request headers

```
POST /login HTTP/1.1
Content-Type: application/x-www-form-urlencoded
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Content-Length: 47
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive

password=g00dPa%24%24w0rD&remember=1&username=1
```

Web Server

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form input:

- password [password]

Request headers

```
POST /login HTTP/1.1
Content-Type: application/x-www-form-urlencoded
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Content-Length: 37
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive

password=g00dPa%24%24w0rD&&username=1
```

Web Server

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form input:

- password [password]

```
GET /Register HTTP/1.1
Referer: https://www.phptravels.net/
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
Connection: Keep-alive
```

Web Server

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form input:

- password [password]

Request headers

```
GET /supplier/ HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

Web Server

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form input:

- password [password]

Request headers

```
POST /login HTTP/1.1
Content-Type: application/x-www-form-urlencoded
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Content-Length: 24
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive

email=sample%40email.tst
```

Web Server

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form input:

- password [password]

Request headers

```
GET /login/es HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

Web Server

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form input:

- password [password]

Request headers

```
GET /register/fa HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

Web Server

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form input:

- password [password]

Request headers

```
GET /Register HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

Web Server

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form input:

- password [password]

Request headers

```
GET /register/ru HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

Web Server

Details
Form name: <empty> Form action: <empty> Form method: POST Form input: - password [password]

Request headers
GET /login/tr HTTP/1.1 Referer: https://www.phptravels.net/ Cookie: __cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a e092339e57057031;cookyGotItButton=hide Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 Accept-Encoding: gzip,deflate Host: www.phptravels.net User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/73.0.3683.103 Safari/537.36 Connection: Keep-alive

Web Server

Details
Form name: <empty> Form action: <empty> Form method: POST Form input: - password [password]

Request headers
GET /register/vi HTTP/1.1 Referer: https://www.phptravels.net/ Cookie: __cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a e092339e57057031;cookyGotItButton=hide Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 Accept-Encoding: gzip,deflate Host: www.phptravels.net User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/73.0.3683.103 Safari/537.36 Connection: Keep-alive

Web Server

Details
Form name: <empty> Form action: <empty> Form method: POST Form input: - password [password]

Request headers

```
GET /login HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

Web Server

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form input:

- password [password]

Request headers

```
GET /register/es HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

Web Server

Details

Form name: <empty>
Form action: <empty>
Form method: POST

Form input:

- password [password]

Request headers

```
GET /login/fa HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

Web Server

Details
Form name: \<empty\> Form action: \<empty\> Form method: POST Form input: • password [password]

Request headers
GET /register/tr HTTP/1.1 Referer: https://www.phptravels.net/ Cookie: __cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a e092339e57057031;cookyGotItButton=hide Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 Accept-Encoding: gzip,deflate Host: www.phptravels.net User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/73.0.3683.103 Safari/537.36 Connection: Keep-alive

Web Server

Details
Form name: \<empty\> Form action: \<empty\> Form method: POST Form input: • password [password]

Request headers
GET /login/vi HTTP/1.1 Referer: https://www.phptravels.net/ Cookie: __cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a e092339e57057031;cookyGotItButton=hide Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 Accept-Encoding: gzip,deflate Host: www.phptravels.net User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/73.0.3683.103 Safari/537.36 Connection: Keep-alive

ⓘ **Reverse proxy detected**

Severity	**Informational**
Reported by module	/target/RevProxy_Detection.js

Description

This server uses a reverse proxy, a load balancer or a CDN (Content Delivery Network) or it's hosted in a cloud provider. Acunetix detected this by sending various payloads and detecting changes in headers and body.

Impact

No impact is associated with this vulnerability.

Recommendation

None

Affected items

Web Server
Details
Detected reverse proxy: CloudFlare
Request headers
GET / HTTP/1.1 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 Accept-Encoding: gzip,deflate Host: www.phptravels.net User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/73.0.3683.103 Safari/537.36 Connection: Keep-alive

ⓘ Subresource Integrity (SRI) not implemented

Severity	Informational
Reported by module	/RPA/SRI_Not_Implemented.js

Description

Subresource Integrity (SRI) is a security feature that enables browsers to verify that third-party resources they fetch (for example, from a CDN) are delivered without unexpected manipulation. It works by allowing developers to provide a cryptographic hash that a fetched file must match.

Third-party resources (such as scripts and stylesheets) can be manipulated. An attacker that has access or has hacked the hosting CDN can manipulate or replace the files. SRI allows developers to specify a base64-encoded cryptographic hash of the resource to be loaded. The integrity attribute containing the hash is then added to the <script> HTML element tag. The integrity string consists of a base64-encoded hash, followed by a prefix that depends on the hash algorithm. This prefix can either be sha265, sha384 or sha512.

The script loaded from the external URL specified in the Details section doesn't implement Subresource Integrity (SRI). It's recommended to implement Subresource Integrity (SRI) for all the scripts loaded from external hosts.

Impact

An attacker that has access or has hacked the hosting CDN can manipulate or replace the files.

Recommendation

Use the SRI Hash Generator link (from the References section) to generate a <script> element that implements Subresource Integrity (SRI).

For example, you can use the following <script> element to tell a browser that before executing the https://example.com/example-framework.js script, the browser must first compare the script to the expected hash, and verify that there's a match.

```
<script src="https://example.com/example-framework.js"
        integrity="sha384-oqVuAfXRKap7fdgcCY5uykM6+R9GqQ8K/uxy9rx7HNQlGYl1kPzQho1wx4JwY8wC
        crossorigin="anonymous"></script>
```

References

Subresource Integrity (https://developer.mozilla.org/en-US/docs/Web/Security/Subresource_Integrity)
SRI Hash Generator (https://www.srihash.org/)

Affected items

/blog/Fiercely-Independent-Cultures

Details

Request headers

```
GET /blog/Fiercely-Independent-Cultures HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

/contact-us

Details

Request headers

```
GET /contact-us HTTP/1.1
Referer: https://www.phptravels.net/
Cookie:
__cfduid=df4a1ce6b22103ee0b924df515feb0daf1598798570;ci_session=d9b44c9acd6f1ba5889d221a
e092339e57057031;cookyGotItButton=hide
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate
Host: www.phptravels.net
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/73.0.3683.103 Safari/537.36
Connection: Keep-alive
```

Scanned items (coverage report)

https://www.phptravels.net/
https://www.phptravels.net/412
https://www.phptravels.net/416
https://www.phptravels.net/417
https://www.phptravels.net/419
https://www.phptravels.net/API-s
https://www.phptravels.net/Become-Supplier
https://www.phptravels.net/Boats
https://www.phptravels.net/Booking-Tips
https://www.phptravels.net/Cartrawler
https://www.phptravels.net/FAQ
https://www.phptravels.net/Flights
https://www.phptravels.net/Hotels
https://www.phptravels.net/How-to-Book
https://www.phptravels.net/Ivisa
https://www.phptravels.net/My-Account
https://www.phptravels.net/Our-Partners
https://www.phptravels.net/Privacy-Policy
https://www.phptravels.net/Privacy-Statement
https://www.phptravels.net/Register
https://www.phptravels.net/Terms-of-Use
https://www.phptravels.net/Tours
https://www.phptravels.net/about-Us
https://www.phptravels.net/account/
https://www.phptravels.net/account/login
https://www.phptravels.net/account/resetpass
https://www.phptravels.net/account/signup
https://www.phptravels.net/admin/
https://www.phptravels.net/admin/ajaxcalls/
https://www.phptravels.net/admin/ajaxcalls/changeCurrency
https://www.phptravels.net/admin/ajaxcalls/flightAjex
https://www.phptravels.net/animate.min
https://www.phptravels.net/ar
https://www.phptravels.net/ar/
https://www.phptravels.net/ar/API-s
https://www.phptravels.net/ar/Terms-of-Use
https://www.phptravels.net/assets/
https://www.phptravels.net/availability/
https://www.phptravels.net/availability/cache/
https://www.phptravels.net/availability/cache/clear
https://www.phptravels.net/availability/cache/clearResults
https://www.phptravels.net/availability/cache/results
https://www.phptravels.net/availability/display/
https://www.phptravels.net/availability/display/nocars
https://www.phptravels.net/availability/filter/
https://www.phptravels.net/availability/filter/clear
https://www.phptravels.net/availability/filter/current
https://www.phptravels.net/availability/filter/init
https://www.phptravels.net/availability/filter/render
https://www.phptravels.net/availability/filter/update
https://www.phptravels.net/availability/load/
https://www.phptravels.net/availability/load/captcha
https://www.phptravels.net/availability/load/cars
https://www.phptravels.net/availability/load/clear
https://www.phptravels.net/availability/load/error
https://www.phptravels.net/availability/load/nocars
https://www.phptravels.net/availability/load/timeout
https://www.phptravels.net/availability/render
https://www.phptravels.net/availability/searchagain
https://www.phptravels.net/availability/start
https://www.phptravels.net/availability/success

https://www.phptravels.net/availability/timeout
https://www.phptravels.net/backups/
https://www.phptravels.net/blog/
https://www.phptravels.net/blog/Fiercely-Independent-Cultures
https://www.phptravels.net/blog/Flavio-Al-Velavevodetto-in-Testaccio
https://www.phptravels.net/blog/Gluten-Dining-Food-Shopping-in-Rome
https://www.phptravels.net/blog/Graphic-Tour-Sri-Lanka
https://www.phptravels.net/blog/Hotel-Review-DOM-Hotel-In-Rome
https://www.phptravels.net/blog/It-Wasn-t-Supposed-to-Rain
https://www.phptravels.net/blog/Kinda-2-000-Years-After-His-Death
https://www.phptravels.net/blog/Masra-Matruh-Egypt
https://www.phptravels.net/blog/Mordi-e-Vai-in-the-Testaccio-Market
https://www.phptravels.net/blog/Paradise-Search-Villa-Extramoros
https://www.phptravels.net/blog/Peace-Train-A-Long-Time-Coming
https://www.phptravels.net/blog/South-Africa-A-Terminal-Tyre
https://www.phptravels.net/blog/The-Art-Of-Fashion
https://www.phptravels.net/blog/The-Tiber-River-s-Last-Eel-Fishermen
https://www.phptravels.net/blog/Things-To-Do-This-Weekend
https://www.phptravels.net/blog/Trapizzino-Rome-s-OG-Street-Food
https://www.phptravels.net/blog/Virgin-Gorda-beaches-and-lobste
https://www.phptravels.net/blog/Where-to-Eat-in-Rome-During-Holidays
https://www.phptravels.net/bootstrap.min
https://www.phptravels.net/button.cgi
https://www.phptravels.net/buttontype.cgi
https://www.phptravels.net/cartrawler/
https://www.phptravels.net/cartrawler/getLocations
https://www.phptravels.net/cdn-cgi/
https://www.phptravels.net/cdn-cgi/l/
https://www.phptravels.net/cdn-cgi/l/email-protection
https://www.phptravels.net/cdn-cgi/scripts/
https://www.phptravels.net/cdn-cgi/scripts/5c5dd728/
https://www.phptravels.net/cdn-cgi/scripts/5c5dd728/cloudflare-static/
https://www.phptravels.net/cdn-cgi/scripts/5c5dd728/cloudflare-static/email-decode.min.js
https://www.phptravels.net/cdn-cgi/scripts/cf.common.js
https://www.phptravels.net/cdn-cgi/scripts/lang/
https://www.phptravels.net/cdn-cgi/scripts/lang/waf/
https://www.phptravels.net/cdn-cgi/scripts/zepto.min.js
https://www.phptravels.net/cdn-cgi/styles/
https://www.phptravels.net/cdn-cgi/styles/cf.errors.css
https://www.phptravels.net/cdn-cgi/styles/cf.errors.ie.css
https://www.phptravels.net/cgi-bin/
https://www.phptravels.net/cgi-sys/
https://www.phptravels.net/company
https://www.phptravels.net/config/
https://www.phptravels.net/contact-us
https://www.phptravels.net/cookies-policy
https://www.phptravels.net/country/
https://www.phptravels.net/country/loaded
https://www.phptravels.net/ct_lang_
https://www.phptravels.net/day
https://www.phptravels.net/de
https://www.phptravels.net/de/
https://www.phptravels.net/de/API-s
https://www.phptravels.net/de/Terms-of-Use
https://www.phptravels.net/default/
https://www.phptravels.net/default/eyeCatchers/
https://www.phptravels.net/en
https://www.phptravels.net/en/
https://www.phptravels.net/en/API-s
https://www.phptravels.net/en/Terms-of-Use
https://www.phptravels.net/es
https://www.phptravels.net/es/
https://www.phptravels.net/es/API-s
https://www.phptravels.net/es/Terms-of-Use

https://www.phptravels.net/fa
https://www.phptravels.net/fa/
https://www.phptravels.net/fa/API-s
https://www.phptravels.net/fa/Terms-of-Use
https://www.phptravels.net/fr
https://www.phptravels.net/fr/
https://www.phptravels.net/fr/API-s
https://www.phptravels.net/fr/Terms-of-Use
https://www.phptravels.net/group_status
https://www.phptravels.net/home
https://www.phptravels.net/home/
https://www.phptravels.net/home/suggestions_v2/
https://www.phptravels.net/home/suggestions_v2/hotels
https://www.phptravels.net/hotels/
https://www.phptravels.net/hotels/pakistan/
https://www.phptravels.net/hotels/pakistan/islamabad/
https://www.phptravels.net/hotels/pakistan/islamabad/Islamabad-Marriott-Hotel
https://www.phptravels.net/hotels/saudi-arabia/
https://www.phptravels.net/hotels/saudi-arabia/madinah/
https://www.phptravels.net/hotels/saudi-arabia/madinah/Madinah-Moevenpick-Hotel
https://www.phptravels.net/hotels/singapore/
https://www.phptravels.net/hotels/singapore/singapore/
https://www.phptravels.net/hotels/singapore/singapore/Rendezvous-Hotels
https://www.phptravels.net/hotels/switzerland/
https://www.phptravels.net/hotels/switzerland/messe-basel/
https://www.phptravels.net/hotels/switzerland/messe-basel/Swissotel-Le-Plaza-Basel
https://www.phptravels.net/hotels/turkey/
https://www.phptravels.net/hotels/turkey/istanbul/
https://www.phptravels.net/hotels/turkey/istanbul/Alzer-Hotel-Istanbul
https://www.phptravels.net/hotels/turkey/istanbul/Tria-Hotel-Istanbul-Special
https://www.phptravels.net/hotels/united-arab-emirates/
https://www.phptravels.net/hotels/united-arab-emirates/dubai/
https://www.phptravels.net/hotels/united-arab-emirates/dubai/Hyatt-Regency-Perth
https://www.phptravels.net/hotels/united-arab-emirates/dubai/Jumeirah-Beach-Hotel
https://www.phptravels.net/hotels/united-arab-emirates/dubai/Oasis-Beach-Tower
https://www.phptravels.net/hotels/united-arab-emirates/dubai/Rose-Rayhaan-Rotana
https://www.phptravels.net/hotels/united-kingdom/
https://www.phptravels.net/hotels/united-kingdom/london/
https://www.phptravels.net/hotels/united-kingdom/london/Grand-Plaza-Apartments
https://www.phptravels.net/hotels/united-kingdom/manchester/
https://www.phptravels.net/hotels/united-kingdom/manchester/Malmaison-Manchester
https://www.phptravels.net/index.php
https://www.phptravels.net/install/
https://www.phptravels.net/install/includes/
https://www.phptravels.net/install/install.sql
https://www.phptravels.net/licence/
https://www.phptravels.net/licence/4618001/
https://www.phptravels.net/licence/4618001/v2/
https://www.phptravels.net/licence/4618001/v2/localization.en.13.19cc87cea5ee24ed0f84fe3027fc0c74.js
https://www.phptravels.net/licence/g
https://www.phptravels.net/login
https://www.phptravels.net/login/
https://www.phptravels.net/login/ar
https://www.phptravels.net/login/de
https://www.phptravels.net/login/en
https://www.phptravels.net/login/es
https://www.phptravels.net/login/fa
https://www.phptravels.net/login/fr
https://www.phptravels.net/login/ru
https://www.phptravels.net/login/tr
https://www.phptravels.net/login/vi
https://www.phptravels.net/mailman/
https://www.phptravels.net/map/
https://www.phptravels.net/map/display

https://www.phptravels.net/map/locations/
https://www.phptravels.net/map/locations/none
https://www.phptravels.net/map/refresh
https://www.phptravels.net/modal/
https://www.phptravels.net/modal/changePrice/
https://www.phptravels.net/modal/changePrice/render
https://www.phptravels.net/modal/customerReviews/
https://www.phptravels.net/modal/customerReviews/render
https://www.phptravels.net/modal/emailQuote/
https://www.phptravels.net/modal/emailQuote/render
https://www.phptravels.net/modal/rentalConditions/
https://www.phptravels.net/modal/rentalConditions/render
https://www.phptravels.net/modal/vehicleDetails/
https://www.phptravels.net/modal/vehicleDetails/render
https://www.phptravels.net/notfound
https://www.phptravels.net/offers-
https://www.phptravels.net/offers/
https://www.phptravels.net/offers/3-Nights-Aegean-Cruise
https://www.phptravels.net/offers/Best-Umrah-Package
https://www.phptravels.net/offers/Cheap-Flights-Tickets
https://www.phptravels.net/offers/Dubai-Special-Packages
https://www.phptravels.net/offers/Hotels-Deals
https://www.phptravels.net/offers/Lunch-Discount
https://www.phptravels.net/offers/Rent-Car
https://www.phptravels.net/offers/Summer-Vacation
https://www.phptravels.net/optional
https://www.phptravels.net/register/
https://www.phptravels.net/register/ar
https://www.phptravels.net/register/de
https://www.phptravels.net/register/en
https://www.phptravels.net/register/es
https://www.phptravels.net/register/fa
https://www.phptravels.net/register/fr
https://www.phptravels.net/register/ru
https://www.phptravels.net/register/tr
https://www.phptravels.net/register/vi
https://www.phptravels.net/requestData/
https://www.phptravels.net/requestData/update/
https://www.phptravels.net/requestData/update/all
https://www.phptravels.net/robots.txt
https://www.phptravels.net/ru
https://www.phptravels.net/ru/
https://www.phptravels.net/ru/API-s
https://www.phptravels.net/ru/Terms-of-Use
https://www.phptravels.net/sitemap.xml
https://www.phptravels.net/slider.min
https://www.phptravels.net/step1
https://www.phptravels.net/supplier-login
https://www.phptravels.net/supplier-register/
https://www.phptravels.net/supplier/
https://www.phptravels.net/support
https://www.phptravels.net/system/
https://www.phptravels.net/theme.css
https://www.phptravels.net/themes/
https://www.phptravels.net/themes/JJJ51QQQ/
https://www.phptravels.net/themes/JJJ51QQQ/RTL.css
https://www.phptravels.net/themes/JJJ51QQQ/assets/
https://www.phptravels.net/themes/JJJ51QQQ/assets/bootstrap/
https://www.phptravels.net/themes/JJJ51QQQ/assets/bootstrap/css/
https://www.phptravels.net/themes/JJJ51QQQ/assets/bootstrap/css/bootstrap.min.css
https://www.phptravels.net/themes/JJJ51QQQ/assets/css/
https://www.phptravels.net/themes/JJJ51QQQ/assets/css/animate.min.css
https://www.phptravels.net/themes/JJJ51QQQ/assets/css/childstyle.css
https://www.phptravels.net/themes/JJJ51QQQ/assets/css/font-icons.css

https://www.phptravels.net/themes/JJJ51QQQ/assets/css/main.css
https://www.phptravels.net/themes/JJJ51QQQ/assets/css/mobile.css
https://www.phptravels.net/themes/JJJ51QQQ/assets/css/plugin.css
https://www.phptravels.net/themes/JJJ51QQQ/assets/css/style.css
https://www.phptravels.net/themes/JJJ51QQQ/assets/img/
https://www.phptravels.net/themes/JJJ51QQQ/assets/include/
https://www.phptravels.net/themes/JJJ51QQQ/assets/include/slider/
https://www.phptravels.net/themes/JJJ51QQQ/assets/include/slider/slider.js
https://www.phptravels.net/themes/JJJ51QQQ/assets/include/slider/slider.min.css
https://www.phptravels.net/themes/JJJ51QQQ/assets/js/
https://www.phptravels.net/themes/JJJ51QQQ/assets/js/autocomplete/
https://www.phptravels.net/themes/JJJ51QQQ/assets/js/autocomplete/easy-autocomplete.min.css
https://www.phptravels.net/themes/JJJ51QQQ/assets/js/autocomplete/jquery.easy-autocomplete.min.js
https://www.phptravels.net/themes/JJJ51QQQ/assets/js/custom-core.js
https://www.phptravels.net/themes/JJJ51QQQ/assets/js/custom-detail-map.js
https://www.phptravels.net/themes/JJJ51QQQ/assets/js/custom-multiply-sticky.js
https://www.phptravels.net/themes/JJJ51QQQ/assets/js/details.js
https://www.phptravels.net/themes/JJJ51QQQ/assets/js/jquery-2.2.4.min.js
https://www.phptravels.net/themes/JJJ51QQQ/assets/js/plugins.js
https://www.phptravels.net/themes/JJJ51QQQ/assets/js/plugins/
https://www.phptravels.net/themes/JJJ51QQQ/assets/js/plugins/datepicker.js
https://www.phptravels.net/themes/JJJ51QQQ/assets/js/plugins/infobox.js
https://www.phptravels.net/themes/JJJ51QQQ/assets/js/scripts.js
https://www.phptravels.net/themes/JJJ51QQQ/style.css
https://www.phptravels.net/themes/PPP0QQQ/
https://www.phptravels.net/themes/PPP0QQQ/assets/
https://www.phptravels.net/themes/PPP0QQQ/assets/bootstrap/
https://www.phptravels.net/themes/PPP0QQQ/assets/bootstrap/css/
https://www.phptravels.net/themes/PPP0QQQ/assets/bootstrap/css/bootstrap.min.css
https://www.phptravels.net/themes/PPP0QQQ/assets/css/
https://www.phptravels.net/themes/PPP0QQQ/assets/css/animate.min.css
https://www.phptravels.net/themes/PPP0QQQ/assets/css/childstyle.css
https://www.phptravels.net/themes/PPP0QQQ/assets/css/font-icons.css
https://www.phptravels.net/themes/PPP0QQQ/assets/css/main.css
https://www.phptravels.net/themes/PPP0QQQ/assets/css/mobile.css
https://www.phptravels.net/themes/PPP0QQQ/assets/css/plugin.css
https://www.phptravels.net/themes/PPP0QQQ/assets/css/style.css
https://www.phptravels.net/themes/PPP0QQQ/assets/img/
https://www.phptravels.net/themes/PPP0QQQ/assets/js/
https://www.phptravels.net/themes/PPP0QQQ/assets/js/autocomplete/
https://www.phptravels.net/themes/PPP0QQQ/assets/js/autocomplete/easy-autocomplete.min.css
https://www.phptravels.net/themes/PPP0QQQ/assets/js/autocomplete/jquery.easy-autocomplete.min.js
https://www.phptravels.net/themes/PPP0QQQ/assets/js/custom-core.js
https://www.phptravels.net/themes/PPP0QQQ/assets/js/custom-detail-map.js
https://www.phptravels.net/themes/PPP0QQQ/assets/js/custom-multiply-sticky.js
https://www.phptravels.net/themes/PPP0QQQ/assets/js/jquery-2.2.4.min.js
https://www.phptravels.net/themes/PPP0QQQ/assets/js/plugins.js
https://www.phptravels.net/themes/PPP0QQQ/assets/js/plugins/
https://www.phptravels.net/themes/PPP0QQQ/assets/js/plugins/datepicker.js
https://www.phptravels.net/themes/PPP0QQQ/assets/js/plugins/infobox.js
https://www.phptravels.net/themes/PPP0QQQ/assets/js/scripts.js
https://www.phptravels.net/themes/PPP0QQQ/style.css
https://www.phptravels.net/themes/default/
https://www.phptravels.net/themes/default/assets/
https://www.phptravels.net/themes/default/assets/js/
https://www.phptravels.net/themes/default/assets/js/autocomplete/
https://www.phptravels.net/themes/default/assets/js/autocomplete/easy-autocomplete.min.css
https://www.phptravels.net/themes/default/assets/js/autocomplete/jquery.easy-autocomplete.min.js
https://www.phptravels.net/themes/default/assets/js/plugins/
https://www.phptravels.net/themes/default/assets/js/plugins/datepicker.js
https://www.phptravels.net/tours/
https://www.phptravels.net/tours/australia/
https://www.phptravels.net/tours/australia/tamarama/
https://www.phptravels.net/tours/australia/tamarama/Sydney-and-Bondi-Beach-Explorer

https://www.phptravels.net/tours/egypt/
https://www.phptravels.net/tours/egypt/alexandria/
https://www.phptravels.net/tours/egypt/alexandria/Spectaculars-Of-The-Nile-3-Nights
https://www.phptravels.net/tours/egypt/hurghada/
https://www.phptravels.net/tours/egypt/hurghada/Hurghada-Sunset-Desert-Safari
https://www.phptravels.net/tours/india/
https://www.phptravels.net/tours/india/kirti-nagar/
https://www.phptravels.net/tours/india/kirti-nagar/Old-and-New-Delhi-City-Tour
https://www.phptravels.net/tours/malasia/
https://www.phptravels.net/tours/malasia/legoland/
https://www.phptravels.net/tours/malasia/legoland/Legoland-Malaysia-Day-Pass
https://www.phptravels.net/tours/oman/
https://www.phptravels.net/tours/oman/petra/
https://www.phptravels.net/tours/oman/petra/Day-Visit-of-Petra-from-Oman
https://www.phptravels.net/tours/thailand/
https://www.phptravels.net/tours/thailand/bangkok/
https://www.phptravels.net/tours/thailand/bangkok/6-Days-Around-Thailand
https://www.phptravels.net/tours/united-arab-emirates/
https://www.phptravels.net/tours/united-arab-emirates/dubai/
https://www.phptravels.net/tours/united-arab-emirates/dubai/Big-Bus-Tour-of-Dubai
https://www.phptravels.net/tours/united-arab-emirates/dubai/Hong-Kong-Island-Tour
https://www.phptravels.net/tours/united-arab-emirates/dubai/Sheraton-Trip
https://www.phptravels.net/tr
https://www.phptravels.net/tr/
https://www.phptravels.net/tr/API-s
https://www.phptravels.net/tr/Terms-of-Use
https://www.phptravels.net/tunnel.cgi
https://www.phptravels.net/updates/
https://www.phptravels.net/uploads/
https://www.phptravels.net/uploads/global/
https://www.phptravels.net/uploads/images/
https://www.phptravels.net/uploads/images/language/
https://www.phptravels.net/v2/
https://www.phptravels.net/v2/metrics/
https://www.phptravels.net/v2/open_chat.cgi
https://www.phptravels.net/vi
https://www.phptravels.net/vi/
https://www.phptravels.net/vi/API-s
https://www.phptravels.net/vi/Terms-of-Use
https://www.phptravels.net/visa/
https://www.phptravels.net/visa/booking
https://www.phptravels.net/visa/confirmation
https://www.phptravels.net/~admin/
https://www.phptravels.net/~ftp/
https://www.phptravels.net/~guest/
https://www.phptravels.net/~log/
https://www.phptravels.net/~logs/
https://www.phptravels.net/~nobody/
https://www.phptravels.net/~root/
https://www.phptravels.net/~www/