

Setup	Lens	median [eV]	95% upper [eV]	mode [eV]	boundary frac
SPT-only + DESI DR2 BAO	SPT2018	0.071	0.194	0.050	0.00223
SPT-only + DESI DR2 BAO	SPT D1	0.042	0.085	0.070	0
SPT-only + DESI DR2 BAO	Shift (2018 - D1)	0.029	0.109	—	—
Planck-subset baseline + PR4 lensing + SPT + DESI DR2 BAO	SPT2018 baseline	0.068	0.080	0.075	0
Planck-subset baseline + PR4 lensing + SPT + DESI DR2 BAO	SPT D1 baseline	0.054	0.068	0.054	0
Planck-subset baseline + PR4 lensing + SPT + DESI DR2 BAO	Shift (2018 - D1)	0.013	0.012	—	—

Table 1: Smoke test: mnu shift

Audit	Direction	Baseline $\Delta\chi^2$	Common-staging $\Delta\chi^2$	Reduction (%)
Unprofiled	D1—2018	2222.17	2222.18	-0.00
Unprofiled	2018—D1	313.57	315.06	-0.48
Profiled	D1—2018	859.64	840.19	2.26
Profiled	2018—D1	369.52	370.46	-0.25

Table 2: Smoke test: audit summary

Baseline	SPT primary (ℓ ranges)	Planck PR3 primary subset	Lensing
CMB (SPT2018)	TT $[\ell_{\min}, \ell_{\max}] = [750, 3000]$; TE/EE $[\ell_{\min}, \ell_{\max}] = [300, 3000]$	TT $\ell < 30$ (Commander); EE $\ell < 30$ (SRoll2); TT $30 < \ell < 756$ (Plik).	SPT lensing + Planck PR4 lensing
CMB-D1	TT $[\ell_{\min}, \ell_{\max}] = [400, 3000]$; TE/EE $[\ell_{\min}, \ell_{\max}] = [400, 4000]$	TT $\ell < 30$ (Commander); EE $\ell < 30$ (SRoll2); TT $30 < \ell < 756$ (Plik).	SPT lensing + Planck PR4 lensing

Table 3: Smoke test: baseline definitions