

NCMusicPlayer.KERNEL

Version: 2.17

Notecard based music player

Include scripts

- NCMusicPlayer.KERNEL (kernel *required)
- NCMusicPlayer.PreLoader (asynchronous loader *required)

Music

- One track corresponds to one notecard, and the name of the notecard is the name of the track.
- Write the uuids in notecard, one clip of uuid per line.
- Each clip has a default duration of **10.0** seconds.
 - If the clip duration is not **NOT 10.0** seconds, write the clip duration on the first line.
 - If the clip durations are not equal, please add **|duration** after the uuid.
 - The duration of the first line can coexist with the duration specified for each line, and the duration of a single row has a higher priority.
 - No need to specify when the last segment is less than **10.0** seconds.

Example:

Clip duration is standard 10.0 seconds

```
767225e4-ff93-9c73-ae97-21da47ab1077
0b194a9d-8225-fd46-23c6-4c46e73dbbbd
```


Clip duration is the standard uniform 9.86 seconds

```
9.86
767225e4-ff93-9c73-ae97-21da47ab1077
0b194a9d-8225-fd46-23c6-4c46e73dbbbd
```

Clip durations are mostly 9.62 seconds, but there are special ones

```
9.62
767225e4-ff93-9c73-ae97-21da47ab1077|3.45
0b194a9d-8225-fd46-23c6-4c46e73dbbbd
```

Link Message



Link Message to Send

860000 PLAY

To start playing a loaded track, the track must first be submitted at 860400. If no tracks are submitted, this directive will have no effect.

Pass a second optional parameter for start time; start immediately if timestamp is past, empty, or "0".

```
// llMessageLinked(LINK_SET/THIS, 860000, "", "{StartAt(UnixTimestamp)}");

llMessageLinked(LINK_SET, 860000, "", "");
// Or
llMessageLinked(LINK_SET, 860000, "", (string)(llGetUnixTime() + 5));
```

860001 Pause

(not implemented)

860002 Resume

(not implemented)

860003 Stop

Stop the track that is playing.

```
llMessageLinked(LINK_SET, 860003, "", "");
```

860200 Submit track

Submit the track name (notecard name) to be played.

Pass a second optional parameter for start time; start immediately if timestamp is past or "0". **If empty string, do not start automatically.**

If it is set to start playing automatically, it will start playing before all the sound clips are loaded. It doesn't take long to wait due to too many clips.

```
// llMessageLinked(LINK_SET/THIS, 860200, "{NotecardName}", "
// {StartAt(UnixTimestamp)}");

llMessageLinked(LINK_SET, 860200, "Track_1", "0");

// Similar to (Not strict)
llMessageLinked(LINK_SET, 860200, "Track_1", "");
llSleep(1.0); // Notice! An estimated load time must be added here.
llMessageLinked(LINK_SET, 860000, "", "");

// Fully equivalent form (Strict)
default
{
    touch_start(integer num_detected) {
        llMessageLinked(LINK_SET, 860200, "Track_1", "");
    }

    link_message(integer sender, integer num, string str, key id) {
        if(num == 861002) { // Loaded
            llMessageLinked(LINK_SET, 860000, "", "");
        }
    }
}

// Provide a start time.
llMessageLinked(LINK_SET, 860200, "Track_1", (string)(llGetUnixTime() + 10));
```

860300 Submit the volume

Volume value range 0.0 ~ 1.0

```
// llMessageLinked(LINK_SET/THIS, 860300, "{Volume}", "");
llMessageLinked(LINK_SET, 860300, "1.0", "");
```

860400 Submit play mode

Single cycle, value. 0: off (default), 1: on

```
// llMessageLinked(LINK_SET/THIS, 860400, "{Mode}", "");
llMessageLinked(LINK_SET, 860400, "1", "");
```

860500 Submit source

Support `llLinkPlaySound`

Set which prim to play, value: `LINK_THIS`(default), `LINK_SET`, `LINK_ROOT`, `LINK_ALL_OTHERS`, `LINK_ALL_CHILDREN`.

```
// llMessageLinked(LINK_SET/THIS, 860500, "{Source}", "");
llMessageLinked(LINK_SET, 860500, (string)LINK_SET, "");
```

860600 Submit range

Set the sound effect range (Radius, float type, 0 for unlimited).

```
// llMessageLinked(LINK_SET/THIS, 860600, "{Radius}", "");
llMessageLinked(LINK_SET, 860600, (string)(12.5), "");
```

Link Message to Receive

Broadcast to `LINK_SET`

861001 Loading

```
default
{
    link_message(integer sender, integer num, string str, key id) {
        if(num == 861001) {
            string TRACK_NAME = str;
        }
    }
}
```

861002 Loaded

```
default
{
    link_message(integer sender, integer num, string str, key id) {
        if(num == 861002) {
            list data = llParseString2List(str, ["|"], []);
        }
    }
}
```

```

        // Track(notecard) name
        string TRACK_NAME = l1List2String(data, 0);

        // Number of clip of music
        integer TOTAL_CLIPS = (integer)l1List2String(data, 1);
    }
}

```

861003 Played

```

default
{
    link_message(integer sender, integer num, string str, key id) {
        if(num == 861003) {
            list data = l1ParseString2List(str, ["|"], []);

            // Track(notecard) name
            string TRACK_NAME = l1List2String(data, 0);

            // Music clip index
            integer CLIP_INDEX = (integer)l1List2String(data, 1);
        }
    }
}

```

861004 Playing

Triggered when switching clips

```

default
{
    link_message(integer sender, integer num, string str, key id) {
        if(num == 861004) {
            list data = l1ParseString2List(str, ["|"], []);

            // Track(notecard) name
            string TRACK_NAME = l1List2String(data, 0);

            // Music clip index
            integer CLIP_INDEX = (integer)l1List2String(data, 1);

            // Clip duration
            float CLIP_DURATION = (float)l1List2String(data, 2);

            // Clip start time (Relative to the start of this track)
            float CLIP_START_TIME = (float)l1List2String(data, 3);
        }
    }
}

```

```

        // Clip end time (Relative to the start of this track)
        float CLIP_END_TIME = (float)l1List2String(data, 4);
    }
}

```

861005 Stopped

```

default
{
    link_message(integer sender, integer num, string str, key id) {
        if(num == 861005) {
            list data = l1ParseString2List(str, ["|"], []);

            // Track(notecard) name
            string TRACK_NAME = l1List2String(data, 0);

            // Music clip index
            integer CLIP_INDEX = (integer)l1List2String(data, 1);
        }
    }
}

```

861006 Paused

```

default
{
    link_message(integer sender, integer num, string str, key id) {
        if(num == 861006) {
            list data = l1ParseString2List(str, ["|"], []);

            // Track(notecard) name
            string TRACK_NAME = l1List2String(data, 0);

            // Music clip index
            integer CLIP_INDEX = (integer)l1List2String(data, 1);
        }
    }
}

```

861007 Resumed

```

default
{
    link_message(integer sender, integer num, string str, key id) {
        if(num == 861007) {
            list data = l1ParseString2List(str, ["|"], []);

```

```
    // Track(notecard) name
    string TRACK_NAME = l1List2String(data, 0);

    // Music clip index
    integer CLIP_INDEX = (integer)l1List2String(data, 1);
  }
}
```

861010 Track Finished

The playback of all the clips of the single track ends.

This message will never be received if the playback mode **Single Loop** is on.

```
default
{
  link_message(integer sender, integer num, string str, key id) {
    if(num == 861010) {
      string TRACK_NAME = str;
    }
  }
}
```