
EBSA summaries (NP_19)


OBIS (Samuel Bosch and Pieter Provoost) 20 April, 2018

Overview


| Records | 69693 |
|-------------------------|-------|
| Datasets | 99 |
| Contributing institutes | 70 |
| Taxa | 3014 |
| Species | 1856 |
| Red List species | 161 |
| Invasive species | 2 |
| Harmful microalgae | 28 |
| Only observed here | 94 |



Records per year and taxonomic group (1950 - present)




Species per taxonomic group




Species accumulation (1950 - present)

Warning: Removed 21 rows containing missing values (position_stack).



Sampling events

Warning: Removed 22 rows containing missing values (position_stack).



Red list species (top 20)

| Name | Group | Status | Total records | Area records | % in area |
|---------------------------|-------------|--------|---------------|--------------|-----------|
| Caretta caretta | Reptilia | EN | 38217 | 1350 | 3.53 |
| Phoebastria immutabilis | Aves | NT | 6111 | 1803 | 29.50 |
| Mirounga angustirostris | Carnivora | LC | 7340 | 3228 | 43.98 |
| Eubalaena japonica | Cetacea | EN | 2002 | 38 | 1.90 |
| Balaenoptera physalus | Cetacea | EN | 68030 | 83 | 0.12 |
| Balaenoptera musculus | Cetacea | EN | 16952 | 75 | 0.44 |
| Grimpoteuthis bathynectes | Cephalopoda | LC | 10 | 8 | 80.00 |
| Physeter macrocephalus | Cetacea | VU | 53798 | 946 | 1.76 |
| Dermochelys coriacea | Reptilia | VU | 13513 | 205 | 1.52 |
| Bathyraja spinosissima | Pisces | LC | 36 | 16 | 44.44 |
| Phoebastria nigripes | Aves | NT | 11679 | 1233 | 10.56 |
| Thunnus orientalis | Pisces | VU | 9892 | 100 | 1.01 |
| Takifugu stictonotus | Pisces | LC | 6 | 3 | 50.00 |
| Amphistichus koelzi | Pisces | LC | 2 | 1 | 50.00 |
| Grimpoteuthis tuftsi | Cephalopoda | DD | 8 | 8 | 100.00 |
| Balaenoptera borealis | Cetacea | EN | 11127 | 8 | 0.07 |
| Callorhinus ursinus | Carnivora | VU | 2748 | 23 | 0.84 |
| Lampanyctus jordani | Pisces | LC | 79 | 20 | 25.32 |
| Chimaera owstoni | Pisces | DD | 3 | 3 | 100.00 |
| Phoebastria albatrus | Aves | VU | 1610 | 14 | 0.87 |

Invasive species (top 20)

| Name | Group | Total records | Area records | % in area |
|------------------|------------|---------------|--------------|-----------|
| <i>J</i> | Ascidiacea | 727 | 4 | 0.55 |
| Pterois volitans | Pisces | 2436 | 1 | 0.04 |

Harmful microalgae (top 20)

| Name | Group | | Area records | % in area |
|--------------------------------|-------------------|-------|--------------|-----------|
| Pronoctilucaceae | Myzozoa | 8 | 1 | 12.50 |
| Microcystis | Other | 437 | 2 | 0.46 |
| Dinophysis fortii | Myzozoa | 1090 | 4 | 0.37 |
| Gyrodinium | Myzozoa | 49333 | 31 | 0.06 |
| Amphidinium | Myzozoa | 12512 | 12 | 0.10 |
| Pseudo-nitzschia pungens | Bacillariophyceae | 6221 | 5 | 0.08 |
| Prorocentrum | Myzozoa | 78124 | 28 | 0.04 |
| Pseudo-nitzschia seriata | Bacillariophyceae | 37752 | 25 | 0.07 |
| Nitzschia | Bacillariophyceae | 52058 | 27 | 0.05 |
| Dinophysis ovum | Myzozoa | 1313 | 1 | 0.08 |
| Pseudo-nitzschia delicatissima | Bacillariophyceae | 39536 | 24 | 0.06 |
| Lingulodinium polyedrum | Myzozoa | 2691 | 2 | 0.07 |
| Phalacroma rotundatum | Myzozoa | 2811 | 2 | 0.07 |
| Gymnodinium | Myzozoa | 56085 | 18 | 0.03 |

| Name | Group | Total records | Area records | % in area |
|---------------------------|---------|---------------|--------------|-----------|
| Peridinium | Myzozoa | 23248 | 14 | 0.06 |
| Gonyaulax | Myzozoa | 28798 | 15 | 0.05 |
| Protoceratium reticulatum | Myzozoa | 3312 | 2 | 0.06 |
| Prorocentrum cordatum | Myzozoa | 16073 | 5 | 0.03 |
| Protoceratium | Myzozoa | 3457 | 2 | 0.06 |
| Dinophysis | Myzozoa | 93504 | 5 | 0.01 |

Observed in this area only (top 20)

| Name | Group | Total records | Area records | % in area |
|-----------------------------|-----------------|---------------|--------------|-----------|
| Bolivina gracilis | Foraminifera | 110 | 110 | 100 |
| Bolivina inconspicua | Foraminifera | 55 | 55 | 100 |
| Acarinina africana | Foraminifera | 51 | 51 | 100 |
| Globanomalina luxorensis | Foraminifera | 41 | 41 | 100 |
| Acarinina sibaiyaensis | Foraminifera | 20 | 20 | 100 |
| Pseudoclavulina globulifera | Foraminifera | 16 | 16 | 100 |
| Discorbis perovalis | Foraminifera | 13 | 13 | 100 |
| Grimpoteuthis tuftsi | Cephalopoda | 8 | 8 | 100 |
| Chaceon imperialis | Decapoda | 6 | 6 | 100 |
| Pararotalia debourlei | Foraminifera | 6 | 6 | 100 |
| Pareucalanus parki | Other Crustacea | 6 | 6 | 100 |
| Lepidopus calcar | Pisces | 5 | 5 | 100 |
| Spirillina neocomiana | Foraminifera | 5 | 5 | 100 |
| Valvulina angulosa | Foraminifera | 5 | 5 | 100 |
| Haplopodia petersoni | Other Crustacea | 5 | 5 | 100 |
| Asceptrulum axialis | Porifera | 5 | 5 | 100 |
| Barathricola rimensis | Other Crustacea | 5 | 5 | 100 |
| Paraulopus novaeseelandiae | Pisces | 4 | 4 | 100 |
| Lenticulina cuvillieri | Foraminifera | 4 | 4 | 100 |
| Lenticulina kugleri | Foraminifera | 4 | 4 | 100 |

Newest species in this area (top 20)

| Name | Records | Area records | % in area | Last record |
|-----------------------|---------|--------------|-----------|-------------|
| Limacina helicina | 7074 | 1 | 0.01 | 2016 |
| Xenostrobus pulex | 751 | 1 | 0.13 | 2014 |
| Caretta caretta | 38217 | 1350 | 3.53 | 2013 |
| Candacia bipinnata | 1031 | 19 | 1.84 | 2012 |
| Copilia mirabilis | 852 | 11 | 1.29 | 2012 |
| Cosmocalanus darwinii | 740 | 7 | 0.95 | 2012 |
| Cosmocalanus darwinii | 740 | 13 | 1.76 | 2012 |
| Euchaeta longicornis | 493 | 6 | 1.22 | 2012 |
| Euchirella curticauda | 247 | 4 | 1.62 | 2012 |
| Euphausia diomedeae | 84 | 3 | 3.57 | 2012 |
| Euphausia gibboides | 367 | 1 | 0.27 | 2012 |
| Euphausia mutica | 231 | 3 | 1.30 | 2012 |
| Euphausia recurva | 290 | 6 | 2.07 | 2012 |

| Name | Records | Area records | % in area | Last record |
|-----------------------|---------|--------------|-----------|-------------|
| Euphausia similis | 236 | 3 | 1.27 | 2012 |
| Fiona pinnata | 193 | 5 | 2.59 | 2012 |
| Lucicutia flavicornis | 11696 | 30 | 0.26 | 2012 |
| Nannocalanus minor | 21393 | 12 | 0.06 | 2012 |
| Neocalanus gracilis | 10439 | 15 | 0.14 | 2012 |
| Oceanodroma leucorhoa | 28084 | 31 | 0.11 | 2012 |
| Phaenna spinifera | 317 | 1 | 0.32 | 2012 |

No longer observed in this area since 1950 (top 20)

| Name | Records | Area records | % in area | Last record |
|-------------------------|---------|--------------|-----------|-------------|
| Eubalaena japonica | 2002 | 38 | 1.90 | 1913 |
| Rhopalonema velatum | 437 | 9 | 2.06 | 1934 |
| Farranula concinna | 586 | 5 | 0.85 | 1933 |
| Phalacrophorus pictus | 161 | 4 | 2.48 | 1928 |
| Vanadis formosa | 408 | 4 | 0.98 | 1928 |
| Siriella thompsonii | 505 | 4 | 0.79 | 1929 |
| Calanus helgolandicus | 76074 | 3 | 0.00 | 1933 |
| Solmissus marshalli | 135 | 3 | 2.22 | 1934 |
| Pegantha martagon | 209 | 3 | 1.44 | 1933 |
| Pandea conica | 83 | 3 | 3.61 | 1933 |
| Gobiesox maeandricus | 93 | 2 | 2.15 | 1883 |
| Pegantha triloba | 52 | 2 | 3.85 | 1934 |
| Pegantha laevis | 21 | 2 | 9.52 | 1934 |
| Geryonia proboscidalis | 172 | 2 | 1.16 | 1934 |
| Onychocorycaeus ovalis | 363 | 2 | 0.55 | 1933 |
| Alciopina paumotanus | 83 | 2 | 2.41 | 1928 |
| Neoturris pelagica | 3 | 2 | 66.67 | 1933 |
| Acrocalanus longicornis | 1869 | 1 | 0.05 | 1933 |
| Atheresthes stomias | 24769 | 1 | 0.00 | 1890 |
| Ceratomysis spinosa | 5 | 1 | 20.00 | 1906 |

~1

Datasets (top 20)

| Name | Node | Provider | Taxa | Area taxa | Records | Area records | % in area |
|--|--------------------|---|-------|-----------|---------|--------------|-----------|
| MICROBIS database | MicrOBIS | ICoMM | 2412 | 557 | 889586 | 23557 | 2.65 |
| World Ocean Database 2009 | no RON affiliation | NODC | 4400 | 553 | 3181610 | 10615 | 0.33 |
| PANGAEA - Data from the Ocean Drilling Program (ODP) | EurOBIS | Flanders Marine Institute (VLIZ) | 4206 | 187 | 329576 | 5171 | 1.57 |
| PANGAEA - Data from the Deep Sea Drilling Project (DSDP) | EurOBIS | Flanders Marine Institute (VLIZ) | 4792 | 305 | 336470 | 5033 | 1.50 |
| Video Annotation and Reference System (VARS) database | USOBIS | OBIS-USA | 676 | 85 | 176673 | 4480 | 2.54 |
| TOPP Summary of SSM-derived Telemetry | OBIS-SEAMAP | Stanford University | 10 | 8 | 10692 | 2291 | 21.43 |
| JODC Dataset | OBIS Japan | Japan Oceanographic Data Center | 1314 | 464 | 283701 | 2136 | 0.75 |
| NOAA Deep Sea Corals Research and Technology Program | USOBIS | U.S. Geological Survey | 1392 | 45 | 324567 | 1759 | 0.54 |
| Continuous Plankton Recorder Dataset (SAHFOS) - Pacific Zooplankton | EurOBIS | The Sir Alister Hardy Foundation for Ocean Science The Laboratory (SAHFOS) | 173 | 69 | 57285 | 1065 | 1.86 |
| SeamountsOnline (Seamount Biota) | SeamountsOnline | CoML | 3772 | 306 | 18632 | 1044 | 5.60 |
| TOPP Albatrosses 2002-06 (aggregated per 1-degree cell) | OBIS-SEAMAP | San Jose State University | 2 | 2 | 1960 | 983 | 50.15 |
| Historical distribution of whales shown by logbook records 1785-1913 | OBIS-SEAMAP | WCS Canada | 5 | 2 | 34059 | 944 | 2.77 |
| UWFC Ichthyology Collection | USOBIS | University of Washington Burke Museum | 1186 | 130 | 110699 | 862 | 0.78 |
| TOPP northern elephant seal (Mirounga angustirostris) ARGOS satellite tracking | no RON affiliation | CoML | 1 | 1 | 1445 | 803 | 55.57 |
| NMFS Turtle Tracking (aggregated per 1-degree cell) | OBIS-SEAMAP | NOAA Pacific Islands Fisheries Science Center | 2 | 2 | 1529 | 783 | 51.21 |
| CMarZ (Census of Marine Zooplankton)-Asia Database | Antarctic OBIS | SCAR-MarBIN | 154 | 17 | 2851 | 692 | 24.27 |
| Continuous Plankton Recorder Dataset (SAHFOS) - Pacific Phytoplankton | EurOBIS | The Sir Alister Hardy Foundation for Ocean Science The Laboratory (SAHFOS) | 164 | 64 | 23689 | 500 | 2.11 |
| NMNH Invertebrate Zoology Collections | USOBIS | Smithsonian Institute | 37826 | 250 | 550789 | 489 | 0.09 |
| Tern Island Albatrosses - 1999 (aggregated per 1-degree cell) | OBIS-SEAMAP | Wake Forest University | 2 | 2 | 1045 | 464 | 44.40 |
| Tern Island Albatrosses - 1998 (aggregated per 1-degree cell) | OBIS-SEAMAP | Wake Forest University | 2 | 2 | 1052 | 414 | 39.35 |

Institutes (top 20)

| Name | Acronym | Parent institute | Datasets | Area taxa | Area records |
|---|------------|--|----------|-----------|--------------|
| National Oceanography Centre | SOTON-NOCS | University of Southampton | 1 | 89 | 99 |
| School of Ocean and Earth Science | SOTON-SOES | University of Southampton; National Oceanography Centre | 1 | 89 | 99 |
| Census of Marine Life | COML | | 1 | 89 | 99 |
| San Jose State University | | | 1 | 2 | 983 |
| Wildlife Conservation Society | WCS | | 1 | 2 | 944 |
| Wake Forest University | | | 2 | 4 | 878 |
| Bishop Museum | BPBM | | 1 | 49 | 87 |
| University of Washington Burke Museum | | | 1 | 130 | 862 |
| Swedish Museum of Natural History | NRM | | 1 | 56 | 86 |
| Woods Hole Oceanographic Institution | WHOI | | 2 | 17 | 84 |
| Biology Departement | | University of California, Santa Cruz | 1 | 1 | 803 |
| University of New Hampshire | NHU | | 1 | 3 | 8 |
| The Bermuda Biological Station for Research, Inc. | BBSR | | 1 | 23 | 79 |
| Fisheries Centre | | University of British Columbia | 1 | 23 | 79 |
| Aquatic Ecosystems Research Laboratory | | University of British Columbia; Fisheries Centre | 1 | 23 | 79 |
| National Marine Fisheries Service | NOAA-NMFS | National Oceanic and Atmospheric Administration | 1 | 2 | 783 |
| Grupo Tortuguero Tracking Project | | | 1 | 1 | 72 |
| Royal Ontario Museum | | | 2 | 6 | 7 |
| Ocean Research Institute | ORI | University of Tokyo | 1 | 17 | 692 |
| National Museum of Natural History | NMNM | Smithsonian Institution | 1 | 35 | 67 |