

Retrieval Strategy Evaluation

Compares three retrieval strategies for the arXiv RAG pipeline on a sample of the dataset:

- hybrid_rerank** -- NumPy/BM25 hybrid search (RRF) + local cross-encoder rerank (current production default)
- hybrid_only** -- NumPy/BM25 hybrid search (RRF) only, no rerank
- elasticsearch_rrf** -- Elasticsearch's native RRF retriever (BM25 + kNN), no rerank

For each strategy we measure **retrieval quality** (hit rate / MRR against a synthetic ground-truth question generated per sampled paper), **answer relevancy** (LLM-as-a-judge), **token cost**, and **latency** -- then combine them into a single composite score to pick a winner.

All three strategies share the exact same generation prompt and model; only the retrieval step differs, so the comparison isolates retrieval quality.

Loaded **10,000** papers, embeddings shape (10000, 1536).

Warmed up OpenAI client, cross-encoder model, and Elasticsearch client.

Elasticsearch setup

Elasticsearch: Elasticsearch index already present, reusing it.

Evaluating strategies: **hybrid_rerank**, **hybrid_only**, **elasticsearch_rrf**

Evaluation sample & ground-truth questions

Sampled **200** papers (seed=42) as the evaluation set.

Generated 200 questions. Question-generation cost: **\$0.0172** (one-time, shared across all strategies).

Running the evaluation


Ran 600 (question x strategy) evaluations in 13.8 min.

Results


Per-strategy summary

Q. Search...	strategy str	hit_rate@5 float64	mrr@5 float64	avg_relevancy float64	avg_retrieval_latency_s float64	avg_total_latency_s float64	total_cost_usd float64	avg_cost_usd float64	total_input_token int64
☐	elasticsearch_rrf	0.550	0.4004166666666670	4.685	0.31224339246749877	3.866344619989395	0.08647200	0.00043235999999999996	
☐	hybrid_only	0.500	0.36650000000000005	4.695	0.32162184238433840	4.041554821729660	0.08995770	0.00044978850000000000	
☐	hybrid_rerank	0.585	0.46558333333333346	4.715	1.04444328904151920	4.517268429994584	0.08757465	0.00043787325000000000	
3 rows, 10 columns									


Retrieval quality




Token cost (calc_total_price)



Speed / latency



Answer relevancy (LLM-as-a-judge)



Statistical reliability

Single point estimates (the table above) can't tell a real quality gap between strategies apart from run-to-run noise in synthetic question generation and single-shot LLM-judge scoring. Here we report bootstrap 95% confidence intervals per strategy, and a paired Wilcoxon signed-rank test between every pair of strategies -- valid because all strategies are evaluated on the exact same questions, which gives the test much more power than comparing independent point estimates.

Mean ± std, with bootstrap 95% CI

Q. Search...	strategy str	n int64	hit_rate@5_mean float64	hit_rate@5_std float64	hit_rate@5_ci95_lo float64	hit_rate@5_ci95_hi float64	mrr@5_mean float64	mrr@5_std float64	mrr@5_ci95_lo float64	mrr float64
☐	elasticsearch_rrf	200	0.550	0.49874213637205840		0.48	0.6150000000000000	0.4004166666666667	0.42909419059196857	0.3406583333333333
☐	hybrid_only	200	0.500	0.50125470711708550		0.43	0.56512499999999992	0.36650000000000000	0.43024602443374016	0.3074979166666666
☐	hybrid_rerank	200	0.585	0.49395847484821215		0.52	0.65012499999999993	0.46558333333333333	0.45462164676634430	0.4039895833333333
3 rows, 14 columns										


Paired significance (Wilcoxon signed-rank)

3 of 6 pairwise comparisons reached p < 0.05.

Q. Search...	strategy_a str	strategy_b str	metric str	n_pairs int64	mean_diff float64	statistic float64	p_value float64	significant_p<0.05 bool
☐	elasticsearch_rrf	hybrid_only	mrr	200	0.033916666666666664	469.5	0.0289548139768870900	True
☐	elasticsearch_rrf	hybrid_rerank	relevancy	200	-0.010000000000000000	230.0	0.9585408729411605000	False
☐	elasticsearch_rrf	hybrid_rerank	mrr	200	-0.065166666666666680	1,080.5	0.0137260465012049620	True
☐	elasticsearch_rrf	hybrid_rerank	relevancy	200	-0.030000000000000000	199.5	0.6926433336120823000	False
☐	hybrid_only	hybrid_rerank	mrr	200	-0.099083333333333360	901.5	0.0005216701957507153	True
☐	hybrid_only	hybrid_rerank	relevancy	200	-0.020000000000000000	162.5	0.7382080980145054000	False
6 rows, 8 columns								

Composite score

Combines all four dimensions into one score per strategy (each metric is min-max normalized across strategies, cost/latency inverted so "lower is better" scores higher). Adjust the weights to see how the ranking shifts under different priorities.




Composite-score leader under current weights: hybrid_rerank (score 0.787)

This is a weighted-average ranking, not a statistically validated conclusion -- min-max normalization means even a small, non-significant gap on one axis can swing that axis's full weight. See *Statistically validated result* below for what the paired significance test actually supports.

Q. Search...	strategy str	score float64
☐	hybrid_rerank	0.7867329374300711
☐	elasticsearch_rrf	0.4895809627467472
☐	hybrid_only	0.2262909270531077
3 rows, 2 columns		

Composite score by strategy



Statistically validated result

Statistically significant differences found:

- elasticsearch_rrf beats hybrid_only on **mrr** (p=0.029)
- hybrid_rerank beats elasticsearch_rrf on **mrr** (p=0.014)
- hybrid_rerank beats hybrid_only on **mrr** (p=0.001)

The composite-score leader (hybrid_rerank) is backed by significant wins on: mrr, mrr.

Conclusion

hybrid_rerank is both the composite-score leader under the current weights and has a statistically significant advantage on mrr, mrr -- the two signals agree, so this is a reasonably confident pick.

Adjust the sliders above to see how the composite-score ranking shifts under different priorities (e.g. cost-sensitive vs quality-sensitive deployments) -- but the *statistically validated result* section above does not change with the sliders, since it doesn't depend on the weights.

To make the production app use the composite-score leader, set in .env:

```
RETRIEVAL_STRATEGY=hybrid_rerank
```

src/arxiv_rag/rag.py reads settings.retrieval_strategy to pick among the strategies defined in src/arxiv_rag/strategies.py -- no code changes needed.